

# David H Farb

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6726413/publications.pdf>

Version: 2024-02-01

76  
papers

4,645  
citations

101543

36  
h-index

102487

66  
g-index

80  
all docs

80  
docs citations

80  
times ranked

3236  
citing authors

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | Probing the Neural Circuitry Targets of Neurotoxicants In Vivo Through High Density Silicon Probe Brain Implants. <i>Frontiers in Toxicology</i> , 2022, 4, 836427.   | 3.1  | 2         |
| 2  | Role of Pharmacological Modulation of Tonic Inhibition in Hippocampal Sharp Wave Ripples Amplitude and Place Cell Firing Dynamics. <i>FASEB Journal</i> , 2022, 36, .   | 0.5  | 0         |
| 3  | GABA <sub>B</sub> receptors in GtoPdb v.2021.2. <i>IUPHAR/BPS Guide To Pharmacology CITE</i> , 2021, 2021, .  | 0.2  | 0         |
| 4  | Prodromal dysfunction of $\hat{\pm}$ 5GABA-A receptor modulated hippocampal ripples occurs prior to neurodegeneration in the TgF344-AD rat model of Alzheimer's disease. <i>Heliyon</i> , 2021, 7, e07895.  | 3.2  | 8         |
| 5  | Data from single nuclei RNA $\hat{\epsilon}$ sequencing reveals a prodromal gene network response in excitatory neurons of a humanized rat Alzheimer $\hat{\epsilon}$ ™s disease model. <i>Alzheimer's and Dementia</i> , 2021, 17, e058589.                              | 0.8  | 0         |
| 6  | Neurosteroid Actions in Memory and Neurologic/Neuropsychiatric Disorders. <i>Frontiers in Endocrinology</i> , 2019, 10, 169.  | 3.5  | 69        |
| 7  | GABA <sub>B</sub> receptors (version 2019.4) in the <i>IUPHAR/BPS Guide to Pharmacology Database</i> . <i>IUPHAR/BPS Guide To Pharmacology CITE</i> , 2019, 2019, .   | 0.2  | 0         |
| 8  | Combined administration of levetiracetam and valproic acid attenuates age-related hyperactivity of CA3 place cells, reduces place field area, and increases spatial information content in aged rat hippocampus. <i>Hippocampus</i> , 2015, 25, 1541-1555.                | 1.9  | 44        |
| 9  | Pregnenolone Sulfate as a Modulator of Synaptic Plasticity. <i>FASEB Journal</i> , 2015, 29, 1019.13.   | 0.5  | 0         |
| 10 | Younger age at onset of sporadic Parkinson $\hat{\epsilon}$ ™s disease among subjects occupationally exposed to metals and pesticides. <i>Interdisciplinary Toxicology</i> , 2014, 7, 123-133.  | 1.0  | 33        |
| 11 | A Role for Picomolar Concentrations of Pregnenolone Sulfate in Synaptic Activity-Dependent Ca <sup>2+</sup> Signaling and CREB Activation. <i>Molecular Pharmacology</i> , 2014, 86, 390-398.   | 2.3  | 12        |
| 12 | Pregnenolone sulfate as a modulator of synaptic plasticity. <i>Psychopharmacology</i> , 2014, 231, 3537-3556.   | 3.1  | 47        |
| 13 | GABA $\hat{\epsilon}$ induced uncoupling of GABA/benzodiazepine site interactions is associated with increased phosphorylation of the GABA <sub>A</sub> receptor. <i>Journal of Neuroscience Research</i> , 2014, 92, 1054-1061.  | 2.9  | 10        |
| 14 | Targeting the Modulation of Neural Circuitry for the Treatment of Anxiety Disorders. <i>Pharmacological Reviews</i> , 2014, 66, 1002-1032.  | 16.0 | 47        |
| 15 | An interview with David H Farb, Section Editor for Basic Pharmacology. <i>BMC Pharmacology &amp; Toxicology</i> , 2013, 14, 42.   | 2.4  | 0         |
| 16 | Polycomblike protein PHF1b: a transcriptional sensor for GABA receptor activity. <i>BMC Pharmacology &amp; Toxicology</i> , 2013, 14, 37.   | 2.4  | 8         |
| 17 | The Neuroactive Steroid Pregnenolone Sulfate Stimulates Trafficking of Functional <i>N</i> -Methyl D-Aspartate Receptors to the Cell Surface via a Noncanonical, G Protein, and Ca <sup>2+</sup> -Dependent Mechanism. <i>Molecular Pharmacology</i> , 2013, 84, 261-274. | 2.3  | 33        |
| 18 | Pregnanolone Hemisuccinate Inhibits NMDA Receptors with Selectivity for the NR1A/2A Subtype. <i>FASEB Journal</i> , 2013, 27, 1174.3.   | 0.5  | 0         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Brain-derived neurotrophic factor uses CREB and Egr3 to regulate NMDA receptor levels in cortical neurons. <i>Journal of Neurochemistry</i> , 2012, 120, 210-219.   | 3.9 | 66        |
| 20 | A steroid modulatory domain in NR2A collaborates with NR1 exon 5 to control NMDAR modulation by pregnenolone sulfate and protons. <i>Journal of Neurochemistry</i> , 2011, 119, 486-496.  | 3.9 | 25        |
| 21 | Genetic disruption of the autism spectrum disorder risk gene <i>PLAUR</i> induces GABA <sub>A</sub> receptor subunit changes. <i>Neuroscience</i> , 2010, 168, 797-810.   | 2.3 | 24        |
| 22 | Docking of 1,4-Benzodiazepines in the $\alpha 1/\beta 2$ GABA <sub>A</sub> Receptor Modulator Site. <i>Molecular Pharmacology</i> , 2009, 76, 440-450.  | 2.3 | 25        |
| 23 | Pharmacological Properties of DOV 315,090, an ocinaplon metabolite. <i>BMC Pharmacology</i> , 2008, 8, 11.  | 0.4 | 14        |
| 24 | A Minimal Promoter for the GABA <sub>A</sub> Receptor $\alpha 6$ -Subunit Gene Controls Tissue Specificity. <i>Journal of Neurochemistry</i> , 2008, 74, 1858-1869.   | 3.9 | 24        |
| 25 | Pregnenolone sulfate induces NMDA receptor dependent release of dopamine from synaptic terminals in the striatum. <i>Journal of Neurochemistry</i> , 2008, 107, 510-521.  | 3.9 | 25        |
| 26 | Surface Expression of GABA <sub>A</sub> Receptors Is Transcriptionally Controlled by the Interplay of cAMP-response Element-binding Protein and Its Binding Partner Inducible cAMP Early Repressor. <i>Journal of Biological Chemistry</i> , 2008, 283, 9328-9340.  | 3.4 | 58        |
| 27 | Nanomolar Concentrations of Pregnenolone Sulfate Enhance Striatal Dopamine Overflow in Vivo. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2008, 327, 840-845.   | 2.5 | 11        |
| 28 | Absorption (Sound Absorption). , 2008, , 3-3.   |     | 0         |
| 29 | Mechanisms of GABA <sub>A</sub> and GABA <sub>B</sub> Receptor Gene Regulation and Cell Surface Expression. , 2007, , 169-238.  |     | 2         |
| 30 | Sulfated steroids as endogenous neuromodulators. <i>Pharmacology Biochemistry and Behavior</i> , 2006, 84, 555-567.   | 2.9 | 101       |
| 31 | The Anxiolytic Agent 7-(2-Chloropyridin-4-yl)pyrazolo-[1,5-a]-pyrimidin-3-yl(pyridin-2-yl)methanone (DOV 51892) Is More Efficacious Than Diazepam at Enhancing GABA-Gated Currents at $\alpha 1$ Subunit-Containing GABA <sub>A</sub> Receptors. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2006, 319, 1244-1252. | 2.5 | 39        |
| 32 | Benzodiazepine modulation of partial agonist efficacy and spontaneously active GABA <sub>A</sub> receptors supports an allosteric model of modulation. <i>British Journal of Pharmacology</i> , 2005, 145, 894-906.   | 5.4 | 69        |
| 33 | Selective anxiolysis produced by ocinaplon, a GABA <sub>A</sub> receptor modulator. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 7380-7385.  | 7.1 | 119       |
| 34 | GABA Induces Activity Dependent Delayed-onset Uncoupling of GABA/Benzodiazepine Site Interactions in Neocortical Neurons. <i>Journal of Biological Chemistry</i> , 2005, 280, 20954-20960.  | 3.4 | 27        |
| 35 | A steroid modulatory domain on NR2B controls N-methyl-D-aspartate receptor proton sensitivity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 8198-8203.   | 7.1 | 90        |
| 36 | cAMP Response Element-Binding Protein, Activating Transcription Factor-4, and Upstream Stimulatory Factor Differentially Control Hippocampal GABABR1a and GABABR1b Subunit Gene Expression through Alternative Promoters. <i>Journal of Neuroscience</i> , 2004, 24, 6115-6126.   | 3.6 | 100       |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Inhibition of NMDA-induced striatal dopamine release and behavioral activation by the neuroactive steroid 3 $\alpha$ -hydroxy-5 $\alpha$ -pregnan-20-one hemisuccinate. <i>Journal of Neurochemistry</i> , 2004, 86, 92-101.                      | 3.9 | 16        |
| 38 | Differential expression of $\gamma$ -aminobutyric acid type B receptor subunit mRNAs in the developing nervous system and receptor coupling to adenylyl cyclase in embryonic neurons. <i>Journal of Comparative Neurology</i> , 2004, 473, 16-29. | 1.6 | 21        |
| 39 | Effects of prenatal malnutrition on GABAA receptor $\alpha$ 1, $\alpha$ 3 and $\alpha$ 2 mRNA levels. <i>NeuroReport</i> , 2003, 14, 1731-1735.   | 1.2 | 30        |
| 40 | Direct Modulation of Amino Acid Receptors by Neuroactive Steroids. <i>Frontiers in Neuroscience</i> , 2003, , .   | 0.0 | 1         |
| 41 | Prenatal protein malnutrition reduces $\alpha$ 2, $\alpha$ 3 and $\alpha$ 2L GABAA receptor subunit mRNAs in the adult septum. <i>European Journal of Pharmacology</i> , 2002, 446, 201-202.  | 3.5 | 20        |
| 42 | Inhibition of the NMDA response by pregnenolone sulphate reveals subtype selective modulation of NMDA receptors by sulphated steroids. <i>British Journal of Pharmacology</i> , 2002, 135, 901-909.   | 5.4 | 156       |
| 43 | Human GABABR genomic structure: evidence for splice variants in GABABR1 but not GABABR2. <i>Gene</i> , 2001, 278, 63-79.  | 2.2 | 48        |
| 44 | Distinct signal transduction pathways for GABA-induced GABAA receptor down-regulation and uncoupling in neuronal culture: a role for voltage-gated calcium channels. <i>Journal of Neurochemistry</i> , 2001, 78, 1114-1126.                      | 3.9 | 41        |
| 45 | Turnover and Down-Regulation of GABAA Receptor $\alpha$ 1, $\alpha$ 2S, and $\alpha$ 1 Subunit mRNAs by Neurons in Culture. <i>Journal of Neurochemistry</i> , 2000, 74, 1041-1048.   | 3.9 | 40        |
| 46 | An initiator element mediates autologous downregulation of the human type A gamma -aminobutyric acid receptor beta 1 subunit gene. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 8600-8605.  | 7.1 | 46        |
| 47 | Dueling Enigmas: Neurosteroids and Sigma Receptors in the Limelight. <i>Science Signaling</i> , 2000, 2000, pe1-pe1.  | 3.6 | 12        |
| 48 | Sulfated and unsulfated steroids modulate $\beta$ -aminobutyric acidA receptor function through distinct sites. <i>Brain Research</i> , 1999, 830, 72-87.   | 2.2 | 316       |
| 49 | Molecular Identification of the Human GABABR2: Cell Surface Expression and Coupling to Adenylyl Cyclase in the Absence of GABABR1. <i>Molecular and Cellular Neurosciences</i> , 1999, 13, 180-191.   | 2.2 | 108       |
| 50 | Modulation of Ionotropic Glutamate Receptors by Neuroactive Steroids. , 1999, , 167-190.  |     | 16        |
| 51 | Pregnenolone sulfate exacerbates NMDA-induced death of hippocampal neurons. <i>Brain Research</i> , 1998, 803, 129-136.   | 2.2 | 50        |
| 52 | Neurosteroid modulation of recombinant ionotropic glutamate receptors. <i>Brain Research</i> , 1998, 803, 153-160.  | 2.2 | 78        |
| 53 | Neuroprotective activity of a new class of steroidal inhibitors of the N-methyl-D-aspartate receptor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997, 94, 10450-10454.                             | 7.1 | 105       |
| 54 | Distinct Sites for Inverse Modulation of N-Methyl-d-Aspartate Receptors by Sulfated Steroids. <i>Molecular Pharmacology</i> , 1997, 52, 1113-1123.  | 2.3 | 204       |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 55 | 17 $\beta$ -Estradiol protects against NMDA-induced excitotoxicity by direct inhibition of NMDA receptors. <i>Brain Research</i> , 1997, 761, 338-341.  | 2.2  | 264       |
| 56 | $\gamma$ -Aminobutyric acidA receptor regulation: heterologous uncoupling of modulatory site interactions induced by chronic steroid, barbiturate, benzodiazepine, or GABA treatment in culture. <i>Brain Research</i> , 1996, 707, 100-109.              | 2.2  | 66        |
| 57 | From ion currents to genomic analysis: Recent advances in GABAA receptor research. <i>Synapse</i> , 1995, 21, 189-274.  | 1.2  | 476       |
| 58 | Mapping of the $\alpha$ 4 subunit gene (GABRA4) to human chromosome 4 defines an $\alpha$ 4 $\beta$ 1 gene cluster: further evidence that modern GABAA receptor gene clusters are derived from an ancestral cluster. <i>Genomics</i> , 1995, 26, 580-586. | 2.9  | 69        |
| 59 | Mapping of the $\alpha$ 2 Subunit Gene (GABRB2) to Microdissected Human Chromosome 5q34-q35 Defines a Gene Cluster for the Most Abundant GABAA Receptor Isoform. <i>Genomics</i> , 1994, 23, 528-533.   | 2.9  | 59        |
| 60 | Dual activation of GABAA and glycine receptors by $\beta$ -alanine: inverse modulation by progesterone and 5 $\alpha$ -pregnan-3 $\alpha$ -ol-20-one. <i>European Journal of Pharmacology</i> , 1993, 246, 239-246.                                       | 2.6  | 63        |
| 61 | Pregnenolone sulfate augments NMDA receptor mediated increases in intracellular Ca <sup>2+</sup> in cultured rat hippocampal neurons. <i>Neuroscience Letters</i> , 1992, 141, 30-34.   | 2.1  | 153       |
| 62 | Molecular and cellular mechanisms of GABA/benzodiazepine-receptor regulation: Electrophysiological and biochemical studies. <i>Neurochemical Research</i> , 1990, 15, 175-191.  | 3.3  | 23        |
| 63 | Ethanol potentiates GABA- and glycine-induced chloride currents in chick spinal cord neurons. <i>Brain Research</i> , 1988, 455, 377-380.   | 2.2  | 180       |
| 64 | Benzodiazepine Stimulation of Gamma-Aminobutyric Acid Receptor Desensitization in Chick Spinal Cord Cell Cultures. <i>Annals of the New York Academy of Sciences</i> , 1988, 529, 304-306.  | 3.8  | 0         |
| 65 | Correlative Binding and Electrophysiological Studies of the Photoaffinity-labeled Benzodiazepine Receptor. <i>Annals of the New York Academy of Sciences</i> , 1986, 463, 183-185.  | 3.8  | 1         |
| 66 | Enhancement of Benzodiazepine Binding by GABA Is Reduced Rapidly during Chronic Exposure to Flurazepam. <i>Annals of the New York Academy of Sciences</i> , 1986, 463, 221-223.   | 3.8  | 10        |
| 67 | Benzodiazepine receptor photoaffinity labeling: Correlation of function with binding. <i>European Journal of Pharmacology</i> , 1985, 110, 171-180.   | 3.5  | 15        |
| 68 | Benzodiazepine receptor synthesis and degradation by neurons in culture. <i>Science</i> , 1984, 226, 857-860.   | 12.6 | 48        |
| 69 | Modulation of Neuronal Function through Benzodiazepine Receptors: Biochemical and Electrophysiological Studies of Neurons in Primary Monolayer Cell Culture. <i>Annals of the New York Academy of Sciences</i> , 1984, 435, 1-31.                         | 3.8  | 41        |
| 70 | Multiple embryonic benzodiazepine binding sites: Evidence for functionality. <i>Life Sciences</i> , 1983, 33, 2061-2069.  | 4.3  | 20        |
| 71 | The Inactivation of $\gamma$ -Aminobutyric Acid Transaminase in Dissociated Neuronal Cultures from Spinal Cord. <i>Journal of Neurochemistry</i> , 1981, 36, 985-990.   | 3.9  | 16        |
| 72 | Different forms of pig liver esterase. <i>Archives of Biochemistry and Biophysics</i> , 1980, 203, 214-226.   | 3.0  | 42        |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 73 | Dependence on pH of the activity of pig liver esterase. Archives of Biochemistry and Biophysics, 1980, 203, 227-235.   | 3.0  | 11        |
| 74 | Intrathecal Capsaicin Depletes Substance P in the Rat Spinal Cord and Produces Prolonged Thermal Analgesia. Science, 1979, 206, 481-483.                     | 12.6 | 299       |
| 75 | Uptake and release of [3H]gamma-aminobutyric acid by embryonic spinal cord neurons in dissociated cell culture.. Journal of Cell Biology, 1979, 80, 651-661. | 5.2  | 68        |
| 76 | Chlordiazepoxide selectively augments GABA action in spinal cord cell cultures. Nature, 1977, 269, 342-344.  | 27.8 | 272       |