Jeanine A M C F Verbunt

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6731355/publications.pdf

Version: 2024-02-01

94 papers 3,836 citations

33 h-index 59 g-index

95 all docs 95 docs citations 95 times ranked 3846 citing authors

#	Article	IF	CITATIONS
1	Cognitive impairments in survivors of out-of-hospital cardiac arrest: A systematic review. Resuscitation, 2009, 80, 297-305.	3.0	323
2	Fear-avoidance and Endurance-related Responses to Pain: New Models of Behavior and Their Consequences for Clinical Practice. Clinical Journal of Pain, 2010, 26, 747-753.	1.9	250
3	Disuse and deconditioning in chronic low back pain: concepts and hypotheses on contributing mechanisms. European Journal of Pain, 2003, 7, 9-21.	2.8	239
4	Disuse and physical deconditioning in the first year after the onset of back pain. Pain, 2007, 130, 279-286.	4.2	130
5	Physical activity in daily life in patients with chronic low back pain. Archives of Physical Medicine and Rehabilitation, 2001, 82, 726-730.	0.9	128
6	Assessment of Arm Activity Using Triaxial Accelerometry in Patients With a Stroke. Archives of Physical Medicine and Rehabilitation, 2011, 92, 1437-1442.	0.9	122
7	Determinants of quality of life in survivors of cardiac arrest. Journal of Rehabilitation Medicine, 2010, 42, 553-558.	1.1	109
8	Early neurologically-focused follow-up after cardiac arrest improves quality of life at one year: A randomised controlled trial. International Journal of Cardiology, 2015, 193, 8-16.	1.7	109
9	Cause or effect? Deconditioning and chronic low back pain. Pain, 2010, 149, 428-430.	4.2	108
10	Fear of injury and physical deconditioning in patients with chronic low back pain 11No commercial party having a direct financial interest in the results of the research supporting this article has or will confer a benefit upon the author(s) or upon any organization with which the author(s) is/are associated Archives of Physical Medicine and Rehabilitation, 2003, 84, 1227-1232.	0.9	107
11	A longitudinal study on the predictive validity of the fear–avoidance model in low back pain. Pain, 2005, 117, 162-170.	4.2	100
12	Disability in Adolescents and Adults Diagnosed With Hypermobility-Related Disorders: A Meta-Analysis. Archives of Physical Medicine and Rehabilitation, 2016, 97, 2174-2187.	0.9	89
13	Activity Patterns in Chronic Pain: Underlying Dimensions and Associations With Disability and Depressed Mood. Journal of Pain, 2011, 12, 1049-1058.	1.4	88
14	Differences in activityâ€related behaviour among patients with chronic low back pain. European Journal of Pain, 2011, 15, 748-755.	2.8	83
15	Cognitive impairments and subjective cognitive complaints after survival of cardiac arrest: A prospective longitudinal cohort study. Resuscitation, 2017, 120, 132-137.	3.0	83
16	Do depression and pain intensity interfere with physical activity in daily life in patients with Chronic Low Back Pain?. Pain, 2010, 150, 161-166.	4.2	77
17	Pain-Related Factors Contributing to Muscle Inhibition in Patients With Chronic Low Back Pain. Clinical Journal of Pain, 2005, 21, 232-240.	1.9	75
18	Long-term Outcome After Survival of a Cardiac Arrest: A Prospective Longitudinal Cohort Study. Neurorehabilitation and Neural Repair, 2017, 31, 530-539.	2.9	70

#	Article	IF	CITATIONS
19	Research in rehabilitation medicine: Methodological challenges. Journal of Clinical Epidemiology, 2010, 63, 699-704.	5.0	68
20	Decline in physical activity, disability and pain-related fear in sub-acute low back pain. European Journal of Pain, 2005, 9, 417-417.	2.8	65
21	Chronic pain in hypermobility syndrome and Ehlers–Danlos syndrome (hypermobility type): it is a challenge. Journal of Pain Research, 2015, 8, 591.	2.0	62
22	Life after survival: long-term daily life functioning and quality of life of patients with hypoxic brain injury as a result of a cardiac arrest. Clinical Rehabilitation, 2007, 21, 425-431.	2.2	59
23	Assessment of physical activity in daily life in patients with musculoskeletal pain. European Journal of Pain, 2009, 13, 231-242.	2.8	56
24	Generalized joint hypermobility in professional dancers: a sign of talent or vulnerability?. Rheumatology, 2013, 52, 651-658.	1.9	56
25	Does the fear avoidance model explain persistent symptoms after traumatic brain injury?. Brain Injury, 2017, 31, 1597-1604.	1.2	48
26	Functional Outcomes and Their Association With Physical Performance in Mechanically Ventilated Coronavirus Disease 2019 Survivors at 3 Months Following Hospital Discharge: A Cohort Study. Critical Care Medicine, 2021, 49, 1726-1738.	0.9	47
27	"Being―in pain: The role of self-discrepancies in the emotional experience and activity patterns of patients with chronic low back pain. Pain, 2011, 152, 403-409.	4.2	45
28	Effect of Mental Practice on the Improvement of Function and Daily Activity Performance of the Upper Extremity in Patients With Subacute Stroke: A Randomized Clinical Trial. Journal of the American Medical Directors Association, 2013, 14, 204-212.	2.5	44
29	The impact of cardiac arrest on the long-term wellbeing and caregiver burden of family caregivers: a prospective cohort study. Clinical Rehabilitation, 2017, 31, 1267-1275.	2.2	44
30	Is the Fear Avoidance Model Associated With the Reduced Level of Aerobic Fitness in Patients With Chronic Low Back Pain?. Archives of Physical Medicine and Rehabilitation, 2009, 90, 109-117.	0.9	40
31	Multidisciplinary care for stroke patients living in the community: A systematic review. Journal of Rehabilitation Medicine, 2013, 45, 321-330.	1.1	40
32	The disabling role of fluctuations in physical activity in patients with chronic low back pain. European Journal of Pain, 2009, 13, 1076-1079.	2.8	38
33	Energy Expenditure during Functional Daily Life Performances in Patients with Fibromyalgia. Pain Practice, 2015, 15, 748-756.	1.9	36
34	Long-term quality of life of caregivers of cardiac arrest survivors and the impact of witnessing a cardiac event of a close relative. Resuscitation, 2018, 128, 198-203.	3.0	35
35	â€~Stand still … , and move on', a new early intervention service for cardiac arrest survivors and th caregivers: rationale and description of the intervention. Clinical Rehabilitation, 2011, 25, 867-879.	neir 2.2	32
36	Effects of self-discrepancies on activity-related behaviour: Explaining disability and quality of life in patients with chronic low back pain. Pain, 2011, 152, 2165-2172.	4.2	30

#	Article	IF	Citations
37	Perceived Physical Activity Decline as a Mediator in the Relationship Between Pain Catastrophizing, Disability, and Quality of Life in Patients with Painful Diabetic Neuropathy. Pain Practice, 2017, 17, 320-328.	1.9	30
38	A new episode of low back pain: Who relies on bed rest?. European Journal of Pain, 2008, 12, 508-516.	2.8	29
39	Early neurologically focused follow-up after cardiac arrest is cost-effective: A trial-based economic evaluation. Resuscitation, 2016, 106, 30-36.	3.0	29
40	The effect of exercise therapy combined with psychological therapy on physical activity and quality of life in patients with painful diabetic neuropathy: a systematic review. Scandinavian Journal of Pain, 2019, 19, 433-439.	1.3	29
41	Serial measurements in COVID-19-induced acute respiratory disease to unravel heterogeneity of the disease course: design of the Maastricht Intensive Care COVID cohort (MaastrICCht). BMJ Open, 2020, 10, e040175.	1.9	29
42	Factors predicting quality of life and societal participation after survival of a cardiac arrest: A prognostic longitudinal cohort study. Resuscitation, 2018, 123, 51-57.	3.0	26
43	COVID-19: Patient Characteristics in the First Phase of Postintensive Care Rehabilitation. Archives of Rehabilitation Research and Clinical Translation, 2021, 3, 100108.	0.9	26
44	Activity and Life After Survival of a Cardiac Arrest (ALASCA) and the effectiveness of an early intervention service: design of a randomised controlled trial. BMC Cardiovascular Disorders, 2007, 7, 26.	1.7	24
45	Selfâ€discrepancies in workâ€related upper extremity pain: Relation to emotions and flexibleâ€goal adjustment. European Journal of Pain, 2010, 14, 764-770.	2.8	24
46	Content Validity of the Credibility and Expectancy Questionnaire in a Pain Rehabilitation Setting. Pain Practice, 2017, 17, 902-913.	1.9	24
47	Factors associated with successful home discharge after inpatient rehabilitation in frail older stroke patients. BMC Geriatrics, 2020, 20, 25.	2.7	24
48	The Musician as (In)Active Athlete? Exploring the Association Between Physical Activity and Musculoskeletal Complaints in Music Students. Medical Problems of Performing Artists, 2015, 30, 231-237.	0.4	23
49	Motor imagery in patients with a right hemisphere stroke and unilateral neglect. Brain Injury, 2011, 25, 387-393.	1.2	22
50	Investigating the Dutch Movement-Specific Reinvestment Scale in people with stroke. Clinical Rehabilitation, 2013, 27, 160-165.	2.2	22
51	Exerkines and long-term synaptic potentiation: Mechanisms of exercise-induced neuroplasticity. Frontiers in Neuroendocrinology, 2022, 66, 100993.	5.2	22
52	Physical activity and disability among adolescents and young adults with non-specific musculoskeletal pain. Disability and Rehabilitation, 2012, 34, 1438-1443.	1.8	20
53	Study protocol for a multicentre randomized controlled trial on effectiveness of an outpatient multimodal rehabilitation program for adolescents with chronic musculoskeletal pain (2B Active). BMC Musculoskeletal Disorders, 2016, 17, 317.	1.9	18
54	Is physical functioning influenced by activityâ€related pain prediction and fear of movement in patients with subacute low back pain?. European Journal of Pain, 2010, 14, 661-666.	2.8	17

#	Article	IF	Citations
55	Exposure in vivo Induced Changes in Neural Circuitry for Pain-Related Fear: A Longitudinal fMRI Study in Chronic Low Back Pain. Frontiers in Neuroscience, 2019, 13, 970.	2.8	15
56	Usefulness of perceived level of exertion in patients with chronic low back pain attending a physical training programme. Disability and Rehabilitation, 2010, 32, 216-222.	1.8	14
57	Physical performance measurement in chronic low back pain: measuring physical capacity or pain-related behaviour?. European Journal of Physiotherapy, 2013, 15, 103-110.	1.3	14
58	Exploring the underlying mechanism of pain-related disability in hypermobile adolescents with chronic musculoskeletal pain. Scandinavian Journal of Pain, 2021, 21, 22-31.	1.3	14
59	Photographs of Daily Activities–Youth English: validating a targeted assessment of worry and anticipated pain. Pain, 2017, 158, 912-921.	4.2	13
60	Are We Measuring What We Need to Measure?. Clinical Journal of Pain, 2008, 24, 316-324.	1.9	12
61	Assessment of Physical Activity by Movement Registration Systems in Chronic Pain. Clinical Journal of Pain, 2012, 28, 496-504.	1.9	12
62	Inflammatory Blood Biomarker Kynurenine Is Linked With Elevated Neuroinflammation and Neurodegeneration in Older Adults: Evidence From Two 1H-MRS Post-Processing Analysis Methods. Frontiers in Psychiatry, 2022, 13, 859772.	2.6	12
63	A content analysis of ideal, ought, and feared selves in patients with chronic low back pain. European Journal of Pain, 2010, 14, 648-653.	2.8	11
64	Dutch version of the Fear of Pain Questionnaire for adolescents with chronic pain. Disability and Rehabilitation, 2018, 40, 1326-1332.	1.8	11
65	Living with painful diabetic neuropathy: insights from focus groups into fears and coping strategies. Psychology and Health, 2019, 34, 84-105.	2.2	10
66	Effectiveness of an integrated multidisciplinary geriatric rehabilitation programme for older persons with stroke: a multicentre randomised controlled trial. BMC Geriatrics, 2021, 21, 134.	2.7	9
67	Multidisciplinary treatment for hypermobile adolescents with chronic musculoskeletal pain. Journal of Rehabilitation Medicine Clinical Communications, 2020, 3, 1000033.	0.6	9
68	PREvention STudy On preventing or reducing disability from musculoskeletal complaints in music school students (PRESTO): protocol of a randomised controlled trial. Journal of Physiotherapy, 2014, 60, 232.	1.7	8
69	Multidisciplinary Treatment for Adolescents with Chronic Pain and/or Fatigue: Who Will Benefit?. Pain Practice, 2017, 17, 633-642.	1.9	8
70	Functional Disability in Adolescents with Chronic Pain: Comparing an Interdisciplinary Exposure Program to Usual Care. Children, 2020, 7, 288.	1.5	8
71	Generalized joint hypermobility and perceived harmfulness in healthy adolescents; impact on muscle strength, motor performance and physical activity level. Physiotherapy Theory and Practice, 2021, 37, 1438-1447.	1.3	8
72	Painful Diabetic Neuropathy Anxiety Raschâ€Transformed Questionnaire (<scp>PARTâ€Q30</scp> [©]). Journal of the Peripheral Nervous System, 2016, 21, 96-104.	3.1	7

#	Article	IF	Citations
7 3	Implementation of health education interventions at Dutch music schools. Health Promotion International, 2021, 36, 334-348.	1.8	7
74	Pain-Related Fear and Its Disabling Impact in Hypermobile Adolescents With Chronic Musculoskeletal Pain. Journal of Orthopaedic and Sports Physical Therapy, 2017, 47, 775-781.	3 . 5	6
75	Acute Traumatic Stress Screening Can Identify Patients and Their Partners at Risk for Posttraumatic Stress Disorder Symptoms After a Cardiac Arrest. Journal of Cardiovascular Nursing, 2022, 37, 394-401.	1.1	6
76	A biopsychosocial primary care intervention (Back on Track) versus primary care as usual in a subgroup of people with chronic low back pain: protocol for a randomised, controlled trial. Journal of Physiotherapy, 2015, 61, 155.	1.7	5
77	Treatment Fidelity of a Nurse-Led Motivational Interviewing-Based Pre-Treatment in Pain Rehabilitation. Journal of Behavioral Health Services and Research, 2016, 43, 459-473.	1.4	5
78	Biopsychosocial primary care versus physiotherapy as usual in chronic low back pain: results of a pilot-randomised controlled trial. European Journal of Physiotherapy, 2021, 23, 3-10.	1.3	5
79	Feasibility of an integrated multidisciplinary geriatric rehabilitation programme for older stroke patients: a process evaluation. BMC Neurology, 2020, 20, 219.	1.8	4
80	Achievement Goals, Fear of Failure and Self-Handicapping in Young Elite Athletes with and without Chronic Pain. Children, 2021, 8, 591.	1.5	4
81	An eCoach-Pain for Patients with Chronic Musculoskeletal Pain in Interdisciplinary Primary Care: A Feasibility Study. International Journal of Environmental Research and Public Health, 2021, 18, 11661.	2.6	4
82	Developing the Network Pain Rehabilitation Limburg: a feasibility study protocol. BMJ Open, 2019, 9, e025962.	1.9	3
83	Generalized Joint Hypermobility and Anxiety in Adolescents and Young Adults, the Impact on Physical and Psychosocial Functioning. Healthcare (Switzerland), 2021, 9, 525.	2.0	3
84	Interdisciplinary Care Networks in Rehabilitation Care for Patients with Chronic Musculoskeletal Pain: A Systematic Review. Journal of Clinical Medicine, 2021, 10, 2041.	2.4	3
85	Serie onderzoek en psychotherapie: Catastrofale misinterpretaties. Tijdschrift Voor Psychotherapie, 2002, 28, 73-82.	0.2	2
86	The Dutch version of the self-report Child Activity and Limitations Interview in adolescents with chronic pain. Disability and Rehabilitation, 2019, 41, 833-839.	1.8	2
87	Subgrouping patients with chronic low back pain: What are the differences in actual daily life behavior between patients classified as avoider or persister?. Journal of Back and Musculoskeletal Rehabilitation, 2020, 33, 303-311.	1.1	2
88	Feasibility of the biopsychosocial primary care intervention †Back on Track†for patients with chronic low back pain: a process and effect-evaluation. European Journal of Physiotherapy, 2020, , 1-11.	1.3	2
89	Do fear and catastrophizing about mental activities relate to fear-avoidance behavior in a community sample? An experimental study. Journal of Clinical and Experimental Neuropsychology, 2021, 43, 66-77.	1.3	2
90	Are chronic musculoskeletal pain and generalized joint hypermobility disabling contributors to physical functioning?. European Journal of Physical and Rehabilitation Medicine, 2021, 57, 747-757.	2.2	2

#	Article	IF	CITATIONS
91	The (cost-)effectiveness and cost-utility of a novel integrative care initiative for patients with chronic musculoskeletal pain: the pragmatic trial protocol of Network Pain Rehabilitation Limburg. Health and Quality of Life Outcomes, 2020, 18, 320.	2.4	1
92	Fatigue in Stroke, Do Not Underestimate the Role of Sleep Disorders: Comment on Poststroke Fatigue Association With Independence Levels. Archives of Physical Medicine and Rehabilitation, 2021, 102, 2049.	0.9	0
93	Effectiveness of exposure in vivo for patients with painful diabetic neuropathy: A pilot study of effects on physical activity and quality of life. Journal of Rehabilitation Medicine Clinical Communications, 2021, 4, jrmcc00048.	0.6	O
94	Generalized Joint Hypermobility and Anxiety Are Serious Risk Factors for Dysfunctioning in Dance Students: A One-Year Follow-Up Study. International Journal of Environmental Research and Public Health, 2022, 19, 2662.	2.6	0