

# Jeanine A M C F Verbunt

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6731355/publications.pdf>

Version: 2024-02-01

94  
papers

3,836  
citations

126907

33  
h-index

133252

59  
g-index

95  
all docs

95  
docs citations

95  
times ranked

3846  
citing authors

#	ARTICLE	IF	CITATIONS
1	Acute Traumatic Stress Screening Can Identify Patients and Their Partners at Risk for Posttraumatic Stress Disorder Symptoms After a Cardiac Arrest. <i>Journal of Cardiovascular Nursing</i> , 2022, 37, 394-401.	1.1	6
2	Generalized Joint Hypermobility and Anxiety Are Serious Risk Factors for Dysfunctioning in Dance Students: A One-Year Follow-Up Study. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 2662.	2.6	0
3	Exerkines and long-term synaptic potentiation: Mechanisms of exercise-induced neuroplasticity. <i>Frontiers in Neuroendocrinology</i> , 2022, 66, 100993.	5.2	22
4	Inflammatory Blood Biomarker Kynurenine Is Linked With Elevated Neuroinflammation and Neurodegeneration in Older Adults: Evidence From Two 1H-MRS Post-Processing Analysis Methods. <i>Frontiers in Psychiatry</i> , 2022, 13, 859772.	2.6	12
5	Generalized joint hypermobility and perceived harmfulness in healthy adolescents; impact on muscle strength, motor performance and physical activity level. <i>Physiotherapy Theory and Practice</i> , 2021, 37, 1438-1447.	1.3	8
6	Implementation of health education interventions at Dutch music schools. <i>Health Promotion International</i> , 2021, 36, 334-348.	1.8	7
7	Biopsychosocial primary care versus physiotherapy as usual in chronic low back pain: results of a pilot-randomised controlled trial. <i>European Journal of Physiotherapy</i> , 2021, 23, 3-10.	1.3	5
8	Do fear and catastrophizing about mental activities relate to fear-avoidance behavior in a community sample? An experimental study. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2021, 43, 66-77.	1.3	2
9	Effectiveness of an integrated multidisciplinary geriatric rehabilitation programme for older persons with stroke: a multicentre randomised controlled trial. <i>BMC Geriatrics</i> , 2021, 21, 134.	2.7	9
10	Generalized Joint Hypermobility and Anxiety in Adolescents and Young Adults, the Impact on Physical and Psychosocial Functioning. <i>Healthcare (Switzerland)</i> , 2021, 9, 525.	2.0	3
11	Interdisciplinary Care Networks in Rehabilitation Care for Patients with Chronic Musculoskeletal Pain: A Systematic Review. <i>Journal of Clinical Medicine</i> , 2021, 10, 2041.	2.4	3
12	Functional Outcomes and Their Association With Physical Performance in Mechanically Ventilated Coronavirus Disease 2019 Survivors at 3 Months Following Hospital Discharge: A Cohort Study. <i>Critical Care Medicine</i> , 2021, 49, 1726-1738.	0.9	47
13	COVID-19: Patient Characteristics in the First Phase of Postintensive Care Rehabilitation. <i>Archives of Rehabilitation Research and Clinical Translation</i> , 2021, 3, 100108.	0.9	26
14	Achievement Goals, Fear of Failure and Self-Handicapping in Young Elite Athletes with and without Chronic Pain. <i>Children</i> , 2021, 8, 591.	1.5	4
15	Fatigue in Stroke, Do Not Underestimate the Role of Sleep Disorders: Comment on Poststroke Fatigue Association With Independence Levels. <i>Archives of Physical Medicine and Rehabilitation</i> , 2021, 102, 2049.	0.9	0
16	Effectiveness of exposure in vivo for patients with painful diabetic neuropathy: A pilot study of effects on physical activity and quality of life. <i>Journal of Rehabilitation Medicine Clinical Communications</i> , 2021, 4, jrmcc00048.	0.6	0
17	Exploring the underlying mechanism of pain-related disability in hypermobile adolescents with chronic musculoskeletal pain. <i>Scandinavian Journal of Pain</i> , 2021, 21, 22-31.	1.3	14
18	An eCoach-Pain for Patients with Chronic Musculoskeletal Pain in Interdisciplinary Primary Care: A Feasibility Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 11661.	2.6	4

#	ARTICLE	IF	CITATIONS
19	Are chronic musculoskeletal pain and generalized joint hypermobility disabling contributors to physical functioning?. <i>European Journal of Physical and Rehabilitation Medicine</i> , 2021, 57, 747-757.	2.2	2
20	Subgrouping patients with chronic low back pain: What are the differences in actual daily life behavior between patients classified as avoider or persister?. <i>Journal of Back and Musculoskeletal Rehabilitation</i> , 2020, 33, 303-311.	1.1	2
21	Serial measurements in COVID-19-induced acute respiratory disease to unravel heterogeneity of the disease course: design of the Maastricht Intensive Care COVID cohort (MaastricCht). <i>BMJ Open</i> , 2020, 10, e040175.	1.9	29
22	Feasibility of the biopsychosocial primary care intervention "Back on Track"™ for patients with chronic low back pain: a process and effect-evaluation. <i>European Journal of Physiotherapy</i> , 2020, , 1-11.	1.3	2
23	Functional Disability in Adolescents with Chronic Pain: Comparing an Interdisciplinary Exposure Program to Usual Care. <i>Children</i> , 2020, 7, 288.	1.5	8
24	Feasibility of an integrated multidisciplinary geriatric rehabilitation programme for older stroke patients: a process evaluation. <i>BMC Neurology</i> , 2020, 20, 219.	1.8	4
25	Factors associated with successful home discharge after inpatient rehabilitation in frail older stroke patients. <i>BMC Geriatrics</i> , 2020, 20, 25.	2.7	24
26	Multidisciplinary treatment for hypermobile adolescents with chronic musculoskeletal pain. <i>Journal of Rehabilitation Medicine Clinical Communications</i> , 2020, 3, 1000033.	0.6	9
27	The (cost-)effectiveness and cost-utility of a novel integrative care initiative for patients with chronic musculoskeletal pain: the pragmatic trial protocol of Network Pain Rehabilitation Limburg. <i>Health and Quality of Life Outcomes</i> , 2020, 18, 320.	2.4	1
28	The Dutch version of the self-report Child Activity and Limitations Interview in adolescents with chronic pain. <i>Disability and Rehabilitation</i> , 2019, 41, 833-839.	1.8	2
29	Exposure in vivo Induced Changes in Neural Circuitry for Pain-Related Fear: A Longitudinal fMRI Study in Chronic Low Back Pain. <i>Frontiers in Neuroscience</i> , 2019, 13, 970.	2.8	15
30	The effect of exercise therapy combined with psychological therapy on physical activity and quality of life in patients with painful diabetic neuropathy: a systematic review. <i>Scandinavian Journal of Pain</i> , 2019, 19, 433-439.	1.3	29
31	Developing the Network Pain Rehabilitation Limburg: a feasibility study protocol. <i>BMJ Open</i> , 2019, 9, e025962.	1.9	3
32	Living with painful diabetic neuropathy: insights from focus groups into fears and coping strategies. <i>Psychology and Health</i> , 2019, 34, 84-105.	2.2	10
33	Long-term quality of life of caregivers of cardiac arrest survivors and the impact of witnessing a cardiac event of a close relative. <i>Resuscitation</i> , 2018, 128, 198-203.	3.0	35
34	Dutch version of the Fear of Pain Questionnaire for adolescents with chronic pain. <i>Disability and Rehabilitation</i> , 2018, 40, 1326-1332.	1.8	11
35	Factors predicting quality of life and societal participation after survival of a cardiac arrest: A prognostic longitudinal cohort study. <i>Resuscitation</i> , 2018, 123, 51-57.	3.0	26
36	Perceived Physical Activity Decline as a Mediator in the Relationship Between Pain Catastrophizing, Disability, and Quality of Life in Patients with Painful Diabetic Neuropathy. <i>Pain Practice</i> , 2017, 17, 320-328.	1.9	30

#	ARTICLE	IF	CITATIONS
37	Multidisciplinary Treatment for Adolescents with Chronic Pain and/or Fatigue: Who Will Benefit?. <i>Pain Practice</i> , 2017, 17, 633-642.	1.9	8
38	Content Validity of the Credibility and Expectancy Questionnaire in a Pain Rehabilitation Setting. <i>Pain Practice</i> , 2017, 17, 902-913.	1.9	24
39	Photographs of Daily Activitiesâ€œYouth English: validating a targeted assessment of worry and anticipated pain. <i>Pain</i> , 2017, 158, 912-921.	4.2	13
40	The impact of cardiac arrest on the long-term wellbeing and caregiver burden of family caregivers: a prospective cohort study. <i>Clinical Rehabilitation</i> , 2017, 31, 1267-1275.	2.2	44
41	Long-term Outcome After Survival of a Cardiac Arrest: A Prospective Longitudinal Cohort Study. <i>Neurorehabilitation and Neural Repair</i> , 2017, 31, 530-539.	2.9	70
42	Does the fear avoidance model explain persistent symptoms after traumatic brain injury?. <i>Brain Injury</i> , 2017, 31, 1597-1604.	1.2	48
43	Pain-Related Fear and Its Disabling Impact in Hypermobile Adolescents With Chronic Musculoskeletal Pain. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2017, 47, 775-781.	3.5	6
44	Cognitive impairments and subjective cognitive complaints after survival of cardiac arrest: A prospective longitudinal cohort study. <i>Resuscitation</i> , 2017, 120, 132-137.	3.0	83
45	Painful Diabetic Neuropathy Anxiety Raschâ€œTransformed Questionnaire (<sup>PARTâ€œQ30</sup>). <i>Journal of the Peripheral Nervous System</i> , 2016, 21, 96-104.	3.1	7
46	Early neurologically focused follow-up after cardiac arrest is cost-effective: A trial-based economic evaluation. <i>Resuscitation</i> , 2016, 106, 30-36.	3.0	29
47	Study protocol for a multicentre randomized controlled trial on effectiveness of an outpatient multimodal rehabilitation program for adolescents with chronic musculoskeletal pain (2B Active). <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 317.	1.9	18
48	Treatment Fidelity of a Nurse-Led Motivational Interviewing-Based Pre-Treatment in Pain Rehabilitation. <i>Journal of Behavioral Health Services and Research</i> , 2016, 43, 459-473.	1.4	5
49	Disability in Adolescents and Adults Diagnosed With Hypermobility-Related Disorders: A Meta-Analysis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2016, 97, 2174-2187.	0.9	89
50	Energy Expenditure during Functional Daily Life Performances in Patients with Fibromyalgia. <i>Pain Practice</i> , 2015, 15, 748-756.	1.9	36
51	The Musician as (In)Active Athlete? Exploring the Association Between Physical Activity and Musculoskeletal Complaints in Music Students. <i>Medical Problems of Performing Artists</i> , 2015, 30, 231-237.	0.4	23
52	Chronic pain in hypermobility syndrome and Ehlers&ndash;Danlos syndrome (hypermobility type): it is a challenge. <i>Journal of Pain Research</i> , 2015, 8, 591.	2.0	62
53	Early neurologically-focused follow-up after cardiac arrest improves quality of life at one year: A randomised controlled trial. <i>International Journal of Cardiology</i> , 2015, 193, 8-16.	1.7	109
54	A biopsychosocial primary care intervention (Back on Track) versus primary care as usual in a subgroup of people with chronic low back pain: protocol for a randomised, controlled trial. <i>Journal of Physiotherapy</i> , 2015, 61, 155.	1.7	5

#	ARTICLE	IF	CITATIONS
55	PREvention Study On preventing or reducing disability from musculoskeletal complaints in music school students (PRESTO): protocol of a randomised controlled trial. <i>Journal of Physiotherapy</i> , 2014, 60, 232.	1.7	8
56	Investigating the Dutch Movement-Specific Reinvestment Scale in people with stroke. <i>Clinical Rehabilitation</i> , 2013, 27, 160-165.	2.2	22
57	Effect of Mental Practice on the Improvement of Function and Daily Activity Performance of the Upper Extremity in Patients With Subacute Stroke: A Randomized Clinical Trial. <i>Journal of the American Medical Directors Association</i> , 2013, 14, 204-212.	2.5	44
58	Generalized joint hypermobility in professional dancers: a sign of talent or vulnerability?. <i>Rheumatology</i> , 2013, 52, 651-658.	1.9	56
59	Physical performance measurement in chronic low back pain: measuring physical capacity or pain-related behaviour?. <i>European Journal of Physiotherapy</i> , 2013, 15, 103-110.	1.3	14
60	Multidisciplinary care for stroke patients living in the community: A systematic review. <i>Journal of Rehabilitation Medicine</i> , 2013, 45, 321-330.	1.1	40
61	Assessment of Physical Activity by Movement Registration Systems in Chronic Pain. <i>Clinical Journal of Pain</i> , 2012, 28, 496-504.	1.9	12
62	Physical activity and disability among adolescents and young adults with non-specific musculoskeletal pain. <i>Disability and Rehabilitation</i> , 2012, 34, 1438-1443.	1.8	20
63	Motor imagery in patients with a right hemisphere stroke and unilateral neglect. <i>Brain Injury</i> , 2011, 25, 387-393.	1.2	22
64	Assessment of Arm Activity Using Triaxial Accelerometry in Patients With a Stroke. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011, 92, 1437-1442.	0.9	122
65	Differences in activity-related behaviour among patients with chronic low back pain. <i>European Journal of Pain</i> , 2011, 15, 748-755.	2.8	83
66	Activity Patterns in Chronic Pain: Underlying Dimensions and Associations With Disability and Depressed Mood. <i>Journal of Pain</i> , 2011, 12, 1049-1058.	1.4	88
67	“Being” in pain: The role of self-discrepancies in the emotional experience and activity patterns of patients with chronic low back pain. <i>Pain</i> , 2011, 152, 403-409.	4.2	45
68	Effects of self-discrepancies on activity-related behaviour: Explaining disability and quality of life in patients with chronic low back pain. <i>Pain</i> , 2011, 152, 2165-2172.	4.2	30
69	“Stand still” and “move on”™, a new early intervention service for cardiac arrest survivors and their caregivers: rationale and description of the intervention. <i>Clinical Rehabilitation</i> , 2011, 25, 867-879.	2.2	32
70	Fear-avoidance and Endurance-related Responses to Pain: New Models of Behavior and Their Consequences for Clinical Practice. <i>Clinical Journal of Pain</i> , 2010, 26, 747-753.	1.9	250
71	Cause or effect? Deconditioning and chronic low back pain. <i>Pain</i> , 2010, 149, 428-430.	4.2	108
72	Do depression and pain intensity interfere with physical activity in daily life in patients with Chronic Low Back Pain?. <i>Pain</i> , 2010, 150, 161-166.	4.2	77

#	ARTICLE	IF	CITATIONS
73	A content analysis of ideal, ought, and feared selves in patients with chronic low back pain. <i>European Journal of Pain</i> , 2010, 14, 648-653.	2.8	11
74	Is physical functioning influenced by activity-related pain prediction and fear of movement in patients with subacute low back pain?. <i>European Journal of Pain</i> , 2010, 14, 661-666.	2.8	17
75	Self-discrepancies in work-related upper extremity pain: Relation to emotions and flexible goal adjustment. <i>European Journal of Pain</i> , 2010, 14, 764-770.	2.8	24
76	Determinants of quality of life in survivors of cardiac arrest. <i>Journal of Rehabilitation Medicine</i> , 2010, 42, 553-558.	1.1	109
77	Research in rehabilitation medicine: Methodological challenges. <i>Journal of Clinical Epidemiology</i> , 2010, 63, 699-704.	5.0	68
78	Usefulness of perceived level of exertion in patients with chronic low back pain attending a physical training programme. <i>Disability and Rehabilitation</i> , 2010, 32, 216-222.	1.8	14
79	Assessment of physical activity in daily life in patients with musculoskeletal pain. <i>European Journal of Pain</i> , 2009, 13, 231-242.	2.8	56
80	The disabling role of fluctuations in physical activity in patients with chronic low back pain. <i>European Journal of Pain</i> , 2009, 13, 1076-1079.	2.8	38
81	Cognitive impairments in survivors of out-of-hospital cardiac arrest: A systematic review. <i>Resuscitation</i> , 2009, 80, 297-305.	3.0	323
82	Is the Fear Avoidance Model Associated With the Reduced Level of Aerobic Fitness in Patients With Chronic Low Back Pain?. <i>Archives of Physical Medicine and Rehabilitation</i> , 2009, 90, 109-117.	0.9	40
83	A new episode of low back pain: Who relies on bed rest?. <i>European Journal of Pain</i> , 2008, 12, 508-516.	2.8	29
84	Are We Measuring What We Need to Measure?. <i>Clinical Journal of Pain</i> , 2008, 24, 316-324.	1.9	12
85	Life after survival: long-term daily life functioning and quality of life of patients with hypoxic brain injury as a result of a cardiac arrest. <i>Clinical Rehabilitation</i> , 2007, 21, 425-431.	2.2	59
86	Disuse and physical deconditioning in the first year after the onset of back pain. <i>Pain</i> , 2007, 130, 279-286.	4.2	130
87	Activity and Life After Survival of a Cardiac Arrest (ALASCA) and the effectiveness of an early intervention service: design of a randomised controlled trial. <i>BMC Cardiovascular Disorders</i> , 2007, 7, 26.	1.7	24
88	Pain-Related Factors Contributing to Muscle Inhibition in Patients With Chronic Low Back Pain. <i>Clinical Journal of Pain</i> , 2005, 21, 232-240.	1.9	75
89	Decline in physical activity, disability and pain-related fear in sub-acute low back pain. <i>European Journal of Pain</i> , 2005, 9, 417-417.	2.8	65
90	A longitudinal study on the predictive validity of the fear-avoidance model in low back pain. <i>Pain</i> , 2005, 117, 162-170.	4.2	100

#	ARTICLE	IF	CITATIONS
91	Disuse and deconditioning in chronic low back pain: concepts and hypotheses on contributing mechanisms. <i>European Journal of Pain</i> , 2003, 7, 9-21.	2.8	239
92	Fear of injury and physical deconditioning in patients with chronic low back pain11No commercial party having a direct financial interest in the results of the research supporting this article has or will confer a benefit upon the author(s) or upon any organization with which the author(s) is/are associated.. <i>Archives of Physical Medicine and Rehabilitation</i> , 2003, 84, 1227-1232.	0.9	107
93	Serie onderzoek en psychotherapie: Catastrofale misinterpretaties. <i>Tijdschrift Voor Psychotherapie</i> , 2002, 28, 73-82.	0.2	2
94	Physical activity in daily life in patients with chronic low back pain. <i>Archives of Physical Medicine and Rehabilitation</i> , 2001, 82, 726-730.	0.9	128