

Tinakon Wongpakaran

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6732011/publications.pdf>

Version: 2024-02-01

96
papers

2,524
citations

304743

22
h-index

233421

45
g-index

102
all docs

102
docs citations

102
times ranked

3438
citing authors

#	ARTICLE	IF	CITATIONS
1	A comparison of Cohen's Kappa and Gwet's AC1 when calculating inter-rater reliability coefficients: a study conducted with personality disorder samples. <i>BMC Medical Research Methodology</i> , 2013, 13, 61.	3.1	582
2	Global prevalence of mental health issues among the general population during the coronavirus disease-2019 pandemic: a systematic review and meta-analysis. <i>Scientific Reports</i> , 2021, 11, 10173.	3.3	335
3	The Thai version of the PSS-10: An Investigation of its psychometric properties. <i>BioPsychoSocial Medicine</i> , 2010, 4, 6.	2.1	127
4	Reliability and Validity of the Multidimensional Scale of Perceived Social Support (MSPSS): Thai Version. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2011, 7, 161-166.	1.2	92
5	Selective serotonin reuptake inhibitor use associates with apathy among depressed elderly: a case-control study. <i>Annals of General Psychiatry</i> , 2007, 6, 7.	2.7	73
6	A Comparison of Reliability and Construct Validity between the Original and Revised Versions of the Rosenberg Self-Esteem Scale. <i>Psychiatry Investigation</i> , 2012, 9, 54.	1.6	71
7	Mental health circumstances among health care workers and general public under the pandemic situation of COVID-19 (HOME-COVID-19). <i>Medicine (United States)</i> , 2020, 99, e20751.	1.0	58
8	Prevalence of major depressive disorders and suicide in long-term care facilities: a report from northern Thailand. <i>Psychogeriatrics</i> , 2012, 12, 11-17.	1.2	53
9	Prevalence, associated factors and impact of loneliness and interpersonal problems on internet addiction: A study in Chiang Mai medical students. <i>Asian Journal of Psychiatry</i> , 2018, 31, 2-7.	2.0	53
10	Development and validation of a 6-item Revised UCLA Loneliness Scale (RULS-6) using Rasch analysis. <i>British Journal of Health Psychology</i> , 2020, 25, 233-256.	3.5	52
11	Factors associated with motivation in medical education: a path analysis. <i>BMC Medical Education</i> , 2018, 18, 140.	2.4	50
12	Exposure to COVID-19-Related Information and its Association With Mental Health Problems in Thailand: Nationwide, Cross-sectional Survey Study. <i>Journal of Medical Internet Research</i> , 2021, 23, e25363.	4.3	45
13	Association of job loss, income loss, and financial burden with adverse mental health outcomes during coronavirus disease 2019 pandemic in Thailand: A nationwide cross-sectional study. <i>Depression and Anxiety</i> , 2021, 38, 648-660.	4.1	45
14	A Revised Thai Multi-Dimensional Scale of Perceived Social Support. <i>Spanish Journal of Psychology</i> , 2012, 15, 1503-1509.	2.1	44
15	The Use of GDS-15 in Detecting MDD: A Comparison Between Residents in a Thai Long-Term Care Home and Geriatric Outpatients. <i>Journal of Clinical Medicine Research</i> , 2013, 5, 101-111.	1.2	33
16	The role of perceived stress and cognitive function on the relationship between neuroticism and depression among the elderly: a structural equation model approach. <i>BMC Psychiatry</i> , 2020, 20, 25.	2.6	33
17	The impact of residual symptoms on relapse and quality of life among Thai depressive patients. <i>Neuropsychiatric Disease and Treatment</i> , 2016, Volume 12, 3175-3181.	2.2	30
18	Confirmatory factor analysis of the revised version of the Thai multidimensional scale of perceived social support among the elderly with depression. <i>Aging and Mental Health</i> , 2018, 22, 1149-1154.	2.8	28

#	ARTICLE	IF	CITATIONS
19	COVID-19 Public Stigma Scale (COVID-PSS): development, validation, psychometric analysis and interpretation. <i>BMJ Open</i> , 2021, 11, e048241.	1.9	26
20	Prevalence, clinical and psychosocial variables of depression, anxiety and suicidality in geriatric tertiary care settings. <i>Asian Journal of Psychiatry</i> , 2019, 41, 38-44.	2.0	25
21	The Group Cohesiveness Scale (GCS) for Psychiatric Inpatients. <i>Perspectives in Psychiatric Care</i> , 2013, 49, 58-64.	1.9	24
22	Baseline characteristics of depressive disorders in Thai outpatients: findings from the Thai Study of Affective Disorders. <i>Neuropsychiatric Disease and Treatment</i> , 2014, 10, 217.	2.2	24
23	Diagnosing delirium in elderly Thai patients: Utilization of the CAM algorithm. <i>BMC Family Practice</i> , 2011, 12, 65.	2.9	23
24	Social inhibition as a mediator of neuroticism and depression in the elderly. <i>BMC Geriatrics</i> , 2012, 12, 41.	2.7	22
25	A Short Version of the Revised "Experience of Close Relationships Questionnaire": Investigating Non-Clinical and Clinical Samples. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2012, 8, 36-42.	1.2	22
26	Comparisons of guardianship laws and surrogate decision-making practices in China, Japan, Thailand and Australia: a review by the Asia Consortium, International Psychogeriatric Association (IPA) capacity taskforce. <i>International Psychogeriatrics</i> , 2015, 27, 1029-1037.	1.0	21
27	Attachment anxiety, depression, and perceived social support: a moderated mediation model of suicide ideation among the elderly. <i>International Psychogeriatrics</i> , 2021, 33, 169-178.	1.0	21
28	Gender differences, attachment styles, self-esteem and romantic relationships in Thailand. <i>International Journal of Intercultural Relations</i> , 2012, 36, 409-417.	2.0	20
29	Perceived stress and depressive symptoms not neuropsychiatric symptoms predict caregiver burden in Alzheimer's disease: a cross-sectional study. <i>BMC Geriatrics</i> , 2021, 21, 180.	2.7	20
30	Predictors of polypharmacy among elderly Thais with depressive and anxiety disorders: findings from the DAS study. <i>BMC Geriatrics</i> , 2018, 18, 309.	2.7	19
31	Learning styles, academic achievement, and mental health problems among medical students in Thailand. <i>Journal of Educational Evaluation for Health Professions</i> , 2016, 13, 38.	12.6	17
32	Interpersonal problems among psychiatric outpatients and non-clinical samples. <i>Singapore Medical Journal</i> , 2012, 53, 481-7.	0.6	17
33	Psychometric properties of a Thai version internet addiction test. <i>BMC Research Notes</i> , 2018, 11, 69.	1.4	16
34	Suicidality in the elderly: Role of adult attachment. <i>Asian Journal of Psychiatry</i> , 2019, 44, 8-12.	2.0	16
35	Loneliness and problematic internet use: testing the role of interpersonal problems and motivation for internet use. <i>BMC Psychiatry</i> , 2021, 21, 447.	2.6	16
36	Comorbid personality disorders among patients with depression. <i>Neuropsychiatric Disease and Treatment</i> , 2015, 11, 1091.	2.2	15

#	ARTICLE	IF	CITATIONS
37	Evaluating hierarchical items of the geriatric depression scale through factor analysis and item response theory. <i>Heliyon</i> , 2019, 5, e02300.	3.2	15
38	Validation of the Relationships Questionnaire (RQ) against the Experience of Close Relationship-Revised Questionnaire in a Clinical Psychiatric Sample. <i>Healthcare (Switzerland)</i> , 2021, 9, 1174.	2.0	14
39	Construct validity, test-retest reliability and internal consistency of the Thai version of the disabilities of the arm, shoulder and hand questionnaire (DASH-TH) in patients with carpal tunnel syndrome. <i>BMC Research Notes</i> , 2018, 11, 208.	1.4	12
40	Prevalence and associated factors of comorbid anxiety disorders in late-life depression: findings from geriatric tertiary outpatient settings. <i>Neuropsychiatric Disease and Treatment</i> , 2019, Volume 15, 199-204.	2.2	12
41	Discrepancies in Cornell Scale for Depression in Dementia (CSDD) items between residents and caregivers, and the CSDD's factor structure. <i>Clinical Interventions in Aging</i> , 2013, 8, 641.	2.9	11
42	Level of agreement between self-rated and clinician-rated instruments when measuring major depressive disorder in the Thai elderly: a 1-year assessment as part of the THAISAD study. <i>Clinical Interventions in Aging</i> , 2014, 9, 377.	2.9	11
43	Pathogenic beliefs among patients with depressive disorders. <i>Neuropsychiatric Disease and Treatment</i> , 2017, Volume 13, 1047-1055.	2.2	11
44	Core Symptom Index (CSI): testing for bifactor model and differential item functioning. <i>International Psychogeriatrics</i> , 2019, 31, 1769-1779.	1.0	11
45	Development and validation of a screening instrument for borderline personality disorder (SI-Bord) for use among university students. <i>BMC Psychiatry</i> , 2020, 20, 479.	2.6	11
46	Predictive factors for suicidal attempts: A case-control study. <i>Perspectives in Psychiatric Care</i> , 2019, 55, 667-672.	1.9	9
47	Role of perceived stress in postoperative delirium: an investigation among elderly patients. <i>Aging and Mental Health</i> , 2020, 24, 148-154.	2.8	9
48	A Thai version of the Michigan hand questionnaire (Thai MHQ): an investigation of the psychometric properties. <i>Health and Quality of Life Outcomes</i> , 2020, 18, 313.	2.4	9
49	Role of Equanimity on the Mediation Model of Neuroticism, Perceived Stress and Depressive Symptoms. <i>Healthcare (Switzerland)</i> , 2021, 9, 1300.	2.0	9
50	Cornell Scale for Depression in Dementia: Study of Residents in a Northern Thai Long-Term Care Home. <i>Psychiatry Investigation</i> , 2013, 10, 359.	1.6	9
51	Fear of COVID-19 and Perceived Stress: The Mediating Roles of Neuroticism and Perceived Social Support. <i>Healthcare (Switzerland)</i> , 2022, 10, 812.	2.0	9
52	Personality traits influencing somatization symptoms and social inhibition in the elderly. <i>Clinical Interventions in Aging</i> , 2014, 9, 157.	2.9	8
53	Impact of Perceived Social Support on the Relationship between ADHD and Depressive Symptoms among First Year Medical Students: A Structural Equation Model Approach. <i>Children</i> , 2021, 8, 401.	1.5	8
54	<p></p>Predictors of Passive and Active Suicidal Ideation and Suicide Attempt Among Older People: A Study in Tertiary Care Settings in Thailand<p></p>. <i>Neuropsychiatric Disease and Treatment</i> , 2020, Volume 16, 3135-3144.	2.2	8

#	ARTICLE	IF	CITATIONS
55	Influence of Attachment Anxiety on the Relationship between Loneliness and Depression among Long-Term Care Residents. <i>Healthcare (Switzerland)</i> , 2021, 9, 1675.	2.0	8
56	Construct Validity and Differential Item Functioning of the PHQ-9 Among Health Care Workers: Rasch Analysis Approach. <i>Neuropsychiatric Disease and Treatment</i> , 2021, Volume 17, 1035-1045.	2.2	8
57	Detection of suicide among the elderly in a long term care facility. <i>Clinical Interventions in Aging</i> , 2013, 8, 1553.	2.9	7
58	Depression and pain: testing of serial multiple mediators. <i>Neuropsychiatric Disease and Treatment</i> , 2016, Volume 12, 1849-1860.	2.2	7
59	Functional beliefs and risk minimizing beliefs among Thai healthcare workers in Maharaj Nakorn Chiang Mai hospital: its association with intention to quit tobacco and alcohol. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2017, 12, 34.	2.2	7
60	Borderline Personality Symptoms: What Not to Be Overlooked When Approaching Suicidal Ideation among University Students. <i>Healthcare (Switzerland)</i> , 2021, 9, 1399.	2.0	7
61	A short screening tool for borderline personality disorder (Short-Bord): Validated by Rasch analysis. <i>Asian Journal of Psychiatry</i> , 2019, 44, 195-199.	2.0	6
62	Anticholinergics and benzodiazepines on cognitive impairment among elderly with Alzheimer's disease: a 1Ayear follow-up study. <i>BMC Research Notes</i> , 2020, 13, 4.	1.4	6
63	Investigating psychometric properties of the Thai version of the Zarit Burden Interview using rasch model and confirmatory factor analysis. <i>BMC Research Notes</i> , 2020, 13, 120.	1.4	6
64	The reliability and validity of the International Spinal Cord Injury Quality of Life Basic Data set in people with spinal cord injuries from a middle-income country: a psychometric study of the Thai version. <i>Spinal Cord</i> , 2020, 58, 1015-1021.	1.9	6
65	The effect of telephone-based intervention (TBI) in alcohol abusers: a pilot study. <i>Journal of the Medical Association of Thailand = Chotmaihet Thangphaet</i> , 2011, 94, 849-56.	0.1	6
66	Development and validation of 21-item outcome inventory (OI-21). <i>Heliyon</i> , 2022, 8, e09682.	3.2	6
67	The influence of comorbid personality disorders on recovery from depression. <i>Neuropsychiatric Disease and Treatment</i> , 2015, 11, 725.	2.2	5
68	Cross-cultural adaptation, construct validity, reliability, and responsiveness of the Thai version of the Patient-Rated Wrist/Hand Evaluation (Thai PRWHE). <i>Quality of Life Research</i> , 2021, 30, 1793-1802.	3.1	5
69	Thai version of the dry eye-related quality-of-life score questionnaire: preliminary assessment for psychometric properties. <i>BMC Ophthalmology</i> , 2021, 21, 310.	1.4	5
70	Symptom checklist-90 (SCL-90) in a Thai sample. <i>Journal of the Medical Association of Thailand = Chotmaihet Thangphaet</i> , 2011, 94, 1141-9.	0.1	5
71	Interrater reliability of Thai version of the Structured Clinical Interview for DSM-IV Axis II Personality Disorders (T-SCID II). <i>Journal of the Medical Association of Thailand = Chotmaihet Thangphaet</i> , 2012, 95, 264-9.	0.1	5
72	Meditation and Five Precepts Mediate the Relationship between Attachment and Resilience. <i>Children</i> , 2022, 9, 371.	1.5	5

#	ARTICLE	IF	CITATIONS
73	Disparities and Factors Associated with Coronavirus Disease-2019-Related Public Stigma: A Cross-Sectional Study in Thailand. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 6436.	2.6	5
74	Mediation model of comorbid anxiety disorders in late-life depression. <i>Annals of General Psychiatry</i> , 2020, 19, 63.	2.7	4
75	Pathogenic beliefs among patients with schizotypal personality disorder. <i>Heliyon</i> , 2020, 6, e03870.	3.2	4
76	Helpful family climate moderates the relationship between perceived family support of ADHD symptoms and depression: a conditional process model. <i>BMC Psychology</i> , 2021, 9, 112.	2.1	4
77	How the interpersonal and attachment styles of therapists impact upon the therapeutic alliance and therapeutic outcomes. <i>Journal of the Medical Association of Thailand = Chotmaihet Thangphaet</i> , 2012, 95, 1583-92.	0.1	4
78	Role of neuroticism and perceived stress on quality of life among patients with dry eye disease. <i>Scientific Reports</i> , 2022, 12, 7079.	3.3	4
79	Preliminary evaluation of the reliability, validity and feasibility of the arm activity measure “ Thai version (ArmA-TH) in cerebrovascular patients with upper limb hemiplegia. <i>Health and Quality of Life Outcomes</i> , 2018, 16, 141.	2.4	3
80	Relationship between pathogenic beliefs and interpersonal problems: a cross-sectional study of Thai patients with depression. <i>Mental Health, Religion and Culture</i> , 2018, 21, 262-273.	0.9	3
81	Development and validation of the (inner) Strength-Based Inventory. <i>Mental Health, Religion and Culture</i> , 0, , 1-11.	0.9	3
82	Risk factors and adverse clinical outcomes of postoperative delirium in Thai elderly patients: A prospective cohort study. <i>Perspectives in Psychiatric Care</i> , 2021, 57, 1073-1082.	1.9	3
83	Mental Strength and Challenges among Thai Medical Students in Their Clinical Years”Study Protocol. <i>Healthcare (Switzerland)</i> , 2021, 9, 305.	2.0	3
84	Marital Satisfaction and Perceived Family Support in Families of Children with Autistic Spectrum Disorder: Dyadic Analysis. <i>Healthcare (Switzerland)</i> , 2022, 10, 1227.	2.0	3
85	Acute effects of essential oil blend containing phlai oil on mood among healthy male volunteers: Randomized controlled trial. <i>Journal of Complementary and Integrative Medicine</i> , 2020, 17, .	0.9	2
86	Predictors for quality of life among older adults with depressive disorders: A prospective 3-month follow-up cohort study. <i>Perspectives in Psychiatric Care</i> , 2022, 58, 1029-1036.	1.9	2
87	Changes in character strengths after watching movies: when to use rasch analysis. <i>BMC Research Notes</i> , 2021, 14, 5.	1.4	2
88	Using Control-Mastery and Jungian Theories to Treat Nightmare Disorder: A Case from Thailand. <i>Journal of Mental Health Counseling</i> , 2014, 36, 189-207.	0.9	2
89	Does MMPI assessed at medical school admission predict psychological problems in later years?. <i>BMC Research Notes</i> , 2019, 12, 480.	1.4	1
90	Drug-related problems of antipsychotics in treating delirium among elderly patients: A real-world observational study. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2021, 46, 1274-1280.	1.5	1

#	ARTICLE	IF	CITATIONS
91	Construct Validity and Differential Item Functioning of the PHQ-9 Among Health Care Workers: Rasch Analysis Approach. <i>Neuropsychiatric Disease and Treatment</i> , 2021, 17, 1035-1045.	2.2	1
92	Developing and Validating the Narcissistic Personality Scale (NPS) among Older Thai Adults Using Rasch Analysis. <i>Healthcare (Switzerland)</i> , 2021, 9, 1717.	2.0	1
93	Investigating psychometric properties of the arm activity measure “ Thai version (ArmA-TH) sub-scales using the Rasch model. <i>BMC Medical Research Methodology</i> , 2021, 21, 46.	3.1	0
94	546 - Attachment, loneliness, and depression among residents in long-term care (LTC) homes. <i>International Psychogeriatrics</i> , 2021, 33, 88-89.	1.0	0
95	542 - Development and validation of the narcissistic personality screening questionnaire (NPSQ) among Thai older adults. <i>International Psychogeriatrics</i> , 2021, 33, 84-85.	1.0	0
96	Validation of the Thai version of the Spinal Cord Independence Measure Self-Report (SCIM-SR-Thai). <i>Spinal Cord</i> , 2022, 60, 361-367.	1.9	0