

# Seong Lin Khaw

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6742765/publications.pdf>

Version: 2024-02-01

19  
papers

3,839  
citations

840776

11  
h-index

839539

18  
g-index

19  
all docs

19  
docs citations

19  
times ranked

5774  
citing authors

#	ARTICLE	IF	CITATIONS
1	ABT-199, a potent and selective BCL-2 inhibitor, achieves antitumor activity while sparing platelets. <i>Nature Medicine</i> , 2013, 19, 202-208.	30.7	2,426
2	Substantial Susceptibility of Chronic Lymphocytic Leukemia to BCL2 Inhibition: Results of a Phase I Study of Navitoclax in Patients With Relapsed or Refractory Disease. <i>Journal of Clinical Oncology</i> , 2012, 30, 488-496.	1.6	719
3	Venetoclax responses of pediatric ALL xenografts reveal sensitivity of MLL-rearranged leukemia. <i>Blood</i> , 2016, 128, 1382-1395.	1.4	148
4	Venetoclax and Navitoclax in Combination with Chemotherapy in Patients with Relapsed or Refractory Acute Lymphoblastic Leukemia and Lymphoblastic Lymphoma. <i>Cancer Discovery</i> , 2021, 11, 1440-1453.	9.4	137
5	The Bcl-2 Homology Domain 3 Mimetic ABT-737 Targets the Apoptotic Machinery in Acute Lymphoblastic Leukemia Resulting in Synergistic in Vitro and in Vivo Interactions with Established Drugs. <i>Molecular Pharmacology</i> , 2010, 77, 483-494.	2.3	111
6	The BH3 mimetic compound, ABT-737, synergizes with a range of cytotoxic chemotherapy agents in chronic lymphocytic leukemia. <i>Leukemia</i> , 2009, 23, 2034-2041.	7.2	91
7	Both leukaemic and normal peripheral B lymphoid cells are highly sensitive to the selective pharmacological inhibition of prosurvival Bcl-2 with ABT-199. <i>Leukemia</i> , 2014, 28, 1207-1215.	7.2	79
8	Overcoming blocks in apoptosis with BH3-mimetic therapy in haematological malignancies. <i>Pathology</i> , 2011, 43, 525-535.	0.6	36
9	BET inhibition represses miR17-92 to drive BIM-initiated apoptosis of normal and transformed hematopoietic cells. <i>Leukemia</i> , 2016, 30, 1531-1541.	7.2	29
10	Safety and Efficacy of Venetoclax in Combination with Navitoclax in Adult and Pediatric Relapsed/Refractory Acute Lymphoblastic Leukemia and Lymphoblastic Lymphoma. <i>Blood</i> , 2019, 134, 285-285.	1.4	24
11	Outcomes for Australian children with relapsed/refractory acute lymphoblastic leukaemia treated with blinatumomab. <i>Pediatric Blood and Cancer</i> , 2021, 68, e28922.	1.5	16
12	Venetoclax and Navitoclax in Patients with Relapsed or Refractory Acute Lymphoblastic Leukemia and Lymphoblastic Lymphoma. <i>Blood</i> , 2018, 132, 3966-3966.	1.4	5
13	Venetoclax Alone or in Combination with Chemotherapy: Responses in Pediatric Patients with Relapsed/Refractory Acute Myeloid Leukemia with Heterogeneous Genomic Profiles. <i>Blood</i> , 2020, 136, 30-31.	1.4	4
14	SFPQ-ABL1 and BCR-ABL1 use different signaling networks to drive B-cell acute lymphoblastic leukemia. <i>Blood Advances</i> , 2022, 6, 2373-2387.	5.2	4
15	Two novel cases of <i>NUTM1</i> -rearranged B-cell acute lymphoblastic leukaemia presenting with high-risk features. <i>British Journal of Haematology</i> , 2022, 196, 1407-1411.	2.5	4
16	The first report of pediatric patients with solid tumors treated with venetoclax.. <i>Journal of Clinical Oncology</i> , 2020, 38, 10524-10524.	1.6	3
17	Venetoclax and Navitoclax in Pediatric Patients with Acute Lymphoblastic Leukemia and Lymphoblastic Lymphoma. <i>Blood</i> , 2020, 136, 12-13.	1.4	2
18	Open-label, dose-escalation, phase 1 study of venetoclax in combination with navitoclax and chemotherapy in patients with relapsed acute lymphoblastic leukemia.. <i>Journal of Clinical Oncology</i> , 2018, 36, TPS10575-TPS10575.	1.6	1

#	ARTICLE	IF	CITATIONS
19	Cycling without brakes lets ALL escape. Blood, 2021, 138, 1912-1913.	1.4	0