

# Christopher A Mebane

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6744751/publications.pdf>

Version: 2024-02-01

39  
papers

1,290  
citations

331670

21  
h-index

377865

34  
g-index

49  
all docs

49  
docs citations

49  
times ranked

1266  
citing authors

#	ARTICLE	IF	CITATIONS
1	An Index of Biological Integrity (IBI) for Pacific Northwest Rivers. Transactions of the American Fisheries Society, 2003, 132, 239-261.	1.4	99
2	Predicting the toxicity of metal mixtures. Science of the Total Environment, 2014, 466-467, 788-799.	8.0	84
3	The Case for Regime-based Water Quality Standards. BioScience, 2004, 54, 155.	4.9	76
4	Acute toxicity of cadmium, lead, zinc, and their mixtures to stream-resident fish and invertebrates. Environmental Toxicology and Chemistry, 2012, 31, 1334-1348.	4.3	74
5	Metal Bioavailability Models: Current Status, Lessons Learned, Considerations for Regulatory Use, and the Path Forward. Environmental Toxicology and Chemistry, 2020, 39, 60-84.	4.3	67
6	Bioaccumulation and Toxicity of Cadmium, Copper, Nickel, and Zinc and Their Mixtures to Aquatic Insect Communities. Environmental Toxicology and Chemistry, 2020, 39, 812-833.	4.3	61
7	Testing bioassessment metrics: macroinvertebrate, sculpin, and salmonid responses to stream habitat, sediment, and metals. , 2001, 67, 293-322.		57
8	Developing Acute-to-chronic Toxicity Ratios for Lead, Cadmium, and Zinc using Rainbow Trout, a Mayfly, and a Midge. Water, Air, and Soil Pollution, 2008, 188, 41-66.	2.4	55
9	Metal Mixture Modeling Evaluation project: 2. Comparison of four modeling approaches. Environmental Toxicology and Chemistry, 2015, 34, 741-753.	4.3	55
10	Influence of flow-through and renewal exposures on the toxicity of copper to rainbow trout. Ecotoxicology and Environmental Safety, 2008, 69, 199-208.	6.0	47
11	Sensitivity of mottled sculpins ( <i>Cottus bairdi</i> ) and rainbow trout ( <i>Oncorhynchus</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Chemistry, 2007, 26, 1657-1665.	4.3	45
12	AN EVALUATION OF FRESHWATER MUSSEL TOXICITY DATA IN THE DERIVATION OF WATER QUALITY GUIDANCE AND STANDARDS FOR COPPER. Environmental Toxicology and Chemistry, 2007, 26, 2066.	4.3	42
13	Expanding metal mixture toxicity models to natural stream and lake invertebrate communities. Environmental Toxicology and Chemistry, 2015, 34, 761-776.	4.3	37
14	Acute sensitivity of white sturgeon ( <i>Acipenser transmontanus</i> ) and rainbow trout ( <i>Oncorhynchus mykiss</i> ) to copper, cadmium, or zinc in water-only laboratory exposures. Environmental Toxicology and Chemistry, 2014, 33, 2259-2272.	4.3	34
15	Larval aquatic insect responses to cadmium and zinc in experimental streams. Environmental Toxicology and Chemistry, 2017, 36, 749-762.	4.3	33
16	Influence of dissolved organic carbon on toxicity of copper to a unionid mussel ( <i>Villosa iris</i> ) and a cladoceran ( <i>Ceriodaphnia dubia</i> ) in acute and chronic water exposures. Environmental Toxicology and Chemistry, 2011, 30, 2115-2125.	4.3	32
17	Linking nutrient enrichment and streamflow to macrophytes in agricultural streams. Hydrobiologia, 2014, 722, 143-158.	2.0	31
18	Assessing time-integrated dissolved concentrations and predicting toxicity of metals during diel cycling in streams. Science of the Total Environment, 2012, 425, 155-168.	8.0	30

#	ARTICLE	IF	CITATIONS
19	Recovery of a mining-damaged stream ecosystem. <i>Elementa</i> , 2015, 3, .	3.2	30
20	Scientific integrity issues in Environmental Toxicology and Chemistry: Improving research reproducibility, credibility, and transparency. <i>Integrated Environmental Assessment and Management</i> , 2019, 15, 320-344.	2.9	29
21	Evaluation of acute copper toxicity to juvenile freshwater mussels (fatmucket, <i>Lampsilis</i> ) in a stream. <i>Environmental Toxicology and Chemistry</i> , 2019, 38, 2367-2377.	4.3	24
22	Relevance of Risk Predictions Derived from a Chronic Species Sensitivity Distribution with Cadmium to Aquatic Populations and Ecosystems. <i>Risk Analysis</i> , 2010, 30, 203-223.	2.7	23
23	Adding invasive species biosurveillance to the U.S. Geological Survey streamgage network. <i>Ecosphere</i> , 2019, 10, e02843.	2.2	22
24	Chronic sensitivity of white sturgeon ( <i>Acipenser transmontanus</i> ) and rainbow trout ( <i>Oncorhynchus mykiss</i> ) to cadmium, copper, lead, or zinc in laboratory water-only exposures. <i>Environmental Toxicology and Chemistry</i> , 2014, 33, 2246-2258.	4.3	20
25	A long-term copper exposure in a freshwater ecosystem using lotic mesocosms: Invertebrate community responses. <i>Environmental Toxicology and Chemistry</i> , 2017, 36, 2698-2714.	4.3	20
26	Time-dependent accumulation of Cd, Co, Cu, Ni, and Zn in natural communities of mayfly and caddisfly larvae: Metal sensitivity, uptake pathways, and mixture toxicity. <i>Science of the Total Environment</i> , 2020, 732, 139011.	8.0	15
27	Long-term monitoring reveals convergent patterns of recovery from mining contamination across 4 western US watersheds. <i>Freshwater Science</i> , 2021, 40, 407-426.	1.8	14
28	Quantifying Fish Swimming Behavior in Response to Acute Exposure of Aqueous Copper Using Computer Assisted Video and Digital Image Analysis. <i>Journal of Visualized Experiments</i> , 2016, , 53477.	0.3	12
29	Extrapolating Growth Reductions in Fish to Changes in Population Extinction Risks: Copper and Chinook Salmon. <i>Human and Ecological Risk Assessment (HERA)</i> , 2010, 16, 1026-1065.	3.4	11
30	Understanding the captivity effect on invertebrate communities transplanted into an experimental stream laboratory. <i>Environmental Toxicology and Chemistry</i> , 2018, 37, 2820-2834.	4.3	11
31	Potential Toxicity of Dissolved Metal Mixtures (Cd, Cu, Pb, Zn) to Early Life Stage White Sturgeon ( <i>Acipenser transmontanus</i> ) in the Upper Columbia River, Washington, United States. <i>Environmental Science &amp; Technology</i> , 2018, 52, 9793-9800.	10.0	10
32	<i>In Response</i> : Biological arguments for selecting effect sizes in ecotoxicological testing—a governmental perspective. <i>Environmental Toxicology and Chemistry</i> , 2015, 34, 2440-2442.	4.3	9
33	Nutrient limitation of algae and macrophytes in streams: Integrating laboratory bioassays, field experiments, and field data. <i>PLoS ONE</i> , 2021, 16, e0252904.	2.5	6
34	Incubating Rainbow Trout in Soft Water Increased Their Later Sensitivity to Cadmium and Zinc. <i>Water, Air, and Soil Pollution</i> , 2010, 205, 245-250.	2.4	5
35	Collaborative research among academia, business, and government. <i>Integrated Environmental Assessment and Management</i> , 2018, 14, 152-154.	2.9	4
36	Direct and Delayed Mortality of <i>Ceriodaphnia dubia</i> and Rainbow Trout Following Time-Varying Acute Exposures to Zinc. <i>Environmental Toxicology and Chemistry</i> , 2021, 40, 2484-2498.	4.3	4

#	ARTICLE	IF	CITATIONS
37	Evaluation of a combined macrophyteâ€“epiphyte bioassay for assessing nutrient enrichment in the Portneuf River, Idaho, USA. <i>Environmental Monitoring and Assessment</i> , 2014, 186, 4081-4096.	2.7	3
38	Copper Concentrations in the Upper Columbia River as a Limiting Factor in White Sturgeon Recruitment and Recovery. <i>Integrated Environmental Assessment and Management</i> , 2020, 16, 378-391.	2.9	2
39	Environmental toxicology without chemistry and publications without discourse: Linked impediments to better science. <i>Environmental Toxicology and Chemistry</i> , 2016, 35, 1335-1336.	4.3	1