
Elizabeth Sztul

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6746127/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | ARF GTPases and their GEFs and GAPs: concepts and challenges. Molecular Biology of the Cell, 2019, 30, 1249-1271. | 2.1 | 188 |
| 2 | ADP-Ribosylation Factor/COPI-dependent Events at the Endoplasmic Reticulum-Golgi Interface Are Regulated by the Guanine Nucleotide Exchange Factor GBF1. Molecular Biology of the Cell, 2003, 14, 2250-2261. | 2.1 | 123 |
| 3 | The membraneâ€tethering protein p115 interacts with GBF1, an ARF guanineâ€nucleotideâ€exchange factor. EMBO Reports, 2003, 4, 320-325. | 4.5 | 72 |
| 4 | The Sec7 Guanine Nucleotide Exchange Factor GBF1 Regulates Membrane Recruitment of BIG1 and BIG2 Guanine Nucleotide Exchange Factors to the Trans-Golgi Network (TGN). Journal of Biological Chemistry, 2013, 288, 11532-11545. | 3.4 | 71 |
| 5 | Regulating the large Sec7 ARF guanine nucleotide exchange factors: the when, where and how of activation. Cellular and Molecular Life Sciences, 2014, 71, 3419-3438. | 5.4 | 64 |
| 6 | Role of Host Cell Secretory Machinery in Zika Virus Life Cycle. Viruses, 2018, 10, 559. | 3.3 | 59 |
| 7 | Rewiring of Cellular Membrane Homeostasis by Picornaviruses. Journal of Virology, 2014, 88, 9478-9489. | 3.4 | 38 |
| 8 | The ARF guanine nucleotide exchange factor GBF1 is targeted to Golgi membranes through a PIP-binding domain. Journal of Cell Science, 2018, 131, . | 2.0 | 30 |
| 9 | ARF family GTPases with links to cilia. American Journal of Physiology - Cell Physiology, 2020, 319, C404-C418. | 4.6 | 29 |
| 10 | CREB3L1-mediated functional and structural adaptation of the secretory pathway in hormone-stimulated thyroid cells. Journal of Cell Science, 2017, 130, 4155-4167. | 2.0 | 26 |
| 11 | Phospholipase C γ1 regulates early secretory trafficking and cell migration via interaction with p115. Molecular Biology of the Cell, 2015, 26, 2263-2278. | 2.1 | 21 |
| 12 | Novel C-terminal Motif within Sec7 Domain of Guanine Nucleotide Exchange Factors Regulates ADP-ribosylation Factor (ARF) Binding and Activation*. Journal of Biological Chemistry, 2011, 286, 36898-36906. | 3.4 | 20 |
| 13 | Oligomerization of the Sec7 domain Arf guanine nucleotide exchange factor GBF1 is dispensable for Golgi localization and function but regulates degradation. American Journal of Physiology - Cell Physiology, 2016, 310, C456-C469. | 4.6 | 19 |
| 14 | Enterovirus Infection Induces Massive Recruitment of All Isoforms of Small Cellular Arf GTPases to the Replication Organelles. Journal of Virology, 2020, 95, . | 3.4 | 17 |
| 15 | Imaging vesicle formation dynamics supports the flexible model of clathrin-mediated endocytosis. Nature Communications, 2022, 13, 1732. | 12.8 | 17 |
| 16 | Commonly used trafficking blocks disrupt ARF1 activation and the localization and function of specific Golgi proteins. Molecular Biology of the Cell, 2018, 29, 937-947. | 2.1 | 16 |
| 17 | A Redundant Mechanism of Recruitment Underlies the Remarkable Plasticity of the Requirement of Poliovirus Replication for the Cellular ArfGEF GBF1. Journal of Virology, 2019, 93, . | 3.4 | 15 |
| 18 | Highly conserved motifs within the large Sec7 ARF guanine nucleotide exchange factor GBF1 target it to the Golgi and are critical for GBF1 activity. American Journal of Physiology - Cell Physiology, 2018, 314, C675-C689. | 4.6 | 13 |

ELIZABETH SZTUL

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Promiscuity of the catalytic Sec7 domain within the guanine nucleotide exchange factor GBF1 in ARF activation, Golgi homeostasis, and effector recruitment. Molecular Biology of the Cell, 2019, 30, 1523-1535. | 2.1 | 10 |
| 20 | Identification of p115 as a novel ACSL4 interacting protein and its role in regulating ACSL4 degradation. Journal of Proteomics, 2020, 229, 103926. | 2.4 | 8 |
| 21 | Regulating the regulators: role of phosphorylation in modulating the function of the GBF1/BIG family of Sec7 ARFâ€GEFs. FEBS Letters, 2020, 594, 2213-2226. | 2.8 | 8 |
| 22 | Novel effects of Brefeldin A (BFA) in signaling through the insulin receptor (IR) pathway and regulating FoxO1-mediated transcription. Cellular Logistics, 2014, 4, e27732. | 0.9 | 6 |
| 23 | The Arf activator GBF1 localizes to plasma membrane sites involved in cell adhesion and motility. Cellular Logistics, 2017, 7, e1308900. | 0.9 | 6 |
| 24 | Monitoring Endosomal Trafficking of the G Protein-Coupled Receptor Somatostatin Receptor 3. Methods in Enzymology, 2014, 534, 261-280. | 1.0 | 3 |
| 25 | JAGN1, tetraspanins, and Erv proteins: is common topology indicative of common function in cargo sorting?. American Journal of Physiology - Cell Physiology, 2020, 319, C667-C674. | 4.6 | 2 |
| 26 | Modeling the dynamic behaviors of the COPI vesicle formation regulators, the small GTPase Arf1 and its activating Sec7 guanine nucleotide exchange factor GBF1 on Golgi membranes. Molecular Biology of the Cell, 2021, 32, 446-459. | 2.1 | 2 |
| 27 | Expression of Epitope-Tagged Proteins in Mammalian Cells in Culture. Methods in Molecular Biology, 2016, 1474, 3-24. | 0.9 | 1 |
| 28 | Nobel Prize for Cellular Logistics!. Cellular Logistics, 2013, 3, e27194. | 0.9 | 0 |
| 29 | How can biological modeling help cell biology?. Cellular Logistics, 2017, 7, e1404780. | 0.9 | 0 |
| 30 | Finding your inner modeler: An NSF-sponsored workshop to introduce cell biologists to modeling/computational approaches. Cellular Logistics, 2017, 7, e1382669. | 0.9 | 0 |