

Gad A Marshall

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6748244/publications.pdf>

Version: 2024-02-01

131
papers

8,108
citations

61945

43
h-index

51562

86
g-index

157
all docs

157
docs citations

157
times ranked

9658
citing authors

#	ARTICLE	IF	CITATIONS
1	Amyloid Deposition Is Associated with Impaired Default Network Function in Older Persons without Dementia. <i>Neuron</i> , 2009, 63, 178-188.	3.8	899
2	Tau positron emission tomographic imaging in aging and early Alzheimer disease. <i>Annals of Neurology</i> , 2016, 79, 110-119.	2.8	778
3	Association of Amyloid and Tau With Cognition in Preclinical Alzheimer Disease. <i>JAMA Neurology</i> , 2019, 76, 915.	4.5	512
4	Oral curcumin for Alzheimer's disease: tolerability and efficacy in a 24-week randomized, double blind, placebo-controlled study. <i>Alzheimer's Research and Therapy</i> , 2012, 4, 43.	3.0	402
5	Executive function and instrumental activities of daily living in mild cognitive impairment and Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2011, 7, 300-308.	0.4	319
6	Amyloid β associated cortical thinning in clinically normal elderly. <i>Annals of Neurology</i> , 2011, 69, 1032-1042.	2.8	306
7	Loneliness, depression and cognitive function in older U.S. adults. <i>International Journal of Geriatric Psychiatry</i> , 2017, 32, 564-573.	1.3	269
8	Amyloid β deposition in mild cognitive impairment is associated with increased hippocampal activity, atrophy and clinical progression. <i>Brain</i> , 2015, 138, 1023-1035.	3.7	207
9	Positron Emission Tomography Metabolic Correlates of Apathy in Alzheimer Disease. <i>Archives of Neurology</i> , 2007, 64, 1015.	4.9	185
10	Longitudinal Association of Amyloid Beta and Anxious-Depressive Symptoms in Cognitively Normal Older Adults. <i>American Journal of Psychiatry</i> , 2018, 175, 530-537.	4.0	175
11	The impact of amyloid β and tau on prospective cognitive decline in older individuals. <i>Annals of Neurology</i> , 2019, 85, 181-193.	2.8	171
12	Subjective Cognitive Concerns and Neuropsychiatric Predictors of Progression to the Early Clinical Stages of Alzheimer Disease. <i>American Journal of Geriatric Psychiatry</i> , 2014, 22, 1642-1651.	0.6	167
13	Apathy associated with neurocognitive disorders: Recent progress and future directions. <i>Alzheimer's and Dementia</i> , 2017, 13, 84-100.	0.4	167
14	Interactive Associations of Vascular Risk and β -Amyloid Burden With Cognitive Decline in Clinically Normal Elderly Individuals. <i>JAMA Neurology</i> , 2018, 75, 1124.	4.5	165
15	Association of Higher Cortical Amyloid Burden With Loneliness in Cognitively Normal Older Adults. <i>JAMA Psychiatry</i> , 2016, 73, 1230.	6.0	164
16	Tracking Early Decline in Cognitive Function in Older Individuals at Risk for Alzheimer Disease Dementia. <i>JAMA Neurology</i> , 2015, 72, 446.	4.5	142
17	Early and late change on the preclinical Alzheimer's cognitive composite in clinically normal older individuals with elevated amyloid β . <i>Alzheimer's and Dementia</i> , 2017, 13, 1004-1012.	0.4	139
18	Activities of daily living: where do they fit in the diagnosis of Alzheimer's disease?. <i>Neurodegenerative Disease Management</i> , 2012, 2, 483-491.	1.2	129

#	ARTICLE	IF	CITATIONS
19	Neuropathologic Correlates of Apathy in Alzheimer's Disease. <i>Dementia and Geriatric Cognitive Disorders</i> , 2006, 21, 144-147.	0.7	128
20	Subjective cognitive concerns, amyloid- β^2 , and neurodegeneration in clinically normal elderly. <i>Neurology</i> , 2015, 85, 56-62.	1.5	127
21	Odor identification and Alzheimer disease biomarkers in clinically normal elderly. <i>Neurology</i> , 2015, 84, 2153-2160.	1.5	120
22	Early-Onset Alzheimer's Disease Is Associated With Greater Pathologic Burden. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2007, 20, 29-33.	1.2	108
23	Neuropsychiatric Symptoms and Global Functional Impairment along the Alzheimer's Continuum. <i>Dementia and Geriatric Cognitive Disorders</i> , 2012, 34, 96-111.	0.7	105
24	Long-Term Treatment of Hashimoto's Encephalopathy. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2006, 18, 14-20.	0.9	100
25	Associations of Physical Activity and β^2 -Amyloid With Longitudinal Cognition and Neurodegeneration in Clinically Normal Older Adults. <i>JAMA Neurology</i> , 2019, 76, 1203.	4.5	97
26	PET staging of amyloidosis using striatum. <i>Alzheimer's and Dementia</i> , 2018, 14, 1281-1292.	0.4	93
27	Depressive Symptoms and Biomarkers of Alzheimer's Disease in Cognitively Normal Older Adults. <i>Journal of Alzheimer's Disease</i> , 2015, 46, 63-73.	1.2	87
28	Regional Cortical Thinning Predicts Worsening Apathy and Hallucinations Across the Alzheimer Disease Spectrum. <i>American Journal of Geriatric Psychiatry</i> , 2014, 22, 1168-1179.	0.6	86
29	Temporal T807 binding correlates with CSF tau and phospho-tau in normal elderly. <i>Neurology</i> , 2016, 87, 920-926.	1.5	86
30	Vascular Risk and β^2 -Amyloid Are Synergistically Associated with Cortical Tau. <i>Annals of Neurology</i> , 2019, 85, 272-279.	2.8	75
31	Longitudinal Association of Depression Symptoms With Cognition and Cortical Amyloid Among Community-Dwelling Older Adults. <i>JAMA Network Open</i> , 2019, 2, e198964.	2.8	72
32	Depressive Symptoms and Tau Accumulation in the Inferior Temporal Lobe and Entorhinal Cortex in Cognitively Normal Older Adults: A Pilot Study. <i>Journal of Alzheimer's Disease</i> , 2017, 59, 975-985.	1.2	70
33	Primary and Secondary Prevention Trials in Alzheimer Disease: Looking Back, Moving Forward. <i>Current Alzheimer Research</i> , 2017, 14, 426-440.	0.7	68
34	The Apathy Evaluation Scale: A Comparison of Subject, Informant, and Clinician Report in Cognitively Normal Elderly and Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2015, 47, 421-432.	1.2	65
35	Functional Activities Questionnaire Items that Best Discriminate and Predict Progression from Clinically Normal to Mild Cognitive Impairment. <i>Current Alzheimer Research</i> , 2015, 12, 493-502.	0.7	62
36	Anosognosia for memory deficits in mild cognitive impairment: Insight into the neural mechanism using functional and molecular imaging. <i>NeuroImage: Clinical</i> , 2017, 15, 408-414.	1.4	61

#	ARTICLE	IF	CITATIONS
37	Apathy Is Associated With Increased Amyloid Burden in Mild Cognitive Impairment. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2013, 25, 302-307.	0.9	56
38	Stress, resilience, and coping strategies in a sample of community-dwelling older adults during COVID-19. <i>Journal of Psychiatric Research</i> , 2021, 138, 176-185.	1.5	53
39	Heterogeneity in Suspected Non-“Alzheimer Disease Pathophysiology Among Clinically Normal Older Individuals. <i>JAMA Neurology</i> , 2016, 73, 1185.	4.5	52
40	Regional Cortical Thinning and Cerebrospinal Biomarkers Predict Worsening Daily Functioning Across the Alzheimer's Disease Spectrum. <i>Journal of Alzheimer's Disease</i> , 2014, 41, 719-728.	1.2	51
41	Amyloid-associated increases in longitudinal report of subjective cognitive complaints. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2018, 4, 444-449.	1.8	51
42	Apathy is Associated With Lower Inferior Temporal Cortical Thickness in Mild Cognitive Impairment and Normal Elderly Individuals. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2015, 27, e22-e27.	0.9	50
43	Hippocampal hypometabolism in older adults with memory complaints and increased amyloid burden. <i>Neurology</i> , 2017, 88, 1759-1767.	1.5	50
44	Blood-Borne Activity-Dependent Neuroprotective Protein (ADNP) is Correlated with Premorbid Intelligence, Clinical Stage, and Alzheimer's Disease Biomarkers. <i>Journal of Alzheimer's Disease</i> , 2016, 50, 249-260.	1.2	50
45	Neuropathologic Correlates of Activities of Daily Living in Alzheimer Disease. <i>Alzheimer Disease and Associated Disorders</i> , 2006, 20, 56-59.	0.6	49
46	Neuropsychiatric Symptoms and Functional Connectivity in Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2015, 46, 727-735.	1.2	44
47	Lower Late-Life Body-Mass Index is Associated with Higher Cortical Amyloid Burden in Clinically Normal Elderly. <i>Journal of Alzheimer's Disease</i> , 2016, 53, 1097-1105.	1.2	44
48	Everyday Cognition Scale Items that Best Discriminate Between and Predict Progression From Clinically Normal to Mild Cognitive Impairment. <i>Current Alzheimer Research</i> , 2014, 11, 853-861.	0.7	44
49	Instrumental Activities of Daily Living Impairment Is Associated with Increased Amyloid Burden. <i>Dementia and Geriatric Cognitive Disorders</i> , 2011, 31, 443-450.	0.7	43
50	Evolution of anosognosia in alzheimer's disease and its relationship to amyloid. <i>Annals of Neurology</i> , 2020, 87, 267-280.	2.8	39
51	Regional Fluorodeoxyglucose Metabolism and Instrumental Activities of Daily Living across the Alzheimer's Disease Spectrum. <i>Journal of Alzheimer's Disease</i> , 2014, 42, 291-300.	1.2	38
52	Regional 18F-Fluorodeoxyglucose Hypometabolism is Associated with Higher Apathy Scores Over Time in Early Alzheimer Disease. <i>American Journal of Geriatric Psychiatry</i> , 2017, 25, 683-693.	0.6	37
53	Cognitive activity relates to cognitive performance but not to Alzheimer disease biomarkers. <i>Neurology</i> , 2015, 85, 48-55.	1.5	36
54	Advance Care Planning in Community-Dwelling Patients With Dementia. <i>Journal of Pain and Symptom Management</i> , 2018, 55, 1105-1112.	0.6	35

#	ARTICLE	IF	CITATIONS
55	Regional Tau Correlates of Instrumental Activities of Daily Living and Apathy in Mild Cognitive Impairment and Alzheimer's Disease Dementia. <i>Journal of Alzheimer's Disease</i> , 2019, 67, 757-768.	1.2	32
56	Identifying Sensitive Measures of Cognitive Decline at Different Clinical Stages of Alzheimer's Disease. <i>Journal of the International Neuropsychological Society</i> , 2021, 27, 426-438.	1.2	30
57	Apathy as a Treatment Target in Alzheimer's Disease: Implications for Clinical Trials. <i>American Journal of Geriatric Psychiatry</i> , 2022, 30, 119-147.	0.6	28
58	Inferior and medial temporal tau and cortical amyloid are associated with daily functional impairment in Alzheimer's disease. <i>Alzheimer's Research and Therapy</i> , 2019, 11, 14.	3.0	26
59	The Impact of Awareness of and Concern About Memory Performance on the Prediction of Progression From Mild Cognitive Impairment to Alzheimer Disease Dementia. <i>American Journal of Geriatric Psychiatry</i> , 2018, 26, 896-904.	0.6	23
60	Racial and socioeconomic status differences in stress, posttraumatic growth, and mental health in an older adult cohort during the COVID-19 pandemic. <i>EClinicalMedicine</i> , 2022, 45, 101343.	3.2	21
61	Late-onset unexplained epilepsy: What are we missing?. <i>Epilepsy and Behavior</i> , 2019, 99, 106478.	0.9	19
62	Association of cortical microstructure with amyloid- β^2 and tau: impact on cognitive decline, neurodegeneration, and clinical progression in older adults. <i>Molecular Psychiatry</i> , 2021, 26, 7813-7822.	4.1	17
63	Decline in cognitively complex everyday activities accelerates along the Alzheimer's disease continuum. <i>Alzheimer's Research and Therapy</i> , 2020, 12, 138.	3.0	14
64	The Harvard Automated Phone Task: new performance-based activities of daily living tests for early Alzheimer's disease. <i>Journal of Prevention of Alzheimer's Disease</i> , The, 2015, 2, 242-253.	1.5	14
65	Long-Term Safety and Efficacy of Bapineuzumab in Patients with Mild-to-Moderate Alzheimer's Disease: A Phase 2, Open-Label Extension Study. <i>Current Alzheimer Research</i> , 2018, 15, 1231-1243.	0.7	13
66	Instrumental activities of daily living, amyloid, and cognition in cognitively normal older adults screening for the A4 Study. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2020, 12, e12118.	1.2	12
67	Maternal dementia age at onset in relation to amyloid burden in non-demented elderly offspring. <i>Neurobiology of Aging</i> , 2016, 40, 61-67.	1.5	11
68	SIST-M-IR Activities of Daily Living Items that Best Discriminate Clinically Normal Elderly from those with Mild Cognitive Impairment. <i>Current Alzheimer Research</i> , 2014, 11, 785-791.	0.7	11
69	Financial Capacity and Regional Cerebral Tau in Cognitively Normal Older Adults, Mild Cognitive Impairment, and Alzheimer's Disease Dementia. <i>Journal of Alzheimer's Disease</i> , 2021, 79, 1133-1142.	1.2	10
70	Affective symptoms and regional cerebral tau burden in early-stage Alzheimer's disease. <i>International Journal of Geriatric Psychiatry</i> , 2021, 36, 1050-1058.	1.3	10
71	Measuring instrumental activities of daily living in non-demented elderly: a comparison of the new performance-based Harvard Automated Phone Task with other functional assessments. <i>Alzheimer's Research and Therapy</i> , 2019, 11, 4.	3.0	9
72	The neurophysiology and seizure outcomes of late onset unexplained epilepsy. <i>Clinical Neurophysiology</i> , 2020, 131, 2667-2672.	0.7	9

#	ARTICLE	IF	CITATIONS
73	Brain amyloid burden, sleep, and 24-hour rest/activity rhythms: screening findings from the Anti-Amyloid Treatment in Asymptomatic Alzheimer's™s and Longitudinal Evaluation of Amyloid Risk and Neurodegeneration Studies. SLEEP Advances, 2021, 2, zpab015.	0.1	9
74	Interactive versus additive relationships between regional cortical thinning and amyloid burden in predicting clinical decline in mild AD and MCI individuals. NeuroImage: Clinical, 2018, 17, 388-396.	1.4	8
75	Activities of daily living measured by the Harvard Automated Phone Task track with cognitive decline over time in non-demented elderly. journal of prevention of Alzheimer's disease, The, 2017, 4, 81-86.	1.5	8
76	Development and Validation of a Deep Learning Model for Earlier Detection of Cognitive Decline From Clinical Notes in Electronic Health Records. JAMA Network Open, 2021, 4, e2135174.	2.8	8
77	Association of subjective cognitive decline with markers of brain pathology in preclinical autosomal dominant Alzheimer's™s disease. Journal of Neurology, Neurosurgery and Psychiatry, 2020, 91, 330-332.	0.9	7
78	An UNC5C Allele Predicts Cognitive Decline and Hippocampal Atrophy in Clinically Normal Older Adults. Journal of Alzheimer's Disease, 2019, 68, 1161-1170.	1.2	5
79	IC-P-162: Entorhinal, parahippocampal, and inferior temporal F18-T807 SUVR correlates with CSF total tau and tau T181P in cognitively normal elderly. , 2015, 11, P109-P109.		2
80	P1-180: A NEW PERFORMANCE-BASED ACTIVITIES OF DAILY LIVING INSTRUMENT FOR EARLY ALZHEIMER'S DISEASE. , 2014, 10, P365-P365.		1
81	IC-P-117: AMYLOID-B DEPOSITION IN MILD COGNITIVE IMPAIRMENT IS ASSOCIATED WITH HIPPOCAMPAL HYPERACTIVATION, ATROPHY, AND CLINICAL PROGRESSION. , 2014, 10, P65-P66.		1
82	P2-246: GREATER SUBJECTIVE COGNITIVE CONCERNS CORRESPOND WITH ADVANCING STAGES OF PRECLINICAL AD. , 2014, 10, P566-P566.		1
83	O4-01-01: Regional Tau PET measures associated with memory performance in clinically normal older individuals. , 2015, 11, P265-P265.		1
84	O4-01-04: Entorhinal, parahippocampal, and inferior temporal F18-T807 SUVR correlates with CSF total tau and tau T181P in cognitively normal elderly. , 2015, 11, P267-P267.		1
85	F5-05-02: The Harvard Automated Phone Task (APT): A Novel Performance-Based ADL Instrument for Early Alzheimer's™s Disease. , 2016, 12, P373-P373.		1
86	IC-P-043: Neuroimaging Correlates of Anosognosia in Mild Cognitive Impairment. , 2016, 12, P36-P37.		1
87	O4-06-06: The Impact of Anosognosia and Anosodiaphoria on the Prediction of Progression from Mild Cognitive Impairment to Alzheimer's Disease. Alzheimer's and Dementia, 2016, 12, P346.	0.4	1
88	[P3-376]: QRISK2 AND FRAMINGHAM CARDIOVASCULAR RISK SCORES SIGNIFICANTLY CORRELATE WITH IMAGING BIOMARKERS OF PRECLINICAL AD: FINDINGS FROM THE HARVARD AGING BRAIN STUDY. Alzheimer's and Dementia, 2017, 13, P1103.	0.4	1
89	P3-430: INFERIOR AND MEDIAL TEMPORAL TAU AND CORTICAL AMYLOID ARE ASSOCIATED WITH DAILY FUNCTIONAL IMPAIRMENT ACROSS THE AD SPECTRUM. Alzheimer's and Dementia, 2018, 14, P1275.	0.4	1
90	Trajectories of decline in cognitively complex everyday activities across the Alzheimer's™s disease continuum. Alzheimer's and Dementia, 2020, 16, e044787.	0.4	1

#	ARTICLE	IF	CITATIONS
91	Dementia knowledge and associated demographic factors within a registry sample. <i>Alzheimer's and Dementia</i> , 2020, 16, e046177.	0.4	1
92	Longitudinal associations of regional cortical tau and apathy in mild cognitive impairment and Alzheimer's disease dementia: Findings from the Alzheimer's Disease Neuroimaging Initiative. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.4	1
93	Neuropsychiatric Evaluation in Dementia. <i>Handbook of Clinical Neurology</i> / Edited By P J Vinken and G W Bruyn, 2008, 89, 53-61.	1.0	0
94	P3-266: NEUROPSYCHIATRIC SYMPTOMS AND FUNCTIONAL CONNECTIVITY IN MILD COGNITIVE IMPAIRMENT AND COGNITIVELY NORMAL ELDERLY. , 2014, 10, P729-P729.		0
95	DT-01-02: TEMPORAL NEOCORTICAL TAU DEPOSITION MEASURED WITH PET IS ASSOCIATED WITH LONGITUDINAL DECLINE IN MEMORY PERFORMANCE AMONG CLINICALLY NORMAL ELDERLY. , 2014, 10, P280-P280.		0
96	P2-154: SUBSYNDROMAL DEPRESSION AND ALZHEIMER'S DISEASE BIOMARKERS IN COGNITIVELY NORMAL ELDERLY. , 2014, 10, P527-P528.		0
97	IC-P-152: OLFACTORY IDENTIFICATION AND ALZHEIMER'S DISEASE BIOMARKERS IN CLINICALLY NORMAL ELDERLY. , 2014, 10, P87-P87.		0
98	O3-10-06: AMYLOID- β DEPOSITION IN MILD COGNITIVE IMPAIRMENT IS ASSOCIATED WITH HIPPOCAMPAL HYPERACTIVATION, ATROPHY, AND CLINICAL PROGRESSION. , 2014, 10, P230-P230.		0
99	P1-301: OLFACTORY IDENTIFICATION AND ALZHEIMER'S DISEASE BIOMARKERS IN CLINICALLY NORMAL ELDERLY. , 2014, 10, P422-P422.		0
100	IC-02-01: GREATER SUBJECTIVE COGNITIVE CONCERNS CORRESPOND WITH ADVANCING STAGES OF PRECLINICAL AD. , 2014, 10, P4-P4.		0
101	IC-P-071: Instrumental activities of daily living and functional connectivity in mild cognitive impairment. , 2015, 11, P53-P53.		0
102	IC-P-085: Regional Tau PET measures associated with memory performance in clinically normal older individuals. , 2015, 11, P60-P61.		0
103	P3-162: Instrumental activities of daily living and functional connectivity in mild cognitive impairment. , 2015, 11, P690-P691.		0
104	P3-135: Clinical and neuroimaging predictors of psychological well-being as measured by the purpose in life scale in cognitively normal older individuals. , 2015, 11, P675-P676.		0
105	IC-P-153: Clinical and neuroimaging predictors of psychological well-being as measured by the purpose in life scale in cognitively normal older individuals. , 2015, 11, P102-P103.		0
106	O2-11-06: Reciprocal relations of loneliness and cognitive function in older u.s. adults. , 2015, 11, P201-P202.		0
107	P4-217: Regional Fluorodeoxyglucose Hypometabolism is Associated With Greater Apathy Over Time in Early Alzheimer's Disease. , 2016, 12, P1111-P1111.		0
108	IC-P-053: Regional Fluorodeoxyglucose Hypometabolism is Associated with Greater Apathy Over Time in Early Alzheimer's Disease. <i>Alzheimer's and Dementia</i> , 2016, 12, P43.	0.4	0

#	ARTICLE	IF	CITATIONS
109	P2-341: Subjective Cognitive Decline Predicts Longitudinal Decline in those with Both Amyloidosis and Neurodegeneration. , 2016, 12, P773-P774.		0
110	O1â€“13â€“01: Anxiety, Social Activity and Amyloid in Cognitively Normal Older Adults. Alzheimer's and Dementia, 2016, 12, P208.	0.4	0
111	O4-06-04: Neuroimaging Correlates of Anosognosia in Mild Cognitive Impairment. , 2016, 12, P345-P346.		0
112	O4â€“07â€“05: Pet Staging of Amyloidosis: Evidence that Amyloid Occurs First in Neocortex and Later in Striatum. Alzheimer's and Dementia, 2016, 12, P349.	0.4	0
113	[P4â€“243]: ANXIETY, SUBJECTIVE COGNITIVE DECLINE, AND CORTICAL AMYLOID IN PRECLINICAL AUTOSOMAL DOMINANT ALZHEIMER'S DISEASE: A PRELIMINARY REPORT. Alzheimer's and Dementia, 2017, 13, P1369.	0.4	0
114	[ICâ€“Pâ€“089]: ANXIETY, SUBJECTIVE COGNITIVE DECLINE, AND CORTICAL AMYLOID IN PRECLINICAL AUTOSOMAL DOMINANT ALZHEIMER'S DISEASE: A PRELIMINARY REPORT. Alzheimer's and Dementia, 2017, 13, P72.	0.4	0
115	[P1â€“256]: BASELINE CARDIOVASCULAR RISK AND AMYLOID BURDEN SYNERGISTICALLY PREDICT LONGITUDINAL COGNITIVE DECLINE IN CLINICALLY NORMAL ELDERLY: FINDINGS FROM THE HARVARD AGING BRAIN STUDY. Alzheimer's and Dementia, 2017, 13, P347.	0.4	0
116	P1â€“327: LONGITUDINAL DEPRESSIVE SYMPTOMS AND CORTICAL AMYLOID ARE ASSOCIATED WITH COGNITIVE DECLINE IN OLDER ADULTS. Alzheimer's and Dementia, 2018, 14, P417.	0.4	0
117	P3â€“290: AMYLOID PATHOLOGY EXPLAINS UNAWARENESS OF MEMORY DEFICITS ABOVE AND BEYOND CORTICAL THICKNESS IN INDIVIDUALS WITH MILD COGNITIVE IMPAIRMENT. Alzheimer's and Dementia, 2018, 14, P1191.	0.4	0
118	P1â€“627: AMYLOID BURDEN IMPACTS EVERYDAY FUNCTIONING INDEPENDENT OF COGNITION AND AWARENESS IN SUBJECTIVE COGNITIVE DECLINE: FINDINGS FROM THE INSIGHT PREâ€“AD COHORT. Alzheimer's and Dementia, 2018, 14, P581.	0.4	0
119	ICâ€“Pâ€“139: LONGITUDINAL DEPRESSIVE SYMPTOMS AND CORTICAL AMYLOID ARE ASSOCIATED WITH COGNITIVE DECLINE IN OLDER ADULTS. Alzheimer's and Dementia, 2018, 14, P116.	0.4	0
120	ICâ€“Pâ€“037: GERIATRIC DEPRESSION SCALE ITEMâ€“LEVEL ANALYSIS IN RELATION TOâ€“IN VIVOâ€“/i> CORTICAL AMYLOID AND CEREBRAL REGIONAL TAU IN CLINICALLY NORMAL OLDER ADULTS: FINDINGS FROM THE HARVARD AGING BRAIN STUDY. Alzheimer's and Dementia, 2019, 15, P43.	0.4	0
121	O3â€“09â€“01: PROTECTIVE EFFECT OF PHYSICAL ACTIVITY ON LONGITUDINAL COGNITIVE DECLINE AND NEURODEGENERATION IN CLINICALLY NORMAL OLDER ADULTS WITH ELEVATED Î²â€“AMYLOID BURDEN. Alzheimer's and Dementia, 2019, 15, P903.	0.4	0
122	Association of tau tangle burden with depressive symptoms in communityâ€“dwelling older adults: A longitudinal study. Alzheimer's and Dementia, 2020, 16, e038867.	0.4	0
123	Depressive symptoms are associated with hippocampal neurodegeneration in preclinical autosomal dominant Alzheimerâ€“TM's disease. Alzheimer's and Dementia, 2020, 16, e046495.	0.4	0
124	Association of tau tangle burden with depressive symptoms in communityâ€“dwelling older adults: A longitudinal study. Alzheimer's and Dementia, 2020, 16, e046549.	0.4	0
125	Longitudinal increase in depressive symptoms in relation to neurodegeneration in clinically normal older adults: Findings from the Harvard Aging Brain Study. Alzheimer's and Dementia, 2020, 16, e047321.	0.4	0
126	Cortical microstructure is associated with tau burden and predicts cognitive decline and clinical progression in healthy older adults. Alzheimer's and Dementia, 2021, 17, .	0.4	0

#	ARTICLE	IF	CITATIONS
127	Trajectories of self-rated concerns in individuals developing cognitive decline. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.4	0
128	Greater psychological resilience during the COVID-19 pandemic is associated with lower tau burden in cognitively unimpaired individuals. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.4	0
129	Association between the Harvard automated phone task and Alzheimer's disease pathology in clinically normal older adults. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.4	0
130	Resilience and perceived stress in cognitively normal older adults during the COVID-19 pandemic. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.4	0
131	Multimodal neuroimaging biomarkers of Alzheimer's disease in older adults with depression: Preliminary findings from a pilot cohort. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.4	0