

Jacques Pouchot

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6755270/publications.pdf>

Version: 2024-02-01

120
papers

4,297
citations

101543

36
h-index

128289

60
g-index

243
all docs

243
docs citations

243
times ranked

5278
citing authors

#	ARTICLE	IF	CITATIONS
1	Effects of a multifaceted intervention to promote the use of intravenous iron sucrose complex instead of ferric carboxymaltose in patients admitted for more than 24 h. <i>European Journal of Clinical Pharmacology</i> , 2021, 77, 189-195.	1.9	1
2	Specific Follicular Helper T Cell Signature in Takayasu Arteritis. <i>Arthritis and Rheumatology</i> , 2021, 73, 1233-1243.	5.6	19
3	COVID-19 outcomes in patients with inflammatory rheumatic and musculoskeletal diseases treated with rituximab: a cohort study. <i>Lancet Rheumatology</i> , The, 2021, 3, e419-e426.	3.9	211
4	IgG4-related disease and hypereosinophilic syndrome: Overlapping phenotypes. <i>Autoimmunity Reviews</i> , 2021, 20, 102889.	5.8	9
5	Cross-cultural adaptation and validation of the French version of the credibility/expectancy questionnaire. Further insights into the measured concepts and their relationships. <i>Psychologie Francaise</i> , 2020, 65, 173-184.	0.4	6
6	AA amyloidosis secondary to adult onset Still's disease: About 19 cases. <i>Seminars in Arthritis and Rheumatism</i> , 2020, 50, 156-165.	3.4	9
7	A wandering spleen, splenomegaly, hypersplenism, and iron deficiency anaemia. <i>Lancet</i> , The, 2020, 396, 412.	13.7	2
8	Interstitial Lung Disease-Complicated Anti-MDA5 Antibody in Clinically Amyopathic Dermatomyositis Patients: Report of Two Cases With Distinct Clinical Features. <i>Frontiers in Medicine</i> , 2020, 7, 77.	2.6	9
9	Usefulness of azacitidine therapy in a sickle cell disease patient with myelodysplastic syndrome. <i>Annals of Hematology</i> , 2020, 99, 661-662.	1.8	0
10	A Prospective International Study on Adherence to Treatment in 305 Patients With Flaring <sc>SLE</sc>: Assessment by Drug Levels and Self-Administered Questionnaires. <i>Clinical Pharmacology and Therapeutics</i> , 2019, 106, 374-382.	4.7	30
11	Statins for primary prevention and rhabdomyolysis: A nationwide cohort study in France. <i>European Journal of Preventive Cardiology</i> , 2019, 26, 512-521.	1.8	11
12	Impact of comorbidities and functional impairment on 5-year loss of health utility in patients with lower-limb osteoarthritis in the KHOALA cohort. <i>Quality of Life Research</i> , 2019, 28, 3047-3054.	3.1	8
13	Statins for primary prevention of cardiovascular disease and the risk of acute kidney injury. <i>Pharmacoepidemiology and Drug Safety</i> , 2019, 28, 1583-1590.	1.9	7
14	<i>Lactobacillus delbrueckii</i> urinary tract infection in a male patient. <i>Médecine Et Maladies Infectieuses</i> , 2019, 49, 226-228.	5.0	6
15	High bone mineral density in sickle cell disease: Prevalence and characteristics. <i>Bone</i> , 2018, 110, 199-203.	2.9	14
16	The subjective experience of subjects diagnosed with celiac disease in adulthood. <i>Revue Européenne De Psychologie Appliquée</i> , 2018, 68, 35-43.	0.8	3
17	The presence of cardiovascular disease does not modify the weak impact obesity has on health-related quality of life in patients with hip osteoarthritis in the KHOALA cohort. <i>Joint Bone Spine</i> , 2018, 85, 233-238.	1.6	4
18	Validation of the Fautrel classification criteria for adult-onset Still's disease. <i>Seminars in Arthritis and Rheumatism</i> , 2018, 47, 578-585.	3.4	47

#	ARTICLE	IF	CITATIONS
19	Prevalence of pelvic Paget's disease of bone in France. <i>Bone</i> , 2018, 107, 143-144.	2.9	4
20	Extreme hypomagnesemia: characteristics of 119 consecutive inpatients. <i>Internal and Emergency Medicine</i> , 2018, 13, 1201-1209.	2.0	6
21	Priapism in sickle cell disease: Beware of neuroleptics. <i>American Journal of Hematology</i> , 2018, 93, E211.	4.1	1
22	Association entre morphologie de la hanche et prévalence, sévérité clinique et progression de la coxarthrose pendant 3 ans: résultats de la cohorte Knee and Hip Osteoarthritis Long-term Assessment (KHOALA). <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2017, 84, 440-447.	0.0	0
23	Cogan syndrome: Characteristics, outcome and treatment in a French nationwide retrospective study and literature review. <i>Autoimmunity Reviews</i> , 2017, 16, 1219-1223.	5.8	47
24	Roles of <i>APOL1</i> and <i>G2</i> variants in sickle cell disease patients: kidney is the main target. <i>British Journal of Haematology</i> , 2017, 179, 323-335.	2.5	36
25	Gender-Related Differential Effects of Obesity on Health-Related Quality of Life via Obesity-Related Comorbidities. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2016, 9, 246-256.	2.2	38
26	Association between hip morphology and prevalence, clinical severity and progression of hip osteoarthritis over 3 years: The knee and hip osteoarthritis long-term assessment cohort results. <i>Joint Bone Spine</i> , 2016, 83, 432-438.	1.6	13
27	Femoro-tibial knee osteoarthritis: One or two X-rays? Results from a population-based study. <i>Joint Bone Spine</i> , 2016, 83, 37-42.	1.6	4
28	The Mini-OAKHQOL for knee and hip osteoarthritis quality of life was obtained following recent shortening guidelines. <i>Journal of Clinical Epidemiology</i> , 2016, 69, 70-78.	5.0	13
29	Activated partial thromboplastin time sensitivity to lupus anticoagulant in a patient with transient arthritis and lupus anticoagulant-hypoprothrombinemia syndrome. <i>Annals of Hematology</i> , 2015, 94, 713-715.	1.8	4
30	Determination of the minimal clinically important difference for seven measures of fatigue in Swedish patients with systemic lupus erythematosus. <i>Scandinavian Journal of Rheumatology</i> , 2015, 44, 206-210.	1.1	19
31	Catastrophic antiphospholipid syndrome presenting with bilateral massive adrenal haemorrhage. A case report. <i>Joint Bone Spine</i> , 2015, 82, 288-289.	1.6	8
32	Description of 214 cases of autoimmune congenital heart block: Results of the French neonatal lupus syndrome. <i>Autoimmunity Reviews</i> , 2015, 14, 1154-1160.	5.8	121
33	Etiologies and diagnostic workup of extreme macrocytosis defined by an erythrocyte mean corpuscular volume over 130 fL: A study of 109 patients. <i>American Journal of Hematology</i> , 2014, 89, 665-666.	4.1	9
34	Rasch analysis for assessing unidimensionality and identifying measurement biases of malignancy scores in oncology. The example of the Weiss histopathological system for the diagnosis of adrenocortical cancer. <i>Cancer Epidemiology</i> , 2014, 38, 200-208.	1.9	4
35	Validation of a French Version of the Quality of Life "Celiac Disease Questionnaire". <i>PLoS ONE</i> , 2014, 9, e96346.	2.5	22
36	Paradoxical reactions during treatment of tuberculosis with extrapulmonary manifestations in HIV-negative patients. <i>Infection</i> , 2013, 41, 537-543.	4.7	70

#	ARTICLE	IF	CITATIONS
37	Development of a paper-and-pencil semi-adaptive questionnaire for 5 domains of health-related quality of life (PAT-5D-QOL). <i>Quality of Life Research</i> , 2013, 22, 2829-2842.	3.1	5
38	Adherence to treatment in systemic lupus erythematosus patients. <i>Best Practice and Research in Clinical Rheumatology</i> , 2013, 27, 329-340.	3.3	140
39	Reproducibility of radiographic hip measurements in adults. <i>Joint Bone Spine</i> , 2013, 80, 52-56.	1.6	35
40	Item reduction based on rigorous methodological guidelines is necessary to maintain validity when shortening composite measurement scales. <i>Journal of Clinical Epidemiology</i> , 2013, 66, 710-718.	5.0	103
41	A life-threatening umbrella. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2013, 145, e53-e54.	0.8	0
42	Relationship between vitamin D deficiency and bone fragility in sickle cell disease: A cohort study of 56 adults. <i>Bone</i> , 2013, 52, 206-211.	2.9	52
43	Relationship Between Hip Dysplasia, Pain, and Osteoarthritis in a Cohort of Patients with Hip Symptoms. <i>Journal of Rheumatology</i> , 2013, 40, 1583-1589.	2.0	27
44	Height and Health-Related Quality of Life: A Nationwide Population Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, 3231-3239.	3.6	34
45	The KHOALA cohort of knee and hip osteoarthritis in France. <i>Joint Bone Spine</i> , 2012, 79, 597-603.	1.6	48
46	Biological treatment in adult-onset Still's disease. <i>Best Practice and Research in Clinical Rheumatology</i> , 2012, 26, 477-487.	3.3	50
47	Impact of co-morbidities on measuring indirect utility by the Medical Outcomes Study Short Form 6D in lower-limb osteoarthritis. <i>Best Practice and Research in Clinical Rheumatology</i> , 2012, 26, 627-635.	3.3	8
48	Reproductibilit� de la mesure des principaux angles de coxom�trie chez l'adulte. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2012, 79, 535-540.	0.0	0
49	Factors associated with fatigue in early arthritis: Results from the ESPOIR cohort. <i>Arthritis Care and Research</i> , 2012, 64, n/a-n/a.	3.4	21
50	Chronic lymphocytic leukaemia responsive to vitamin D administration. <i>British Journal of Haematology</i> , 2012, 156, 148-149.	2.5	4
51	Validation of a French Version of the 8-item Morisky Medication Adherence Scale in Hypertensive Adults. <i>Journal of Clinical Hypertension</i> , 2012, 14, 429-434.	2.0	116
52	Relationship Between vitamin D Deficiency and Bone Fragility in Sickle Cell Disease: A Cohort Study of 56 adults.. <i>Blood</i> , 2012, 120, 2103-2103.	1.4	1
53	Using extended Rasch models to assess validity of diagnostic tests in the presence of a reference standard. <i>Journal of Applied Measurement</i> , 2012, 13, 376-93.	0.3	1
54	Prevalence of symptomatic hip and knee osteoarthritis: a two-phase population-based survey1. <i>Osteoarthritis and Cartilage</i> , 2011, 19, 1314-1322.	1.3	167

#	ARTICLE	IF	CITATIONS
55	Clinical Images: Osteopoikilosis. <i>Arthritis and Rheumatism</i> , 2011, 63, 2150-2150.	6.7	4
56	A preliminary score for the assessment of disease activity in hereditary recurrent fevers: results from the AIDAI (Auto-Inflammatory Diseases Activity Index) Consensus Conference. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 309-314.	0.9	70
57	<i>Corynebacterium jeikeium</i> pacemaker infection associated with antineutrophil cytoplasmic antibodies: a single positive blood culture could be sufficient for diagnosis. <i>Journal of Medical Microbiology</i> , 2011, 60, 249-251.	1.8	11
58	Iron-Deficiency Anemia in Castleman Disease: Implication of the Interleukin 6/Hepcidin Pathway. <i>Pediatrics</i> , 2010, 126, e1608-e1612.	2.1	41
59	Sarcoidosis: an unusual cause of acute pericarditis. <i>Acta Cardiologica</i> , 2010, 65, 83-84.	0.9	27
60	295 RADIOGRAPHIC SUB-TYPES OF KNEE AND HIP OSTEOARTHRITIS IN THE GENERAL POPULATION: THE FRENCH KHOALA COHORT. <i>Osteoarthritis and Cartilage</i> , 2009, 17, S159-S160.	1.3	0
61	Unusual acute crystal-induced hip arthritis: hydroxyapatite deposition of the round ligament. <i>Clinical Rheumatology</i> , 2009, 28, 483-484.	2.2	3
62	Multiple mycotic aneurysms due to <i>Mycobacterium bovis</i> after intravesical bacillus Calmette-Guérin therapy. <i>Journal of Vascular Surgery</i> , 2009, 50, 1185-1190.	1.1	51
63	Impact of Chikungunya Virus Infection on Health Status and Quality of Life: A Retrospective Cohort Study. <i>PLoS ONE</i> , 2009, 4, e7800.	2.5	119
64	Determination of the minimal clinically important difference for seven fatigue measures in rheumatoid arthritis. <i>Journal of Clinical Epidemiology</i> , 2008, 61, 705-713.	5.0	83
65	Thalidomide-induced pneumonitis. <i>European Journal of Internal Medicine</i> , 2008, 19, e57-e58.	2.2	3
66	Screening for hip and knee osteoarthritis in the general population: predictive value of a questionnaire and prevalence estimates. <i>Annals of the Rheumatic Diseases</i> , 2008, 67, 1406-1411.	0.9	92
67	Minimal clinically important difference for 7 measures of fatigue in patients with systemic lupus erythematosus. <i>Journal of Rheumatology</i> , 2008, 35, 635-42.	2.0	75
68	Content of quality-of-life instruments is affected by item-generation methods. <i>International Journal for Quality in Health Care</i> , 2007, 19, 390-398.	1.8	32
69	Douleurs articulaires et œdème de la maladie dans la polyarthrite rhumatoïde: confrontation des points de vue du patient, de son entourage et de son médecin généraliste. <i>Revue Du o Rhumatisme (Edition Francaise)</i> , 2007, 74, 1295-1300.		
70	Role for positron emission tomography in skeletal diseases. <i>Joint Bone Spine</i> , 2007, 74, 14-23.	1.6	23
71	How can we improve the management of adult-onset Still's disease?. <i>Joint Bone Spine</i> , 2007, 74, 117-119.	1.6	7
72	Perceptions in 7700 patients with rheumatoid arthritis compared to their families and physicians. <i>Joint Bone Spine</i> , 2007, 74, 622-626.	1.6	32

#	ARTICLE	IF	CITATIONS
73	Développement et validation d'un questionnaire de qualité de vie spécifique de l'arthrose de hanche et de genou: l'AMIQUAL (Arthrose des Membres Inférieurs et Qualité de Vie). Revue Du Rhumatisme (Edition Française), 2006, 73, 1364-1372.	0.0	1
74	Development and testing of a specific quality-of-life questionnaire for knee and hip osteoarthritis: OAKHQOL (Osteoarthritis of Knee Hip Quality Of Life). Joint Bone Spine, 2006, 73, 697-704.	1.6	50
75	A Gray Zone Assigned to Inconclusive Results of Quantitative Diagnostic Tests: Application to the Use of Brain Natriuretic Peptide for Diagnosis of Heart Failure in Acute Dyspneic Patients. Clinical Chemistry, 2006, 52, 2229-2235.	3.2	48
76	Methodological issues in determining the dimensionality of composite health measures using principal component analysis: Case illustration and suggestions for practice. Quality of Life Research, 2005, 14, 641-654.	3.1	71
77	Development and psychometric validation of a new patient satisfaction instrument: The osteoarthritis Treatment Satisfaction (ARTS) questionnaire. Quality of Life Research, 2005, 14, 1387-1399.	3.1	12
78	OAKHQOL: A new instrument to measure quality of life in knee and hip osteoarthritis. Journal of Clinical Epidemiology, 2005, 58, 47-55.	5.0	109
79	Rheumatoid arthritis and schizophrenia: a negative association at a dimensional level. Schizophrenia Research, 2004, 66, 21-29.	2.0	63
80	Spontaneous regression of disc herniation. Journal of Rheumatology, 2004, 31, 821.	2.0	2
81	Authors' reply to Rozin and Quinn et al. Annals of the Rheumatic Diseases, 2003, 62, 1124-1124.	0.9	1
82	A grey zone for quantitative diagnostic and screening tests. International Journal of Epidemiology, 2003, 32, 304-313.	1.9	107
83	Paradoxical Venous Limb Gangrene Complicating Oral Anticoagulation in a Patient With Cancer-Associated Deep Venous Thrombosis. Archives of Dermatology, 2003, 139, 1126.	1.4	6
84	Low dose methotrexate osteopathy in a patient with polyarticular juvenile idiopathic arthritis. Annals of the Rheumatic Diseases, 2003, 62, 588-589.	0.9	10
85	Quality of life in women with fibromyalgia syndrome: validation of the QIF, the French version of the fibromyalgia impact questionnaire. Journal of Rheumatology, 2003, 30, 1054-9.	2.0	57
86	Validation of the French version of the Childhood Health Assessment Questionnaire (CHAQ) in juvenile idiopathic arthritis. Joint Bone Spine, 2002, 69, 468-481.	1.6	19
87	Onset of rheumatoid arthritis following curative treatment of a somatostatinoma. Arthritis and Rheumatism, 2002, 46, 277-278.	6.7	7
88	Validation de la version française du Childhood Health Assessment Questionnaire (CHAQ) dans les arthrites juvéniles idiopathiques. Revue Du Rhumatisme (Edition Française), 2002, 69, 898-914.	0.0	6
89	Ergotism related to interaction between nelfinavir and ergotamine. American Journal of Medicine, 2001, 110, 594.	1.5	17
90	Helicobacter cinaedi Septic Arthritis and Bacteremia in an Immunocompetent Patient. Clinical Infectious Diseases, 2000, 31, 201-202.	5.8	60

#	ARTICLE	IF	CITATIONS
91	Le questionnaire EMIR court pour les Études longitudinales de la qualité de vie dans la polyarthrite rhumatoïde. Annales De Réadaptation Et De Médecine Physique: Revue Scientifique De La Société Française De Rééducation Fonctionnelle De Réadaptation Et De Médecine Physique, 2000, 43, 229-235.	0.7	6
92	Pronostic et qualité de vie dans le lupus érythémateux systémique. Revue De Médecine Interne, 2000, 21, 457-460.	1.0	0
93	Toward individualized quality-of-life assessment. Joint Bone Spine, 2000, 67, 83-5.	1.6	3
94	Adhesive capsulitis of shoulder and treatment with protease inhibitors in patients with human immunodeficiency virus infection: report of 8 cases. Journal of Rheumatology, 2000, 27, 2642-6.	2.0	25
95	Acquired hemophilia due to factor VIII inhibitors in 34 patients. American Journal of Medicine, 1998, 105, 400-408.	1.5	161
96	Sensitivities of the Commercially Available Tuberculin Skin Test Reagents in Persons with Recent Tuberculosis. Clinical Infectious Diseases, 1998, 27, 408-408.	5.8	0
97	Methodological approaches to shortening composite measurement scales. Journal of Clinical Epidemiology, 1997, 50, 247-252.	5.0	191
98	Reliability of Tuberculin Skin Test Measurement. Annals of Internal Medicine, 1997, 126, 210.	3.9	98
99	Measuring quality of life from the point of view of HIV-positive subjects: the HIV-QL31. Quality of Life Research, 1997, 6, 585-594.	3.1	48
100	Osteoclastoma-like giant cell tumor of the renal pelvis associated with papillary transitional cell carcinoma. Archives of Pathology and Laboratory Medicine, 1997, 121, 162-6.	2.5	10
101	Primary Epstein-Barr virus-related non-Hodgkin's lymphoma of the pleural cavity following long-standing tuberculous empyema. Archives of Pathology and Laboratory Medicine, 1996, 120, 288-91.	2.5	25
102	Validity, reliability, and sensitivity to change of a French version of the arthritis impact measurement scales 2 (AIMS2) in patients with rheumatoid arthritis treated with methotrexate. Journal of Rheumatology, 1996, 23, 52-60.	2.0	35
103	Methotrexate as a steroid-sparing agent in Sjögren's syndrome: comment on the concise communication by Richardson. Arthritis and Rheumatism, 1995, 38, 1348-1348.	6.7	14
104	Maternal-Fetal Transmission of Pneumocystis carinii in Human Immunodeficiency Virus Infection. New England Journal of Medicine, 1995, 332, 825-826.	27.0	33
105	Cervical Suppurative Lymphadenitis Due to Yersinia pseudotuberculosis. Clinical Infectious Diseases, 1995, 21, 1063-1064.	5.8	5
106	Cauda equina compression by epidural lipomatosis in obesity. Effectiveness of weight reduction. Journal of Rheumatology, 1995, 22, 1771-5.	2.0	26
107	Polyarthralgies migratrices chez un patient hyperthyroïdien traité. Revue De Médecine Interne, 1994, 15, 157s.	1.0	0
108	Adult Still's disease associated with acute human parvovirus B19 infection. Lancet, The, 1993, 341, 1280-1281.	13.7	56

#	ARTICLE	IF	CITATIONS
109	Septic Arthritis Due to <i>Corynebacterium diphtheriae</i> . <i>Clinical Infectious Diseases</i> , 1993, 16, 446-447.	5.8	36
110	Sweet's syndrome and mediastinal lymphadenopathy due to sarcoidosis: three cases of a new association. <i>Archives of Dermatology</i> , 1993, 129, 1062-4.	1.4	2
111	Diagnosis and treatment of ossification of the posterior longitudinal ligament of the spine: Report of eight cases and literature review. <i>American Journal of Medicine</i> , 1992, 92, 296-306.	1.5	60
112	Ewing's sarcoma of the ilium mimicking an infectious sacroiliitis. <i>Journal of Rheumatology</i> , 1992, 19, 1318-20.	2.0	12
113	Syndrome douloureux articulaire au cours de l'infection par le virus de l'immunodéficience humaine. <i>Revue De Medecine Interne</i> , 1991, 12, S482.	1.0	0
114	Paralysie du moignon de l'épaulé au cours du post-partum par dissection de l'artère vertébrale. <i>Revue De Medecine Interne</i> , 1991, 12, S225.	1.0	0
115	Sedative and hypnotic withdrawal states in inpatients. <i>Lancet, The</i> , 1991, 338, 1022.	13.7	45
116	Usefulness of closed needle biopsy of sacroiliac joint in pyogenic sacroiliitis. <i>Journal of Rheumatology</i> , 1991, 18, 1944-5.	2.0	8
117	Sécrétion inappropriée de 125(OH)2D3 au cours d'une tuberculose. <i>Revue De Medecine Interne</i> , 1990, 11, S178.	1.0	0
118	Tuberculous polymyositis in HIV infection. <i>American Journal of Medicine</i> , 1990, 89, 250-251.	1.5	23
119	Arthritis impact measurement scales: reliability of a French version and validity in adult Still's disease. <i>Journal of Rheumatology</i> , 1990, 17, 1657-61.	2.0	9
120	Tuberculosis, of the sacroiliac joint: clinical features, outcome, and evaluation of closed needle biopsy in 11 consecutive cases. <i>American Journal of Medicine</i> , 1988, 84, 622-628.	1.5	70