

# Atsushi Natsume

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6756225/publications.pdf>

Version: 2024-02-01

205  
papers

6,852  
citations

53794

45  
h-index

79698

73  
g-index

207  
all docs

207  
docs citations

207  
times ranked

10102  
citing authors

| #  | ARTICLE                                                                                                                                                                                                                 | IF  | CITATIONS |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1  | Reliability of IDH1-R132H and ATRX and/or p53 immunohistochemistry for molecular subclassification of Grade 2/3 gliomas. <i>Brain Tumor Pathology</i> , 2022, 39, 14-24.                                                | 1.7 | 6         |
| 2  | Long-term effectiveness of Gliadel implant for malignant glioma and prognostic factors for survival: 3-year results of a postmarketing surveillance in Japan. <i>Neuro-Oncology Advances</i> , 2022, 4, vdab189.        | 0.7 | 10        |
| 3  | Microsatellite instability-high is rare events in refractory pediatric solid tumors. <i>Pediatric Hematology and Oncology</i> , 2022, 39, 468-474.                                                                      | 0.8 | 2         |
| 4  | Neuroregeneration Therapy for Spinal Cord Injury through the Introduction of a Neuro-transcription Factor into Injury-induced Stem Cells. <i>Spinal Surgery</i> , 2022, 36, 100-104.                                    | 0.0 | 0         |
| 5  | Preoperative Intracranial Dissemination of Spinal Myxopapillary Ependymoma Attributed to Tumor Hemorrhage. <i>World Neurosurgery</i> , 2021, 145, 13-18.                                                                | 1.3 | 2         |
| 6  | Clinical practice guidance for next-generation sequencing in cancer diagnosis and treatment (edition) Tj ETQq0 0 0,rgBT /Overlock 10 Tf                                                                                 | 2.2 | 49        |
| 7  | Spontaneous Rupture of a Huge Presacral Tarlov Cyst Leading to Dramatic Neurologic Recovery. <i>World Neurosurgery</i> , 2021, 145, 306-310.                                                                            | 1.3 | 4         |
| 8  | So-called bifocal tumors with diabetes insipidus and negative tumor markers: are they all germinoma?. <i>Neuro-Oncology</i> , 2021, 23, 295-303.                                                                        | 1.2 | 24        |
| 9  | Effects of aspirin and heparin treatment on perioperative outcomes in patients with Moyamoya disease. <i>Acta Neurochirurgica</i> , 2021, 163, 1485-1491.                                                               | 1.7 | 18        |
| 10 | Importance of Hydrostatic Pressure and Irrigation for Hemostasis in Neuroendoscopic Surgery. <i>Neurologia Medico-Chirurgica</i> , 2021, 61, 117-123.                                                                   | 2.2 | 4         |
| 11 | Concept and Optimal Treatments of Malignant Gliomas. <i>Japanese Journal of Neurosurgery</i> , 2021, 30, 374-379.                                                                                                       | 0.0 | 0         |
| 12 | Necessity for craniospinal irradiation of germinoma with positive cytology without spinal lesion on MR imagingâ€”A controversy. <i>Neuro-Oncology Advances</i> , 2021, 3, vdab086.                                      | 0.7 | 7         |
| 13 | Neurod4 converts endogenous neural stem cells to neurons with synaptic formation after spinal cord injury. <i>IScience</i> , 2021, 24, 102074.                                                                          | 4.1 | 9         |
| 14 | Ependymoma-like tumor with mesenchymal differentiation harboring <i>C11orf95</i> or <i>NCOA1</i> or <i>RELN</i> fusion: A hitherto unclassified tumor related to ependymoma. <i>Brain Pathology</i> , 2021, 31, e12943. | 4.1 | 16        |
| 15 | Trautmann-focused mastoidectomy for a simple, safe presigmoid approach: technical note. <i>Journal of Neurosurgery</i> , 2021, 134, 843-847.                                                                            | 1.6 | 4         |
| 16 | Effects of insular resection on interactions between cardiac interoception and emotion recognition. <i>Cortex</i> , 2021, 137, 271-281.                                                                                 | 2.4 | 12        |
| 17 | Urinary MicroRNA-Based Diagnostic Model for Central Nervous System Tumors Using Nanowire Scaffolds. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 17316-17329.                                              | 8.0 | 27        |
| 18 | Establishment of in-hospital clinical network for patients with neurofibromatosis type 1 in Nagoya University Hospital. <i>Scientific Reports</i> , 2021, 11, 11933.                                                    | 3.3 | 8         |

| #  | ARTICLE                                                                                                                                                                                                                                  | IF  | CITATIONS |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 19 | Lack of GD3 synthase (St8sia1) attenuates malignant properties of gliomas in genetically engineered mouse model. <i>Cancer Science</i> , 2021, 112, 3756-3768.                                                                           | 3.9 | 19        |
| 20 | Newly established patient-derived organoid model of intracranial meningioma. <i>Neuro-Oncology</i> , 2021, 23, 1936-1948.                                                                                                                | 1.2 | 26        |
| 21 | Annealed ZnO/Al <sub>2</sub> O <sub>3</sub> Core-Shell Nanowire as a Platform to Capture RNA in Blood Plasma. <i>Nanomaterials</i> , 2021, 11, 1768.                                                                                     | 4.1 | 5         |
| 22 | Mathematical Modeling and Mutational Analysis Reveal Optimal Therapy to Prevent Malignant Transformation in Grade II IDH-Mutant Gliomas. <i>Cancer Research</i> , 2021, 81, 4861-4873.                                                   | 0.9 | 7         |
| 23 | Driver Genetic Mutations in Spinal Cord Gliomas Direct the Degree of Functional Impairment in Tumor-Associated Spinal Cord Injury. <i>Cells</i> , 2021, 10, 2525.                                                                        | 4.1 | 6         |
| 24 | Transcriptome-wide analysis of intracranial artery in patients with moyamoya disease showing upregulation of immune response, and downregulation of oxidative phosphorylation and DNA repair. <i>Neurosurgical Focus</i> , 2021, 51, E3. | 2.3 | 15        |
| 25 | Intraoperative seizure outcome of levetiracetam combined with perampanel therapy in patients with glioma undergoing awake brain surgery. <i>Journal of Neurosurgery</i> , 2021, 135, 998-1007.                                           | 1.6 | 3         |
| 26 | Postoperative stroke and neurological outcomes in the early phase after revascularization surgeries for moyamoya disease: an age-stratified comparative analysis. <i>Neurosurgical Review</i> , 2021, 44, 2785-2795.                     | 2.4 | 22        |
| 27 | Survival Benefit of Supratotal Resection in a Long-term Survivor of <i>IDH</i> -wildtype Glioblastoma: A Case Report and Literature Review. <i>NMC Case Report Journal</i> , 2021, 8, 747-753.                                           | 0.5 | 1         |
| 28 | St8sia1-deficiency in mice alters tumor environments of gliomas, leading to reduced disease severity. <i>Nagoya Journal of Medical Science</i> , 2021, 83, 535-549.                                                                      | 0.3 | 2         |
| 29 | Intraoperative $\beta$ -H3F3A K27M Mutation-based Diagnosis of Spinal Cord Intramedullary Tumor. <i>Spinal Surgery</i> , 2021, 35, 215-217.                                                                                              | 0.0 | 0         |
| 30 | Piecemeal resection of aggressive vertebral hemangioma using real-time navigation-guided drilling technique.. <i>Nagoya Journal of Medical Science</i> , 2021, 83, 861-868.                                                              | 0.3 | 3         |
| 31 | Preoperative predictive factors affecting return to work in patients with gliomas undergoing awake brain mapping. <i>Journal of Neuro-Oncology</i> , 2020, 146, 195-205.                                                                 | 2.9 | 11        |
| 32 | Multiple metastases to the bone and bone marrow from a 1p/19q-codeleted and IDH2-mutant anaplastic oligodendroglioma: a case report and literature review. <i>Neuro-Oncology Advances</i> , 2020, 2, vdaa101.                            | 0.7 | 0         |
| 33 | Genetic analysis in patients with newly diagnosed glioblastomas treated with interferon-beta plus temozolomide in comparison with temozolomide alone. <i>Journal of Neuro-Oncology</i> , 2020, 148, 17-27.                               | 2.9 | 5         |
| 34 | KHYG-1 Cells With EGFRvIII-specific CAR Induced a Pseudoprogression-like Feature in Subcutaneous Tumours Derived from Glioblastoma-like Cells. <i>Anticancer Research</i> , 2020, 40, 3231-3237.                                         | 1.1 | 15        |
| 35 | Surgical outcome and graded prognostic assessment of patients with brain metastasis from adult sarcoma: multi-institutional retrospective study in Japan. <i>International Journal of Clinical Oncology</i> , 2020, 25, 1995-2005.       | 2.2 | 8         |
| 36 | Navigated repetitive transcranial magnetic stimulation as preoperative assessment in patients with brain tumors. <i>Scientific Reports</i> , 2020, 10, 9044.                                                                             | 3.3 | 13        |

| #  | ARTICLE                                                                                                                                                                                                                                   | IF  | CITATIONS |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 37 | H3F3A mutant allele specific imbalance in an aggressive subtype of diffuse midline glioma, H3 K27M-mutant. <i>Acta Neuropathologica Communications</i> , 2020, 8, 8.                                                                      | 5.2 | 14        |
| 38 | Effect of CRISPR/Cas9-Mediated PD-1-Disrupted Primary Human Third-Generation CAR-T Cells Targeting EGFRvIII on In Vitro Human Glioblastoma Cell Growth. <i>Cells</i> , 2020, 9, 998.                                                      | 4.1 | 64        |
| 39 | Malignant transformation of a dysembryoplastic neuroepithelial tumor verified by a shared copy number gain of the tyrosine kinase domain of FGFR1. <i>Brain Tumor Pathology</i> , 2020, 37, 69-75.                                        | 1.7 | 3         |
| 40 | Surgical Designs of Revascularization for Moyamoya Disease: 15 Years of Experience in a Single Center. <i>World Neurosurgery</i> , 2020, 139, e325-e334.                                                                                  | 1.3 | 15        |
| 41 | Neurocognitive and functional outcomes in patients with diffuse frontal lower-grade gliomas undergoing intraoperative awake brain mapping. <i>Journal of Neurosurgery</i> , 2020, 132, 1683-1691.                                         | 1.6 | 37        |
| 42 | Characteristics of Periventricular Anastomosis after Surgical Revascularization in Pediatric Patients with Moyamoya Disease. <i>Japanese Journal of Neurosurgery</i> , 2020, 29, 442-447.                                                 | 0.0 | 2         |
| 43 | Is Precision Oncology Beneficial for Glioblastomas ?. <i>Japanese Journal of Neurosurgery</i> , 2020, 29, 181-187.                                                                                                                        | 0.0 | 0         |
| 44 | Long-term survival in patients with primary intracranial germ cell tumors treated with surgery, platinum-based chemotherapy, and radiotherapy: a single-institution study. <i>Journal of Neurosurgery</i> , 2020, , 1-9.                  | 1.6 | 7         |
| 45 | Spontaneous Tumor Regression of Intracranial Solitary Fibrous Tumor Originating From the Medulla Oblongata: A Case Report and Literature Review. <i>World Neurosurgery</i> , 2019, 130, 400-404.                                          | 1.3 | 6         |
| 46 | Next Generation Sequencing-Based Transcriptome Predicts Bevacizumab Efficacy in Combination with Temozolomide in Glioblastoma. <i>Molecules</i> , 2019, 24, 3046.                                                                         | 3.8 | 5         |
| 47 | Pathogenic Epigenetic Consequences of Genetic Alterations in IDH-Wild-Type Diffuse Astrocytic Gliomas. <i>Cancer Research</i> , 2019, 79, 4814-4827.                                                                                      | 0.9 | 6         |
| 48 | Aberrant Transcriptional Regulation of Super-enhancers by RET Finger Protein-histone Deacetylase 1 Complex in Glioblastoma: Chemoresistance to Temozolomide. <i>Neurologia Medico-Chirurgica</i> , 2019, 59, 293-298.                     | 2.2 | 13        |
| 49 | Anterior insular cortex stimulation and its effects on emotion recognition. <i>Brain Structure and Function</i> , 2019, 224, 2167-2181.                                                                                                   | 2.3 | 23        |
| 50 | Posterior Cerebral Artery Reconstruction by In-Situ Bypass with Superior Cerebellar Artery via Occipital Transtentorial Approach. <i>World Neurosurgery</i> , 2019, 126, 24-29.                                                           | 1.3 | 4         |
| 51 | Multiplex ligation-dependent probe amplification analysis is useful for detecting a copy number gain of the FGFR1 tyrosine kinase domain in dysembryoplastic neuroepithelial tumors. <i>Journal of Neuro-Oncology</i> , 2019, 143, 27-33. | 2.9 | 17        |
| 52 | Overview of DNA methylation in adult diffuse gliomas. <i>Brain Tumor Pathology</i> , 2019, 36, 84-91.                                                                                                                                     | 1.7 | 45        |
| 53 | Aberrant Active cis-Regulatory Elements Associated with Downregulation of RET Finger Protein Overcome Chemoresistance in Glioblastoma. <i>Cell Reports</i> , 2019, 26, 2274-2281.e5.                                                      | 6.4 | 8         |
| 54 | A randomized, double-blind, phase III trial of personalized peptide vaccination for recurrent glioblastoma. <i>Neuro-Oncology</i> , 2019, 21, 348-359.                                                                                    | 1.2 | 63        |

| #  | ARTICLE                                                                                                                                                                                                                      | IF  | CITATIONS |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 55 | A Case of Pituitary Gland Metastasis of Prostate Adenocarcinoma presenting Androgen Resistant with Low Testosterone Level. Japanese Journal of Neurosurgery, 2019, 28, 798-803.                                              | 0.0 | 0         |
| 56 | Molecular Diagnosis in WHO Classification of Tumours of the Central Nervous System 2016 : A Domestic Survey and Perspectives. Japanese Journal of Neurosurgery, 2019, 28, 674-685.                                           | 0.0 | 0         |
| 57 | Awake Surgery for Brain Tumors to Preserve Motor, Language, and Neurocognitive Functions. The Japanese Journal of Rehabilitation Medicine, 2019, 56, 613-617.                                                                | 0.0 | 0         |
| 58 | A novel high-sensitivity assay to detect a small fraction of mutant IDH1 using droplet digital PCR. Brain Tumor Pathology, 2018, 35, 97-105.                                                                                 | 1.7 | 14        |
| 59 | Pediatric-Type Follicular Lymphoma in the Dura: A Case Report and Literature Review. World Neurosurgery, 2018, 115, 176-180.                                                                                                 | 1.3 | 2         |
| 60 | Neuroendoscopic Cylinder Surgery and 5-Aminolevulinic Acid Photodynamic Diagnosis of Deep-Seated Intracranial Lesions. World Neurosurgery, 2018, 116, e35-e41.                                                               | 1.3 | 13        |
| 61 | Immunohistochemical ATRX expression is not a surrogate for 1p19q codeletion. Brain Tumor Pathology, 2018, 35, 106-113.                                                                                                       | 1.7 | 16        |
| 62 | JCOG0911 INTEGRA study: a randomized screening phase II trial of interferon $\beta$ plus temozolomide in comparison with temozolomide alone for newly diagnosed glioblastoma. Journal of Neuro-Oncology, 2018, 138, 627-636. | 2.9 | 49        |
| 63 | Prognostic relevance of genetic alterations in diffuse lower-grade gliomas. Neuro-Oncology, 2018, 20, 66-77.                                                                                                                 | 1.2 | 225       |
| 64 | Identification of a novel fusion gene <i>HMGA2-EGFR</i> in glioblastoma. International Journal of Cancer, 2018, 142, 1627-1639.                                                                                              | 5.1 | 12        |
| 65 | Characterization of Intraoperative Motor Evoked Potential Monitoring for Surgery of the Pediatric Population with Brain Tumors. World Neurosurgery, 2018, 119, e1052-e1059.                                                  | 1.3 | 5         |
| 66 | Validation of a novel molecular RPA classification in glioblastoma (GBM-molRPA) treated with chemoradiation: A multi-institutional collaborative study. Radiotherapy and Oncology, 2018, 129, 347-351.                       | 0.6 | 18        |
| 67 | Novel Human NK Cell Line Carrying CAR Targeting EGFRvIII Induces Antitumor Effects in Glioblastoma Cells. Anticancer Research, 2018, 38, 5049-5056.                                                                          | 1.1 | 82        |
| 68 | Inflammation Flare and Radiation Necrosis Around a Stereotactic Radiotherapy-Pretreated Brain Metastasis Site After Nivolumab Treatment. Journal of Thoracic Oncology, 2018, 13, 1975-1978.                                  | 1.1 | 4         |
| 69 | Podoplanin: An emerging cancer biomarker and therapeutic target. Cancer Science, 2018, 109, 1292-1299.                                                                                                                       | 3.9 | 134       |
| 70 | Cytokine Therapy of Gliomas. Progress in Neurological Surgery, 2018, 32, 79-89.                                                                                                                                              | 1.3 | 7         |
| 71 | Supratotal Resection of Diffuse Frontal Lower Grade Gliomas with Awake Brain Mapping, Preserving Motor, Language, and Neurocognitive Functions. World Neurosurgery, 2018, 119, 30-39.                                        | 1.3 | 29        |
| 72 | The State-of-the-Art Treatments for Brain Tumors using Cell Atlas and Artificial Intelligence. Japanese Journal of Neurosurgery, 2018, 27, 889-895.                                                                          | 0.0 | 0         |

| #  | ARTICLE                                                                                                                                                                                                                                                      | IF   | CITATIONS |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 73 | Chimeric Antigen Receptor Therapeutic Strategies: The Future of Glioblastoma Management. Immunome Research, 2018, 14, .                                                                                                                                      | 0.1  | 0         |
| 74 | Significance of low mTORC1 activity in defining the characteristics of brain tumor stem cells. Neuro-Oncology, 2017, 19, now237.                                                                                                                             | 1.2  | 6         |
| 75 | Surgical benefits of combined awake craniotomy and intraoperative magnetic resonance imaging for gliomas associated with eloquent areas. Journal of Neurosurgery, 2017, 127, 790-797.                                                                        | 1.6  | 45        |
| 76 | Oncogenic effects of evolutionarily conserved noncoding RNA ECONEXIN on gliomagenesis. Oncogene, 2017, 36, 4629-4640.                                                                                                                                        | 5.9  | 66        |
| 77 | Synthesis of PET probe O6-[(3-[11C]methyl)benzyl]guanine by Pd0-mediated rapid C-[11C]methylation toward imaging DNA repair protein O6-methylguanine-DNA methyltransferase in glioblastoma. Bioorganic and Medicinal Chemistry Letters, 2017, 27, 1892-1896. | 2.2  | 6         |
| 78 | A novel all-in-one intraoperative genotyping system for IDH1-mutant glioma. Brain Tumor Pathology, 2017, 34, 91-97.                                                                                                                                          | 1.7  | 16        |
| 79 | Remote ischemic preconditioning protects human neural stem cells from oxidative stress. Apoptosis: an International Journal on Programmed Cell Death, 2017, 22, 1353-1361.                                                                                   | 4.9  | 10        |
| 80 | Significance of perivascular tumour cells defined by CD109 expression in progression of glioma. Journal of Pathology, 2017, 243, 468-480.                                                                                                                    | 4.5  | 36        |
| 81 | Efficacy of the transtemporal approach with awake brain mapping to reach the dominant posteromedial temporal lesions. Acta Neurochirurgica, 2017, 159, 177-184.                                                                                              | 1.7  | 12        |
| 82 | Development of Database and Genomic Medicine for von Hippel-Lindau Disease in Japan. Neurologia Medico-Chirurgica, 2017, 57, 59-65.                                                                                                                          | 2.2  | 6         |
| 83 | Comparing the Efficacy of DeVIC Therapy and High-dose Methotrexate Monotherapy with Whole-brain Radiation Therapy for Newly-diagnosed Primary Central Nervous System Lymphoma: A Single Institution Study. Anticancer Research, 2017, 37, 5215-5223.         | 1.1  | 10        |
| 84 | Pathogenesis of Diffuse Low-Grade Gliomas. , 2017, , 111-117.                                                                                                                                                                                                |      | 0         |
| 85 | An Update on the Genome, Epigenome, and Transcriptome in Gliomas. Japanese Journal of Neurosurgery, 2017, 26, 798-805.                                                                                                                                       | 0.0  | 0         |
| 86 | Abstract B89: The chimeric antibody NZ-12 or CAR T cells targeting human podoplanin possesses antitumor activity against orthotopic xenograft models. , 2017, , .                                                                                            |      | 0         |
| 87 | Dedifferentiated chordoid meningioma with rhabdomyosarcomatous differentiation on the middle cranial fossa. Neuropathology, 2016, 36, 579-583.                                                                                                               | 1.2  | 2         |
| 88 | Adoptive immunotherapy for the treatment of glioblastoma: progress and possibilities. Immunotherapy, 2016, 8, 1393-1404.                                                                                                                                     | 2.0  | 8         |
| 89 | Targeting the Notch-regulated non-coding RNA TUG1 for glioma treatment. Nature Communications, 2016, 7, 13616.                                                                                                                                               | 12.8 | 267       |
| 90 | An immuno-wall microdevice exhibits rapid and sensitive detection of IDH1-R132H mutation specific to grade II and III gliomas. Science and Technology of Advanced Materials, 2016, 17, 618-625.                                                              | 6.1  | 12        |

| #   | ARTICLE                                                                                                                                                                                                                  | IF   | CITATIONS |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 91  | Efficacy of early carotid endarterectomy for vulnerable plaque in the common carotid artery. <i>Acta Neurochirurgica</i> , 2016, 158, 561-563.                                                                           | 1.7  | 0         |
| 92  | CAR T Cells Targeting Podoplanin Reduce Orthotopic Glioblastomas in Mouse Brains. <i>Cancer Immunology Research</i> , 2016, 4, 259-268.                                                                                  | 3.4  | 90        |
| 93  | Rapid sensitive analysis of IDH1 mutation in lower-grade gliomas by automated genetic typing involving a quenching probe. <i>Cancer Investigation</i> , 2016, 34, 12-15.                                                 | 1.3  | 6         |
| 94  | Abstract 4751: Genetic subtype-specific prognostic significance of genetic alterations in lower-grade gliomas. , 2016, , .                                                                                               |      | 0         |
| 95  | Antitumorigenic effect of interferon- $\gamma$ by inhibition of undifferentiated glioblastoma cells. <i>International Journal of Oncology</i> , 2015, 47, 1647-1654.                                                     | 3.3  | 8         |
| 96  | Activation of Yes-Associated Protein in Low-Grade Meningiomas Is Regulated by Merlin, Cell Density, and Extracellular Matrix Stiffness. <i>Journal of Neuropathology and Experimental Neurology</i> , 2015, 74, 704-709. | 1.7  | 14        |
| 97  | Paired related homeobox 1 is associated with the invasive properties of glioblastoma cells. <i>Oncology Reports</i> , 2015, 33, 1123-1130.                                                                               | 2.6  | 19        |
| 98  | Clinical Significance of Epigenetic Alterations in Glioblastoma. , 2015, , 339-350.                                                                                                                                      |      | 0         |
| 99  | Applicable advances in the molecular pathology of glioblastoma. <i>Brain Tumor Pathology</i> , 2015, 32, 153-162.                                                                                                        | 1.7  | 12        |
| 100 | Mutational landscape and clonal architecture in grade II and III gliomas. <i>Nature Genetics</i> , 2015, 47, 458-468.                                                                                                    | 21.4 | 729       |
| 101 | Lenalidomide enhances the function of chimeric antigen receptor T cells against the epidermal growth factor receptor variant III by enhancing immune synapses. <i>Cancer Gene Therapy</i> , 2015, 22, 487-495.           | 4.6  | 56        |
| 102 | Ganglioside GD3 Enhances Invasiveness of Gliomas by Forming a Complex with Platelet-derived Growth Factor Receptor $\alpha$ and Yes Kinase. <i>Journal of Biological Chemistry</i> , 2015, 290, 16043-16058.             | 3.4  | 69        |
| 103 | Effectiveness of plasma treatment on gastric cancer cells. <i>Gastric Cancer</i> , 2015, 18, 635-643.                                                                                                                    | 5.3  | 83        |
| 104 | Anaplastic meningioma with rapid growth after omental flap transposition: a case report and experimental study. <i>Brain Tumor Pathology</i> , 2015, 32, 137-144.                                                        | 1.7  | 8         |
| 105 | Novel Strategies in Chemotherapy for Gliomas. <i>Japanese Journal of Neurosurgery</i> , 2015, 24, 386-398.                                                                                                               | 0.0  | 0         |
| 106 | Prognostic model of lower grade gliomas.. <i>Journal of Clinical Oncology</i> , 2015, 33, 2038-2038.                                                                                                                     | 1.6  | 1         |
| 107 | The landscape and clonal architecture in lower grade glioma.. <i>Journal of Clinical Oncology</i> , 2015, 33, 2008-2008.                                                                                                 | 1.6  | 0         |
| 108 | Abstract 4791: Prognostic model of lower grade gliomas. , 2015, , .                                                                                                                                                      |      | 0         |

| #   | ARTICLE                                                                                                                                                                                                                                                  | IF   | CITATIONS |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 109 | Olig2 labeling index is correlated with histological and molecular classifications in low-grade diffuse gliomas. <i>Journal of Neuro-Oncology</i> , 2014, 120, 283-291.                                                                                  | 2.9  | 7         |
| 110 | Association of dorsal inferior frontooccipital fasciculus fibers in the deep parietal lobe with both reading and writing processes: a brain mapping study. <i>Journal of Neurosurgery</i> , 2014, 121, 142-148.                                          | 1.6  | 53        |
| 111 | GE-34 * THE MUTATIONAL LANDSCAPE AND TEMPORAL AND SPATIAL CLONAL EVOLUTION TO PROGRESSION IN 351 LOW-GRADE GLIOMAS. <i>Neuro-Oncology</i> , 2014, 16, v103-v104.                                                                                         | 1.2  | 0         |
| 112 | Spinal dural arteriovenous fistula associated with L-4 isthmic spondylolisthesis. <i>Journal of Neurosurgery: Spine</i> , 2014, 20, 670-674.                                                                                                             | 1.7  | 7         |
| 113 | Papillary glioneuronal tumor with a high proliferative component and minigemistocytes in a child. <i>Neuropathology</i> , 2014, 34, 484-490.                                                                                                             | 1.2  | 7         |
| 114 | RNA Interference Therapeutics for Tumor Therapy. , 2014, , 393-408.                                                                                                                                                                                      |      | 4         |
| 115 | Assessment of Tumor Cells in a Mouse Model of Diffuse Infiltrative Glioma by Raman Spectroscopy. <i>BioMed Research International</i> , 2014, 2014, 1-8.                                                                                                 | 1.9  | 21        |
| 116 | Blockade of Gap Junction Hemichannel Protects Secondary Spinal Cord Injury from Activated Microglia-Mediated Glutamate Excitotoxicity. <i>Journal of Neurotrauma</i> , 2014, 31, 1967-1974.                                                              | 3.4  | 34        |
| 117 | Peptide-based inhibition of the HOXA9/PBX interaction retards the growth of human meningioma. <i>Cancer Chemotherapy and Pharmacology</i> , 2014, 73, 53-60.                                                                                             | 2.3  | 20        |
| 118 | Quantitative metabolome analysis profiles activation of glutaminolysis in glioma with IDH1 mutation. <i>Tumor Biology</i> , 2014, 35, 5911-5920.                                                                                                         | 1.8  | 95        |
| 119 | Epigenetic dysregulation in glioma. <i>Cancer Science</i> , 2014, 105, 363-369.                                                                                                                                                                          | 3.9  | 58        |
| 120 | Novel somatic and germline mutations in intracranial germ cell tumours. <i>Nature</i> , 2014, 511, 241-245.                                                                                                                                              | 27.8 | 181       |
| 121 | Lack of presence of the human cytomegalovirus in human glioblastoma. <i>Modern Pathology</i> , 2014, 27, 922-929.                                                                                                                                        | 5.5  | 47        |
| 122 | Progressively Unstable C2 Spondylolysis Requiring Spinal Fusion: Case Report. <i>Neurologia Medico-Chirurgica</i> , 2014, 54, 761-767.                                                                                                                   | 2.2  | 5         |
| 123 | Abstract 2229: Whole exome sequencing reveals the landscape of gene mutations and evolution in low-grade glioma. , 2014, , .                                                                                                                             |      | 0         |
| 124 | Abstract 2804: Expression of miR-17-92 enhances antitumor activity of T cells transduced with the anti-EGFRvIII chimeric antigen receptor in mice bearing human GBM xenografts. , 2014, , .                                                              |      | 1         |
| 125 | Abstract 1394: Role of non-coding RNA in regulation of stemness and differentiation via notch signaling pathway in glioblastoma. , 2014, , .                                                                                                             |      | 0         |
| 126 | Preclinical evaluation of an O(6)-methylguanine-DNA methyltransferase-siRNA/liposome complex administered by convection-enhanced delivery to rat and porcine brains. <i>American Journal of Translational Research (discontinued)</i> , 2014, 6, 169-78. | 0.0  | 10        |



| #   | ARTICLE                                                                                                                                                                                                                                                                 | IF  | CITATIONS |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 127 | Spinal intradural cystic venous angioma originating from a nerve root in the cauda equina. <i>Journal of Neurosurgery: Spine</i> , 2013, 19, 716-720.                                                                                                                   | 1.7 | 3         |
| 128 | Chromatin Regulator PRC2 Is a Key Regulator of Epigenetic Plasticity in Glioblastoma. <i>Cancer Research</i> , 2013, 73, 4559-4570.                                                                                                                                     | 0.9 | 91        |
| 129 | Expression of miR-17-92 enhances anti-tumor activity of T-cells transduced with the anti-EGFRvIII chimeric antigen receptor in mice bearing human GBM xenografts. , 2013, 1, 21.                                                                                        |     | 85        |
| 130 | Clinical features of patients bearing central nervous system hemangioblastoma in von Hippel-Lindau disease. <i>Acta Neurochirurgica</i> , 2013, 155, 1-7.                                                                                                               | 1.7 | 28        |
| 131 | Establishment of novel monoclonal antibodies KMab-1 and MMab-1 specific for IDH2 mutations. <i>Biochemical and Biophysical Research Communications</i> , 2013, 432, 40-45.                                                                                              | 2.1 | 25        |
| 132 | A novel monoclonal antibody GMab-m1 specifically recognizes IDH1-R132G mutation. <i>Biochemical and Biophysical Research Communications</i> , 2013, 432, 564-567.                                                                                                       | 2.1 | 16        |
| 133 | A hypoxia-inducible factor (HIF)-3 $\beta$ splicing variant, HIF-3 $\beta$ 4 impairs angiogenesis in hypervascular malignant meningiomas with epigenetically silenced HIF-3 $\beta$ 4. <i>Biochemical and Biophysical Research Communications</i> , 2013, 433, 139-144. | 2.1 | 29        |
| 134 | Adoptive transfer of genetically modified Wilms' tumor 1 $\alpha$ specific T cells in a novel malignant skull base meningioma model. <i>Neuro-Oncology</i> , 2013, 15, 747-758.                                                                                         | 1.2 | 12        |
| 135 | Role of SVIL phosphorylation by PLK1 in myosin II activation and cytokinetic furrowing. <i>Journal of Cell Science</i> , 2013, 126, 3627-37.                                                                                                                            | 2.0 | 30        |
| 136 | Interferon- $\beta$ Delivery via Human Neural Stem Cell Abates Glial Scar Formation in Spinal Cord Injury. <i>Cell Transplantation</i> , 2013, 22, 2187-2201.                                                                                                           | 2.5 | 30        |
| 137 | Abstract LB-355: Whole-exome sequencing of intracranial germ cell tumors reveals frequent mutations in KIT and RAS pathways and histone demethylases.. , 2013, , .                                                                                                      |     | 1         |
| 138 | Potential biomarkers for pseudoprogression in malignant glioma.. <i>Journal of Clinical Oncology</i> , 2013, 31, e13012-e13012.                                                                                                                                         | 1.6 | 0         |
| 139 | Epigenetic subclassification of meningiomas based on genome-wide DNA methylation analyses. <i>Carcinogenesis</i> , 2012, 33, 436-441.                                                                                                                                   | 2.8 | 76        |
| 140 | A novel method of intracranial injection via the postglenoid foramen for brain tumor mouse models. <i>Journal of Neurosurgery</i> , 2012, 116, 630-635.                                                                                                                 | 1.6 | 21        |
| 141 | Girdin maintains the stemness of glioblastoma stem cells. <i>Oncogene</i> , 2012, 31, 2715-2724.                                                                                                                                                                        | 5.9 | 67        |
| 142 | Neural stem cell-based dual suicide gene delivery for metastatic brain tumors. <i>Cancer Gene Therapy</i> , 2012, 19, 796-801.                                                                                                                                          | 4.6 | 27        |
| 143 | Current Trends in Targeted Therapies for Glioblastoma Multiforme. <i>Neurology Research International</i> , 2012, 2012, 1-13.                                                                                                                                           | 1.3 | 142       |
| 144 | Contribution of MicroRNA-1275 to Claudin11 Protein Suppression via a Polycomb-mediated Silencing Mechanism in Human Glioma Stem-like Cells. <i>Journal of Biological Chemistry</i> , 2012, 287, 27396-27406.                                                            | 3.4 | 51        |

| #   | ARTICLE                                                                                                                                                                                                                                                           | IF  | CITATIONS |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 145 | Immunohistochemical analysis-based proteomic subclassification of newly diagnosed glioblastomas. <i>Cancer Science</i> , 2012, 103, 1871-1879.                                                                                                                    | 3.9 | 42        |
| 146 | Glioma-Initiating Cells: Interferon Treatment. , 2012, , 99-106.                                                                                                                                                                                                  |     | 0         |
| 147 | Peptide-pulsed dendritic cell vaccination targeting interleukin-13 receptor $\beta$ 2 chain in recurrent malignant glioma patients with HLA-A*24/A*02 allele. <i>Cytotherapy</i> , 2012, 14, 733-742.                                                             | 0.7 | 56        |
| 148 | Cytokine Therapy. <i>Advances in Experimental Medicine and Biology</i> , 2012, 746, 86-94.                                                                                                                                                                        | 1.6 | 11        |
| 149 | Intra-extradural Dumbbell-Shaped Hemangioblastoma Manifesting as Subarachnoid Hemorrhage in the Cauda Equina. <i>Neurologia Medico-Chirurgica</i> , 2012, 52, 659-665.                                                                                            | 2.2 | 19        |
| 150 | Correlation between quantified promoter methylation and enzymatic activity of O <sup>6</sup> -methylguanine-DNA methyltransferase in glioblastomas. <i>Tumor Biology</i> , 2012, 33, 373-381.                                                                     | 1.8 | 15        |
| 151 | Intravenous administration of temozolomide as a useful alternative over oral treatment with temozolomide capsules in patients with gliomas. <i>Journal of Neuro-Oncology</i> , 2012, 106, 209-211.                                                                | 2.9 | 3         |
| 152 | Abstract 3135: Epigenetic regulation of miR-1275 through histone H3 lysine 27 trimethylation during human glioma stem-like cell differentiation. , 2012, , .                                                                                                      |     | 6         |
| 153 | The Basics of Glioma Surgery. <i>Japanese Journal of Neurosurgery</i> , 2012, 21, 937-942.                                                                                                                                                                        | 0.0 | 0         |
| 154 | Long-term survival in patients with newly diagnosed primary central nervous system lymphoma treated with dexamethasone, etoposide, ifosfamide and carboplatin chemotherapy and whole-brain radiation therapy. <i>Leukemia and Lymphoma</i> , 2011, 52, 2069-2075. | 1.3 | 25        |
| 155 | The Global DNA Methylation Surrogate LINE-1 Methylation Is Correlated with MGMT Promoter Methylation and Is a Better Prognostic Factor for Glioma. <i>PLoS ONE</i> , 2011, 6, e23332.                                                                             | 2.5 | 95        |
| 156 | A multicenter phase I trial of combination therapy with interferon- $\beta$ and temozolomide for high-grade gliomas (INTEGRA study): the final report. <i>Journal of Neuro-Oncology</i> , 2011, 104, 573-577.                                                     | 2.9 | 37        |
| 157 | Rhabdoid glioblastoma in a child: case report and literature review. <i>Brain Tumor Pathology</i> , 2011, 28, 65-70.                                                                                                                                              | 1.7 | 23        |
| 158 | Glioma-initiating cells and molecular pathology: implications for therapy. <i>Brain Tumor Pathology</i> , 2011, 28, 1-12.                                                                                                                                         | 1.7 | 55        |
| 159 | Cytokine networks in glioma. <i>Neurosurgical Review</i> , 2011, 34, 253-264.                                                                                                                                                                                     | 2.4 | 44        |
| 160 | Benefits of interferon- $\beta$ and temozolomide combination therapy for newly diagnosed primary glioblastoma with the unmethylated MGMT promoter. <i>Cancer</i> , 2011, 117, 1721-1730.                                                                          | 4.1 | 85        |
| 161 | Glioma-Initiating Cells: Interferon Treatment. , 2011, , 269-276.                                                                                                                                                                                                 |     | 0         |
| 162 | Abstract 1144: Micro RNA profiling of intracranial germ cell tumors. , 2011, , .                                                                                                                                                                                  |     | 0         |

| #   | ARTICLE                                                                                                                                                                                                        | IF  | CITATIONS |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 163 | Gene Therapy for High-Grade Glioma. <i>Neurologia Medico-Chirurgica</i> , 2010, 50, 727-736.                                                                                                                   | 2.2 | 22        |
| 164 | Epigenetic aberrations and therapeutic implications in gliomas. <i>Cancer Science</i> , 2010, 101, 1331-1336.                                                                                                  | 3.9 | 25        |
| 165 | Retrovirally engineered Tâ€cellâ€based immunotherapy targeting type III variant epidermal growth factor receptor, a gliomaâ€associated antigen. <i>Cancer Science</i> , 2010, 101, 2518-2524.                  | 3.9 | 53        |
| 166 | Efficient delivery of liposome-mediated MGMT-siRNA reinforces the cytotoxicity of temozolomide in GBM-initiating cells. <i>Gene Therapy</i> , 2010, 17, 1363-1371.                                             | 4.5 | 107       |
| 167 | Human neural stem cells transduced with IFN-Î² and cytosine deaminase genes intensify bystander effect in experimental glioma. <i>Cancer Gene Therapy</i> , 2010, 17, 299-306.                                 | 4.6 | 62        |
| 168 | A free-radical scavenger protects the neural progenitor cells in the dentate subgranular zone of the hippocampus from cell death after X-irradiation. <i>Neuroscience Letters</i> , 2010, 485, 65-70.          | 2.1 | 20        |
| 169 | Type I Interferon Inhibits Astrocytic Gliosis and Promotes Functional Recovery after Spinal Cord Injury by Deactivation of the MEK/ERK Pathway. <i>Journal of Neurotrauma</i> , 2009, 26, 41-53.               | 3.4 | 41        |
| 170 | The Modulation of MicroRNAs by Type I IFN through the Activation of Signal Transducers and Activators of Transcription 3 in Human Glioma. <i>Molecular Cancer Research</i> , 2009, 7, 2022-2030.               | 3.4 | 58        |
| 171 | Synergistic induction of NY-ESO-1 antigen expression by a novel histone deacetylase inhibitor, valproic acid, with 5-aza-2â€deoxycytidine in glioma cells. <i>Journal of Neuro-Oncology</i> , 2009, 92, 15-22. | 2.9 | 50        |
| 172 | Interferonâ€beta, MCNU, and conventional radiotherapy for pediatric patients with brainstem glioma. <i>Pediatric Blood and Cancer</i> , 2009, 53, 37-41.                                                       | 1.5 | 10        |
| 173 | Induction of oligodendrogenesis in glioblastoma-initiating cells by IFN-mediated activation of STAT3 signaling. <i>Cancer Letters</i> , 2009, 284, 71-79.                                                      | 7.2 | 45        |
| 174 | P16 PROMOTER METHYLATION IN THE SERUM AS A BASIS FOR THE MOLECULAR DIAGNOSIS OF GLIOMAS. <i>Neurosurgery</i> , 2009, 64, 455-462.                                                                              | 1.1 | 41        |
| 175 | A combination of IFN-Î² and temozolomide in human glioma xenograft models: implication of p53-mediated MGMT downregulation. <i>Cancer Chemotherapy and Pharmacology</i> , 2008, 61, 653-659.                   | 2.3 | 60        |
| 176 | A phase I clinical trial of interferonâ€beta gene therapy for highâ€grade glioma: novel findings from gene expression profiling and autopsy. <i>Journal of Gene Medicine</i> , 2008, 10, 329-339.              | 2.8 | 73        |
| 177 | The DNA demethylating agent 5â€aza-2â€deoxycytidine activates NYâ€ESOâ€1 antigenicity in orthotopic human glioma. <i>International Journal of Cancer</i> , 2008, 122, 2542-2553.                               | 5.1 | 87        |
| 178 | Gene therapy for high-grade glioma. <i>Cell Adhesion and Migration</i> , 2008, 2, 186-191.                                                                                                                     | 2.7 | 33        |
| 179 | A Multicenter Phase I Trial of Interferon-Î and Temozolomide Combination Therapy for High-grade Gliomas (INTEGRA Study). <i>Japanese Journal of Clinical Oncology</i> , 2008, 38, 715-718.                     | 1.3 | 16        |
| 180 | Variable DNA methylation patterns associated with progression of disease in hepatocellular carcinomas. <i>Carcinogenesis</i> , 2008, 29, 1901-1910.                                                            | 2.8 | 114       |

| #   | ARTICLE                                                                                                                                                                                                                             | IF  | CITATIONS |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 181 | Identification of a human leukocyte antigen-A24-restricted T-cell epitope derived from interleukin-13 receptor $\beta$ 2 chain, a glioma-associated antigen. <i>Journal of Neurosurgery</i> , 2008, 109, 117-122.                   | 1.6 | 21        |
| 182 | Malignant transformation-related genes in meningiomas: allelic loss on 1p36 and methylation status of p73 and RASSF1A. <i>Journal of Neurosurgery</i> , 2007, 107, 398-404.                                                         | 1.6 | 56        |
| 183 | Efficacy of Temozolomide Is Correlated With 1p Loss and Methylation of the Deoxyribonucleic Acid Repair Gene MGMT in Malignant Gliomas. <i>Neurologia Medico-Chirurgica</i> , 2007, 47, 341-350.                                    | 2.2 | 24        |
| 184 | GENETICALLY HETEROGENEOUS GLIOBLASTOMA RECURRING WITH DISAPPEARANCE OF 1P/19Q LOSSES. <i>Neurosurgery</i> , 2007, 61, E168-E169.                                                                                                    | 1.1 | 6         |
| 185 | The free-radical scavenger edaravone restores the differentiation of human neural precursor cells after radiation-induced oxidative stress. <i>Neuroscience Letters</i> , 2007, 423, 225-230.                                       | 2.1 | 37        |
| 186 | Intravenously transplanted human neural stem cells migrate to the injured spinal cord in adult mice in an SDF-1- and HGF-dependent manner. <i>Neuroscience Letters</i> , 2007, 426, 69-74.                                          | 2.1 | 110       |
| 187 | Human neural stem cells target and deliver therapeutic gene to experimental leptomeningeal medulloblastoma. <i>Gene Therapy</i> , 2007, 14, 1132-1142.                                                                              | 4.5 | 78        |
| 188 | Inhibition of Aurora-B function increases formation of multinucleated cells in p53 gene deficient cells and enhances anti-tumor effect of temozolomide in human glioma cells. <i>Journal of Neuro-Oncology</i> , 2007, 83, 249-258. | 2.9 | 29        |
| 189 | Antiangiogenic activity of BAI1 in vivo: implications for gene therapy of human glioblastomas. <i>Cancer Gene Therapy</i> , 2006, 13, 385-392.                                                                                      | 4.6 | 41        |
| 190 | Brain metastases from apocrine carcinoma of the scalp: case report. <i>Journal of Neuro-Oncology</i> , 2006, 77, 285-289.                                                                                                           | 2.9 | 12        |
| 191 | EGFR mutations in patients with brain metastases from lung cancer: Association with the efficacy of gefitinib. <i>Neuro-Oncology</i> , 2006, 8, 137-144.                                                                            | 1.2 | 80        |
| 192 | Intraventricular chordoid meningioma presenting with Castleman disease due to overproduction of interleukin-6. <i>Journal of Neurosurgery</i> , 2005, 102, 733-737.                                                                 | 1.6 | 32        |
| 193 | IFN- $\gamma$ Down-Regulates the Expression of DNA Repair Gene <i>MGMT</i> and Sensitizes Resistant Glioma Cells to Temozolomide. <i>Cancer Research</i> , 2005, 65, 7573-7579.                                                     | 0.9 | 151       |
| 194 | Enhanced functional recovery after proximal nerve root injury by vector-mediated gene transfer. <i>Experimental Neurology</i> , 2003, 184, 878-886.                                                                                 | 4.1 | 23        |
| 195 | Growth inhibition of subcutaneous mouse melanoma and induction of natural killer cells by liposome-mediated interferon- $\gamma$ gene therapy. <i>Melanoma Research</i> , 2003, 13, 349-356.                                        | 1.2 | 18        |
| 196 | Bcl-2 and GDNF Delivered by HSV-Mediated Gene Transfer after Spinal Root Avulsion Provide a Synergistic Effect. <i>Journal of Neurotrauma</i> , 2002, 19, 61-68.                                                                    | 3.4 | 52        |
| 197 | Process of apoptosis induced by TNF-alpha in murine fibroblast Ltk-cells: continuous observation with video enhanced contrast microscopy. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2002, 7, 77-86.     | 4.9 | 21        |
| 198 | Herpes Simplex Virus Vector-Mediated Expression of Bcl-2 Protects Spinal Motor Neurons from Degeneration Following Root Avulsion. <i>Experimental Neurology</i> , 2001, 168, 225-230.                                               | 4.1 | 46        |

| #   | ARTICLE                                                                                                                                                                                                                  | IF  | CITATIONS |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 199 | Bcl-2 and GDNF Delivered by HSV-Mediated Gene Transfer Act Additively to Protect Dopaminergic Neurons from 6-OHDA-Induced Degeneration. <i>Experimental Neurology</i> , 2001, 169, 231-238.                              | 4.1 | 77        |
| 200 | Dendritic cells pulsed with tumor extract-cationic liposome complex increase the induction of cytotoxic T lymphocytes in mouse brain tumor. <i>Cancer Immunology, Immunotherapy</i> , 2001, 50, 463-468.                 | 4.2 | 51        |
| 201 | Transduction Efficiency of Adenoviral Vectors into Human Glioma Cells Increased by Association with Cationic Liposomes.. <i>Neurologia Medico-Chirurgica</i> , 2000, 40, 256-260.                                        | 2.2 | 9         |
| 202 | Cationic Liposome Conjugation to Recombinant Adenoviral Vector Reduces Viral Antigenicity. <i>Japanese Journal of Cancer Research</i> , 2000, 91, 363-367.                                                               | 1.7 | 27        |
| 203 | IFN-beta gene therapy induces systemic antitumor immunity against malignant glioma. <i>Journal of Neuro-Oncology</i> , 2000, 47, 117-124.                                                                                | 2.9 | 70        |
| 204 | Antitumor effect and cellular immunity activation by murine interferon- $\beta$ gene transfer against intracerebral glioma in mouse. <i>Gene Therapy</i> , 1999, 6, 1626-1633.                                           | 4.5 | 105       |
| 205 | Inhibition of Acid Secretion in Gastric Parietal Cells by the Ca <sup>2+</sup> /Calmodulin-Dependent Protein Kinase II Inhibitor KN-93. <i>Biochemical and Biophysical Research Communications</i> , 1993, 195, 608-615. | 2.1 | 55        |