Patricio Lopez-Jaramillo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6760940/publications.pdf

Version: 2024-02-01

278 papers

33,926 citations

77 h-index

7568

175 g-index

296 all docs

 $\begin{array}{c} 296 \\ \\ \text{docs citations} \end{array}$

296 times ranked 38442 citing authors

#	Article	IF	Citations
1	Risk factors for ischaemic and intracerebral haemorrhagic stroke in 22 countries (the INTERSTROKE) Tj ETQq1	1 0.78431 13.7	4 rgBT Qverloo
2	Rivaroxaban with or without Aspirin in Stable Cardiovascular Disease. New England Journal of Medicine, 2017, 377, 1319-1330.	27.0	1,745
3	Dulaglutide and cardiovascular outcomes in type 2 diabetes (REWIND): a double-blind, randomised placebo-controlled trial. Lancet, The, 2019, 394, 121-130.	13.7	1,625
4	Prevalence, Awareness, Treatment, and Control of Hypertension in Rural and Urban Communities in High-, Middle-, and Low-Income Countries. JAMA - Journal of the American Medical Association, 2013, 310, 959.	7.4	1,422
5	Global and regional effects of potentially modifiable risk factors associated with acute stroke in 32 countries (INTERSTROKE): a case-control study. Lancet, The, 2016, 388, 761-775.	13.7	1,414
6	Prognostic value of grip strength: findings from the Prospective Urban Rural Epidemiology (PURE) study. Lancet, The, 2015, 386, 266-273.	13.7	1,295
7	Modifiable risk factors, cardiovascular disease, and mortality in 155â€^722 individuals from 21 high-income, middle-income, and low-income countries (PURE): a prospective cohort study. Lancet, The, 2020, 395, 795-808.	13.7	935
8	Associations of fats and carbohydrate intake with cardiovascular disease and mortality in 18 countries from five continents (PURE): a prospective cohort study. Lancet, The, 2017, 390, 2050-2062.	13.7	841
9	The effect of physical activity on mortality and cardiovascular disease in 130â€^000 people from 17 high-income, middle-income, and low-income countries: the PURE study. Lancet, The, 2017, 390, 2643-2654.	13.7	838
10	Use of secondary prevention drugs for cardiovascular disease in the community in high-income, middle-income, and low-income countries (the PURE Study): a prospective epidemiological survey. Lancet, The, 2011, 378, 1231-1243.	13.7	803
11	Urinary Sodium and Potassium Excretion, Mortality, and Cardiovascular Events. New England Journal of Medicine, 2014, 371, 612-623.	27.0	725
12	Association of Urinary Sodium and Potassium Excretion with Blood Pressure. New England Journal of Medicine, 2014, 371, 601-611.	27.0	687
13	Cardiovascular Risk and Events in 17 Low-, Middle-, and High-Income Countries. New England Journal of Medicine, 2014, 371, 818-827.	27.0	679
14	A call to action and a lifecourse strategy to address the global burden of raised blood pressure on current and future generations: the Lancet Commission on hypertension. Lancet, The, 2016, 388, 2665-2712.	13.7	670
15	Rivaroxaban with or without aspirin in patients with stable peripheral or carotid artery disease: an international, randomised, double-blind, placebo-controlled trial. Lancet, The, 2018, 391, 219-229.	13.7	651
16	Cholesterol Lowering in Intermediate-Risk Persons without Cardiovascular Disease. New England Journal of Medicine, 2016, 374, 2021-2031.	27.0	641
17	Blood-Pressure Lowering in Intermediate-Risk Persons without Cardiovascular Disease. New England Journal of Medicine, 2016, 374, 2009-2020.	27.0	526
18	Fruit, vegetable, and legume intake, and cardiovascular disease and deaths in 18 countries (PURE): a prospective cohort study. Lancet, The, 2017, 390, 2037-2049.	13.7	446

#	Article	lF	Citations
19	Variations in common diseases, hospital admissions, and deaths in middle-aged adults in 21 countries from five continents (PURE): a prospective cohort study. Lancet, The, 2020, 395, 785-794.	13.7	428
20	Dulaglutide and renal outcomes in type 2 diabetes: an exploratory analysis of the REWIND randomised, placebo-controlled trial. Lancet, The, 2019, 394, 131-138.	13.7	394
21	Associations of urinary sodium excretion with cardiovascular events in individuals with and without hypertension: a pooled analysis of data from four studies. Lancet, The, 2016, 388, 465-475.	13.7	381
22	Socioeconomic status and risk of cardiovascular disease in 20 low-income, middle-income, and high-income countries: the Prospective Urban Rural Epidemiologic (PURE) study. The Lancet Global Health, 2019, 7, e748-e760.	6.3	340
23	Blood-Pressure and Cholesterol Lowering in Persons without Cardiovascular Disease. New England Journal of Medicine, 2016, 374, 2032-2043.	27.0	299
24	Safety of Proton Pump Inhibitors Based on a Large, Multi-Year, Randomized Trial of Patients Receiving Rivaroxaban or Aspirin. Gastroenterology, 2019, 157, 682-691.e2.	1.3	299
25	The role of leptin/adiponectin ratio in metabolic syndrome and diabetes. Hormone Molecular Biology and Clinical Investigation, 2014, 18, 37-45.	0.7	295
26	Association of dairy intake with cardiovascular disease and mortality in 21 countries from five continents (PURE): a prospective cohort study. Lancet, The, 2018, 392, 2288-2297.	13.7	295
27	Availability, affordability, and consumption of fruits and vegetables in 18 countries across income levels: findings from the Prospective Urban Rural Epidemiology (PURE) study. The Lancet Global Health, 2016, 4, e695-e703.	6.3	287
28	Availability and affordability of cardiovascular disease medicines and their effect on use in high-income, middle-income, and low-income countries: an analysis of the PURE study data. Lancet, The, 2016, 387, 61-69.	13.7	272
29	Prevalence of a Healthy Lifestyle Among Individuals With Cardiovascular Disease in High-, Middle- and Low-Income Countries. JAMA - Journal of the American Medical Association, 2013, 309, 1613.	7.4	256
30	Is C-reactive protein an independent risk factor for essential hypertension?. Journal of Hypertension, 2001, 19, 857-861.	0.5	251
31	Global mortality variations in patients with heart failure: results from the International Congestive Heart Failure (INTER-CHF) prospective cohort study. The Lancet Global Health, 2017, 5, e665-e672.	6.3	247
32	May Measurement Month 2017: an analysis of blood pressure screening results worldwide. The Lancet Global Health, 2018, 6, e736-e743.	6.3	245
33	Urinary sodium excretion, blood pressure, cardiovascular disease, and mortality: a community-level prospective epidemiological cohort study. Lancet, The, 2018, 392, 496-506.	13.7	243
34	Association of estimated sleep duration and naps with mortality and cardiovascular events: a study of 116 632 people from 21 countries. European Heart Journal, 2019, 40, 1620-1629.	2.2	208
35	Effects of alirocumab on cardiovascular and metabolic outcomes after acute coronary syndrome in patients with or without diabetes: a prespecified analysis of the ODYSSEY OUTCOMES randomised controlled trial. Lancet Diabetes and Endocrinology,the, 2019, 7, 618-628.	11.4	207
36	Association of dietary nutrients with blood lipids and blood pressure in 18 countries: a cross-sectional analysis from the PURE study. Lancet Diabetes and Endocrinology,the, 2017, 5, 774-787.	11.4	198

#	Article	IF	Citations
37	May Measurement Month 2018: a pragmatic global screening campaign to raise awareness of blood pressure by the International Society of Hypertension. European Heart Journal, 2019, 40, 2006-2017.	2.2	193
38	Reference ranges of handgrip strength from 125,462 healthy adults in 21 countries: a prospective urban rural epidemiologic (PURE) study. Journal of Cachexia, Sarcopenia and Muscle, 2016, 7, 535-546.	7.3	191
39	Validation and comparison of three formulae to estimate sodium and potassium excretion from a single morning fasting urine compared to 24-h measures in 11 countries. Journal of Hypertension, 2014, 32, 1005-1015.	0.5	174
40	Alcohol consumption and cardiovascular disease, cancer, injury, admission to hospital, and mortality: a prospective cohort study. Lancet, The, 2015, 386, 1945-1954.	13.7	163
41	Polypill with or without Aspirin in Persons without Cardiovascular Disease. New England Journal of Medicine, 2021, 384, 216-228.	27.0	163
42	Design and baseline characteristics of participants in the <scp>R</scp> esearching cardiovascular <scp>E</scp> vents with a <scp>W</scp> eekly <scp>IN</scp> cretin in <scp>D</scp> iabetes (<scp>REWIND</scp>) trial on the cardiovascular effects of dulaglutide. Diabetes, Obesity and Metabolism, 2018, 20, 42-49.	4.4	160
43	Elevated Câ€reactive protein and proâ€inflammatory cytokines in Andean women with preâ€eclampsia. International Journal of Gynecology and Obstetrics, 2001, 75, 243-249.	2.3	150
44	Variations in Diabetes Prevalence in Low-, Middle-, and High-Income Countries: Results From the Prospective Urban and Rural Epidemiological Study. Diabetes Care, 2016, 39, 780-787.	8.6	138
45	A community-based comprehensive intervention to reduce cardiovascular risk in hypertension (HOPE) Tj ETQq $1\ 1$	0,784314 13.7	rgBT /Overlo
46	Association of ultra-processed food intake with risk of inflammatory bowel disease: prospective cohort study. BMJ, The, 2021, 374, n1554.	6.0	136
47	Availability and affordability of blood pressure-lowering medicines and the effect on blood pressure control in high-income, middle-income, and low-income countries: an analysis of the PURE study data. Lancet Public Health, The, 2017, 2, e411-e419.	10.0	134
48	Rationale, Design and Baseline Characteristics of Participants in the C ardiovascular O utco m es for P eople Using A nticoagulation S trategie s (COMPASS) Trial. Canadian Journal of Cardiology, 2017, 33, 1027-1035.	1.7	133
49	Hypertension Pharmacological Treatment in Adults: A World Health Organization Guideline Executive Summary. Hypertension, 2022, 79, 293-301.	2.7	131
50	Calcium supplementation reduces the risk of pregnancy-induced hypertension in an Andes population. BJOG: an International Journal of Obstetrics and Gynaecology, 1989, 96, 648-655.	2.3	124
51	Glycemic Index, Glycemic Load, and Cardiovascular Disease and Mortality. New England Journal of Medicine, 2021, 384, 1312-1322.	27.0	124
52	Effect of dulaglutide on cognitive impairment in type 2 diabetes: an exploratory analysis of the REWIND trial. Lancet Neurology, The, 2020, 19, 582-590.	10.2	123
53	Mortality and cardiovascular and respiratory morbidity in individuals with impaired FEV1 (PURE): an international, community-based cohort study. The Lancet Global Health, 2019, 7, e613-e623.	6.3	122
54	Endothelial NO Synthase Genotype and Risk of Preeclampsia. Hypertension, 2004, 44, 702-707.	2.7	121

#	Article	IF	CITATIONS
55	Angiotensin II-induced MMP-2 release from endothelial cells is mediated by TNF-α. American Journal of Physiology - Cell Physiology, 2004, 286, C779-C784.	4.6	117
56	Health Effects of Household Solid Fuel Use: Findings from 11 Countries within the Prospective Urban and Rural Epidemiology Study. Environmental Health Perspectives, 2019, 127, 57003.	6.0	117
57	Availability and affordability of essential medicines for diabetes across high-income, middle-income, and low-income countries: a prospective epidemiological study. Lancet Diabetes and Endocrinology,the, 2018, 6, 798-808.	11.4	116
58	Association of Symptoms of Depression With Cardiovascular Disease and Mortality in Low-, Middle-, and High-Income Countries. JAMA Psychiatry, 2020, 77, 1052.	11.0	116
59	Low Muscle Strength Is Associated with Metabolic Risk Factors in Colombian Children: The ACFIES Study. PLoS ONE, 2014, 9, e93150.	2.5	111
60	Heart Failure in Africa, Asia, the Middle East and South America: The INTER-CHF study. International Journal of Cardiology, 2016, 204, 133-141.	1.7	108
61	Pantoprazole to Prevent Gastroduodenal Events in Patients Receiving Rivaroxaban and/or Aspirin in a Randomized, Double-Blind, Placebo-Controlled Trial. Gastroenterology, 2019, 157, 403-412.e5.	1.3	108
62	Associations of outdoor fine particulate air pollution and cardiovascular disease in 157â€^436 individuals from 21 high-income, middle-income, and low-income countries (PURE): a prospective cohort study. Lancet Planetary Health, The, 2020, 4, e235-e245.	11.4	106
63	The crucial role of physiological Ca ²⁺ concentrations in the production of endothelial nitric oxide and the control of vascular tone. British Journal of Pharmacology, 1990, 101, 489-493.	5.4	104
64	Salt and cardiovascular disease: insufficient evidence to recommend low sodium intake. European Heart Journal, 2020, 41, 3363-3373.	2.2	103
65	Health-Related Quality of Life and Mortality in Heart Failure: The Global Congestive Heart Failure Study of 23 000 Patients From 40 Countries. Circulation, 2021, 143, 2129-2142.	1.6	101
66	Obesity and Preeclampsia: Common Pathophysiological Mechanisms. Frontiers in Physiology, 2018, 9, 1838.	2.8	97
67	Practice patterns and outcomes after stroke across countries at different economic levels (INTERSTROKE): an international observational study. Lancet, The, 2018, 391, 2019-2027.	13.7	96
68	Role of Combination Antiplatelet and Anticoagulation Therapy in Diabetes Mellitus and Cardiovascular Disease. Circulation, 2020, 141, 1841-1854.	1.6	96
69	Effect of A Very Low-Calorie Ketogenic Diet on Food and Alcohol Cravings, Physical and Sexual Activity, Sleep Disturbances, and Quality of Life in Obese Patients. Nutrients, 2018, 10, 1348.	4.1	94
70	Lancet Commission on Hypertension group position statement on the global improvement of accuracy standards for devices that measure blood pressure. Journal of Hypertension, 2020, 38, 21-29.	0.5	93
71	Calcium supplementation and the risk of preeclampsia in ecuadorian pregnant teenagers. Obstetrics and Gynecology, 1997, 90, 162-167.	2.4	91
72	Dietary calcium supplementation and prevention of pregnancy hypertension. Lancet, The, 1990, 335, 293.	13.7	90

#	Article	IF	Citations
73	The household economic burden of non-communicable diseases in 18 countries. BMJ Global Health, 2020, 5, e002040.	4.7	90
74	Household and personal air pollution exposure measurements from 120 communities in eight countries: results from the PURE-AIR study. Lancet Planetary Health, The, 2020, 4, e451-e462.	11.4	88
75	Fixed-dose combination therapies with and without aspirin for primary prevention of cardiovascular disease: an individual participant data meta-analysis. Lancet, The, 2021, 398, 1133-1146.	13.7	87
76	Joint association of urinary sodium and potassium excretion with cardiovascular events and mortality: prospective cohort study. BMJ: British Medical Journal, 2019, 364, 1772.	2.3	85
77	Association of handgrip strength to cardiovascular mortality in pre-diabetic and diabetic patients: A subanalysis of the ORIGIN trial. International Journal of Cardiology, 2014, 174, 458-461.	1.7	83
78	Is infection a major risk factor for preeclampsia?. Medical Hypotheses, 2001, 57, 393-397.	1.5	82
79	Raised C-Reactive Protein and Impaired Flow-Mediated Vasodilation Precede the Development of Preeclampsia. American Journal of Hypertension, 2007, 20, 98-103.	2.0	77
80	The effect of dulaglutide on stroke: an exploratory analysis of the REWIND trial. Lancet Diabetes and Endocrinology,the, 2020, 8, 106-114.	11.4	77
81	Rationale and Design of INTERSTROKE: A Global Case-Control Study of Risk Factors for Stroke. Neuroepidemiology, 2010, 35, 36-44.	2.3	76
82	Inequalities in the use of secondary prevention of cardiovascular disease by socioeconomic status: evidence from the PURE observational study. The Lancet Global Health, 2018, 6, e292-e301.	6.3	73
83	The l-Arginine. Journal of Cardiovascular Pharmacology, 1991, 17, S1-S9.	1.9	72
84	Patients' Knowledge, Attitudes, Behaviour and Health Care Experiences on the Prevention, Detection, Management and Control of Hypertension in Colombia: A Qualitative Study. PLoS ONE, 2015, 10, e0122112.	2.5	71
85	Association of egg intake with blood lipids, cardiovascular disease, and mortality in 177,000 people in 50 countries. American Journal of Clinical Nutrition, 2020, 111, 795-803.	4.7	71
86	Environmental Profile of a Community's Health (EPOCH): An Instrument to Measure Environmental Determinants of Cardiovascular Health in Five Countries. PLoS ONE, 2010, 5, e14294.	2.5	70
87	Treatment of cutaneous leishmaniasis with nitric-oxide donor. Lancet, The, 1998, 351, 1176-1177.	13.7	69
88	Global differences in lung function by region (PURE): an international, community-based prospective study. Lancet Respiratory Medicine, the, 2013, 1, 599-609.	10.7	68
89	Associations of Fish Consumption With Risk of Cardiovascular Disease and Mortality Among Individuals With or Without Vascular Disease From 58 Countries. JAMA Internal Medicine, 2021, 181, 631.	5.1	68
90	Cyclic guanosine 3'3' monophosphate concentrations in pre-eclampsia: effects of hydralazine. BJOG: an International Journal of Obstetrics and Gynaecology, 1996, 103, 33-38.	2.3	67

#	Article	IF	CITATIONS
91	Preeclampsia: from epidemiological observations to molecular mechanisms. Brazilian Journal of Medical and Biological Research, 2001, 34, 1227-1235.	1.5	67
92	Wealth and cardiovascular health: a cross-sectional study of wealth-related inequalities in the awareness, treatment and control of hypertension in high-, middle- and low-income countries. International Journal for Equity in Health, 2016, 15, 199.	3.5	67
93	Review: The role of the L-arginine-nitric oxide pathway in preeclampsia. Therapeutic Advances in Cardiovascular Disease, 2008, 2, 261-275.	2.1	65
94	Preventing pregnancy-induced hypertension: are there regional differences for this global problem?. Journal of Hypertension, 2005, 23, 1121-1129.	0.5	63
95	Latin American consensus on hypertension in patients with diabetes type 2 and metabolic syndrome. Journal of Hypertension, 2013, 31, 223-238.	0.5	61
96	Global, regional, and national consumption of animal-source foods between 1990 and 2018: findings from the Global Dietary Database. Lancet Planetary Health, The, 2022, 6, e243-e256.	11.4	59
97	Association of dairy consumption with metabolic syndrome, hypertension and diabetes in 147 812 individuals from 21 countries. BMJ Open Diabetes Research and Care, 2020, 8, e000826.	2.8	57
98	Innovative Approaches to Hypertension Control in Low- and Middle-Income Countries. Cardiology Clinics, 2017, 35, 99-115.	2.2	56
99	Prevalence, awareness, treatment and control of hypertension in rural and urban communities in Latin American countries. Journal of Hypertension, 2019, 37, 1813-1821.	0.5	56
100	White Rice Intake and Incident Diabetes: A Study of 132,373 Participants in 21 Countries. Diabetes Care, 2020, 43, 2643-2650.	8.6	55
101	Inter-relationships Between Body Mass Index, C-reactive Protein and Blood Pressure in a Hispanic Pediatric Population. American Journal of Hypertension, 2008, 21, 527-532.	2.0	54
102	Influence of regular aerobic exercise on endotheliumâ€dependent vasodilation and cardiorespiratory fitness in pregnant women. Journal of Obstetrics and Gynaecology Research, 2011, 37, 1601-1608.	1.3	54
103	Aged Garlic Extract Improves Adiponectin Levels in Subjects with Metabolic Syndrome: A Double-Blind, Placebo-Controlled, Randomized, Crossover Study. Mediators of Inflammation, 2013, 2013, 1-6.	3.0	53
104	Associations of cereal grains intake with cardiovascular disease and mortality across 21 countries in Prospective Urban and Rural Epidemiology study: prospective cohort study. BMJ, The, 2021, 372, m4948.	6.0	53
105	Determination of Insulin Resistance Using the Homeostatic Model Assessment (HOMA) and its Relation With the Risk of Developing Pregnancy-Induced Hypertension. American Journal of Hypertension, 2007, 20, 437-442.	2.0	51
106	Fixedâ€dose combination pharmacologic therapy to improve hypertension control worldwide: Clinical perspective and policy implications. Journal of Clinical Hypertension, 2019, 21, 4-15.	2.0	51
107	Colombian Study to Assess the Use of Noninvasive Determination of Endothelium-Mediated Vasodilatation (CANDEV). Normal Values and Factors Associated. Endothelium: Journal of Endothelial Cell Research, 2001, 8, 157-166.	1.7	49
108	Using waist circumference as a screening tool to identify colombian subjects at cardiovascular risk. European Journal of Cardiovascular Prevention and Rehabilitation, 2003, 10, 328-335.	2.8	49

#	Article	IF	CITATIONS
109	Periodontal disease severity is related to high levels of C-reactive protein in pre-eclampsia. Journal of Hypertension, 2007, 25, 1459-1464.	0.5	49
110	Prognostic validation of a non-laboratory and a laboratory based cardiovascular disease risk score in multiple regions of the world. Heart, 2018, 104, 581-587.	2.9	49
111	Calcium, nitric oxide, and preeclampsia. Seminars in Perinatology, 2000, 24, 33-36.	2.5	48
112	Peripheral Blood <i>MCEMP1</i> Gene Expression as a Biomarker for Stroke Prognosis. Stroke, 2016, 47, 652-658.	2.0	48
113	Impact of social isolation on mortality and morbidity in 20 high-income, middle-income and low-income countries in five continents. BMJ Global Health, 2021, 6, e004124.	4.7	48
114	Plasma concentrations of asymmetric dimethylarginine (ADMA) in metabolic syndrome. International Journal of Cardiology, 2007, 122, 176-178.	1.7	47
115	Long-term exposure to outdoor and household air pollution and blood pressure in the Prospective Urban and Rural Epidemiological (PURE) study. Environmental Pollution, 2020, 262, 114197.	7.5	47
116	Plasma Concentrations of Asymmetric Dimethylarginine (ADMA) in Colombian Women With Pre-eclampsia. JAMA - Journal of the American Medical Association, 2004, 291, 823-824.	7.4	46
117	Associations of unprocessed and processed meat intake with mortality and cardiovascular disease in 21 countries [Prospective Urban Rural Epidemiology (PURE) Study]: a prospective cohort study. American Journal of Clinical Nutrition, 2021, 114, 1049-1058.	4.7	46
118	Calcium and Conjugated Linoleic Acid Reduces Pregnancy-Induced Hypertension and Decreases Intracellular Calcium in Lymphocytes. American Journal of Hypertension, 2006, 19, 381-387.	2.0	45
119	Epidemic of cardiometabolic diseases: a Latin American point of view. Therapeutic Advances in Cardiovascular Disease, 2011, 5, 119-131.	2.1	45
120	Are Nutrition-Induced Epigenetic Changes the Link Between Socioeconomic Pathology and Cardiovascular Diseases?. American Journal of Therapeutics, 2008, 15, 362-372.	0.9	44
121	The presence of abdominal obesity is associated with changes in vascular function independently of other cardiovascular risk factors. International Journal of Cardiology, 2010, 139, 32-41.	1.7	44
122	Matrix metalloproteinases 2 and 9 as diagnostic markers in the progression to Chagas cardiomyopathy. American Heart Journal, 2013, 165, 558-566.	2.7	44
123	Tobacco control environment: cross-sectional survey of policy implementation, social unacceptability, knowledge of tobacco health harms and relationship to quit ratio in 17 low-income, middle-income and high-income countries. BMJ Open, 2017, 7, e013817.	1.9	44
124	Fixed-dose combination antihypertensive medications. Lancet, The, 2019, 394, 637-638.	13.7	44
125	Epidemic of overweight and obesity in Latin America and the Caribbean. International Journal of Cardiology, 2008, 125, 111-112.	1.7	41
126	A Controlled, Randomized-Blinded Clinical Trial to Assess the Efficacy of a Nitric Oxide Releasing Patch in the Treatment of Cutaneous Leishmaniasis by Leishmania (V.) panamensis. American Journal of Tropical Medicine and Hygiene, 2010, 83, 97-101.	1.4	41

#	Article	IF	CITATIONS
127	Social disparities explain differences in hypertension prevalence, detection and control in Colombia. Journal of Hypertension, 2016, 34, 2344-2352.	0.5	41
128	The Role of Adiponectin in Cardiometabolic Diseases: Effects of Nutritional Interventions. Journal of Nutrition, 2016, 146, 422S-426S.	2.9	41
129	Availability and affordability of medicines and cardiovascular outcomes in 21 high-income, middle-income and low-income countries. BMJ Global Health, 2020, 5, e002640.	4.7	41
130	Defining the research priorities to fight the burden of cardiovascular diseases in Latin America. Journal of Hypertension, 2008, 26, 1886-1889.	0.5	40
131	Effect of Insulin Glargine and n-3FA on Carotid Intima-Media Thickness in People With Dysglycemia at High Risk for Cardiovascular Events. Diabetes Care, 2013, 36, 2466-2474.	8.6	40
132	Evaluation of the Finnish Diabetes Risk Score to predict type 2 diabetes mellitus in a Colombian population: A longitudinal observational study. World Journal of Diabetes, 2015, 6, 1337.	3.5	39
133	Standardized treatment to improve hypertension control in primary health care: The HEARTS in the Americas Initiative. Journal of Clinical Hypertension, 2020, 22, 2285-2295.	2.0	39
134	Calcium plus linoleic acid therapy for pregnancy-induced hypertension. International Journal of Gynecology and Obstetrics, 2005, 91, 221-227.	2.3	38
135	A proposal for an appropriate central obesity diagnosis in Latin American population. International Journal of Cardiology, 2006, 110, 263-264.	1.7	37
136	Atherogenic Dyslipidemia in Latin America: Prevalence, causes and treatment. International Journal of Cardiology, 2017, 243, 516-522.	1.7	37
137	Psychosocial Risk Factors and Cardiovascular Disease and Death in a Population-Based Cohort From 21 Low-, Middle-, and High-Income Countries. JAMA Network Open, 2021, 4, e2138920.	5.9	37
138	Improvement in Functions of the Central Nervous System by Estrogen Replacement Therapy Might Be Related with an Increased Nitric Oxide Production. Endothelium: Journal of Endothelial Cell Research, 1999, 6, 263-266.	1.7	36
139	Olive, soybean and palm oils intake have a similar acute detrimental effect over the endothelial function in healthy young subjects. Nutrition, Metabolism and Cardiovascular Diseases, 2007, 17, 50-57.	2.6	36
140	Flow-mediated dilatation of the brachial artery in pregnancy. International Journal of Gynecology and Obstetrics, 2006, 93, 60-61.	2.3	35
141	Secondary CV Prevention in South America in a Community Setting: The PURE Study. Global Heart, 2017, 12, 305.	2.3	35
142	Skeletonized vs Pedicled Internal Mammary Artery Graft Harvesting in Coronary Artery Bypass Surgery. JAMA Cardiology, 2021, 6, 1042.	6.1	35
143	Risk Categorization Using New American College of Cardiology/American Heart Association Guidelines for Cholesterol Management and Its Relation to Alirocumab Treatment Following Acute Coronary Syndromes. Circulation, 2019, 140, 1578-1589.	1.6	34
144	Nonalcoholic fatty liver disease is associated with insulin resistance in a young Hispanic population. Preventive Medicine, 2011, 52, 174-177.	3.4	33

#	Article	IF	CITATIONS
145	Risk Factors for Preeclampsia in Women from Colombia: A Case-Control Study. PLoS ONE, 2012, 7, e41622.	2.5	33
146	Is myopia another clinical manifestation of insulin resistance?. Medical Hypotheses, 2016, 90, 32-40.	1.5	33
147	Association of nut intake with risk factors, cardiovascular disease, and mortality in 16 countries from 5 continents: analysis from the Prospective Urban and Rural Epidemiology (PURE) study. American Journal of Clinical Nutrition, 2020, 112, 208-219.	4.7	33
148	Global variations in the prevalence, treatment, and impact of atrial fibrillation in a multi-national cohort of 153 152 middle-aged individuals. Cardiovascular Research, 2021, 117, 1523-1531.	3.8	33
149	The Link between Fetal Programming, Inflammation, Muscular Strength, and Blood Pressure. Mediators of Inflammation, 2015, 2015, 1-8.	3.0	32
150	Neck circumference as a predictor of metabolic syndrome, insulin resistance and low-grade systemic inflammation in children: the ACFIES study. BMC Pediatrics, 2016, 16, 31.	1.7	32
151	Contrasting Associations Between Diabetes and Cardiovascular Mortality Rates in Low-, Middle-, and High-Income Countries: Cohort Study Data From 143,567 Individuals in 21 Countries in the PURE Study. Diabetes Care, 2020, 43, 3094-3101.	8.6	32
152	Double blind, randomized, placebo controlled clinical trial for the treatment of diabetic foot ulcers, using a nitric oxide releasing patch: PATHON. Trials, 2007, 8, 26.	1.6	30
153	Acid–base safety during the course of a very low-calorie-ketogenic diet. Endocrine, 2017, 58, 81-90.	2.3	30
154	Risk factors, cardiovascular disease, and mortality in South America: a PURE substudy. European Heart Journal, 2022, 43, 2841-2851.	2.2	30
155	Association of Sitting Time With Mortality and Cardiovascular Events in High-Income, Middle-Income, and Low-Income Countries. JAMA Cardiology, 2022, 7, 796.	6.1	30
156	An Integrated Proposal to Explain the Epidemic of Cardiovascular Disease in a Developing Country. Cardiology, 2001, 96, 1-6.	1.4	29
157	Subclinical Infection as a Cause of Inflammation in Preeclampsia. American Journal of Therapeutics, 2008, 15, 373-376.	0.9	29
158	Enfermedades cardiometabólicas en Iberoamérica: papel de la programación fetal en respuesta a la desnutrición materna. Revista Espanola De Cardiologia, 2009, 62, 670-676.	1.2	29
159	Plasma Nitrate Levels and Flow-Mediated Vasodilation in Untreated Major Depression. Psychosomatic Medicine, 2011, 73, 344-349.	2.0	29
160	Psychosocial factors and obesity in 17 high-, middle- and low-income countries: the Prospective Urban Rural Epidemiologic study. International Journal of Obesity, 2015, 39, 1217-1223.	3.4	29
161	Latin American Consensus on the management of hypertension in the patient with diabetes and the metabolic syndrome. Journal of Hypertension, 2019, 37, 1126-1147.	0.5	29
162	The environmental profile of a community's health: a cross-sectional study on tobacco marketing in 16 countries. Bulletin of the World Health Organization, 2015, 93, 851-861G.	3.3	29

#	Article	lF	CITATIONS
163	Inflammation but Not Endothelial Dysfunction Is Associated with the Severity of Coronary Artery Disease in Dyslipidemic Subjects. Mediators of Inflammation, 2009, 2009, 1-8.	3.0	28
164	The goal of blood pressure in the hypertensive patient with diabetes is defined: now the challenge is go from recommendations to practice. Diabetology and Metabolic Syndrome, 2014, 6, 31.	2.7	28
165	Assessing global risk factors for non-fatal injuries from road traffic accidents and falls in adults aged 35–70 years in 17 countries: a cross-sectional analysis of the Prospective Urban Rural Epidemiological (PURE) study. Injury Prevention, 2016, 22, 92-98.	2.4	28
166	Household, community, sub-national and country-level predictors of primary cooking fuel switching in nine countries from the PURE study. Environmental Research Letters, 2019, 14, 085006.	5.2	27
167	Hyperinsulinemia is a predictor of new cardiovascular events in Colombian patients with a first myocardial infarction. International Journal of Cardiology, 2011, 148, 85-90.	1.7	26
168	Sex differences in cardiac autonomic function of depressed young adults. Biological Psychology, 2012, 90, 179-185.	2.2	26
169	Association of Urinary Sodium Excretion With Blood Pressure and Cardiovascular Clinical Events in 17,033 Latin Americans. American Journal of Hypertension, 2016, 29, 796-805.	2.0	26
170	Mapping stages, barriers and facilitators to the implementation of HEARTS in the Americas initiative in 12 countries: A qualitative study. Journal of Clinical Hypertension, 2021, 23, 755-765.	2.0	26
171	The utility of different definitions of metabolic syndrome in Andean population. International Journal of Cardiology, 2007, 116, 421-422.	1.7	25
172	Mechanism of vascular dysfunction due to circulating factors in women with pre-eclampsia. Clinical Science, 2016, 130, 539-549.	4.3	25
173	Variations in knowledge, awareness and treatment of hypertension and stroke risk by country income level. Heart, 2021, 107, 282-289.	2.9	25
174	Novel Approaches in Primary Cardiovascular Disease Prevention: The HOPE-3 Trial Rationale, Design, and Participants' Baseline Characteristics. Canadian Journal of Cardiology, 2016, 32, 311-318.	1.7	24
175	Muscle strength is associated with lower diastolic blood pressure in schoolchildren. Preventive Medicine, 2017, 95, 1-6.	3.4	24
176	The International Polycap Study-3 (TIPS-3): Design, baseline characteristics and challenges in conduct. American Heart Journal, 2018, 206, 72-79.	2.7	24
177	Timing and Length of Nocturnal Sleep and Daytime Napping and Associations With Obesity Types in High-, Middle-, and Low-Income Countries. JAMA Network Open, 2021, 4, e2113775.	5.9	24
178	Environmental Profile of a Community's Health (EPOCH): An Ecometric Assessment of Measures of the Community Environment Based on Individual Perception. PLoS ONE, 2012, 7, e44410.	2.5	23
179	Double blind, randomized controlled trial, to evaluate the effectiveness of a controlled nitric oxide releasing patch versus meglumine antimoniate in the treatment of cutaneous leishmaniasis [NCT00317629]. Trials, 2006, 7, 14.	1.6	22
180	Nutritional status among women with preâ€eclampsia and healthy pregnant and nonâ€pregnant women in a Latin American country. Journal of Obstetrics and Gynaecology Research, 2012, 38, 498-504.	1.3	21

#	Article	IF	CITATIONS
181	Variations in the financial impact of the COVID-19 pandemic across 5 continents: A cross-sectional, individual level analysis. EClinicalMedicine, 2022, 44, 101284.	7.1	21
182	Maternal undernutrition and cardiometabolic disease: a latin american perspective. BMC Medicine, 2015, 13, 41.	5.5	19
183	Hypertension Guidelines: Is It Time to Reappraise Blood Pressure Thresholds and Targets?. Hypertension, 2016, 68, 257-262.	2.7	19
184	Sociodemographic factors related to handgrip strength in children and adolescents in a middle income country: The SALUS study. American Journal of Human Biology, 2017, 29, e22896.	1.6	19
185	Position statement of the Interamerican Society of Cardiology (IASC) on the current guidelines for the prevention, diagnosis and treatment of arterial hypertension 2017–2020. International Journal of Cardiology: Hypertension, 2020, 6, 100041.	2.2	19
186	The prediction of Metabolic Syndrome alterations is improved by combining waist circumference and handgrip strength measurements compared to either alone. Cardiovascular Diabetology, 2021, 20, 68.	6.8	19
187	Cardiometabolic Disease in Latin America: The Role of Fetal Programming in Response to Maternal Malnutrition. Revista Espanola De Cardiologia (English Ed), 2009, 62, 670-676.	0.6	18
188	Increased plasma levels of total homocysteine but not asymmetric dimethylarginine in Hispanic subjects with ischemic stroke FREC-VI sub-study. European Journal of Neurology, 2012, 19, 417-425.	3.3	18
189	Inflammation and Hypertension: Are There Regional Differences?. International Journal of Hypertension, 2013, 2013, 1-12.	1.3	18
190	Lowering cholesterol, blood pressure, or both to prevent cardiovascular events: results of 8.7 years of follow-up of Heart Outcomes Evaluation Prevention (HOPE)-3 study participants. European Heart Journal, 2021, 42, 2995-3007.	2.2	18
191	A Novel Method to Evaluate the Community Built Environment Using Photographs – Environmental Profile of a Community Health (EPOCH) Photo Neighbourhood Evaluation Tool. PLoS ONE, 2014, 9, e110042.	2.5	18
192	Clinical trial to assess the effect of physical exercise on endothelial function and insulin resistance in pregnant women. Trials, 2009, 10, 104.	1.6	17
193	Clinical Perspective on Antihypertensive Drug Treatment in Adults With Grade 1 Hypertension and Low-to-Moderate Cardiovascular Risk: An International Expert Consultation. Current Problems in Cardiology, 2017, 42, 198-225.	2.4	17
194	Similar cardiovascular outcomes in patients with diabetes and established or high risk for coronary vascular disease treated with dulaglutide with and without baseline metformin. European Heart Journal, 2021, 42, 2565-2573.	2.2	17
195	Erectile function in men with type 2 diabetes treated with dulaglutide: an exploratory analysis of the REWIND placebo-controlled randomised trial. Lancet Diabetes and Endocrinology,the, 2021, 9, 484-490.	11.4	17
196	The spectrum of the dyslipidemia in Colombia: The PURE study. International Journal of Cardiology, 2019, 284, 111-117.	1.7	16
197	Self-Reported Prevalence of Chronic Non-Communicable Diseases in Relation to Socioeconomic and Educational Factors in Colombia: A Community-Based Study in 11 Departments. Global Heart, 2020, 15, 35.	2.3	16
198	Variations in risks from smoking between high-income, middle-income, and low-income countries: an analysis of data from 179â€^000 participants from 63 countries. The Lancet Global Health, 2022, 10, e216-e226.	6.3	16

#	Article	lF	CITATIONS
199	Does greater individual social capital improve the management of hypertension? Cross-national analysis of 61 229 individuals in 21 countries. BMJ Global Health, 2017, 2, e000443.	4.7	15
200	Development, Testing, and Implementation of a Training Curriculum for Nonphysician Health Workers to Reduce Cardiovascular Disease. Global Heart, 2018, 13, 93.	2.3	15
201	Rivaroxaban for Prevention of Covert Brain Infarcts and Cognitive Decline. Stroke, 2020, 51, 2901-2909.	2.0	15
202	Angiogenic imbalance and plasma lipid alterations in women with preeclampsia from a developing country. Growth Factors, 2012, 30, 158-166.	1.7	14
203	Total cardiovascular or fatal events in people with type 2 diabetes and cardiovascular risk factors treated with dulaglutide in the REWIND trail: a post hoc analysis. Cardiovascular Diabetology, 2020, 19, 199.	6.8	14
204	Anger or emotional upset and heavy physical exertion as triggers of stroke: the INTERSTROKE study. European Heart Journal, 2022, 43, 202-209.	2.2	14
205	Calcium supplementation prevents pregnancy-induced hypertension by increasing the production of vascular nitric oxide. Medical Hypotheses, 1995, 45, 68-72.	1.5	13
206	The role of environment and epigenetics in hypertension. Expert Review of Cardiovascular Therapy, 2013, 11, 1455-1457.	1.5	13
207	Polypill: an affordable strategy for cardiovascular disease prevention in low–medium-income countries. Therapeutic Advances in Cardiovascular Disease, 2018, 12, 169-174.	2.1	13
208	May measurement month 2017: Latin America. Journal of Hypertension, 2020, 38, 1183-1188.	0.5	13
209	Is the present cut-point to define type 2 diabetes appropriate in Latin-Americans?. World Journal of Diabetes, 2014, 5, 747.	3.5	13
210	Higher Household Income and the Availability of Electronic Devices and Transport at Home Are Associated with Higher Waist Circumference in Colombian Children: The ACFIES Study. International Journal of Environmental Research and Public Health, 2014, 11, 1834-1843.	2.6	12
211	Mendelian Genes and Risk of Intracerebral Hemorrhage and Small-Vessel Ischemic Stroke in Sporadic Cases. Stroke, 2017, 48, 2263-2265.	2.0	12
212	Colombian Study to Assess the Use of Noninvasive Determination of the Endothelium-Mediated Vasodilation (CANDEV) II. Does Location of the Occlusion Device Affects the Accuracy of the Diagnosis?. Endothelium: Journal of Endothelial Cell Research, 2005, 12, 107-111.	1.7	11
213	Socioeconomic Pathology As a Cause of Regional Differences in the Prevalence of Metabolic Syndrome and Pregnancy-Induced Hypertension. Revista Espanola De Cardiologia (English Ed), 2007, 60, 168-178.	0.6	11
214	Best antihypertensive strategies to improve blood pressure control in Latin America. Journal of Hypertension, 2018, 36, 208-220.	0.5	11
215	Rationale and design of a cluster randomized trial of a multifaceted intervention in people with hypertension: The Heart Outcomes Prevention and Evaluation 4 (HOPE-4) Study. American Heart Journal, 2018, 203, 57-66.	2.7	11
216	Rationale, design, and baseline participant characteristics in the MRI and cognitive substudy of the cardiovascular outcomes for people using anticoagulation strategies trial. International Journal of Stroke, 2019, 14, 270-281.	5.9	11

#	Article	IF	CITATIONS
217	Rivaroxaban Plus Aspirin in Obese and Overweight Patients With Vascular Disease in the COMPASS Trial. Journal of the American College of Cardiology, 2021, 77, 511-525.	2.8	11
218	Association of bedtime with mortality and major cardiovascular events: an analysis of 112,198 individuals from 21 countries in the PURE study. Sleep Medicine, 2021, 80, 265-272.	1.6	11
219	The Global Ambulatory Blood Pressure Monitoring (ABPM) in Heart Failure with Preserved Ejection Fraction (HFpEF) Registry. Rationale, design and objectives. Journal of Human Hypertension, 2020, 35, 1029-1037.	2.2	10
220	Antihypertensives and Statin Therapy for Primary Stroke Prevention: A Secondary Analysis of the HOPE-3 Trial. Stroke, 2021, 52, 2494-2501.	2.0	10
221	Sodium Intake Recommendations: A Subject that Needs to be Reconsidered. Current Hypertension Reviews, 2015, 11, 8-13.	0.9	8
222	Fixed-dose combination therapy to improve hypertension treatment and control in Latin America. Archivos De Cardiologia De Mexico, 2018, 88, 129-135.	0.2	8
223	Identification and management of prediabetes: results of the Latin America Strategic Prediabetes Meeting. Revista Panamericana De Salud Publica/Pan American Journal of Public Health, 2017, 41, 1.	1.1	8
224	Cardiovascular prevention in high-risk patients with type 2 diabetes mellitus: when to start it?. European Heart Journal, 2008, 29, 2058-2058.	2.2	7
225	Survey of knowledge for diagnosing and managing prediabetes in Latin-America: cross-sectional study. Diabetology and Metabolic Syndrome, 2019, 11, 102.	2.7	7
226	Low levels of awareness, treatment, and control of hypertension in Andean communities of Ecuador. Journal of Clinical Hypertension, 2020, 22, 1530-1537.	2.0	7
227	Multinational prediction of household and personal exposure to fine particulate matter (PM2.5) in the PURE cohort study. Environment International, 2022, 159, 107021.	10.0	7
228	A randomized, double blind, cross-over, placebo-controlled clinical trial to assess the effects of Candesartan on the insulin sensitivity on non diabetic, non hypertense subjects with dysglyce mia and abdominal obesity. "ARAMIA". Trials, 2006, 7, 28.	1.6	6
229	The 20 × 20 Latin American Society of Hypertension target. Journal of Hypertension, 2015, 33, 189-190.	0.5	6
230	Reevaluating nutrition as a risk factor for cardio-metabolic diseases., 2018, 49, 175-181.		6
231	Challenges and Opportunities to Scale Up Cardiovascular Disease Secondary Prevention in Latin America and the Caribbean. Global Heart, 2018, 13, 83.	2.3	6
232	Urinary Sodium and Potassium, and Risk of Ischemic and Hemorrhagic Stroke (INTERSTROKE): A Case–Control Study. American Journal of Hypertension, 2021, 34, 414-425.	2.0	6
233	Epidemiology of Hypertension and Diabetes Mellitus in Latin America. Current Hypertension Reviews, 2021, 17, 112-120.	0.9	6
234	Long-Term Treatment with the Combination of Rivaroxaban and Aspirin in Patients with Chronic Coronary or Peripheral Artery Disease: Outcomes During the Open Label Extension of the COMPASS trial. European Heart Journal - Cardiovascular Pharmacotherapy, 2022, 8, 786-795.	3.0	6

#	Article	IF	CITATIONS
235	Diffusion weighted imaging and time in acute ischemic stroke, is there any relation?. Journal of Neuroradiology, 2017, 44, 353-360.	1.1	5
236	The association of basal insulin treatment versus standard care with outcomes in antiâ€GAD positive and negative subjects: A postâ€hoc analysis of the ORIGIN trial. Diabetes, Obesity and Metabolism, 2019, 21, 429-433.	4.4	5
237	Ethnic Differences in The Prevalence of Hypertension in Colombia: Association with Education Level. American Journal of Hypertension, 2022, , .	2.0	5
238	Personal and household PM2.5 and black carbon exposure measures and respiratory symptoms in 8 low- and middle-income countries. Environmental Research, 2022, 212, 113430.	7.5	5
239	Periodontal disease and hypertension: the pre-eclampsia model in Hispanic population. Journal of Hypertension, 2011, 29, 1020-1021.	0.5	4
240	May Measurement Month 2017: an analysis of blood pressure screening results in Colombia—Americas. European Heart Journal Supplements, 2019, 21, D40-D43.	0.1	4
241	Considerations and Guidance for the Structure, Organisation, and Operation of Cardiometabolic Prevention Units: A Consensus Statement of the Inter-American Society of Cardiology. Global Heart, 2021, 16, 27.	2.3	4
242	The SIMAC study: A randomized controlled trial to compare the effects of resistance training and aerobic training on the fitness and body composition of Colombian adolescents. PLoS ONE, 2021, 16, e0248110.	2.5	4
243	Latin American Consensus on management of residual cardiometabolic risk. A consensus paper prepared by the Latin American Academy for the Study of Lipids and Cardiometabolic Risk (ALALIP) endorsed by the Inter-American Society of Cardiology (IASC), the International Atherosclerosis Society (IAS), and the Pan-American College of Endothelium (PACE). Archivos De Cardiologia De	0.2	4
244	Prevalence of metabolic syndrome and diabetes mellitus type-2 and their association with intake of dairy and legume in Andean communities of Ecuador. PLoS ONE, 2021, 16, e0254812.	2.5	4
245	Facilitadores y barreras percibidos en la práctica de la actividad fÃsica en adolescentes escolarizados en Piedecuesta (Santander), en 2016: análisis cualitativo. Revista Facultad Nacional De Salud Publica, 2020, 38, 1-10.	0.2	4
246	Prediabetes in Colombia: Expert Consensus. Colombia Medica, 2017, 48, 191-203.	0.2	4
247	Dulaglutide and incident atrial fibrillation or flutter in patients with type 2 diabetes: A post hoc analysis from the <scp>REWIND</scp> randomized trial. Diabetes, Obesity and Metabolism, 2022, 24, 704-712.	4.4	4
248	Fetal programming and cardiometabolic diseases: the role of angiotensin II and inflammation. ClÃnica E Investigación En Arteriosclerosis, 2010, 22, 21-24.	0.8	3
249	Sodium intake and high blood pressure among adults on caloric deficit: a multi-year cross-sectional analysis of the U.S. population, 2007–2018. Journal of Human Hypertension, 2022, 36, 968-975.	2.2	3
250	Latin-American Ambulatory Blood Pressure Registry (MAPA-LATAM): An urgent need. Revista Clínica Espanõla, 2021, 221, 547-552.	0.5	3
251	Fitness Changes in Adolescent Girls Following In-School Combined Aerobic and Resistance Exercise: Interaction With Birthweight. Pediatric Exercise Science, 2022, 34, 76-83.	1.0	3
252	Prevention of toxemia of pregnancy in Ecuadorian Andean women: experience with dietary calcium supplementation. Bulletin of the Pan American Health Organization, 1991, 25, 109-17.	0.0	3

#	Article	IF	CITATIONS
253	C-reactive protein and cardiovascular diseases in Andean population. Circulation, 2002, 105, E10.	1.6	3
254	Variations in the association of height with mortality, cardiovascular disease and cancer in low-, middle- and high-income countries. International Journal of Epidemiology, 2022, 51, 1304-1316.	1.9	3
255	Análogos de incretina e inhibidores de la DPP-4: ¿qué papel desempeñan en la prevención primaria de las enfermedades cardiovasculares?. Revista Colombiana De Cardiologia, 2013, 20, 287-299.	0.1	2
256	Strategic, Successful, and Sustained Synergy: The Global Alliance for Chronic Diseases Hypertension Program. Global Heart, 2020, 14, 391.	2.3	2
257	La realidad del riesgo cardiovascular en Iberoamérica. Revista Espanola De Cardiologia, 2020, 73, 799-801.	1.2	2
258	May Measurement Month 2018: an analysis of blood pressure screening results from Colombia. European Heart Journal Supplements, 2020, 22, H43-H46.	0.1	2
259	Facing cardiovascular risk in Ibero-America. Revista Espanola De Cardiologia (English Ed), 2020, 73, 799-801.	0.6	2
260	May Measurement Month 2019: an analysis of blood pressure screening results from Colombia. European Heart Journal Supplements, 2021, 23, B46-B48.	0.1	2
261	Pharmacological Treatment of Hypertension: Effects in Endothelial Function. Current Hypertension Reviews, 2018, 14, 123-127.	0.9	2
262	Relationship among the leptin-to-adiponectin ratio, systemic inflammation, and anisocytosis: a plausible pathophysiological mechanism of a novel cardiovascular risk marker. Kardiologia Polska, 2020, 78, 381-382.	0.6	2
263	Measuring and predicting personal and household Black Carbon levels from 88 communities in eight countries. Science of the Total Environment, 2022, 818, 151849.	8.0	2
264	Vascular prostacyclin production in Andean women with pregnancy-induced hypertension. Brazilian Journal of Medical and Biological Research, 1991, 24, 59-62.	1.5	2
265	The cost implications of a polypill for primary prevention in the TIPS-3 trial. European Heart Journal Quality of Care & Dutcomes, 2022, 8, 899-908.	4.0	2
266	Novel Indices of Cognitive Impairment and Incident Cardiovascular Outcomes in the REWIND Trial. Journal of Clinical Endocrinology and Metabolism, 2022, 107, e3448-e3454.	3.6	2
267	[PP.11.30] ETHNIC DIFFERENCES IN AWARENESS, TREATMENT AND CONTROL OF HYPERTENSION IN COLOMBIA. Journal of Hypertension, 2017, 35, e187.	0.5	1
268	Patrones de prescripci \tilde{A}^3 n de medicamentos para la diabetes mellitus tipo 2 en cinco departamentos de Colombia, en 2014. Revista Facultad Nacional De Salud Publica, 2018, 36, 58-65.	0.2	1
269	The simultaneous assessment of glycosylated hemoglobin, fasting plasma glucose and oral glucose tolerance test does not improve the detection of type 2 diabetes mellitus in Colombian adults. PLoS ONE, 2018, 13, e0194446.	2.5	1
270	Effects of Lipid‣owering and Antihypertensive Treatments in Addition to Healthy Lifestyles in Primary Prevention: An Analysis of the HOPEâ€3 Trial. Journal of the American Heart Association, 2018, 7, .	3.7	1

#	Article	IF	CITATIONS
271	La importancia de las evaluaciones econ \tilde{A}^3 micas de los medicamentos: el caso del metoprolol. Revista Colombiana De Cardiologia, 2012, 19, 169-171.	0.1	0
272	Monitoreo ambulatorio de la presión arterial versus medición en el consultorio ¿qué es mejor: lo ideal o lo posible, bien hecho?. Revista Colombiana De Cardiologia, 2013, 20, 198-200.	0.1	0
273	Prediabetes and Diabetes Prevention Initiatives in Latin America (LA)., 2014,, 449-477.		0
274	Evaluación del perfil cardiometabólico en profesionales de salud de Latinoamérica. ClÃnica E Investigación En Arteriosclerosis, 2021, 33, 175-183.	0.8	0
275	Evaluation of cardiometabolic profile in Health Professionals of Latin America. ClÃnica E Investigación En Arteriosclerosis (English Edition), 2021, 33, 175-183.	0.2	O
276	Role of the Autonomic Nervous System in the Endothelial Dysfunction of the Metabolic Syndrome. Current Hypertension Reviews, 2011, 7, 73-79.	0.9	0
277	Manejo interprofesoral de las enfermedades cardiovasculares. Revista CuidArte, 2019, 10, .	0.2	O
278	Editorial: Maternal-Perinatal Risk and Children-Adolescent Health. Frontiers in Public Health, 2021, 9, 744448.	2.7	0