

Patricio Lopez-Jaramillo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6760940/publications.pdf>

Version: 2024-02-01

278
papers

33,926
citations

7551

77
h-index

4101

175
g-index

296
all docs

296
docs citations

296
times ranked

38442
citing authors

#	ARTICLE	IF	CITATIONS
1	Sodium intake and high blood pressure among adults on caloric deficit: a multi-year cross-sectional analysis of the U.S. population, 2007–2018. <i>Journal of Human Hypertension</i> , 2022, 36, 968-975.	1.0	3
2	Anger or emotional upset and heavy physical exertion as triggers of stroke: the INTERSTROKE study. <i>European Heart Journal</i> , 2022, 43, 202-209.	1.0	14
3	Measuring and predicting personal and household Black Carbon levels from 88 communities in eight countries. <i>Science of the Total Environment</i> , 2022, 818, 151849.	3.9	2
4	Hypertension Pharmacological Treatment in Adults: A World Health Organization Guideline Executive Summary. <i>Hypertension</i> , 2022, 79, 293-301.	1.3	131
5	Fitness Changes in Adolescent Girls Following In-School Combined Aerobic and Resistance Exercise: Interaction With Birthweight. <i>Pediatric Exercise Science</i> , 2022, 34, 76-83.	0.5	3
6	Multinational prediction of household and personal exposure to fine particulate matter (PM2.5) in the PURE cohort study. <i>Environment International</i> , 2022, 159, 107021.	4.8	7
7	Dulaglutide and incident atrial fibrillation or flutter in patients with type 2 diabetes: A post hoc analysis from the <sc>REWIND</sc> randomized trial. <i>Diabetes, Obesity and Metabolism</i> , 2022, 24, 704-712.	2.2	4
8	Variations in risks from smoking between high-income, middle-income, and low-income countries: an analysis of data from 179,000 participants from 63 countries. <i>The Lancet Global Health</i> , 2022, 10, e216-e226.	2.9	16
9	Variations in the financial impact of the COVID-19 pandemic across 5 continents: A cross-sectional, individual level analysis. <i>EClinicalMedicine</i> , 2022, 44, 101284.	3.2	21
10	Risk factors, cardiovascular disease, and mortality in South America: a PURE substudy. <i>European Heart Journal</i> , 2022, 43, 2841-2851.	1.0	30
11	Global, regional, and national consumption of animal-source foods between 1990 and 2018: findings from the Global Dietary Database. <i>Lancet Planetary Health</i> , The, 2022, 6, e243-e256.	5.1	59
12	Long-Term Treatment with the Combination of Rivaroxaban and Aspirin in Patients with Chronic Coronary or Peripheral Artery Disease: Outcomes During the Open Label Extension of the COMPASS trial. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2022, 8, 786-795.	1.4	6
13	The cost implications of a polypill for primary prevention in the TIPS-3 trial. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2022, 8, 899-908.	1.8	2
14	Variations in the association of height with mortality, cardiovascular disease and cancer in low-, middle- and high-income countries. <i>International Journal of Epidemiology</i> , 2022, 51, 1304-1316.	0.9	3
15	Novel Indices of Cognitive Impairment and Incident Cardiovascular Outcomes in the REWIND Trial. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, e3448-e3454.	1.8	2
16	Ethnic Differences in The Prevalence of Hypertension in Colombia: Association with Education Level. <i>American Journal of Hypertension</i> , 2022, , .	1.0	5
17	Personal and household PM2.5 and black carbon exposure measures and respiratory symptoms in 8 low- and middle-income countries. <i>Environmental Research</i> , 2022, 212, 113430.	3.7	5
18	Association of Sitting Time With Mortality and Cardiovascular Events in High-Income, Middle-Income, and Low-Income Countries. <i>JAMA Cardiology</i> , 2022, 7, 796.	3.0	30

#	ARTICLE	IF	CITATIONS
19	Similar cardiovascular outcomes in patients with diabetes and established or high risk for coronary vascular disease treated with dulaglutide with and without baseline metformin. <i>European Heart Journal</i> , 2021, 42, 2565-2573.	1.0	17
20	Global variations in the prevalence, treatment, and impact of atrial fibrillation in a multi-national cohort of 153,152 middle-aged individuals. <i>Cardiovascular Research</i> , 2021, 117, 1523-1531.	1.8	33
21	Rivaroxaban Plus Aspirin in Obese and Overweight Patients With Vascular Disease in the COMPASS Trial. <i>Journal of the American College of Cardiology</i> , 2021, 77, 511-525.	1.2	11
22	Polypill with or without Aspirin in Persons without Cardiovascular Disease. <i>New England Journal of Medicine</i> , 2021, 384, 216-228.	13.9	163
23	Urinary Sodium and Potassium, and Risk of Ischemic and Hemorrhagic Stroke (INTERSTROKE): A Case-Control Study. <i>American Journal of Hypertension</i> , 2021, 34, 414-425.	1.0	6
24	Variations in knowledge, awareness and treatment of hypertension and stroke risk by country income level. <i>Heart</i> , 2021, 107, 282-289.	1.2	25
25	Associations of cereal grains intake with cardiovascular disease and mortality across 21 countries in Prospective Urban and Rural Epidemiology study: prospective cohort study. <i>BMJ</i> , The, 2021, 372, m4948.	3.0	53
26	Impact of social isolation on mortality and morbidity in 20 high-income, middle-income and low-income countries in five continents. <i>BMJ Global Health</i> , 2021, 6, e004124.	2.0	48
27	Associations of unprocessed and processed meat intake with mortality and cardiovascular disease in 21 countries [Prospective Urban Rural Epidemiology (PURE) Study]: a prospective cohort study. <i>American Journal of Clinical Nutrition</i> , 2021, 114, 1049-1058.	2.2	46
28	The prediction of Metabolic Syndrome alterations is improved by combining waist circumference and handgrip strength measurements compared to either alone. <i>Cardiovascular Diabetology</i> , 2021, 20, 68.	2.7	19
29	Mapping stages, barriers and facilitators to the implementation of HEARTS in the Americas initiative in 12 countries: A qualitative study. <i>Journal of Clinical Hypertension</i> , 2021, 23, 755-765.	1.0	26
30	Considerations and Guidance for the Structure, Organisation, and Operation of Cardiometabolic Prevention Units: A Consensus Statement of the Inter-American Society of Cardiology. <i>Global Heart</i> , 2021, 16, 27.	0.9	4
31	Glycemic Index, Glycemic Load, and Cardiovascular Disease and Mortality. <i>New England Journal of Medicine</i> , 2021, 384, 1312-1322.	13.9	124
32	The SIMAC study: A randomized controlled trial to compare the effects of resistance training and aerobic training on the fitness and body composition of Colombian adolescents. <i>PLoS ONE</i> , 2021, 16, e0248110.	1.1	4
33	Association of bedtime with mortality and major cardiovascular events: an analysis of 112,198 individuals from 21 countries in the PURE study. <i>Sleep Medicine</i> , 2021, 80, 265-272.	0.8	11
34	May Measurement Month 2019: an analysis of blood pressure screening results from Colombia. <i>European Heart Journal Supplements</i> , 2021, 23, B46-B48.	0.0	2
35	Associations of Fish Consumption With Risk of Cardiovascular Disease and Mortality Among Individuals With or Without Vascular Disease From 58 Countries. <i>JAMA Internal Medicine</i> , 2021, 181, 631.	2.6	68
36	Lowering cholesterol, blood pressure, or both to prevent cardiovascular events: results of 8.7 years of follow-up of Heart Outcomes Evaluation Prevention (HOPE)-3 study participants. <i>European Heart Journal</i> , 2021, 42, 2995-3007.	1.0	18

#	ARTICLE	IF	CITATIONS
37	Health-Related Quality of Life and Mortality in Heart Failure: The Global Congestive Heart Failure Study of 23 000 Patients From 40 Countries. <i>Circulation</i> , 2021, 143, 2129-2142.	1.6	101
38	Timing and Length of Nocturnal Sleep and Daytime Napping and Associations With Obesity Types in High-, Middle-, and Low-Income Countries. <i>JAMA Network Open</i> , 2021, 4, e2113775.	2.8	24
39	Association of ultra-processed food intake with risk of inflammatory bowel disease: prospective cohort study. <i>BMJ, The</i> , 2021, 374, n1554.	3.0	136
40	Evaluación del perfil cardiometabólico en profesionales de salud de Latinoamérica. <i>Clínica E Investigación En Arteriosclerosis</i> , 2021, 33, 175-183.	0.4	0
41	Latin American Consensus on management of residual cardiometabolic risk. A consensus paper prepared by the Latin American Academy for the Study of Lipids and Cardiometabolic Risk (ALALIP) endorsed by the Inter-American Society of Cardiology (IASC), the International Atherosclerosis Society (IAS), and the Pan-American College of Endothelium (PACE). <i>Archivos De Cardiología De Mexico</i> , 2021, 92, .	0.1	4
42	Evaluation of cardiometabolic profile in Health Professionals of Latin America. <i>Clínica E Investigación En Arteriosclerosis (English Edition)</i> , 2021, 33, 175-183.	0.1	0
43	Prevalence of metabolic syndrome and diabetes mellitus type-2 and their association with intake of dairy and legume in Andean communities of Ecuador. <i>PLoS ONE</i> , 2021, 16, e0254812.	1.1	4
44	Erectile function in men with type 2 diabetes treated with dulaglutide: an exploratory analysis of the REWIND placebo-controlled randomised trial. <i>Lancet Diabetes and Endocrinology,the</i> , 2021, 9, 484-490.	5.5	17
45	Antihypertensives and Statin Therapy for Primary Stroke Prevention: A Secondary Analysis of the HOPE-3 Trial. <i>Stroke</i> , 2021, 52, 2494-2501.	1.0	10
46	Skeletonized vs Pedicled Internal Mammary Artery Graft Harvesting in Coronary Artery Bypass Surgery. <i>JAMA Cardiology</i> , 2021, 6, 1042.	3.0	35
47	Fixed-dose combination therapies with and without aspirin for primary prevention of cardiovascular disease: an individual participant data meta-analysis. <i>Lancet, The</i> , 2021, 398, 1133-1146.	6.3	87
48	Latin-American Ambulatory Blood Pressure Registry (MAPA-LATAM): An urgent need. <i>Revista Clínica Española</i> , 2021, 221, 547-552.	0.3	3
49	Epidemiology of Hypertension and Diabetes Mellitus in Latin America. <i>Current Hypertension Reviews</i> , 2021, 17, 112-120.	0.5	6
50	Editorial: Maternal-Perinatal Risk and Children-Adolescent Health. <i>Frontiers in Public Health</i> , 2021, 9, 744448.	1.3	0
51	Psychosocial Risk Factors and Cardiovascular Disease and Death in a Population-Based Cohort From 21 Low-, Middle-, and High-Income Countries. <i>JAMA Network Open</i> , 2021, 4, e2138920.	2.8	37
52	Variations in common diseases, hospital admissions, and deaths in middle-aged adults in 21 countries from five continents (PURE): a prospective cohort study. <i>Lancet, The</i> , 2020, 395, 785-794.	6.3	428
53	Modifiable risk factors, cardiovascular disease, and mortality in 155 722 individuals from 21 high-income, middle-income, and low-income countries (PURE): a prospective cohort study. <i>Lancet, The</i> , 2020, 395, 795-808.	6.3	935
54	Strategic, Successful, and Sustained Synergy: The Global Alliance for Chronic Diseases Hypertension Program. <i>Global Heart</i> , 2020, 14, 391.	0.9	2

#	ARTICLE	IF	CITATIONS
55	Lancet Commission on Hypertension group position statement on the global improvement of accuracy standards for devices that measure blood pressure. <i>Journal of Hypertension</i> , 2020, 38, 21-29.	0.3	93
56	The effect of dulaglutide on stroke: an exploratory analysis of the REWIND trial. <i>Lancet Diabetes and Endocrinology</i> , 2020, 8, 106-114.	5.5	77
57	Contrasting Associations Between Diabetes and Cardiovascular Mortality Rates in Low-, Middle-, and High-Income Countries: Cohort Study Data From 143,567 Individuals in 21 Countries in the PURE Study. <i>Diabetes Care</i> , 2020, 43, 3094-3101.	4.3	32
58	Low levels of awareness, treatment, and control of hypertension in Andean communities of Ecuador. <i>Journal of Clinical Hypertension</i> , 2020, 22, 1530-1537.	1.0	7
59	La realidad del riesgo cardiovascular en Iberoamérica. <i>Revista Espanola De Cardiologia</i> , 2020, 73, 799-801.	0.6	2
60	Standardized treatment to improve hypertension control in primary health care: The HEARTS in the Americas Initiative. <i>Journal of Clinical Hypertension</i> , 2020, 22, 2285-2295.	1.0	39
61	Salt and cardiovascular disease: insufficient evidence to recommend low sodium intake. <i>European Heart Journal</i> , 2020, 41, 3363-3373.	1.0	103
62	Position statement of the Interamerican Society of Cardiology (IASC) on the current guidelines for the prevention, diagnosis and treatment of arterial hypertension 2017-2020. <i>International Journal of Cardiology: Hypertension</i> , 2020, 6, 100041.	2.2	19
63	The Global Ambulatory Blood Pressure Monitoring (ABPM) in Heart Failure with Preserved Ejection Fraction (HFpEF) Registry. Rationale, design and objectives. <i>Journal of Human Hypertension</i> , 2020, 35, 1029-1037.	1.0	10
64	Total cardiovascular or fatal events in people with type 2 diabetes and cardiovascular risk factors treated with dulaglutide in the REWIND trial: a post hoc analysis. <i>Cardiovascular Diabetology</i> , 2020, 19, 199.	2.7	14
65	Household and personal air pollution exposure measurements from 120 communities in eight countries: results from the PURE-AIR study. <i>Lancet Planetary Health</i> , 2020, 4, e451-e462.	5.1	88
66	Availability and affordability of medicines and cardiovascular outcomes in 21 high-income, middle-income and low-income countries. <i>BMJ Global Health</i> , 2020, 5, e002640.	2.0	41
67	Associations of outdoor fine particulate air pollution and cardiovascular disease in 157,436 individuals from 21 high-income, middle-income, and low-income countries (PURE): a prospective cohort study. <i>Lancet Planetary Health</i> , 2020, 4, e235-e245.	5.1	106
68	White Rice Intake and Incident Diabetes: A Study of 132,373 Participants in 21 Countries. <i>Diabetes Care</i> , 2020, 43, 2643-2650.	4.3	55
69	Rivaroxaban for Prevention of Covert Brain Infarcts and Cognitive Decline. <i>Stroke</i> , 2020, 51, 2901-2909.	1.0	15
70	May Measurement Month 2018: an analysis of blood pressure screening results from Colombia. <i>European Heart Journal Supplements</i> , 2020, 22, H43-H46.	0.0	2
71	Association of dairy consumption with metabolic syndrome, hypertension and diabetes in 147,812 individuals from 21 countries. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e000826.	1.2	57
72	Association of nut intake with risk factors, cardiovascular disease, and mortality in 16 countries from 5 continents: analysis from the Prospective Urban and Rural Epidemiology (PURE) study. <i>American Journal of Clinical Nutrition</i> , 2020, 112, 208-219.	2.2	33

#	ARTICLE	IF	CITATIONS
73	May measurement month 2017: Latin America. <i>Journal of Hypertension</i> , 2020, 38, 1183-1188.	0.3	13
74	Effect of dulaglutide on cognitive impairment in type 2 diabetes: an exploratory analysis of the REWIND trial. <i>Lancet Neurology</i> , The, 2020, 19, 582-590.	4.9	123
75	Facing cardiovascular risk in Ibero-America. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2020, 73, 799-801.	0.4	2
76	Association of Symptoms of Depression With Cardiovascular Disease and Mortality in Low-, Middle-, and High-Income Countries. <i>JAMA Psychiatry</i> , 2020, 77, 1052.	6.0	116
77	Role of Combination Antiplatelet and Anticoagulation Therapy in Diabetes Mellitus and Cardiovascular Disease. <i>Circulation</i> , 2020, 141, 1841-1854.	1.6	96
78	Long-term exposure to outdoor and household air pollution and blood pressure in the Prospective Urban and Rural Epidemiological (PURE) study. <i>Environmental Pollution</i> , 2020, 262, 114197.	3.7	47
79	Association of egg intake with blood lipids, cardiovascular disease, and mortality in 177,000 people in 50 countries. <i>American Journal of Clinical Nutrition</i> , 2020, 111, 795-803.	2.2	71
80	The household economic burden of non-communicable diseases in 18 countries. <i>BMJ Global Health</i> , 2020, 5, e002040.	2.0	90
81	Facilitadores y barreras percibidos en la prÁctica de la actividad fÁsica en adolescentes escolarizados en Piedecuesta (Santander), en 2016: anÁlisis cualitativo. <i>Revista Facultad Nacional De Salud Publica</i> , 2020, 38, 1-10.	0.1	4
82	Self-Reported Prevalence of Chronic Non-Communicable Diseases in Relation to Socioeconomic and Educational Factors in Colombia: A Community-Based Study in 11 Departments. <i>Global Heart</i> , 2020, 15, 35.	0.9	16
83	Relationship among the leptin-to-adiponectin ratio, systemic inflammation, and anisocytosis: a plausible pathophysiological mechanism of a novel cardiovascular risk marker. <i>Kardiologia Polska</i> , 2020, 78, 381-382.	0.3	2
84	Fixed-dose combination pharmacologic therapy to improve hypertension control worldwide: Clinical perspective and policy implications. <i>Journal of Clinical Hypertension</i> , 2019, 21, 4-15.	1.0	51
85	Rationale, design, and baseline participant characteristics in the MRI and cognitive substudy of the cardiovascular outcomes for people using anticoagulation strategies trial. <i>International Journal of Stroke</i> , 2019, 14, 270-281.	2.9	11
86	Fixed-dose combination antihypertensive medications. <i>Lancet</i> , The, 2019, 394, 637-638.	6.3	44
87	Safety of Proton Pump Inhibitors Based on a Large, Multi-Year, Randomized Trial of Patients Receiving Rivaroxaban or Aspirin. <i>Gastroenterology</i> , 2019, 157, 682-691.e2.	0.6	299
88	Effects of alirocumab on cardiovascular and metabolic outcomes after acute coronary syndrome in patients with or without diabetes: a prespecified analysis of the ODYSSEY OUTCOMES randomised controlled trial. <i>Lancet Diabetes and Endocrinology</i> , the, 2019, 7, 618-628.	5.5	207
89	Pantoprazole to Prevent Gastroduodenal Events in Patients Receiving Rivaroxaban and/or Aspirin in a Randomized, Double-Blind, Placebo-Controlled Trial. <i>Gastroenterology</i> , 2019, 157, 403-412.e5.	0.6	108
90	Household, community, sub-national and country-level predictors of primary cooking fuel switching in nine countries from the PURE study. <i>Environmental Research Letters</i> , 2019, 14, 085006.	2.2	27

#	ARTICLE	IF	CITATIONS
91	A community-based comprehensive intervention to reduce cardiovascular risk in hypertension (HOPE) Tj ETQq1 1 0,784314 rgBT /Overle 6.3	6.3	1,637
92	Risk Categorization Using New American College of Cardiology/American Heart Association Guidelines for Cholesterol Management and Its Relation to Alirocumab Treatment Following Acute Coronary Syndromes. <i>Circulation</i> , 2019, 140, 1578-1589.	1.6	34
93	Dulaglutide and cardiovascular outcomes in type 2 diabetes (REWIND): a double-blind, randomised placebo-controlled trial. <i>Lancet, The</i> , 2019, 394, 121-130.	6.3	1,625
94	Dulaglutide and renal outcomes in type 2 diabetes: an exploratory analysis of the REWIND randomised, placebo-controlled trial. <i>Lancet, The</i> , 2019, 394, 131-138.	6.3	394
95	Health Effects of Household Solid Fuel Use: Findings from 11 Countries within the Prospective Urban and Rural Epidemiology Study. <i>Environmental Health Perspectives</i> , 2019, 127, 57003.	2.8	117
96	May Measurement Month 2017: an analysis of blood pressure screening results in Colombiaâ€”Americas. <i>European Heart Journal Supplements</i> , 2019, 21, D40-D43.	0.0	4
97	May Measurement Month 2018: a pragmatic global screening campaign to raise awareness of blood pressure by the International Society of Hypertension. <i>European Heart Journal</i> , 2019, 40, 2006-2017.	1.0	193
98	Mortality and cardiovascular and respiratory morbidity in individuals with impaired FEV1 (PURE): an international, community-based cohort study. <i>The Lancet Global Health</i> , 2019, 7, e613-e623.	2.9	122
99	Socioeconomic status and risk of cardiovascular disease in 20 low-income, middle-income, and high-income countries: the Prospective Urban Rural Epidemiologic (PURE) study. <i>The Lancet Global Health</i> , 2019, 7, e748-e760.	2.9	340
100	Joint association of urinary sodium and potassium excretion with cardiovascular events and mortality: prospective cohort study. <i>BMJ: British Medical Journal</i> , 2019, 364, l772.	2.4	85
101	Prevalence, awareness, treatment and control of hypertension in rural and urban communities in Latin American countries. <i>Journal of Hypertension</i> , 2019, 37, 1813-1821.	0.3	56
102	Survey of knowledge for diagnosing and managing prediabetes in Latin-America: cross-sectional study. <i>Diabetology and Metabolic Syndrome</i> , 2019, 11, 102.	1.2	7
103	Latin American Consensus on the management of hypertension in the patient with diabetes and the metabolic syndrome. <i>Journal of Hypertension</i> , 2019, 37, 1126-1147.	0.3	29
104	The association of basal insulin treatment versus standard care with outcomes in antiâ€”GAD positive and negative subjects: A postâ€”hoc analysis of the ORIGIN trial. <i>Diabetes, Obesity and Metabolism</i> , 2019, 21, 429-433.	2.2	5
105	The spectrum of the dyslipidemia in Colombia: The PURE study. <i>International Journal of Cardiology</i> , 2019, 284, 111-117.	0.8	16
106	Association of estimated sleep duration and naps with mortality and cardiovascular events: a study of 116â€”632 people from 21 countries. <i>European Heart Journal</i> , 2019, 40, 1620-1629.	1.0	208
107	Manejo interprofesoral de las enfermedades cardiovasculares. <i>Revista CuidArte</i> , 2019, 10, .	0.1	0
108	Inequalities in the use of secondary prevention of cardiovascular disease by socioeconomic status: evidence from the PURE observational study. <i>The Lancet Global Health</i> , 2018, 6, e292-e301.	2.9	73

#	ARTICLE	IF	CITATIONS
109	Polypill: an affordable strategy for cardiovascular disease prevention in low- and medium-income countries. <i>Therapeutic Advances in Cardiovascular Disease</i> , 2018, 12, 169-174.	1.0	13
110	Prognostic validation of a non-laboratory and a laboratory based cardiovascular disease risk score in multiple regions of the world. <i>Heart</i> , 2018, 104, 581-587.	1.2	49
111	Best antihypertensive strategies to improve blood pressure control in Latin America. <i>Journal of Hypertension</i> , 2018, 36, 208-220.	0.3	11
112	Rivaroxaban with or without aspirin in patients with stable peripheral or carotid artery disease: an international, randomised, double-blind, placebo-controlled trial. <i>Lancet, The</i> , 2018, 391, 219-229.	6.3	651
113	Patrones de prescripción de medicamentos para la diabetes mellitus tipo 2 en cinco departamentos de Colombia, en 2014. <i>Revista Facultad Nacional De Salud Publica</i> , 2018, 36, 58-65.	0.1	1
114	Obesity and Preeclampsia: Common Pathophysiological Mechanisms. <i>Frontiers in Physiology</i> , 2018, 9, 1838.	1.3	97
115	Effect of A Very Low-Calorie Ketogenic Diet on Food and Alcohol Cravings, Physical and Sexual Activity, Sleep Disturbances, and Quality of Life in Obese Patients. <i>Nutrients</i> , 2018, 10, 1348.	1.7	94
116	Association of dairy intake with cardiovascular disease and mortality in 21 countries from five continents (PURE): a prospective cohort study. <i>Lancet, The</i> , 2018, 392, 2288-2297.	6.3	295
117	Practice patterns and outcomes after stroke across countries at different economic levels (INTERSTROKE): an international observational study. <i>Lancet, The</i> , 2018, 391, 2019-2027.	6.3	96
118	May Measurement Month 2017: an analysis of blood pressure screening results worldwide. <i>The Lancet Global Health</i> , 2018, 6, e736-e743.	2.9	245
119	Rationale and design of a cluster randomized trial of a multifaceted intervention in people with hypertension: The Heart Outcomes Prevention and Evaluation 4 (HOPE-4) Study. <i>American Heart Journal</i> , 2018, 203, 57-66.	1.2	11
120	The simultaneous assessment of glycosylated hemoglobin, fasting plasma glucose and oral glucose tolerance test does not improve the detection of type 2 diabetes mellitus in Colombian adults. <i>PLoS ONE</i> , 2018, 13, e0194446.	1.1	1
121	Effects of Lipid-Lowering and Antihypertensive Treatments in Addition to Healthy Lifestyles in Primary Prevention: An Analysis of the HOPE-3 Trial. <i>Journal of the American Heart Association</i> , 2018, 7, .	1.6	1
122	Reevaluating nutrition as a risk factor for cardio-metabolic diseases. , 2018, 49, 175-181.		6
123	Availability and affordability of essential medicines for diabetes across high-income, middle-income, and low-income countries: a prospective epidemiological study. <i>Lancet Diabetes and Endocrinology</i> , 2018, 6, 798-808.	5.5	116
124	The International Polycap Study-3 (TIPS-3): Design, baseline characteristics and challenges in conduct. <i>American Heart Journal</i> , 2018, 206, 72-79.	1.2	24
125	Urinary sodium excretion, blood pressure, cardiovascular disease, and mortality: a community-level prospective epidemiological cohort study. <i>Lancet, The</i> , 2018, 392, 496-506.	6.3	243
126	Challenges and Opportunities to Scale Up Cardiovascular Disease Secondary Prevention in Latin America and the Caribbean. <i>Global Heart</i> , 2018, 13, 83.	0.9	6

#	ARTICLE	IF	CITATIONS
127	Development, Testing, and Implementation of a Training Curriculum for Nonphysician Health Workers to Reduce Cardiovascular Disease. <i>Global Heart</i> , 2018, 13, 93.	0.9	15
128	Fixed-dose combination therapy to improve hypertension treatment and control in Latin America. <i>Archivos De Cardiologia De Mexico</i> , 2018, 88, 129-135.	0.1	8
129	Design and baseline characteristics of participants in the Researching cardiovascular Events with a Weekly Insulin in Diabetes (<sc>REWIND</sc>) trial on the cardiovascular effects of dulaglutide. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 42-49.	2.2	160
130	Pharmacological Treatment of Hypertension: Effects in Endothelial Function. <i>Current Hypertension Reviews</i> , 2018, 14, 123-127.	0.5	2
131	Clinical Perspective on Antihypertensive Drug Treatment in Adults With Grade 1 Hypertension and Low-to-Moderate Cardiovascular Risk: An International Expert Consultation. <i>Current Problems in Cardiology</i> , 2017, 42, 198-225.	1.1	17
132	Tobacco control environment: cross-sectional survey of policy implementation, social unacceptability, knowledge of tobacco health harms and relationship to quit ratio in 17 low-income, middle-income and high-income countries. <i>BMJ Open</i> , 2017, 7, e013817.	0.8	44
133	Global mortality variations in patients with heart failure: results from the International Congestive Heart Failure (INTER-CHF) prospective cohort study. <i>The Lancet Global Health</i> , 2017, 5, e665-e672.	2.9	247
134	Diffusion weighted imaging and time in acute ischemic stroke, is there any relation?. <i>Journal of Neuroradiology</i> , 2017, 44, 353-360.	0.6	5
135	Rationale, Design and Baseline Characteristics of Participants in the Cardiovascular Outcomes for People Using Anticoagulation Strategies (COMPASS) Trial. <i>Canadian Journal of Cardiology</i> , 2017, 33, 1027-1035.	0.8	133
136	Atherogenic Dyslipidemia in Latin America: Prevalence, causes and treatment. <i>International Journal of Cardiology</i> , 2017, 243, 516-522.	0.8	37
137	The effect of physical activity on mortality and cardiovascular disease in 130,000 people from 17 high-income, middle-income, and low-income countries: the PURE study. <i>Lancet</i> , 2017, 390, 2643-2654.	6.3	838
138	Rivaroxaban with or without Aspirin in Stable Cardiovascular Disease. <i>New England Journal of Medicine</i> , 2017, 377, 1319-1330.	13.9	1,745
139	Associations of fats and carbohydrate intake with cardiovascular disease and mortality in 18 countries from five continents (PURE): a prospective cohort study. <i>Lancet</i> , 2017, 390, 2050-2062.	6.3	841
140	Fruit, vegetable, and legume intake, and cardiovascular disease and deaths in 18 countries (PURE): a prospective cohort study. <i>Lancet</i> , 2017, 390, 2037-2049.	6.3	446
141	Association of dietary nutrients with blood lipids and blood pressure in 18 countries: a cross-sectional analysis from the PURE study. <i>Lancet Diabetes and Endocrinology</i> , 2017, 5, 774-787.	5.5	198
142	Acid-base safety during the course of a very low-calorie-ketogenic diet. <i>Endocrine</i> , 2017, 58, 81-90.	1.1	30
143	Availability and affordability of blood pressure-lowering medicines and the effect on blood pressure control in high-income, middle-income, and low-income countries: an analysis of the PURE study data. <i>Lancet Public Health</i> , 2017, 2, e411-e419.	4.7	134
144	[PP.11.30] ETHNIC DIFFERENCES IN AWARENESS, TREATMENT AND CONTROL OF HYPERTENSION IN COLOMBIA. <i>Journal of Hypertension</i> , 2017, 35, e187.	0.3	1

#	ARTICLE	IF	CITATIONS
145	Mendelian Genes and Risk of Intracerebral Hemorrhage and Small-Vessel Ischemic Stroke in Sporadic Cases. <i>Stroke</i> , 2017, 48, 2263-2265.	1.0	12
146	Muscle strength is associated with lower diastolic blood pressure in schoolchildren. <i>Preventive Medicine</i> , 2017, 95, 1-6.	1.6	24
147	Sociodemographic factors related to handgrip strength in children and adolescents in a middle income country: The SALUS study. <i>American Journal of Human Biology</i> , 2017, 29, e22896.	0.8	19
148	Innovative Approaches to Hypertension Control in Low- and Middle-Income Countries. <i>Cardiology Clinics</i> , 2017, 35, 99-115.	0.9	56
149	Does greater individual social capital improve the management of hypertension? Cross-national analysis of 61 229 individuals in 21 countries. <i>BMJ Global Health</i> , 2017, 2, e000443.	2.0	15
150	Secondary CV Prevention in South America in a Community Setting: The PURE Study. <i>Global Heart</i> , 2017, 12, 305.	0.9	35
151	Prediabetes in Colombia: Expert Consensus. <i>Colombia Medica</i> , 2017, 48, 191-203.	0.7	4
152	Identification and management of prediabetes: results of the Latin America Strategic Prediabetes Meeting. <i>Revista Panamericana De Salud Publica/Pan American Journal of Public Health</i> , 2017, 41, 1.	0.6	8
153	Social disparities explain differences in hypertension prevalence, detection and control in Colombia. <i>Journal of Hypertension</i> , 2016, 34, 2344-2352.	0.3	41
154	Blood-Pressure Lowering in Intermediate-Risk Persons without Cardiovascular Disease. <i>New England Journal of Medicine</i> , 2016, 374, 2009-2020.	13.9	526
155	Cholesterol Lowering in Intermediate-Risk Persons without Cardiovascular Disease. <i>New England Journal of Medicine</i> , 2016, 374, 2021-2031.	13.9	641
156	Blood-Pressure and Cholesterol Lowering in Persons without Cardiovascular Disease. <i>New England Journal of Medicine</i> , 2016, 374, 2032-2043.	13.9	299
157	Associations of urinary sodium excretion with cardiovascular events in individuals with and without hypertension: a pooled analysis of data from four studies. <i>Lancet, The</i> , 2016, 388, 465-475.	6.3	381
158	Neck circumference as a predictor of metabolic syndrome, insulin resistance and low-grade systemic inflammation in children: the ACFIES study. <i>BMC Pediatrics</i> , 2016, 16, 31.	0.7	32
159	A call to action and a lifecourse strategy to address the global burden of raised blood pressure on current and future generations: the Lancet Commission on hypertension. <i>Lancet, The</i> , 2016, 388, 2665-2712.	6.3	670
160	Reference ranges of handgrip strength from 125,462 healthy adults in 21 countries: a prospective urban rural epidemiologic (PURE) study. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2016, 7, 535-546.	2.9	191
161	Mechanism of vascular dysfunction due to circulating factors in women with pre-eclampsia. <i>Clinical Science</i> , 2016, 130, 539-549.	1.8	25
162	Availability, affordability, and consumption of fruits and vegetables in 18 countries across income levels: findings from the Prospective Urban Rural Epidemiology (PURE) study. <i>The Lancet Global Health</i> , 2016, 4, e695-e703.	2.9	287

#	ARTICLE	IF	CITATIONS
163	Global and regional effects of potentially modifiable risk factors associated with acute stroke in 32 countries (INTERSTROKE): a case-control study. <i>Lancet, The</i> , 2016, 388, 761-775.	6.3	1,414
164	Wealth and cardiovascular health: a cross-sectional study of wealth-related inequalities in the awareness, treatment and control of hypertension in high-, middle- and low-income countries. <i>International Journal for Equity in Health</i> , 2016, 15, 199.	1.5	67
165	Hypertension Guidelines: Is It Time to Reappraise Blood Pressure Thresholds and Targets?. <i>Hypertension</i> , 2016, 68, 257-262.	1.3	19
166	The Role of Adiponectin in Cardiometabolic Diseases: Effects of Nutritional Interventions. <i>Journal of Nutrition</i> , 2016, 146, 422S-426S.	1.3	41
167	Association of Urinary Sodium Excretion With Blood Pressure and Cardiovascular Clinical Events in 17,033 Latin Americans. <i>American Journal of Hypertension</i> , 2016, 29, 796-805.	1.0	26
168	Heart Failure in Africa, Asia, the Middle East and South America: The INTER-CHF study. <i>International Journal of Cardiology</i> , 2016, 204, 133-141.	0.8	108
169	Peripheral Blood <i>c1>MCEMP1</i> Gene Expression as a Biomarker for Stroke Prognosis. <i>Stroke</i>, 2016, 47, 652-658.</i>	1.0	48
170	Variations in Diabetes Prevalence in Low-, Middle-, and High-Income Countries: Results From the Prospective Urban and Rural Epidemiological Study. <i>Diabetes Care</i> , 2016, 39, 780-787.	4.3	138
171	Is myopia another clinical manifestation of insulin resistance?. <i>Medical Hypotheses</i> , 2016, 90, 32-40.	0.8	33
172	Assessing global risk factors for non-fatal injuries from road traffic accidents and falls in adults aged 35â€“70â€“years in 17 countries: a cross-sectional analysis of the Prospective Urban Rural Epidemiological (PURE) study. <i>Injury Prevention</i> , 2016, 22, 92-98.	1.2	28
173	Availability and affordability of cardiovascular disease medicines and their effect on use in high-income, middle-income, and low-income countries: an analysis of the PURE study data. <i>Lancet, The</i> , 2016, 387, 61-69.	6.3	272
174	Novel Approaches in Primary Cardiovascular Disease Prevention: The HOPE-3 Trial Rationale, Design, and Participants' Baseline Characteristics. <i>Canadian Journal of Cardiology</i> , 2016, 32, 311-318.	0.8	24
175	The 20â€“20 Latin American Society of Hypertension target. <i>Journal of Hypertension</i> , 2015, 33, 189-190.	0.3	6
176	Evaluation of the Finnish Diabetes Risk Score to predict type 2 diabetes mellitus in a Colombian population: A longitudinal observational study. <i>World Journal of Diabetes</i> , 2015, 6, 1337.	1.3	39
177	Patientsâ€™ Knowledge, Attitudes, Behaviour and Health Care Experiences on the Prevention, Detection, Management and Control of Hypertension in Colombia: A Qualitative Study. <i>PLoS ONE</i> , 2015, 10, e0122112.	1.1	71
178	Sodium Intake Recommendations: A Subject that Needs to be Reconsidered. <i>Current Hypertension Reviews</i> , 2015, 11, 8-13.	0.5	8
179	The Link between Fetal Programming, Inflammation, Muscular Strength, and Blood Pressure. <i>Mediators of Inflammation</i> , 2015, 2015, 1-8.	1.4	32
180	Maternal undernutrition and cardiometabolic disease: a latin american perspective. <i>BMC Medicine</i> , 2015, 13, 41.	2.3	19

#	ARTICLE	IF	CITATIONS
181	Prognostic value of grip strength: findings from the Prospective Urban Rural Epidemiology (PURE) study. <i>Lancet, The</i> , 2015, 386, 266-273.	6.3	1,295
182	Alcohol consumption and cardiovascular disease, cancer, injury, admission to hospital, and mortality: a prospective cohort study. <i>Lancet, The</i> , 2015, 386, 1945-1954.	6.3	163
183	Psychosocial factors and obesity in 17 high-, middle- and low-income countries: the Prospective Urban Rural Epidemiologic study. <i>International Journal of Obesity</i> , 2015, 39, 1217-1223.	1.6	29
184	The environmental profile of a community's health: a cross-sectional study on tobacco marketing in 16 countries. <i>Bulletin of the World Health Organization</i> , 2015, 93, 851-861G.	1.5	29
185	Prediabetes and Diabetes Prevention Initiatives in Latin America (LA). , 2014, , 449-477.		0
186	Higher Household Income and the Availability of Electronic Devices and Transport at Home Are Associated with Higher Waist Circumference in Colombian Children: The ACFIES Study. <i>International Journal of Environmental Research and Public Health</i> , 2014, 11, 1834-1843.	1.2	12
187	Validation and comparison of three formulae to estimate sodium and potassium excretion from a single morning fasting urine compared to 24-h measures in 11 countries. <i>Journal of Hypertension</i> , 2014, 32, 1005-1015.	0.3	174
188	The role of leptin/adiponectin ratio in metabolic syndrome and diabetes. <i>Hormone Molecular Biology and Clinical Investigation</i> , 2014, 18, 37-45.	0.3	295
189	Urinary Sodium and Potassium Excretion, Mortality, and Cardiovascular Events. <i>New England Journal of Medicine</i> , 2014, 371, 612-623.	13.9	725
190	Association of Urinary Sodium and Potassium Excretion with Blood Pressure. <i>New England Journal of Medicine</i> , 2014, 371, 601-611.	13.9	687
191	Cardiovascular Risk and Events in 17 Low-, Middle-, and High-Income Countries. <i>New England Journal of Medicine</i> , 2014, 371, 818-827.	13.9	679
192	The goal of blood pressure in the hypertensive patient with diabetes is defined: now the challenge is go from recommendations to practice. <i>Diabetology and Metabolic Syndrome</i> , 2014, 6, 31.	1.2	28
193	Association of handgrip strength to cardiovascular mortality in pre-diabetic and diabetic patients: A subanalysis of the ORIGIN trial. <i>International Journal of Cardiology</i> , 2014, 174, 458-461.	0.8	83
194	Low Muscle Strength Is Associated with Metabolic Risk Factors in Colombian Children: The ACFIES Study. <i>PLoS ONE</i> , 2014, 9, e93150.	1.1	111
195	A Novel Method to Evaluate the Community Built Environment Using Photographs " Environmental Profile of a Community Health (EPOCH) Photo Neighbourhood Evaluation Tool. <i>PLoS ONE</i> , 2014, 9, e110042.	1.1	18
196	Is the present cut-point to define type 2 diabetes appropriate in Latin-Americans?. <i>World Journal of Diabetes</i> , 2014, 5, 747.	1.3	13
197	Prevalence, Awareness, Treatment, and Control of Hypertension in Rural and Urban Communities in High-, Middle-, and Low-Income Countries. <i>JAMA - Journal of the American Medical Association</i> , 2013, 310, 959.	3.8	1,422
198	Matrix metalloproteinases 2 and 9 as diagnostic markers in the progression to Chagas cardiomyopathy. <i>American Heart Journal</i> , 2013, 165, 558-566.	1.2	44

#	ARTICLE	IF	CITATIONS
199	Global differences in lung function by region (PURE): an international, community-based prospective study. <i>Lancet Respiratory Medicine</i> , 2013, 1, 599-609.	5.2	68
200	Análogos de incretina e inhibidores de la DPP-4: ¿qué papel desempeñan en la prevención primaria de las enfermedades cardiovasculares?. <i>Revista Colombiana De Cardiología</i> , 2013, 20, 287-299.	0.1	2
201	Monitoreo ambulatorio de la presión arterial versus medicación en el consultorio ¿qué es mejor: lo ideal o lo posible, bien hecho?. <i>Revista Colombiana De Cardiología</i> , 2013, 20, 198-200.	0.1	0
202	Prevalence of a Healthy Lifestyle Among Individuals With Cardiovascular Disease in High-, Middle- and Low-Income Countries. <i>JAMA - Journal of the American Medical Association</i> , 2013, 309, 1613.	3.8	256
203	Inflammation and Hypertension: Are There Regional Differences?. <i>International Journal of Hypertension</i> , 2013, 2013, 1-12.	0.5	18
204	Aged Garlic Extract Improves Adiponectin Levels in Subjects with Metabolic Syndrome: A Double-Blind, Placebo-Controlled, Randomized, Crossover Study. <i>Mediators of Inflammation</i> , 2013, 2013, 1-6.	1.4	53
205	Effect of Insulin Glargine and n-3FA on Carotid Intima-Media Thickness in People With Dysglycemia at High Risk for Cardiovascular Events. <i>Diabetes Care</i> , 2013, 36, 2466-2474.	4.3	40
206	The role of environment and epigenetics in hypertension. <i>Expert Review of Cardiovascular Therapy</i> , 2013, 11, 1455-1457.	0.6	13
207	Latin American consensus on hypertension in patients with diabetes type 2 and metabolic syndrome. <i>Journal of Hypertension</i> , 2013, 31, 223-238.	0.3	61
208	Angiogenic imbalance and plasma lipid alterations in women with preeclampsia from a developing country. <i>Growth Factors</i> , 2012, 30, 158-166.	0.5	14
209	Risk Factors for Preeclampsia in Women from Colombia: A Case-Control Study. <i>PLoS ONE</i> , 2012, 7, e41622.	1.1	33
210	La importancia de las evaluaciones económicas de los medicamentos: el caso del metoprolol. <i>Revista Colombiana De Cardiología</i> , 2012, 19, 169-171.	0.1	0
211	Sex differences in cardiac autonomic function of depressed young adults. <i>Biological Psychology</i> , 2012, 90, 179-185.	1.1	26
212	Environmental Profile of a Community's Health (EPOCH): An Ecometric Assessment of Measures of the Community Environment Based on Individual Perception. <i>PLoS ONE</i> , 2012, 7, e44410.	1.1	23
213	Increased plasma levels of total homocysteine but not asymmetric dimethylarginine in Hispanic subjects with ischemic stroke FREC-VI sub-study. <i>European Journal of Neurology</i> , 2012, 19, 417-425.	1.7	18
214	Nutritional status among women with preeclampsia and healthy pregnant and nonpregnant women in a Latin American country. <i>Journal of Obstetrics and Gynaecology Research</i> , 2012, 38, 498-504.	0.6	21
215	Hyperinsulinemia is a predictor of new cardiovascular events in Colombian patients with a first myocardial infarction. <i>International Journal of Cardiology</i> , 2011, 148, 85-90.	0.8	26
216	Nonalcoholic fatty liver disease is associated with insulin resistance in a young Hispanic population. <i>Preventive Medicine</i> , 2011, 52, 174-177.	1.6	33

#	ARTICLE	IF	CITATIONS
217	Use of secondary prevention drugs for cardiovascular disease in the community in high-income, middle-income, and low-income countries (the PURE Study): a prospective epidemiological survey. <i>Lancet</i> , The, 2011, 378, 1231-1243.	6.3	803
218	Plasma Nitrate Levels and Flow-Mediated Vasodilation in Untreated Major Depression. <i>Psychosomatic Medicine</i> , 2011, 73, 344-349.	1.3	29
219	Periodontal disease and hypertension: the pre-eclampsia model in Hispanic population. <i>Journal of Hypertension</i> , 2011, 29, 1020-1021.	0.3	4
220	Influence of regular aerobic exercise on endothelium-dependent vasodilation and cardiorespiratory fitness in pregnant women. <i>Journal of Obstetrics and Gynaecology Research</i> , 2011, 37, 1601-1608.	0.6	54
221	Epidemic of cardiometabolic diseases: a Latin American point of view. <i>Therapeutic Advances in Cardiovascular Disease</i> , 2011, 5, 119-131.	1.0	45
222	Role of the Autonomic Nervous System in the Endothelial Dysfunction of the Metabolic Syndrome. <i>Current Hypertension Reviews</i> , 2011, 7, 73-79.	0.5	0
223	Environmental Profile of a Community's Health (EPOCH): An Instrument to Measure Environmental Determinants of Cardiovascular Health in Five Countries. <i>PLoS ONE</i> , 2010, 5, e14294.	1.1	70
224	A Controlled, Randomized-Blinded Clinical Trial to Assess the Efficacy of a Nitric Oxide Releasing Patch in the Treatment of Cutaneous Leishmaniasis by <i>Leishmania (V.) panamensis</i> . <i>American Journal of Tropical Medicine and Hygiene</i> , 2010, 83, 97-101.	0.6	41
225	Rationale and Design of INTERSTROKE: A Global Case-Control Study of Risk Factors for Stroke. <i>Neuroepidemiology</i> , 2010, 35, 36-44.	1.1	76
226	The presence of abdominal obesity is associated with changes in vascular function independently of other cardiovascular risk factors. <i>International Journal of Cardiology</i> , 2010, 139, 32-41.	0.8	44
227	Fetal programming and cardiometabolic diseases: the role of angiotensin II and inflammation. <i>Clínica e Investigación en Arteriosclerosis</i> , 2010, 22, 21-24.	0.4	3
228	Risk factors for ischaemic and intracerebral haemorrhagic stroke in 22 countries (the INTERSTROKE) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5</i>	8.3	2,565
229	Inflammation but Not Endothelial Dysfunction Is Associated with the Severity of Coronary Artery Disease in Dyslipidemic Subjects. <i>Mediators of Inflammation</i> , 2009, 2009, 1-8.	1.4	28
230	Clinical trial to assess the effect of physical exercise on endothelial function and insulin resistance in pregnant women. <i>Trials</i> , 2009, 10, 104.	0.7	17
231	Cardiometabolic Disease in Latin America: The Role of Fetal Programming in Response to Maternal Malnutrition. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2009, 62, 670-676.	0.4	18
232	Enfermedades cardiometabólicas en Iberoamérica: papel de la programación fetal en respuesta a la desnutrición materna. <i>Revista Espanola De Cardiologia</i> , 2009, 62, 670-676.	0.6	29
233	Inter-relationships Between Body Mass Index, C-reactive Protein and Blood Pressure in a Hispanic Pediatric Population. <i>American Journal of Hypertension</i> , 2008, 21, 527-532.	1.0	54
234	Review: The role of the L-arginine-nitric oxide pathway in preeclampsia. <i>Therapeutic Advances in Cardiovascular Disease</i> , 2008, 2, 261-275.	1.0	65

#	ARTICLE	IF	CITATIONS
235	Epidemic of overweight and obesity in Latin America and the Caribbean. <i>International Journal of Cardiology</i> , 2008, 125, 111-112.	0.8	41
236	Cardiovascular prevention in high-risk patients with type 2 diabetes mellitus: when to start it?. <i>European Heart Journal</i> , 2008, 29, 2058-2058.	1.0	7
237	Defining the research priorities to fight the burden of cardiovascular diseases in Latin America. <i>Journal of Hypertension</i> , 2008, 26, 1886-1889.	0.3	40
238	Are Nutrition-Induced Epigenetic Changes the Link Between Socioeconomic Pathology and Cardiovascular Diseases?. <i>American Journal of Therapeutics</i> , 2008, 15, 362-372.	0.5	44
239	Subclinical Infection as a Cause of Inflammation in Preeclampsia. <i>American Journal of Therapeutics</i> , 2008, 15, 373-376.	0.5	29
240	Periodontal disease severity is related to high levels of C-reactive protein in pre-eclampsia. <i>Journal of Hypertension</i> , 2007, 25, 1459-1464.	0.3	49
241	Olive, soybean and palm oils intake have a similar acute detrimental effect over the endothelial function in healthy young subjects. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2007, 17, 50-57.	1.1	36
242	Raised C-Reactive Protein and Impaired Flow-Mediated Vasodilation Precede the Development of Preeclampsia. <i>American Journal of Hypertension</i> , 2007, 20, 98-103.	1.0	77
243	Determination of Insulin Resistance Using the Homeostatic Model Assessment (HOMA) and its Relation With the Risk of Developing Pregnancy-Induced Hypertension. <i>American Journal of Hypertension</i> , 2007, 20, 437-442.	1.0	51
244	The utility of different definitions of metabolic syndrome in Andean population. <i>International Journal of Cardiology</i> , 2007, 116, 421-422.	0.8	25
245	Plasma concentrations of asymmetric dimethylarginine (ADMA) in metabolic syndrome. <i>International Journal of Cardiology</i> , 2007, 122, 176-178.	0.8	47
246	Socioeconomic Pathology As a Cause of Regional Differences in the Prevalence of Metabolic Syndrome and Pregnancy-Induced Hypertension. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2007, 60, 168-178.	0.4	11
247	Double blind, randomized, placebo controlled clinical trial for the treatment of diabetic foot ulcers, using a nitric oxide releasing patch: PATHON. <i>Trials</i> , 2007, 8, 26.	0.7	30
248	Calcium and Conjugated Linoleic Acid Reduces Pregnancy-Induced Hypertension and Decreases Intracellular Calcium in Lymphocytes. <i>American Journal of Hypertension</i> , 2006, 19, 381-387.	1.0	45
249	A proposal for an appropriate central obesity diagnosis in Latin American population. <i>International Journal of Cardiology</i> , 2006, 110, 263-264.	0.8	37
250	Flow-mediated dilatation of the brachial artery in pregnancy. <i>International Journal of Gynecology and Obstetrics</i> , 2006, 93, 60-61.	1.0	35
251	Double blind, randomized controlled trial, to evaluate the effectiveness of a controlled nitric oxide releasing patch versus meglumine antimoniate in the treatment of cutaneous leishmaniasis [NCT00317629]. <i>Trials</i> , 2006, 7, 14.	0.7	22
252	A randomized, double blind, cross-over, placebo-controlled clinical trial to assess the effects of Candesartan on the insulin sensitivity on non diabetic, non hypertense subjects with dysglycemia and abdominal obesity. "ARAMIA". <i>Trials</i> , 2006, 7, 28.	0.7	6

#	ARTICLE	IF	CITATIONS
253	Preventing pregnancy-induced hypertension: are there regional differences for this global problem?. <i>Journal of Hypertension</i> , 2005, 23, 1121-1129.	0.3	63
254	Colombian Study to Assess the Use of Noninvasive Determination of the Endothelium-Mediated Vasodilation (CANDEV) II. Does Location of the Occlusion Device Affects the Accuracy of the Diagnosis?. <i>Endothelium: Journal of Endothelial Cell Research</i> , 2005, 12, 107-111.	1.7	11
255	Calcium plus linoleic acid therapy for pregnancy-induced hypertension. <i>International Journal of Gynecology and Obstetrics</i> , 2005, 91, 221-227.	1.0	38
256	Plasma Concentrations of Asymmetric Dimethylarginine (ADMA) in Colombian Women With Pre-eclampsia. <i>JAMA - Journal of the American Medical Association</i> , 2004, 291, 823-824.	3.8	46
257	Endothelial NO Synthase Genotype and Risk of Preeclampsia. <i>Hypertension</i> , 2004, 44, 702-707.	1.3	121
258	Angiotensin II-induced MMP-2 release from endothelial cells is mediated by TNF- α . <i>American Journal of Physiology - Cell Physiology</i> , 2004, 286, C779-C784.	2.1	117
259	Using waist circumference as a screening tool to identify colombian subjects at cardiovascular risk. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2003, 10, 328-335.	3.1	49
260	C-reactive protein and cardiovascular diseases in Andean population. <i>Circulation</i> , 2002, 105, E10.	1.6	3
261	Is infection a major risk factor for preeclampsia?. <i>Medical Hypotheses</i> , 2001, 57, 393-397.	0.8	82
262	Elevated C-reactive protein and pro-inflammatory cytokines in Andean women with pre-eclampsia. <i>International Journal of Gynecology and Obstetrics</i> , 2001, 75, 243-249.	1.0	150
263	Preeclampsia: from epidemiological observations to molecular mechanisms. <i>Brazilian Journal of Medical and Biological Research</i> , 2001, 34, 1227-1235.	0.7	67
264	Is C-reactive protein an independent risk factor for essential hypertension?. <i>Journal of Hypertension</i> , 2001, 19, 857-861.	0.3	251
265	Colombian Study to Assess the Use of Noninvasive Determination of Endothelium-Mediated Vasodilatation (CANDEV). Normal Values and Factors Associated. <i>Endothelium: Journal of Endothelial Cell Research</i> , 2001, 8, 157-166.	1.7	49
266	An Integrated Proposal to Explain the Epidemic of Cardiovascular Disease in a Developing Country. <i>Cardiology</i> , 2001, 96, 1-6.	0.6	29
267	Calcium, nitric oxide, and preeclampsia. <i>Seminars in Perinatology</i> , 2000, 24, 33-36.	1.1	48
268	Improvement in Functions of the Central Nervous System by Estrogen Replacement Therapy Might Be Related with an Increased Nitric Oxide Production. <i>Endothelium: Journal of Endothelial Cell Research</i> , 1999, 6, 263-266.	1.7	36
269	Treatment of cutaneous leishmaniasis with nitric-oxide donor. <i>Lancet, The</i> , 1998, 351, 1176-1177.	6.3	69
270	Calcium supplementation and the risk of preeclampsia in ecuadorian pregnant teenagers. <i>Obstetrics and Gynecology</i> , 1997, 90, 162-167.	1.2	91

#	ARTICLE	IF	CITATIONS
271	Cyclic guanosine 3'3' monophosphate concentrations in pre-eclampsia: effects of hydralazine. BJOG: an International Journal of Obstetrics and Gynaecology, 1996, 103, 33-38.	1.1	67
272	Calcium supplementation prevents pregnancy-induced hypertension by increasing the production of vascular nitric oxide. Medical Hypotheses, 1995, 45, 68-72.	0.8	13
273	The l-Arginine. Journal of Cardiovascular Pharmacology, 1991, 17, S1-S9.	0.8	72
274	Vascular prostacyclin production in Andean women with pregnancy-induced hypertension. Brazilian Journal of Medical and Biological Research, 1991, 24, 59-62.	0.7	2
275	Prevention of toxemia of pregnancy in Ecuadorian Andean women: experience with dietary calcium supplementation. Bulletin of the Pan American Health Organization, 1991, 25, 109-17.	0.1	3
276	Dietary calcium supplementation and prevention of pregnancy hypertension. Lancet, The, 1990, 335, 293.	6.3	90
277	The crucial role of physiological Ca ²⁺ concentrations in the production of endothelial nitric oxide and the control of vascular tone. British Journal of Pharmacology, 1990, 101, 489-493.	2.7	104
278	Calcium supplementation reduces the risk of pregnancy-induced hypertension in an Andes population. BJOG: an International Journal of Obstetrics and Gynaecology, 1989, 96, 648-655.	1.1	124