Silvio Monfardini

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6764600/publications.pdf

Version: 2024-02-01

225 papers

12,853 citations

41258 49 h-index 25716 108 g-index

229 all docs 229 docs citations

times ranked

229

9122 citing authors

#	Article	IF	CITATIONS
1	Landmarks in geriatric oncology. Journal of Geriatric Oncology, 2021, 12, 991-994.	0.5	6
2	Older cancer patients and COVIDâ€19 outbreak: Practical considerations and recommendations. Cancer Medicine, 2020, 9, 9193-9204.	1.3	17
3	Management of The Elderly Cancer Patients Complexity: The Radiation Oncology Potential. , 2020, 11, 649.		12
4	Organizing the Clinical Integration of Geriatrics and Oncology. , 2020, , 451-461.		O
5	Organizing the Clinical Integration of Geriatrics and Oncology. , 2019, , 1-11.		O
6	Performance of the Multidimensional Geriatric Assessment and Multidimensional Prognostic Index in predicting negative outcomes in older adults with cancer. European Journal of Cancer Care, 2018, 27, e12585.	0.7	13
7	A contribution to the future of geriatric oncology training: The SIOG Treviso advanced course. Journal of Geriatric Oncology, 2017, 8, 387-388.	0.5	14
8	Follow-up of elderly patients with urogenital cancers: Evaluation of geriatric care needs and related actions. Journal of Geriatric Oncology, 2017, 8, 289-295.	0.5	14
9	Reversible Parkinson's Dementia Associated with Withdrawal of Androgenâ€Deprivation Therapy for Prostate Cancer. Journal of the American Geriatrics Society, 2016, 64, e115-e117.	1.3	4
10	Development of an oncological-multidimensional prognostic index (Onco-MPI) for mortality prediction in older cancer patients. Journal of Cancer Research and Clinical Oncology, 2016, 142, 1069-1077.	1.2	52
11	Preoperative versus postoperative docetaxel–cisplatin–fluorouracil (TCF) chemotherapy in locally advanced resectable gastric carcinoma: 10-year follow-up of the SAKK 43/99 phase III trial. Annals of Oncology, 2016, 27, 668-673.	0.6	42
12	Estimating the risk of chemotherapy toxicity in older patients with cancer: The role of the Vulnerable Elders Survey-13 (VES-13). Journal of Geriatric Oncology, 2015, 6, 272-279.	0.5	66
13	Treating Cancer in Older and Oldest Old Patients. Current Pharmaceutical Design, 2015, 21, 1699-1705.	0.9	27
14	Does the Multidimensional Prognostic Index (MPI), based on a Comprehensive Geriatric Assessment (CGA), predict mortality in cancer patients? Results of a prospective observational trial. Journal of Geriatric Oncology, 2013, 4, 208-217.	0.5	51
15	Interventional oncology in the elderly: Complications and early response in liver and kidney malignancies. Journal of Geriatric Oncology, 2013, 4, 58-63.	0.5	3
16	Bi-weekly liposomal doxorubicin for advanced breast cancer in elderly women (≥70years). Journal of Geriatric Oncology, 2013, 4, 340-345.	0.5	18
17	Adjuvant! Online or comprehensive geriatric assessment for women over 70 years with primary breast cancer?. British Journal of Cancer, 2012, 106, 1247-1247.	2.9	O
18	Bringing geriatrics into oncology or also oncology into geriatrics?. Annals of Oncology, 2012, 23, 801.	0.6	12

#	Article	IF	CITATIONS
19	Interventional oncology for older patients in liver and kidney malignancies. Aging Health, 2012, 8, 287-288.	0.3	0
20	Geriatric oncology: where are we now?. Aging Health, 2012, 8, 289-291.	0.3	1
21	The EORTC Cancer in the Elderly Task Force, a Protostar for EORTC's future. European Journal of Cancer, Supplement, 2012, 10, 34-38.	2.2	8
22	Preventive effect of risedronate on bone loss and frailty fractures in elderly women treated with anastrozole for early breast cancer. Journal of Bone and Mineral Metabolism, 2012, 30, 461-467.	1.3	10
23	Cancer in the elderly. Internal and Emergency Medicine, 2011, 6, 115-118.	1.0	5
24	Reply to M.J. Molina-Garrido et al. Journal of Clinical Oncology, 2011, 29, 3202-3202.	0.8	6
25	Anthracycline cardiotoxicity in the elderly cancer patient: a SIOG expert position paper. Annals of Oncology, 2011, 22, 257-267.	0.6	148
26	Background for the proposal of SIOG guidelines for the management of prostate cancer in senior adults. Critical Reviews in Oncology/Hematology, 2010, 73, 68-91.	2.0	105
27	Management of prostate cancer in older men: recommendations of a working group of the International Society of Geriatric Oncology. BJU International, 2010, 106, 462-469.	1.3	207
28	Detecting Functional Impairment in Older Patients With Cancer: Is Vulnerable Elders Survey-13 the Right Prescreening Tool? An Open Question. Journal of Clinical Oncology, 2010, 28, e665-e666.	0.8	17
29	EORTC elderly task force position paper: Approach to the older cancer patient. European Journal of Cancer, 2010, 46, 1502-1513.	1.3	300
30	Rehabilitation in older cancer patients. Aging Health, 2009, 5, 369-384.	0.3	2
31	Management of primary and advanced breast cancer in older unfit patients (medical treatment). Cancer Treatment Reviews, 2009, 35, 503-508.	3.4	41
32	Can we better manage Unfit older cancer patients?. Cancer Treatment Reviews, 2009, 35, 485-486.	3.4	3
33	Management of Frail and Not-Frail elderly cancer patients in a hospital-based geriatric oncology program. Critical Reviews in Oncology/Hematology, 2008, 66, 163-170.	2.0	59
34	Vulnerable and frail elderly: An approach to the management of the main tumour types. European Journal of Cancer, 2008, 44, 488-493.	1.3	17
35	Nutritional Habits and Body Mass Index in the Elderly Population: Can This Information Be Useful Before Planning Chemotherapy Administration in Older Cancer Patients?. Nutrition and Cancer, 2008, 60, 552-554.	0.9	0
36	Medical approach to advanced prostate cancer in older patients. Aging Health, 2008, 4, 481-494.	0.3	1

3

#	Article	IF	Citations
37	Treatment of advanced breast cancer in elderly women: medical approach. Aging Health, 2008, 4, 267-277.	0.3	O
38	Colon cancer in elderly patients: what is the best treatment?. Aging Health, 2008, 4, 279-286.	0.3	0
39	Multidisciplinary management is strongly suggested in elderly patients with rectal carcinoma. Aging Health, 2008, 4, 287-298.	0.3	0
40	Increasing Chemotherapy in Smallâ€Cell Lung Cancer: From Dose Intensity and Density to Megadoses. Oncologist, 2007, 12, 79-89.	1.9	33
41	Effects of a treatment gap during adjuvant chemotherapy in node-positive breast cancer: results of International Breast Cancer Study Group (IBCSG) Trials 13-93 and 14-93. Annals of Oncology, 2007, 18, 1177-1184.	0.6	8
42	Which benefit from adding gemcitabine to vinorelbine in elderly (â%¥70 years) women with metastatic breast cancer? Early interruption of a phase II study. Annals of Oncology, 2007, 18, 58-63.	0.6	19
43	Quality of life in elderly cancer patients. European Journal of Cancer, 2007, 43, 1508-1513.	1.3	51
44	Oncological causes of frailty in older cancer patients. European Journal of Cancer, 2007, 43, 1230-1231.	1.3	16
45	Colorectal cancer screening in elderly patients: When should be more useful?. Cancer Treatment Reviews, 2007, 33, 528-532.	3.4	21
46	Determining Therapeutic Approaches in the Elderly with Rectal Cancer. Drugs and Aging, 2007, 24, 781-790.	1.3	9
47	Oral Anticancer Drugs in the Elderly. Drugs and Aging, 2007, 24, 395-410.	1.3	24
48	When Should Trastuzumab be Stopped after Achieving Complete Response in Her2-Positive Metastatic Breast Cancer Patients?. Tumori, 2007, 93, 491-492.	0.6	18
49	Gemcitabine in advanced biliary tract cancers. Critical Reviews in Oncology/Hematology, 2007, 61, 230-242.	2.0	17
50	Organization of the clinical activity of Geriatric Oncology: Report of a SIOG (International Society of) Tj ETQq0 0	O rgBT /O	verlack 10 Tf
51	Preoperative assessment of elderly cancer patients. Critical Reviews in Oncology/Hematology, 2007, 64, 10-18.	2.0	38
52	Organisation de l'activité clinique en oncologie gériatrique: propositions de la SIOG (Société) Tj ETC	Qq <u>8,9</u> 0 rg	çBT _O Overlock
53	Folfox4 in Advanced Colorectal Cancer: A Monoinstitutional Experience. Tumori, 2006, 92, 193-196.	0.6	0
54	Overprotective Caregivers of Elderly Cancer Patients: A Case Report. Tumori, 2006, 92, 362-363.	0.6	O

#	Article	IF	CITATIONS
55	Oxaliplatin-related neurotoxicity: How and why?. Critical Reviews in Oncology/Hematology, 2006, 59, 159-168.	2.0	226
56	The development of platinum compounds and their possible combination. Critical Reviews in Oncology/Hematology, 2006, 60, 59-75.	2.0	94
57	Taking care of older cancer patients: Results of a survey addressed to the Chiefs of the Medical Oncology Divisions in Italy. Critical Reviews in Oncology/Hematology, 2006, 58, 53-59.	2.0	13
58	Phase III Intergroup Study of Fludarabine Phosphate Compared With Cyclophosphamide, Vincristine, and Prednisone Chemotherapy in Newly Diagnosed Patients With Stage III and IV Low-Grade Malignant Non-Hodgkin's Lymphoma. Journal of Clinical Oncology, 2006, 24, 1590-1596.	0.8	73
59	Do older women with breast cancer benefit from adjuvant chemotherapy?. Nature Clinical Practice Oncology, 2006, 3, 652-653.	4.3	2
60	The role of capecitabine in the treatment of colorectal cancer in the elderly. Anticancer Research, 2006, 26, 2381-6.	0.5	7
61	Treatments of AIDS-related Kaposi's sarcoma. Critical Reviews in Oncology/Hematology, 2005, 53, 253-265.	2.0	48
62	Treatment of stage IV colorectal carcinoma in elderly patients. Critical Reviews in Oncology/Hematology, 2005, 54, 145-155.	2.0	9
63	Colorectal cancer adjuvant treatment in elderly patients. Critical Reviews in Oncology/Hematology, 2005, 55, 201-206.	2.0	8
64	Use of comprehensive geriatric assessment in older cancer patients:. Critical Reviews in Oncology/Hematology, 2005, 55, 241-252.	2.0	1,002
65	Chemotherapy at the End of Life: An Open Question. Tumori, 2005, 91, 104-105.	0.6	3
66	Pretreatment Quality of Life and Functional Status Assessment Significantly Predict Survival of Elderly Patients With Advanced Nonâ€"Small-Cell Lung Cancer Receiving Chemotherapy: A Prognostic Analysis of the Multicenter Italian Lung Cancer in the Elderly Study. Journal of Clinical Oncology, 2005, 23, 6865-6872.	0.8	452
67	Timing of CMF chemotherapy in combination with tamoxifen in postmenopausal women with breast cancer: role of endocrine responsiveness of the tumor. Annals of Oncology, 2005, 16, 716-725.	0.6	18
68	Platinum-Etoposide Chemotherapy in Elderly Patients With Small-Cell Lung Cancer: Results of a Randomized Multicenter Phase II Study Assessing Attenuated-Dose or Full-Dose With Lenograstim Prophylaxis—A Forza Operativa Nazionale Italiana Carcinoma Polmonare and Gruppo Studio Tumori Polmonari Veneto (FONICAP-GSTPV) Study. Journal of Clinical Oncology, 2005, 23, 569-575.	0.8	85
69	Vinorelbine and prednisone in frail elderly patients with intermediate-high grade non-Hodgkin's lymphomas. Annals of Oncology, 2005, 16, 1352-1358.	0.6	48
70	Adjuvant chemotherapy for elderly patients (≥70 years) with early high-risk breast cancer: a retrospective analysis of 260 patients. Annals of Oncology, 2005, 16, 1276-1282.	0.6	37
71	Meeting Report: Breast Cancer in the Older Woman. Tumori, 2004, 90, 437-445.	0.6	1
72	Treatment options for early breast cancer in elderly women. Expert Review of Anticancer Therapy, 2004, 4, 197-211.	1.1	12

#	Article	IF	CITATIONS
73	Second-Line Chemotherapy With Irinotecan Plus Carmustine in Glioblastoma Recurrent or Progressive After First-Line Temozolomide Chemotherapy: A Phase II Study of the Gruppo Italiano Cooperativo di Neuro-Oncologia (GICNO). Journal of Clinical Oncology, 2004, 22, 4779-4786.	0.8	113
74	Deleted in Colon Cancer Protein Expression in Colorectal Cancer Metastases: A Major Predictor of Survival in Patients With Unresectable Metastatic Disease Receiving Palliative Fluorouracil-Based Chemotherapy. Journal of Clinical Oncology, 2004, 22, 3758-3765.	0.8	21
75	Geriatric Oncology: A New Subspecialty?. Journal of Clinical Oncology, 2004, 22, 4655-4655.	0.8	15
76	Stanford V Regimen plus Consolidative Radiotherapy Is an Effective Therapeutic Program for Bulky or Advanced-Stage Hodgkin's Disease. Acta Haematologica, 2004, 112, 141-147.	0.7	12
77	First-Line Chemotherapy With Cisplatin Plus Fractionated Temozolomide in Recurrent Glioblastoma Multiforme: A Phase II Study of the Gruppo Italiano Cooperativo di Neuro-Oncologia. Journal of Clinical Oncology, 2004, 22, 1598-1604.	0.8	97
78	Respiratory syncytial virus-related pneumonia after stem cell transplantation successfully treated with palivizumab and steroid therapy. Scandinavian Journal of Infectious Diseases, 2004, 36, 155-157.	1.5	10
79	Management of muscle-invasive bladder cancer in the elderly. Expert Review of Anticancer Therapy, 2004, 4, 1017-1035.	1.1	8
80	Multidimensional geriatric evaluation in elderly cancer patients: a practical approach. European Journal of Cancer Care, 2004, 13, 424-433.	0.7	52
81	Neoadjuvant treatment for locally advanced rectal carcinoma. Critical Reviews in Oncology/Hematology, 2004, 52, 61-71.	2.0	11
82	Old and new drugs in systemic therapy of pancreatic cancer. Critical Reviews in Oncology/Hematology, 2004, 49, 135-151.	2.0	17
83	Nonmyeloablative allogeneic stem cell transplantation (NST) after truly nonmyeloablative and reduced intensity conditioning regimens. Critical Reviews in Oncology/Hematology, 2004, 51, 171-189.	2.0	19
84	The treatment of elderly patients with high-grade gliomas. Seminars in Oncology, 2003, 30, 58-62.	0.8	37
85	A prospective study on glioblastoma in the elderly. Cancer, 2003, 97, 657-662.	2.0	169
86	Gemcitabine combined with carboplatin in patients with malignant pleural mesothelioma. Cancer, 2003, 97, 2791-2797.	2.0	110
87	Supportive care in patients with advanced non-small-cell lung cancer. British Journal of Cancer, 2003, 89, 1013-1021.	2.9	27
88	Carboplatin and teniposide as third-line chemotherapy in patients with recurrent oligodendroglioma or oligoastrocytoma: a phase II study. Annals of Oncology, 2003, 14, 1727-1731.	0.6	38
89	Recommendations for the management of malignant gliomas in the elderly. Expert Review of Anticancer Therapy, 2003, 3, 643-654.	1.1	7
90	Comprehensive Geriatric Assessment Adds Information to Eastern Cooperative Oncology Group Performance Status in Elderly Cancer Patients: An Italian Group for Geriatric Oncology Study. Journal of Clinical Oncology, 2002, 20, 494-502.	0.8	507

#	Article	IF	CITATIONS
91	Comprehensive Geriatric Assessment Adds Information to Eastern Cooperative Oncology Group Performance Status in Elderly Cancer Patients: An Italian Group for Geriatric Oncology Study. Journal of Clinical Oncology, 2002, 20, 494-502.	0.8	765
92	Radiotherapy Alone in the Treatment of Clinical Stage I-IIA, Nonbulky, Hodgkin's Disease. American Journal of Clinical Oncology: Cancer Clinical Trials, 2002, 25, 149-152.	0.6	2
93	Prescribing anti-cancer drugs in elderly cancer patients. European Journal of Cancer, 2002, 38, 2341-2346.	1.3	24
94	Phase II Single-Agent Studies in Elderly Cancer Patients. Tumori, 2002, 88, S13-S14.	0.6	3
95	Breast Cancer: Single Agents Chemotherapy. Tumori, 2002, 88, S55-S56.	0.6	3
96	Breast Cancer in 70 Years Old or Older Patients: Tumor Characteristics and Prognostic Factors. Tumori, 2002, 88, S79-S80.	0.6	0
97	Development of Geriatric Oncology in Italy. Tumori, 2002, 88, S3-S4.	0.6	0
98	Treatment of Non-Hodgkin's Lymphoma in the Elderly. The Italian Studies. Tumori, 2002, 88, S20-S25.	0.6	0
99	Temozolomide in Glioblastoma Multiforme of the Elderly. Tumori, 2002, 88, S69-S70.	0.6	1
100	Temozolomide in Patients with Glioblastoma at Second Relapse after First Line Nitrosourea-Procarbazine Failure: A Phase II Study. Oncology, 2002, 63, 38-41.	0.9	55
101	Phase II trial of interferon-?-2a plus psolaren with ultraviolet light A in patients with cutaneous T-cell lymphoma. Cancer, 2002, 95, 569-575.	2.0	89
102	Management of small-cell lung cancer in the elderly. Critical Reviews in Oncology/Hematology, 2002, 41, 79-88.	2.0	25
103	Phase II single-agent studies in elderly cancer patients. Tumori, 2002, 88, S13-4.	0.6	2
104	Phase II Study of Sequential Administration of Docetaxel Followed by Doxorubicin and Cyclophosphamide as First-Line Chemotherapy in Metastatic Breast Cancer. Journal of Clinical Oncology, 2001, 19, 3367-3375.	0.8	18
105	High-Dose Chemotherapy with Bone Marrow Rescue for High-Grade Gliomas in Adults. Cancer Investigation, 2001, 19, 41-48.	0.6	20
106	Temozolomide as a second-line systemic regimen in recurrent high-grade glioma: A phase II study. Annals of Oncology, 2001, 12, 255-258.	0.6	77
107	A 20-year experience on malignant lymphomas in patients aged 70 and older at a single institute. Critical Reviews in Oncology/Hematology, 2001, 37, 153-158.	2.0	14
108	Management of hematologic malignancies in the elderly: 15-year experience at the Aviano Cancer Center, Italy. Critical Reviews in Oncology/Hematology, 2001, 39, 289-305.	2.0	12

#	Article	IF	Citations
109	Temozolomide in Patients with High Grade Gliomas. Oncology, 2000, 59, 181-186.	0.9	26
110	Chemotherapy in patients with recurrent and progressive central neurocytoma., 2000, 88, 169-174.		104
111	Endocrine dysfunctions in patients treated for brain tumors: incidence and guidelines for management. Journal of Neuro-Oncology, 2000, 47, 85-92.	1.4	14
112	Radiotherapy of the brain in elderly patients. European Journal of Cancer, 2000, 36, 447-451.	1.3	30
113	Single agents should be administered in preference to combination chemotherapy for the treatment of patients over 70 years of age with advanced ovarian carcinoma. European Journal of Cancer, 2000, 36, 817-820.	1.3	18
114	Effects of Vinorelbine on Quality of Life and Survival of Elderly Patients With Advanced Non-Small-Cell Lung Cancer. Journal of the National Cancer Institute, 1999, 91, 66-72.	3.0	901
115	A comprehensive geriatric assessment (CGA) is necessary for the study and the management of cancer in the elderly. European Journal of Cancer, 1999, 35, 1771-1772.	1.3	80
116	Reoperation in Recurrent High-Grade Gliomas. American Journal of Clinical Oncology: Cancer Clinical Trials, 1999, 22, 387-390.	0.6	21
117	A new prognostic system for hepatocellular carcinoma: A retrospective study of 435 patients. Hepatology, 1998, 28, 751-755.	3.6	1,271
118	Treatment of non-Hodgkin's lymphoma in the elderly: an update. , 1998, 16, 1-13.		11
119	Lymphomas. Critical Reviews in Oncology/Hematology, 1998, 27, 157-160.	2.0	5
120	Chemotherapy in squamous cell carcinoma of the cervix uteri: Present role and perspectives. Cancer Treatment Reviews, 1998, 24, 27-34.	3.4	14
121	Endocrine treatment of hepatocellular carcinoma. Any evidence of benefit?. European Journal of Cancer, 1998, 34, 25-32.	1.3	22
122	Defining prognostic factors in malignancies through image analysis. European Journal of Cancer, 1998, 34, 451-458.	1.3	4
123	Prognostic impact of amenorrhoea after adjuvant chemotherapy in premenopausal breast cancer patients with axillary node involvement: results of the international Breast Cancer Study Group (IBCSG) trial VI. European Journal of Cancer, 1998, 34, 632-640.	1.3	206
124	Carboplatin–oral etoposide personalised dosing in elderly non-small cell lung cancer patients. European Journal of Cancer, 1998, 34, 1710-1714.	1.3	27
125	Are platinum compounds mandatory in the treatment of metastatic non-small cell lung cancer?. European Journal of Cancer, 1998, 34, 1993-1995.	1.3	10
126	Recombinant human erythropoietin in the treatment of chemotherapy-induced anemia and prevention of transfusion requirement associated with solid tumors: A randomized, controlled study. Annals of Oncology, 1998, 9, 255-260.	0.6	102

#	Article	IF	CITATIONS
127	Carboplatin plus vinorelbine, a new well-tolerated and active regimen for the treatment of extensive-stage small-cell lung cancer: a phase II study. Gruppo Oncologico Centro-Sud-Isole Journal of Clinical Oncology, 1998, 16, 1414-1419.	0.8	25
128	Patients with stage III/IV Hodgkin's disease in partial remission after MOPP/ABV chemotherapy have excellent prognosis after additional involved-field radiotherapy: Interim results from the ongoing EORTC-LCG and GPMC phase III trial. Annals of Oncology, 1997, 8, S111-S114.	0.6	29
129	Vinorelbine is well tolerated and active in the treatment of elderly patients with advanced non-small cell lung cancer. A two-stage phase II study. European Journal of Cancer, 1997, 33, 392-397.	1.3	101
130	Pharmacokinetics and tolerance of vinorelbine in elderly patients with metastatic breast cancer. European Journal of Cancer, 1997, 33, 301-303.	1.3	75
131	Should adjuvant chemotherapy be used to treat breast cancer in elderly patients (≥ 70 years of age)?. European Journal of Cancer, 1997, 33, 1723-1724.	1.3	3
132	Pathological and immunophenotypic features of adult non-Hodgkin's lymphomas by age group. Human Pathology, 1997, 28, 580-587.	1.1	11
133	Increasing 4'-epidoxorubicin and fixed ifosfamide doses plus granulocyte-macrophage colony-stimulating factor in advanced soft tissue sarcomas: a pilot study Journal of Clinical Oncology, 1997, 15, 1418-1426.	0.8	46
134	Neurologic complications of Hodgkin's disease: A case history. Annals of Oncology, 1997, 8, 593-600.	0.6	5
135	Multidrug Chemotherapy in the Treatment of Non-Elderly Patients with Hormone-Refractory Prostatic Carcinoma. European Urology, 1996, 29, 434-438.	0.9	16
136	Physicians and death: Comments and behaviour of 605 doctors in the north-east of Italy. Supportive Care in Cancer, 1996, 4, 334-340.	1.0	22
137	Validation of a multidimensional evaluation scale for use in elderly cancer patients., 1996, 77, 395-401.		181
138	Pharmacokinetics of vinorelbine in patients with liver metastases. Clinical Pharmacology and Therapeutics, 1996, 59, 32-40.	2.3	72
139	Entry and evaluation of elderly patients in european organization for research and treatment of cancer (EORTC) new-drug–development studies. Cancer, 1995, 76, 333-338.	2.0	96
140	Treatment of elderly patients with antineoplastic chemotherapy Journal of Clinical Oncology, 1995, 13, 1282-1283.	0.8	2
141	Clinical Evaluation of 451 Patients with HIV Related Non-Hodgkin's Lymphoma: Experience of the Italian Cooperative Group on AIDS and Tumors (GICAT). Leukemia and Lymphoma, 1995, 20, 91-96.	0.6	19
142	Prospective analysis of the information level of Italian cancer patients. European Journal of Cancer, 1995, 31, 425-426.	1.3	12
143	Combined antineoplastic and antiretroviral therapy for patients with hodgkin's disease and human immunodeficiency virus infection. A prospective study of 17 patients. Cancer, 1994, 73, 437-444.	2.0	75
144	Cisplatin and etoposide versus cyclophosphamide, epirubicin and vincristine in small cell lung cancer: a randomised study. European Journal of Cancer, 1994, 30, 1474-1478.	1.3	9

#	Article	IF	CITATIONS
145	The Aged Patient with Lung Cancer. Drugs and Aging, 1994, 4, 34-46.	1.3	14
146	Human immunodeficiency virus-related lymphoma treatment with intensive combination chemotherapy. American Journal of Medicine, 1993, 95, 188-196.	0.6	142
147	Phase l–II intraperitoneal mitoxantrone in advanced pretreated ovarian cancer. European Journal of Cancer, 1993, 29, 1242-1248.	1.3	10
148	Phase II study of weekly 4′-epidoxorubicin in patients with metastatic squamous cell cancer of the cervix: An EORTC Gynaecological Cancer Cooperative Group Study. European Journal of Cancer, 1993, 29, 147-148.	1.3	13
149	Parenteral Nutrition in Cancer Patients Receiving Chemotherapy: Effects on Toxicity and Nutritional Status. Journal of Parenteral and Enteral Nutrition, 1993, 17, 513-518.	1.3	44
150	Cancer in the Elderly: Meeting the Challenge of an Aging Population. Journal of the National Cancer Institute, 1993, 85, 532-538.	3.0	80
151	Hodgkin's disease in 92 patients with HIV infection: The Italian experience. Annals of Oncology, 1992, 3, S69-S72.	0.6	53
152	Experience with Intraperitoneal Alpha-2a Interferon. Oncology, 1992, 49, 467-473.	0.9	8
153	A prospective study of a new combination chemotherapy regimen in patients older than 70 years with unfavorable non-Hodgkin's lymphoma Journal of Clinical Oncology, 1992, 10, 228-236.	0.8	88
154	Buserelin T reatment of Advanced Prostatic Carcinoma: Prognostic Factor Analysis. European Urology, 1992, 21, 274-279.	0.9	0
155	Radiotherapy versus radiotherapy enhanced by cisplatin in stage III non-small cell lung cancer. International Journal of Radiation Oncology Biology Physics, 1992, 24, 11-15.	0.4	174
156	The treatment of AIDS-related lymphoma. French-Italian Cooperative Study Group. JAMA - Journal of the American Medical Association, 1992, 267, 509-510.	3.8	2
157	Cancer registration in victoria, Australia, 1982–1987. European Journal of Cancer & Clinical Oncology, 1991, 27, 659-662.	0.9	9
158	Management of AIDS and its neoplastic complications. European Journal of Cancer & Clinical Oncology, 1991, 27, 380-389.	0.9	8
159	Cancer treatment and old people. Lancet, The, 1991, 338, 114.	6.3	7
160	Joint NCI-EORTC consensus meeting on neoplasia in the elderly. European Journal of Cancer & Clinical Oncology, 1991, 27, 653-654.	0.9	36
161	Common errors in conducting and reporting clinical trials in non-Hodgkin lymphomas and patients' age. European Journal of Cancer & Clinical Oncology, 1991, 27, 811.	0.9	6
162	Evaluation of Two Consecutive Regimens in Advanced Gastric Cancer. Cancer Investigation, 1991, 9, 257-262.	0.6	6

#	Article	IF	CITATIONS
163	After 65, cancer has a different impact on life expectancy in men and women. European Journal of Cancer & Clinical Oncology, 1991, 27, 1065-1066.	0.9	4
164	Skin carcinoma in 2 patients with HIV infection. European Journal of Cancer & Clinical Oncology, 1991, 27, 1184.	0.9	4
165	Pattern and Determinants of Diagnostic Interval in Cancers of the Prostate, Bladder and Kidney. Tumori, 1991, 77, 350-354.	0.6	4
166	A Phase II Study of Oral Idarubicin (4-Demethoxidaunorubicin) in Previously Untreated Elderly Patients with Non-Hodgkin's Lymphoma. American Journal of Clinical Oncology: Cancer Clinical Trials, 1991, 14, 243-245.	0.6	25
167	Induction intra-arterial cisplatin and bleomycin in head and neck cancer. Head and Neck, 1991, 13, 291-297.	0.9	18
168	A clinicopathologic study of lymphoid neoplasias associated with human immunodeficiency virus infection in Italy. Cancer, 1991, 68, 842-852.	2.0	85
169	Phase II Study of Teniposide (VM26) in Cutaneous T-Cell Lymphomas. American Journal of Clinical Oncology: Cancer Clinical Trials, 1990, 13, 14-16.	0.6	3
170	Head and neck cancer and ageing: a retrospective study in 438 patients. Journal of Laryngology and Otology, 1990, 104, 634-640.	0.4	65
171	Flavone acetic acid distribution in human malignant tumors. Cancer Chemotherapy and Pharmacology, 1990, 26, 67-70.	1.1	6
172	Phase II trials with flavone acetic acid (NCS. 347512, LM975) in patients with advanced carcinoma of the breast, colon, head and neck and melanoma. Investigational New Drugs, 1990, 8, S95-S99.	1.2	26
173	Non-Hodgkin's lymphoma in the elderly I. Pathologic features at presentation. Cancer, 1990, 66, 1991-1994.	2.0	46
174	Combination Chemotherapy Specifically Devised for Elderly Patients with Unfavorable Non-Hodgkin's Lymphoma. Cancer Investigation, 1990, 8, 577-582.	0.6	24
175	Cancer in the elderly: why so badly treated?. Lancet, The, 1990, 335, 1020-1022.	6.3	345
176	A phase II study of iproplatin in advanced or metastatic stomach cancer. European Journal of Cancer & Clinical Oncology, 1990, 26, 61-62.	0.9	2
177	Management of Non-Hodgkin's Lymphomas in Elderly Patients: Conclusions of the Second Intercity Meeting, 1987. , 1990, , 35-44.		3
178	Malignant tumors in patients with human immunodeficiency virus infection: a report of 580 cases Journal of Clinical Oncology, 1989, 7, 1582-1583.	0.8	9
179	Retrospective Analysis of the Cyvadic Regimen in Advanced Soft Tissue Sarcomas. Tumori, 1989, 75, 152-155.	0.6	2
180	Buserelin treatment of advanced prostatic cancer: A phase II study. Medical Oncology and Tumor Pharmacotherapy, 1989, 6, 255-257.	1.0	0

#	Article	IF	CITATIONS
181	A pathologic assessment of tumor residue and stromal changes after intraarterial chemotherapy for head and neck carcinomas. A study on serial sections of the whole surgical specimen. Cancer, 1989, 64, 994-1001.	2.0	21
182	Immunoglobulin and T cell receptor gene rearrangements and in situ immunophenotyping in lymphoproliferative disorders. Virchows Archiv A, Pathological Anatomy and Histopathology, 1989, 414, 223-230.	1.4	23
183	Combination chemotherapy with cisplatin and etoposide associated with radiotherapy in the treatment of small-cell lung cancer. Cancer Chemotherapy and Pharmacology, 1989, 24, 381-5.	1.1	5
184	Mitomycin C treatment of advanced, hormone-resistant prostatic carcinoma: a phase II study. Cancer Chemotherapy and Pharmacology, 1989, 23, 115-6.	1.1	7
185	Hodgkin'S Disease in Association with Acquired Immunodeficiency Syndrome (Aids): A Report on 36 Patients. Acta Oncológica, 1989, 28, 637-639.	0.8	22
186	Low-Dose Aminoglutethimide Plus Steroid Replacement in Advanced Breast Cancer Patients Resistant to Conventional Therapies. Cancer Investigation, 1989, 7, 113-116.	0.6	2
187	Unusual malignant tumours in 49 patients with HIV infection. Aids, 1989, 3, 449-452.	1.0	129
188	Presurgery chemotherapy (CT) in locally advanced bladder carcinoma: a feasible and possibly effective approach. Medical Oncology and Tumor Pharmacotherapy, 1989, 6, 179-182.	1.0	1
189	Presidential address at the European Society for Medical Oncology, Nice, 30 November 1986. Cancer Chemotherapy and Pharmacology, 1988, 21, 179-84.	1.1	0
190	Phase II study of iproplatin (CHIP, JM-9) in advanced testicular cancers progressing after prior chemotherapy. European Journal of Cancer & Clinical Oncology, 1988, 24, 1345-1348.	0.9	8
191	Negative phase II trial of menogaril in advanced squamous, adeno- and large cell carcinoma of the lung. European Journal of Cancer & Clinical Oncology, 1988, 24, 263-265.	0.9	7
192	Cisplatin and Etoposide as Second-Line Chemotherapy in Patients with Small Cell Lung Cancer. Cancer Investigation, $1988, 6, 1-5$.	0.6	28
193	Chemotherapy of Advanced Non-Small-Cell Lung Cancer with Cyclophosphamide, Adriamycin, Methotrexate, and Procarbazine versus Cisplatin and Etoposide A Randomized Study. American Journal of Clinical Oncology: Cancer Clinical Trials, 1988, 11, 566-571.	0.6	23
194	Chemotherapy of Advanced Head and Neck Squamous Carcinoma with Cisplatin, Fluorouracil and Bleomycin Administered in an Outpatient Schedule. Tumori, 1988, 74, 559-562.	0.6	0
195	HIV-Related Malignant Lymphoma: A Report of 46 Cases Observed in Italy ¹ . Acta Haematologica, 1988, 80, 49-51.	0.7	5
196	Malignant Lymphoma Related to HIV Infection in Italy: A Report of 46 Cases. JAMA - Journal of the American Medical Association, 1987, 258, 2064.	3.8	4
197	Phase II Study of Five-Day Continuous Infusion of Vinblastine in Patients With Metastatic Renal-Cell Carcinoma. American Journal of Clinical Oncology: Cancer Clinical Trials, 1987, 10, 231-233.	0.6	18
198	Sequential combination of tamoxifen and high dose medroxyprogesterone acetate: Therapeutic and endocrine effects in postmenopausal advanced breast cancer patients. European Journal of Cancer & Clinical Oncology, 1987, 23, 1451-1459.	0.9	11

#	Article	IF	Citations
199	Phase II trial of Menogaril in advanced malignant melanoma. An EORTC trial. European Journal of Cancer & Clinical Oncology, 1987, 23, 1707-1708.	0.9	2
200	Cisplatin and 5-fluorouracil combination chemotherapy in advanced and/or metastatic colorectal carcinoma: A phase II study. European Journal of Cancer & Clinical Oncology, 1987, 23, 657-661.	0.9	8
201	Phase II study of iproplatin (CHIP, JM-9) in advanced squamous cell carcinoma of the head and neck. European Journal of Cancer & Clinical Oncology, 1987, 23, 387-389.	0.9	6
202	Alternating tamoxifen and medroxyprogesterone acetate in postmenopausal advanced breast cancer patients $\hat{a} \in \mathbb{C}$ short and long term endocrine effects. Breast Cancer Research and Treatment, 1987, 10, 201-204.	1,1	3
203	Phase II study of esorubicin (4? -deoxydoxorubicin) in locally advanced or metastatic head and neck carcinoma. Investigational New Drugs, 1987, 5, 307-9.	1.2	4
204	Pharmacokinetics of VM 26 given intrapericardially or intravenously in patients with malignant pericardial effusion. Cancer Chemotherapy and Pharmacology, 1987, 20, 239-242.	1.1	21
205	Pharmacokinetics of 7-con-O-methylnogarol in patients with solid tumors. Cancer Chemotherapy and Pharmacology, 1987, 20, 67-70.	1.1	5
206	Intermittent pelvic arterial infusion with peptichemio, doxorubicin, and cisplatin for locally advanced and recurrent carcinoma of the uterine cervix. Cancer, 1987, 60, 25-30.	2.0	36
207	BONE MARROW PATTERN AND CLINICAL STAGING IN MULTIPLE MYELOMA. British Journal of Haematology, 1987, 65, 502-503.	1.2	6
208	INCREASED PREVALENCE OF HTLV-III ANTIBODY AMONG DRUG ADDICTS FROM ITALIAN PROVINCE WITH US MILITARY BASE. Lancet, The, 1986, 327, 804.	6.3	8
209	HTLV-III INFECTION AMONG 315 INTRAVENOUS DRUG ABUSERS: SEROEPIDEMIOLOGICAL, CLINICAL, AND PATHOLOGICAL FINDINGS. AIDS Research, 1986, 2, 325-334.	0.5	6
210	Early resection of residual tumor during cisplatin, vinblastine, bleomycin combination chemotherapy in stage III and bulky stage II nonseminomatous testicular cancer. Cancer, 1985, 56, 249-255.	2.0	56
211	HTLV-III ANTIBODY IN PROSTITUTES. Lancet, The, 1985, 326, 1424.	6. 3	21
212	Adjuvant Chemotherapy in Resected Stage-II Nonseminomatous Germ Cell Tumors of Testis. European Urology, 1984, 10, 151-158.	0.9	22
213	Retroperitoneal lymphadenectomy and aggressive chemotherapy in nonbulky clinical stage II nonseminomatous germinal testis tumors. Cancer, 1984, 53, 1363-1368.	2.0	21
214	No Adjuvant Chemotherapy in Selected Patients with Pathologic Stage II Nonseminomatous Germ Cell Tumors of the Testis. Journal of Urology, 1984, 131, 677-680.	0.2	71
215	Clinical staging and therapeutic results in multiple myeloma. European Journal of Cancer & Clinical Oncology, 1983, 19, 1353-1359.	0.9	2
216	Central Nervous System Involvement in Non-Hodgkin's Lymphomas: Value of Lumbar Puncture as Initial Staging Procedure. Tumori, 1981, 67, 197-202.	0.6	7

#	Article	IF	CITATIONS
217	Improved five year survival after combined radiotherapy-chemotherapy for stage I-II non-hodgkin's lymphoma. International Journal of Radiation Oncology Biology Physics, 1980, 6, 125-134.	0.4	202
218	Clinical Classification and Survival in Chronic Lymphocytic Leukemia. Tumori, 1979, 65, 39-49.	0.6	11
219	STAGING FOR CHRONIC LYMPHOCYTIC LEUKÆMIA. Lancet, The, 1979, 313, 783.	6.3	0
220	Cyclophosphamide, vincristine, and prednisone (CVP) versus adriamycin, bleomycin, and prednisone (ABP) in stage IV non-Hodgkin's lymphomas. Medical and Pediatric Oncology, 1977, 3, 67-74.	1.0	17
221	Combination chemotherapy of Hodgkin's disease with adriamycin, bleomycin, vinblastine, and imidazole carboxamide versus MOPP. Cancer, 1975, 36, 252-259.	2.0	683
222	Study of 12 Cases of Non-Hodgkin's Lymphoma of the Testicle Tumori, 1975, 61, 559-563.	0.6	1
223	Adriamycin in Combination and in Combined Treatment Modalities Tumori, 1974, 60, 393-416.	0.6	3
224	Chemotherapy of non-Hodgkin's lymphomas. Cancer Treatment Reviews, 1974, 1, 167-181.	3 . 4	23
225	Single Agent Sequential Chemotherapy in Non-Hodgkin's Lymphomas. Tumori, 1973, 59, 219-238.	0.6	4