

Janaina Habib Jorge

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6767027/publications.pdf>

Version: 2024-02-01

61
papers

1,308
citations

331670

21
h-index

395702

33
g-index

66
all docs

66
docs citations

66
times ranked

1619
citing authors

#	ARTICLE	IF	CITATIONS
1	Cytotoxicity of denture base acrylic resins: a literature review. <i>Journal of Prosthetic Dentistry</i> , 2003, 90, 190-193.	2.8	148
2	Color Stability of Resins and Nylon as Denture Base Material in Beverages. <i>Journal of Prosthodontics</i> , 2011, 20, 632-638.	3.7	54
3	Biocompatibility of denture base acrylic resins evaluated in culture of L929 cells. Effect of polymerisation cycle and post-polymerisation treatments. <i>Gerodontology</i> , 2007, 24, 52-57.	2.0	53
4	Effect of oral hygiene education and motivation on removable partial denture wearers: longitudinal study. <i>Gerodontology</i> , 2009, 26, 150-156.	2.0	50
5	Identification of <i>Candida</i> species in the clinical laboratory: a review of conventional, commercial, and molecular techniques. <i>Oral Diseases</i> , 2014, 20, 329-344.	3.0	50
6	pH-responsive poly(aspartic acid) hydrogel-coated magnetite nanoparticles for biomedical applications. <i>Materials Science and Engineering C</i> , 2017, 77, 366-373.	7.3	50
7	Photodynamic inactivation of a multispecies biofilm using curcumin and LED light. <i>Lasers in Medical Science</i> , 2016, 31, 997-1009.	2.1	48
8	Photodynamic Inactivation of Planktonic Cultures and Biofilms of <i>Candida albicans</i> Mediated by Aluminum-Chloride-Phthalocyanine Entrapped in Nanoemulsions. <i>Photochemistry and Photobiology</i> , 2013, 89, 111-119.	2.5	42
9	Comparison of denture microwave disinfection and conventional antifungal therapy in the treatment of denture stomatitis: a randomized clinical study. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2012, 114, 469-479.	0.4	40
10	Changes in roughness of denture base and reline materials by chemical disinfection or microwave irradiation: Surface roughness of denture base and reline materials. <i>Journal of Applied Oral Science</i> , 2011, 19, 521-528.	1.8	37
11	Photodynamic inactivation of a multispecies biofilm using Photodithazine [®] and LED light after one and three successive applications. <i>Lasers in Medical Science</i> , 2015, 30, 2303-2312.	2.1	33
12	Effect of post-polymerization heat treatments on the cytotoxicity of two denture base acrylic resins. <i>Journal of Applied Oral Science</i> , 2006, 14, 203-207.	1.8	31
13	Failures in the rehabilitation treatment with removable partial dentures. <i>Acta Odontologica Scandinavica</i> , 2013, 71, 1351-1355.	1.6	31
14	Cytotoxicity of denture base resins: effect of water bath and microwave postpolymerization heat treatments. <i>International Journal of Prosthodontics</i> , 2004, 17, 340-4.	1.7	31
15	Clinical evaluation of abutment teeth of removable partial denture by means of the Periotest method. <i>Journal of Oral Rehabilitation</i> , 2007, 34, 222-227.	3.0	30
16	A Life-Threatening Central Nervous System Tuberculosis Inflammatory Reaction Nonresponsive to Corticosteroids and Successfully Controlled by Infliximab in a Young Patient With a Variant of Juvenile Idiopathic Arthritis. <i>Journal of Clinical Rheumatology</i> , 2012, 18, 189-191.	0.9	29
17	In vivo evaluation of photodynamic inactivation using Photodithazine [®] against <i>Candida albicans</i> . <i>Photochemical and Photobiological Sciences</i> , 2015, 14, 1319-1328.	2.9	27
18	Photoinactivation of single and mixed biofilms of <i>Candida albicans</i> and non-albicans <i>Candida</i> species using Photodithazine [®] . <i>Photodiagnosis and Photodynamic Therapy</i> , 2017, 17, 194-199.	2.6	26

#	ARTICLE	IF	CITATIONS
19	<i>In vitro</i> evaluation of adherence of <i>Candida albicans</i> , <i>Candida glabrata</i> , and <i>Streptococcus mutans</i> to an acrylic resin modified by experimental coatings. <i>Biofouling</i> , 2014, 30, 525-533.	2.2	25
20	Peel bond strength of resilient liner modified by the addition of antimicrobial agents to denture base acrylic resin. <i>Journal of Applied Oral Science</i> , 2012, 20, 607-612.	1.8	24
21	The effect of long-term disinfection procedures on hardness property of resin denture teeth. <i>Gerodontology</i> , 2012, 29, e571-6.	2.0	24
22	Properties of an acrylic resin after immersion in antiseptic soaps: Low-cost, easy-access procedure for the prevention of denture stomatitis. <i>PLoS ONE</i> , 2018, 13, e0203187.	2.5	24
23	Susceptibility profile of a Brazilian yeast stock collection of <i>Candida</i> species isolated from subjects with <i>Candida</i> -associated denture stomatitis with or without diabetes. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2013, 116, 562-569.	0.4	23
24	Evaluation of different treatment methods against denture stomatitis: a randomized clinical study. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2014, 118, 72-77.	0.4	23
25	Surface roughness of denture base and reline materials after disinfection by immersion in chlorhexidine or microwave irradiation. <i>Gerodontology</i> , 2012, 29, e375-82.	2.0	22
26	Surface roughness and <i>Candida albicans</i> biofilm formation on a reline resin after long-term chemical disinfection and toothbrushing. <i>Journal of Prosthetic Dentistry</i> , 2014, 112, 1523-1529.	2.8	20
27	Weight loss and changes in surface roughness of denture base and reline materials after simulated toothbrushing <i>in vitro</i> . <i>Gerodontology</i> , 2012, 29, e121-7.	2.0	19
28	Antimicrobial photodynamic therapy effectiveness against susceptible and methicillin-resistant <i>Staphylococcus aureus</i> biofilms. <i>Photodiagnosis and Photodynamic Therapy</i> , 2020, 30, 101760.	2.6	19
29	Effect of water storage and heat treatment on the cytotoxicity of soft liners. <i>Gerodontology</i> , 2012, 29, e275-80.	2.0	17
30	Eradication of a Mature Methicillin-Resistant <i>Staphylococcus aureus</i> (MRSA) Biofilm From Acrylic Surfaces. <i>Brazilian Dental Journal</i> , 2013, 24, 487-491.	1.1	16
31	Virulence factors of fluconazole-susceptible and fluconazole-resistant <i>Candida albicans</i> after antimicrobial photodynamic therapy. <i>Lasers in Medical Science</i> , 2017, 32, 815-826.	2.1	16
32	Cytotoxic potential of denture base and reline acrylic resins after immersion in disinfectant solutions. <i>Journal of Prosthetic Dentistry</i> , 2018, 120, 155.e1-155.e7.	2.8	16
33	The occurrence of porosity in reline acrylic resins. Effect of microwave disinfection. <i>Gerodontology</i> , 2009, 26, 65-71.	2.0	14
34	Enzymatic activity profile of a Brazilian culture collection of <i>Candida albicans</i> isolated from diabetics and non-diabetics with oral candidiasis. <i>Mycoses</i> , 2014, 57, 351-357.	4.0	14
35	<i>In vitro</i> evaluation of the enzymatic activity profile of non- <i>albicans</i> <i>Candida</i> species isolated from patients with oral candidiasis with or without diabetes. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2014, 118, 84-91.	0.4	13
36	Cytotoxicity of antimicrobial photodynamic inactivation on epithelial cells when co-cultured with <i>Candida albicans</i> . <i>Photochemical and Photobiological Sciences</i> , 2016, 15, 682-690.	2.9	13

#	ARTICLE	IF	CITATIONS
37	A Survey of the Management of Patients with Temporomandibular Disorders by General Dental Practitioners in Southern Brazil. <i>Journal of Prosthodontics</i> , 2016, 25, 33-38.	3.7	13
38	Effect of storage in water and thermocycling on hardness and roughness of resin materials for temporary restorations. <i>Materials Research</i> , 2010, 13, 355-359.	1.3	12
39	Effect of thermal cycling on microleakage between hard chairside relines and denture base acrylic resins. <i>Gerodontology</i> , 2011, 28, 121-126.	2.0	12
40	Surface Roughness of Acrylic and Silicone-Based Soft Liners: In Vivo Study in a Rat Model. <i>Journal of Prosthodontics</i> , 2014, 23, 146-151.	3.7	12
41	Impact strength of denture base and reline acrylic resins: An in vitro study. <i>Journal of Dental Biomechanics</i> , 2012, 3, 1758736012459535.	1.2	11
42	Effect of the aging of titanium and zirconia abutment surfaces on the viability, adhesion, and proliferation of cells and the adhesion of microorganisms. <i>Journal of Prosthetic Dentistry</i> , 2019, 122, 564.e1-564.e10.	2.8	11
43	Effects of short-term immersion and brushing with different denture cleansers on the roughness, hardness, and color of two types of acrylic resin. <i>American Journal of Dentistry</i> , 2015, 28, 150-6.	0.1	10
44	Effect of mechanical toothbrushing combined with different denture cleansers in reducing the viability of a multispecies biofilm on acrylic resins. <i>American Journal of Dentistry</i> , 2016, 29, 154-60.	0.1	10
45	The influence of photodynamic therapy parameters on the inactivation of <i>Candida</i> spp: in vitro and in vivo studies. <i>Laser Physics</i> , 2014, 24, 045601.	1.2	8
46	Histopathological Changes by the Use of Soft Reline Materials: A Rat Model Study. <i>PLoS ONE</i> , 2014, 9, e100293.	2.5	7
47	Effectiveness of Disinfectant Liquid Soaps in the Reduction of <i>Candida</i> spp Present in Complete Dentures: A Crossover Randomized Clinical Trial. <i>International Journal of Prosthodontics</i> , 2020, 33, 620-628.	1.7	6
48	In Vitro Toxic Effect of Biomaterials Coated with Silver Tungstate or Silver Molybdate Microcrystals. <i>Journal of Nanomaterials</i> , 2020, 2020, 1-9.	2.7	6
49	Evaluation of partially dentate patients' knowledge about caries and periodontal disease. <i>Gerodontology</i> , 2012, 29, e253-8.	2.0	5
50	Antimicrobial efficacy and biocompatibility of extracts from <i>Cryptocarya</i> species. <i>PLoS ONE</i> , 2021, 16, e0261884.	2.5	5
51	Long-Term Effect of Daily Chemical Disinfection on Surface Topography and <i>Candida Albicans</i> Biofilm Formation on Denture Base and Reline Acrylic Resins. <i>Oral Health & Preventive Dentistry</i> , 2020, 18, 999-1010.	0.5	5
52	Description of a Rat Palatal Acrylic Plate That Can Be Reline. <i>Journal of Prosthodontics</i> , 2015, 24, 562-568.	3.7	4
53	<i>Uncaria tomentosa</i> Gel against Denture Stomatitis: Clinical Report. <i>Journal of Prosthodontics</i> , 2015, 24, 594-597.	3.7	3
54	Occlusal Pressure Analysis of Complete Dentures after Microwave Disinfection: A Clinical Study. <i>Journal of Prosthodontics</i> , 2017, 26, 606-610.	3.7	3

#	ARTICLE	IF	CITATIONS
55	Effect of microwave postpolymerization treatment and of storage time in water on the cytotoxicity of denture base and relined acrylic resins. Quintessence International, 2009, 40, e93-100.	0.4	3
56	Dynamics and metabolic profile of oral keratinocytes (NOK-si) and Candida albicans after interaction in co-culture. Biofouling, 2021, 37, 572-589.	2.2	2
57	Cell Membrane Integrity of Candida Albicans after Different Protocols of Microwave Irradiation. American Journal of Infectious Diseases and Microbiology, 2013, 1, 38-45.	0.2	2
58	Do denture cleansers influence the surface roughness and adhesion and biofilm formation of <i>Candida albicans</i> on acrylic resin? Systematic review and meta-analysis. Journal of Prosthodontic Research, 2023, 67, 164-172.	2.8	2
59	Desordens temporomandibulares em usuários de prótese parcial removível: prevalência de acordo com a classificação de Kennedy. Universidade Estadual Paulista Revista De Odontologia, 2013, 42, 72-77.	0.3	1
60	Statherin-derived peptides as antifungal strategy against Candida albicans. Archives of Oral Biology, 2021, 125, 105106.	1.8	1
61	Physical properties of artificial teeth after immersion in liquid disinfectant soaps. American Journal of Dentistry, 2019, 32, 14-20.	0.1	0