Yiu-Wing Mai

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6769854/publications.pdf

Version: 2024-02-01

644 papers

41,347 citations

97 h-index 173 g-index

674 all docs

674 docs citations

times ranked

674

30852 citing authors

#	Article	IF	CITATIONS
1	Recyclability and Selfâ€Healing of Dynamic Crossâ€Linked Polyimide with Mechanical/Electrical Damage. Energy and Environmental Materials, 2023, 6, .	12.8	26
2	Electrospinning Engineering Enables High-Performance Sodium-Ion Batteries. Advanced Fiber Materials, 2022, 4, 43-65.	16.1	71
3	Exceptional high-strain-rate tensile mechanical properties in a CrCoNi medium-entropy alloy. Science China Materials, 2022, 65, 811-819.	6.3	24
4	Tensile properties of 3D-printed CNT-SGF reinforced PLA composites. Composites Science and Technology, 2022, 230, 109333.	7.8	14
5	Advances on Thermally Conductive Epoxyâ€Based Composites as Electronic Packaging Underfill Materials—A Review. Advanced Materials, 2022, 34, e2201023.	21.0	61
6	Electrospinningâ€Based Strategies for Battery Materials. Advanced Energy Materials, 2021, 11, 2000845.	19.5	169
7	Functionalized N-doped hollow graphitic carbon-nanotube/carbon -nanosphere composite. Composites Communications, 2021, 23, 100578.	6.3	23
8	Glass fibres coated with flame synthesised carbon nanotubes to enhance interface properties. Composites Communications, 2021, 24, 100623.	6.3	10
9	Interlaminar toughening in carbon fiber/epoxy composites interleaved with CNT-decorated polycaprolactone nanofibers. Composites Communications, 2021, 24, 100622.	6.3	43
10	Direct observation of nanoscale dynamics of ferroelectric degradation. Nature Communications, 2021, 12, 2095.	12.8	30
11	Ultrafast Flame-Induced Pyrolysis of Poly(dimethylsiloxane) Foam Materials toward Exceptional Superhydrophobic Surfaces and Reliable Mechanical Robustness. ACS Applied Materials & Emp; Interfaces, 2021, 13, 23161-23172.	8.0	78
12	Unraveling the mechanical origin of stable solid electrolyte interphase. Joule, 2021, 5, 1860-1872.	24.0	89
13	Spider Web-Inspired Graphene Skeleton-Based High Thermal Conductivity Phase Change Nanocomposites for Battery Thermal Management. Nano-Micro Letters, 2021, 13, 180.	27.0	92
14	Research progress in electrospinning engineering for all-solid-state electrolytes of lithium metal batteries. Journal of Energy Chemistry, 2021, 61, 253-268.	12.9	52
15	Electrospinning Techniques: Electrospinningâ€Based Strategies for Battery Materials (Adv. Energy) Tj ETQq1 1 0.	.784314 rg	gBT /Overlock
16	A highly stretchable, super-hydrophobic strain sensor based on polydopamine and graphene reinforced nanofiber composite for human motion monitoring. Composites Part B: Engineering, 2020, 181, 107580.	12.0	182
17	Effects of selective distribution of alumina micro-particles on rheological, mechanical and thermal conductive properties of asphalt/SBS/alumina composites. Composites Science and Technology, 2020, 186, 107917.	7.8	30
18	Thermal conductivity of graphene-based polymer nanocomposites. Materials Science and Engineering Reports, 2020, 142, 100577.	31.8	188

#	Article	IF	CITATIONS
19	Core-shell structured polyethylene glycol functionalized graphene for energy-storage polymer dielectrics: Combined mechanical and dielectric performances. Composites Science and Technology, 2020, 199, 108341.	7.8	16
20	Flame synthesis of carbon nanotubes on glass fibre fabrics and their enhancement in electrical and thermal properties of glass fibre/epoxy composites. Composites Part B: Engineering, 2020, 198, 108249.	12.0	22
21	Tough Nature-Inspired Helicoidal Composites with Printing-Induced Voids. Cell Reports Physical Science, 2020, 1, 100109.	5.6	27
22	In-situ shear exfoliation and thermal conductivity of SBS/Graphite nanoplatelet nanocomposites. Composites Part B: Engineering, 2020, 197, 108172.	12.0	12
23	Li metal deposition and stripping in a solid-state battery via Coble creep. Nature, 2020, 578, 251-255.	27.8	333
24	Conductive graphite nanoplatelets (GNPs)/polyethersulfone (PES) composites with inter-connective porous structure for chemical vapor sensing. Composites Science and Technology, 2019, 184, 107883.	7.8	9
25	Introduction to short fibre-reinforced polymer composites. , 2019, , 1-7.		6
26	Major factors affecting the performance of short fibre-reinforced polymers. , 2019, , 33-66.		0
27	Strength of short fibre-reinforced polymers. , 2019, , 91-137.		3
28	Extrusion compounding and injection moulding. , 2019, , 9-32.		0
29	Stress transfer in short fibre-reinforced polymers. , 2019, , 67-89.		1
30	Elastic modulus of short fibre-reinforced polymers. , 2019, , 139-188.		0
31	Thermal conductivity and expansion of short fibre-reinforced polymer composites. , 2019, , 213-240.		O
32	Effect of electrospun polysulfone/cellulose nanocrystals interleaves on the interlaminar fracture toughness of carbon fiber/epoxy composites. Composites Science and Technology, 2019, 181, 107673.	7.8	54
33	Synergetic improvement of interlaminar fracture energy in carbon fiber/epoxy composites with nylon nanofiber/polycaprolactone blend interleaves. Composites Part B: Engineering, 2019, 171, 320-328.	12.0	49
34	Fiberâ€inâ€Tube Design of Co ₉ S ₈ â€Carbon/Co ₉ S ₈ : Enabling Efficient Sodium Storage. Angewandte Chemie, 2019, 131, 6305-6309.	2.0	15
35	Fiberâ€nâ€Tube Design of Co ₉ S ₈ â€Carbon/Co ₉ S ₈ : Enabling Efficient Sodium Storage. Angewandte Chemie - International Edition, 2019, 58, 6239-6243.	13.8	137
36	Molecular dynamics simulations of friction forces between silica nanospheres. Computational Materials Science, 2019, 162, 96-110.	3.0	3

#	Article	IF	CITATIONS
37	Numerical Simulation of Failure of Composite Coatings due to Thermal and Hygroscopic Stresses. Coatings, 2019, 9, 243.	2.6	16
38	<i>In situ</i> reactive self-assembly of a graphene oxide nano-coating in polymer foam materials with synergistic fire shielding properties. Journal of Materials Chemistry A, 2019, 7, 27032-27040.	10.3	78
39	Facile flame catalytic growth of carbon nanomaterials on the surface of carbon nanotubes. Applied Surface Science, 2019, 465, 23-30.	6.1	14
40	Spider-Web-Inspired Stretchable Graphene Woven Fabric for Highly Sensitive, Transparent, Wearable Strain Sensors. ACS Applied Materials & Strain Sensors. ACS Applied	8.0	105
41	Tunable negative permittivity in nano-carbon coated magnetic microwire polymer metacomposites. Composites Science and Technology, 2019, 171, 206-217.	7.8	89
42	High-performance epoxy/binary spherical alumina composite as underfill material for electronic packaging. Composites Part A: Applied Science and Manufacturing, 2019, 118, 67-74.	7.6	99
43	Design of mechanically stable, electrically conductive and highly hydrophobic three-dimensional graphene nanoribbon composites by modulating the interconnected network on polymer foam skeleton. Composites Science and Technology, 2019, 171, 162-170.	7.8	82
44	Fe3O4 decorated graphene/poly(vinylidene fluoride) nanocomposites with high dielectric constant and low dielectric loss. Composites Science and Technology, 2019, 171, 152-161.	7.8	32
45	Ultrathin Sb2S3 nanosheet anodes for exceptional pseudocapacitive contribution to multi-battery charge storage. Energy Storage Materials, 2019, 20, 36-45.	18.0	51
46	Effects of carboxylated carbon nanotubes on the phase separation behaviour and fracture-mechanical properties of an epoxy/polysulfone blend. Composites Science and Technology, 2018, 159, 180-188.	7.8	46
47	TiO2 nanoparticle decorated carbon nanofibers for removal of organic dyes. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2018, 549, 205-211.	4.7	72
48	Superior flame retardancy and smoke suppression of epoxy-based composites with phosphorus/nitrogen co-doped graphene. Journal of Hazardous Materials, 2018, 346, 140-151.	12.4	173
49	Multi-functional interface tailoring for enhancing thermal conductivity, flame retardancy and dynamic mechanical property of epoxy/Al2O3 composites. Composites Science and Technology, 2018, 160, 42-49.	7.8	107
50	4.2 Effect of Interface Strength on Metal Matrix Composites Properties. , 2018, , 22-59.		3
51	Ultralow-Carbon Nanotube-Toughened Epoxy: The Critical Role of a Double-Layer Interface. ACS Applied Materials & Double-Layer Interfaces, 2018, 10, 1204-1216.	8.0	42
52	Efficient Flame Detection and Early Warning Sensors on Combustible Materials Using Hierarchical Graphene Oxide/Silicone Coatings. ACS Nano, 2018, 12, 416-424.	14.6	227
53	Rational Assembly of Hollow Microporous Carbon Spheres as P Hosts for Longâ€Life Sodiumâ€lon Batteries. Advanced Energy Materials, 2018, 8, 1702267.	19.5	85
54	Epoxy nanocomposites simultaneously strengthened and toughened by hybridization with graphene oxide and block ionomer. Composites Science and Technology, 2018, 168, 363-370.	7.8	95

#	Article	IF	Citations
55	Scalable Approach to Construct Self-Assembled Graphene-Based Films with An Ordered Structure for Thermal Management. ACS Applied Materials & Samp; Interfaces, 2018, 10, 41690-41698.	8.0	32
56	Effect of elastic modulus mismatch of epoxy/titanium dioxide coated silver nanowire composites on the performance of thermal conductivity. Composites Science and Technology, 2018, 165, 206-213.	7.8	43
57	Facile fabrication of large 3D graphene filler modified epoxy composites with improved thermal conduction and tribological performance. Carbon, 2018, 139, 1168-1177.	10.3	71
58	Graphene/Boron Nitride–Polyurethane Microlaminates for Exceptional Dielectric Properties and High Energy Densities. ACS Applied Materials & Samp; Interfaces, 2018, 10, 26641-26652.	8.0	81
59	Constructing desirable ion-conducting channels within ionic liquid-based composite polymer electrolytes by using polymeric ionic liquid-functionalized 2D mesoporous silica nanoplates. Nano Energy, 2017, 33, 110-123.	16.0	46
60	Preparation of poly($\hat{l}\mu$ -caprolactone) microspheres and fibers with controllable surface morphology. Materials and Design, 2017, 117, 298-304.	7.0	31
61	J-integral for spallation of protective layer subjected to metal dusting corrosion. Materials and Design, 2017, 119, 263-269.	7.0	1
62	Recent advances in covalent functionalization of carbon nanomaterials with polymers: Strategies and perspectives. Journal of Polymer Science Part A, 2017, 55, 622-631.	2.3	49
63	Simultaneous improvement in the flame resistance and thermal conductivity of epoxy/Al ₂ O ₃ composites by incorporating polymeric flame retardant-functionalized graphene. Journal of Materials Chemistry A, 2017, 5, 13544-13556.	10.3	148
64	Polymeric ionic liquid-functionalized mesoporous silica nanoplates: a new high-performance composite polymer electrolyte for lithium batteries. Electrochimica Acta, 2017, 245, 1010-1022.	5.2	19
65	Selfâ€Assembled Polymeric Ionic Liquidâ€Functionalized Cellulose Nanoâ€crystals: Constructing 3D Ionâ€conducting Channels Within Ionic Liquidâ€based Composite Polymer Electrolytes. Chemistry - A European Journal, 2017, 23, 11881-11890.	3.3	20
66	Computational Design for Scaffold Tissue Engineering. Springer Series in Biomaterials Science and Engineering, 2017, , 349-369.	1.0	6
67	Electrospun Polymer Scaffolds: Their Biomedical and Mechanical Properties. Springer Series in Biomaterials Science and Engineering, 2017, , 237-270.	1.0	1
68	Improvement of interlaminar fracture toughness in carbon fiber/epoxy composites with carbon nanotubes/polysulfone interleaves. Composites Science and Technology, 2017, 140, 8-15.	7.8	157
69	Delamination toughening of carbon fiber/epoxy laminates by hierarchical carbon nanotube-short carbon fiber interleaves. Composites Science and Technology, 2017, 140, 46-53.	7.8	112
70	Graphene/epoxy interleaves for delamination toughening and monitoring of crack damage in carbon fibre/epoxy composite laminates. Composites Science and Technology, 2017, 140, 123-133.	7.8	130
71	Critical rubber layer thickness of core-shell particles with a rigid core and a soft shell for toughening of epoxy resins without loss of elastic modulus and strength. Composites Science and Technology, 2017, 153, 253-260.	7.8	33
72	Improving thermal and flame retardant properties of epoxy resin by functionalized graphene containing phosphorous, nitrogen and silicon elements. Composites Part A: Applied Science and Manufacturing, 2017, 103, 74-83.	7.6	158

#	Article	IF	Citations
73	A promising nanohybrid of silicon carbide nanowires scrolled by graphene oxide sheets with a synergistic effect for poly(propylene carbonate) nanocomposites. Journal of Materials Chemistry A, 2017, 5, 22361-22371.	10.3	25
74	Super-hydrophobic coatings based on non-solvent induced phase separation during electro-spraying. Journal of Colloid and Interface Science, 2017, 506, 603-612.	9.4	53
75	Magnetic, electrically conductive and lightweight graphene/iron pentacarbonyl porous films enhanced with chitosan for highly efficient broadband electromagnetic interference shielding. Composites Science and Technology, 2017, 151, 71-78.	7.8	58
76	Engineering Ceramic Fiber Nanostructures Through Polymer-Mediated Electrospinning. Engineering Materials and Processes, 2017, , 3-30.	0.4	3
77	Improvement of atomic oxygen erosion resistance of carbon fiber and carbon fiber/epoxy composite interface with a silane coupling agent. Materials and Design, 2016, 109, 171-178.	7.0	60
78	Nanoparticles. Engineering Materials and Processes, 2016, , 5-33.	0.4	0
79	Processing. Engineering Materials and Processes, 2016, , 35-67.	0.4	1
80	Facile One Pot Polycondensation Method to Synthesize the Crosslinked Polyethylene glycolâ€Based Copolymer Electrolytes. Macromolecular Chemistry and Physics, 2016, 217, 1607-1613.	2.2	10
81	Wear/Scratch Damage. Engineering Materials and Processes, 2016, , 207-226.	0.4	0
82	Effect of Dual Reactive Compatibilizers on the Formation of Co-Continuous Morphology of Low Density Polyethylene/Polyamide 6 Blends with Low Polyamide 6 Content. Industrial & Engineering Chemistry Research, 2016, 55, 4515-4525.	3.7	25
83	In situ reduction of iron oxide with graphene for convenient synthesis of various graphene hybrids. Carbon, 2016, 107, 138-145.	10.3	13
84	Effect of non-covalent functionalisation on thermal and mechanical properties of graphene-polymer nanocomposites. Carbon, 2016, 102, 311-318.	10.3	108
85	Temperature effect on nano-rubber toughening in epoxy and epoxy/carbon fiber laminated composites. Composites Part B: Engineering, 2016, 95, 423-432.	12.0	40
86	Structure, rheological, thermal conductive and electrical insulating properties of high-performance hybrid epoxy/nanosilica/AgNWs nanocomposites. Composites Science and Technology, 2016, 128, 207-214.	7.8	95
87	Improving the electrical conductivity and interface properties of carbon fiber/epoxy composites by low temperature flame growth of carbon nanotubes. RSC Advances, 2016, 6, 48896-48904.	3.6	37
88	A facile approach for preparation of polystyrene/graphene nanocomposites with ultra-low percolation threshold through an electrostatic assembly process. Composites Science and Technology, 2016, 134, 49-56.	7.8	84
89	In-situ pull-off of ZnO nanowire from carbon fiber and improvement of interlaminar toughness of hierarchical ZnO nanowire/carbon fiber hydrid composite laminates. Carbon, 2016, 110, 69-78.	10.3	78
90	Flame Retardancy. Engineering Materials and Processes, 2016, , 185-206.	0.4	0

#	Article	IF	Citations
91	Hollow Nanotubes of Nâ€Doped Carbon on CoS. Angewandte Chemie, 2016, 128, 16063-16066.	2.0	14
92	Hollow Nanotubes of Nâ€Doped Carbon on CoS. Angewandte Chemie - International Edition, 2016, 55, 15831-15834.	13.8	130
93	Decoration of defect-free graphene nanoplatelets with alumina for thermally conductive and electrically insulating epoxy composites. Composites Science and Technology, 2016, 137, 16-23.	7.8	110
94	Interfacial thermal conductance in multilayer graphene/phosphorene heterostructure. Journal Physics D: Applied Physics, 2016, 49, 465301.	2.8	18
95	Electrospun carbon-based nanostructured electrodes for advanced energy storage – A review. Energy Storage Materials, 2016, 5, 58-92.	18.0	178
96	Effects of strain rate on mechanical properties of nanosilica/epoxy. Composites Part B: Engineering, 2016, 96, 119-124.	12.0	40
97	Silane bonded graphene aerogels with tunable functionality and reversible compressibility. Carbon, 2016, 107, 573-582.	10.3	83
98	Polymer Nanocomposites. Engineering Materials and Processes, 2016, , .	0.4	11
99	Inserting Sn Nanoparticles into the Pores of TiO _{2â^²<i>x</i>} –C Nanofibers by Lithiation. Advanced Functional Materials, 2016, 26, 376-383.	14.9	51
100	On adhesive properties of nano-silica/epoxy bonded single-lap joints. Materials and Design, 2016, 95, 212-218.	7.0	92
101	Ultrafast Synthesis of Multifunctional N-Doped Graphene Foam in an Ethanol Flame. ACS Nano, 2016, 10, 453-462.	14.6	119
102	Effect of a High Density of Stacking Faults on the Young's Modulus of GaAs Nanowires. Nano Letters, 2016, 16, 1911-1916.	9.1	61
103	Determination of dynamic elastic modulus of polymeric materials using vertical split Hopkinson pressure bar. International Journal of Mechanical Sciences, 2016, 108-109, 188-196.	6.7	56
104	Toughening of Epoxy Nanocomposites: Nano and Hybrid Effects. Polymer Reviews, 2016, 56, 70-112.	10.9	140
105	A simple and controllable graphene-templated approach to synthesise 2D silica-based nanomaterials using water-in-oil microemulsions. Chemical Communications, 2016, 52, 575-578.	4.1	17
106	Biocompatible reduced graphene oxide sheets with superior water dispersibility stabilized by cellulose nanocrystals and their polyethylene oxide composites. Green Chemistry, 2016, 18, 1674-1683.	9.0	67
107	Effects of thermal residual stress on interfacial properties of polyphenylene sulphide/carbon fibre (PPS/CF) composite by microbond test. Journal of Materials Science, 2016, 51, 334-343.	3.7	28
108	Microstructural Characterization. Engineering Materials and Processes, 2016, , 69-101.	0.4	0

#	Article	IF	Citations
109	Functional Properties. Engineering Materials and Processes, 2016, , 227-261.	0.4	O
110	Applications and Outlook. Engineering Materials and Processes, 2016, , 279-297.	0.4	0
111	Thermal Properties. Engineering Materials and Processes, 2016, , 161-184.	0.4	0
112	Effects of loading misalignment and tapering angle on the measured mechanical properties of nanowires. Nanotechnology, 2015, 26, 435704.	2.6	6
113	High-performance electrospun nanostructured composite fiber anodes for lithium–ion batteries. , 2015, , 662-689.		2
114	Balanced electrical, thermal and mechanical properties of epoxy composites filled with chemically reduced graphene oxide and rubber nanoparticles. Composites Science and Technology, 2015, 121, 104-114.	7.8	109
115	An effective non-covalent grafting approach to functionalize individually dispersed reduced graphene oxide sheets with high grafting density, solubility and electrical conductivity. Nanoscale, 2015, 7, 3548-3557.	5.6	63
116	Determination of Young's Modulus of Ultrathin Nanomaterials. Nano Letters, 2015, 15, 5279-5283.	9.1	44
117	High performance composite polymer electrolytes using polymeric ionic liquid-functionalized graphene molecular brushes. Journal of Materials Chemistry A, 2015, 3, 18064-18073.	10.3	50
118	High quality barium titanate nanofibers for flexible piezoelectric device applications. Sensors and Actuators A: Physical, 2015, 233, 195-201.	4.1	68
119	Fracture resistance, thermal and electrical properties of epoxy composites containing aligned carbon nanotubes by low magnetic field. Composites Science and Technology, 2015, 114, 126-135.	7.8	108
120	On the Adhesion performance of a single electrospun fiber. Applied Physics A: Materials Science and Processing, 2015, 118, 51-56.	2.3	15
121	Effect of fiber size on structural and tensile properties of electrospun polyvinylidene fluoride fibers. Polymer Engineering and Science, 2015, 55, 1812-1817.	3.1	32
122	3D network graphene interlayer for excellent interlaminar toughness and strength in fiber reinforced composites. Carbon, 2015, 95, 978-986.	10.3	76
123	Modeling the Mechanical Properties of Functionalized Carbon Nanotubes and Their Composites: Design at the Atomic Level. Advances in Condensed Matter Physics, 2014, 2014, 1-8.	1.1	7
124	Deformation-induced phase transformation in 4H–SiC nanopillars. Acta Materialia, 2014, 80, 392-399.	7.9	16
125	High-performance epoxy/silica coated silver nanowire composites as underfill material for electronic packaging. Composites Science and Technology, 2014, 105, 80-85.	7.8	146
126	Flame synthesis of carbon nanotubes onto carbon fiber woven fabric and improvement of interlaminar toughness of composite laminates. Composites Science and Technology, 2014, 101, 159-166.	7.8	51

#	Article	IF	Citations
127	Poly(ethylene glycol) grafted multi-walled carbon nanotubes/LiFePO4 composite cathodes for lithium ion batteries. Journal of Power Sources, 2014, 246, 260-268.	7.8	59
128	Thermodynamics at the nanoscale: A new approach to the investigation of unique physicochemical properties of nanomaterials. Materials Science and Engineering Reports, 2014, 79, 1-40.	31.8	133
129	Sulfur encapsulated in porous hollow CNTs@CNFs for high-performance lithium–sulfur batteries. Journal of Materials Chemistry A, 2014, 2, 10126-10130.	10.3	98
130	Electrospun barium titanate/cobalt ferrite composite fibers with improved magnetoelectric performance. RSC Advances, 2014, 4, 55217-55223.	3.6	20
131	Interactions between crystalline nanospheres: comparisons between molecular dynamics simulations and continuum models. RSC Advances, 2014, 4, 34500.	3.6	20
132	Exceptional electrochemical performance of porous TiO ₂ â€"carbon nanofibers for lithium ion battery anodes. Journal of Materials Chemistry A, 2014, 2, 3875-3880.	10.3	71
133	Core/shell TiO ₂ –MnO ₂ /MnO ₂ heterostructure anodes for high-performance lithium-ion batteries. RSC Advances, 2014, 4, 39906.	3.6	31
134	Temperature and strain-rate dependent fracture strength of graphynes. Journal Physics D: Applied Physics, 2014, 47, 425301.	2.8	46
135	Monochromatic Visible Light "Photoinitibitor― Janus-Faced Initiation and Inhibition for Storage of Colored 3D Images. Journal of the American Chemical Society, 2014, 136, 8855-8858.	13.7	118
136	Hollow-tunneled graphitic carbon nanofibers through Ni-diffusion-induced graphitization as high-performance anode materials. Energy and Environmental Science, 2014, 7, 2689-2696.	30.8	135
137	Tensile and tearing fracture properties of graphene oxide papers intercalated with carbon nanotubes. Carbon, 2014, 77, 481-491.	10.3	35
138	Exceptional Electrical Conductivity and Fracture Resistance of 3D Interconnected Graphene Foam/Epoxy Composites. ACS Nano, 2014, 8, 5774-5783.	14.6	298
139	Structure-mediated thermal transport of monolayer graphene allotropes nanoribbons. Carbon, 2014, 77, 416-423.	10.3	35
140	Microstructure development in electrospun carbon nanotube reinforced polyvinylidene fluoride fibers and its influence on tensile strength and dielectric permittivity. Composites Science and Technology, 2013, 88, 1-8.	7.8	70
141	Strengthening Brittle Semiconductor Nanowires through Stacking Faults: Insights from in Situ Mechanical Testing. Nano Letters, 2013, 13, 4369-4373.	9.1	45
142	Wear and scratch damage in polymer nanocomposites. , 2013, , 551-570.		1
143	Hollow Carbon-Nanotube/Carbon-Nanofiber Hybrid Anodes for Li-Ion Batteries. Journal of the American Chemical Society, 2013, 135, 16280-16283.	13.7	426
144	Toughening Epoxy Thermosets with Block Ionomers: The Role of Phase Domain Size. Macromolecules, 2013, 46, 8190-8202.	4.8	63

#	Article	IF	Citations
145	Core/shell rubber toughened polyamide 6: an effective way to get good balance between toughness and yield strength. RSC Advances, 2013, 3, 21563.	3.6	33
146	Effect of hybridization of liquid rubber and nanosilica particles on the morphology, mechanical properties, and fracture toughness of epoxy composites. Journal of Materials Science, 2013, 48, 3546-3556.	3.7	52
147	Anelastic Behavior in GaAs Semiconductor Nanowires. Nano Letters, 2013, 13, 3169-3172.	9.1	39
148	Facile chemical synthesis of nitrogen-doped graphene sheets and their electrochemical capacitance. Journal of Power Sources, 2013, 241, 460-466.	7.8	67
149	Phase behavior and nanomechanical mapping of block ionomer complexes. Soft Matter, 2013, 9, 2662.	2.7	10
150	Recent developments in the fire retardancy of polymeric materials. Progress in Polymer Science, 2013, 38, 1357-1387.	24.7	517
151	Size, Dimensionality, and Constituent Stoichiometry Dependence of Physicochemical Properties in Nanosized Binary Alloys. Journal of Physical Chemistry C, 2013, 117, 2421-2426.	3.1	20
152	Size Effect on Curie and Ordering Temperatures of Magnetic Nanoalloys. , 2013, , 2833-2838.		0
153	Molecular Mobility and Mechanical Properties of Novel Clay/Waterborne Polyurethane Nanocomposites. Advanced Science Letters, 2013, 19, 524-528.	0.2	0
154	Incorporation of liquid-like multiwalled carbon nanotubes into an epoxy matrix by solvent-free processing. Nanotechnology, 2012, 23, 225701.	2.6	22
155	Fabrication of Highly-Aligned, Conductive, and Strong Graphene Papers Using Ultralarge Graphene Oxide Sheets. ACS Nano, 2012, 6, 10708-10719.	14.6	344
156	A new route to nanostructured thermosets with block ionomer complexes. Soft Matter, 2012, 8, 688-698.	2.7	30
157	Toughening Epoxy Thermosets with Block Ionomer Complexes: A Nanostructure–Mechanical Property Correlation. Macromolecules, 2012, 45, 3829-3840.	4.8	104
158	Exceptional electrochemical performance of freestanding electrospun carbon nanofiber anodes containing ultrafine SnOx particles. Energy and Environmental Science, 2012, 5, 9895.	30.8	165
159	In situ formation of hollow graphitic carbon nanospheres in electrospun amorphous carbon nanofibers for high-performance Li-based batteries. Nanoscale, 2012, 4, 6800.	5.6	90
160	Porous C–LiFePO4–C composite microspheres with a hierarchical conductive architecture as a high performance cathode for lithium ion batteries. Journal of Materials Chemistry, 2012, 22, 19643.	6.7	27
161	Reinforcement of Polyether Polyurethane with Dopamine-Modified Clay: The Role of Interfacial Hydrogen Bonding. ACS Applied Materials & Samp; Interfaces, 2012, 4, 4571-4578.	8.0	136
162	Non-covalently modified graphene sheets by imidazolium ionic liquids for multifunctional polymer nanocomposites. Journal of Materials Chemistry, 2012, 22, 5666.	6.7	149

#	Article	IF	Citations
163	Cyclic fatigue crack propagation of nanoparticle modified epoxy. Composites Science and Technology, 2012, 72, 1530-1538.	7.8	59
164	Structural dependence of piezoelectric, dielectric and ferroelectric properties of K0.5Na0.5(Nb1â^2/5Cu)O3 lead-free ceramics with high Q. Materials Research Bulletin, 2012, 47, 4472-4477.	5.2	35
165	Urchin-like Li4Ti5O12–carbon nanofiber composites for high rate performance anodes in Li-ion batteries. Journal of Materials Chemistry, 2012, 22, 12133.	6.7	133
166	Triple-coaxial electrospun amorphous carbon nanotubes with hollow graphitic carbon nanospheres for high-performance Li ion batteries. Energy and Environmental Science, 2012, 5, 7898.	30.8	191
167	Improved Tensile Strength and Ferroelectric Phase Content of Selfâ€Assembled Polyvinylidene Fluoride Fiber Yarns. Macromolecular Materials and Engineering, 2012, 297, 209-213.	3.6	39
168	On the flame synthesis of carbon nanotubes grafted onto carbon fibers and the bonding force between them. Carbon, 2012, 50, 2347-2350.	10.3	67
169	Self-assembly of silver–graphene hybrid on electrospun polyurethane nanofibers as flexible transparent conductive thin films. Carbon, 2012, 50, 3473-3481.	10.3	52
170	The effective properties and local aggregation effect of CNT/SMP composites. Composites Part B: Engineering, 2012, 43, 33-38.	12.0	99
171	Creep behaviour of injection moulded polyamide 6/organoclay nanocomposites by nanoindentation and cantilever-bending. Composites Part B: Engineering, 2012, 43, 83-89.	12.0	24
172	Improving interlaminar fracture toughness of carbon fibre/epoxy laminates by incorporation of nano-particles. Composites Part B: Engineering, 2012, 43, 90-94.	12.0	124
173	Electrospun aligned PLLA/PCL/functionalised multiwalled carbon nanotube composite fibrous membranes and their bio/mechanical properties. Composites Science and Technology, 2012, 72, 248-255.	7.8	61
174	Micromechanical behavior of self-healing epoxy and hardener-loaded microcapsules by nanoindentation. Materials Letters, 2012, 76, 62-65.	2.6	69
175	Use of facile mechanochemical method to functionalize carbon nanofibers with nanostructured polyaniline and their electrochemical capacitance. Nanoscale Research Letters, 2012, 7, 111.	5.7	23
176	Hollow nitrogen-containing core/shell fibrous carbon nanomaterials as support to platinum nanocatalysts and their TEM tomography study. Nanoscale Research Letters, 2012, 7, 165.	5.7	26
177	One-dimensional multiferroic bismuth ferrite fibers obtained by electrospinning techniques. Nanotechnology, 2011, 22, 235702.	2.6	41
178	Self-assembly of graphene onto electrospun polyamide 66 nanofibers as transparent conductive thin films. Nanotechnology, 2011, 22, 475603.	2.6	46
179	Effect of extended polymer chains on properties of transparent graphene nanosheets conductive film. Journal of Materials Chemistry, 2011, 21, 18236.	6.7	123
180	Enhanced Unipolar Fatigue Resistance in Ferroelectric Pb(Ni _{1/3} Nb _{2/3} O ₃)â€"PbTiO ₃ Ceramics Prepared via Glycerolâ€Assisted Solidâ€State Reaction. Journal of the American Ceramic Society, 2011, 94, 488-495.	3.8	4

#	Article	IF	CITATIONS
181	Synthesis of epoxy composites with high carbon nanotube loading and effects of tubular and wavy morphology on composite strength and modulus. Polymer, 2011, 52, 6037-6045.	3.8	76
182	Electro-synthesis of novel nanostructured PEDOT films and their application as catalyst support. Nanoscale Research Letters, 2011, 6, 364.	5.7	35
183	Thermal conductive and electrical properties of polyurethane/hyperbranched poly(urea-urethane)-grafted multi-walled carbon nanotube composites. Composites Part B: Engineering, 2011, 42, 2111-2116.	12.0	106
184	Overall behavior and microstructural deformation of R-CNT/polymer composites. Composites Part B: Engineering, 2011, 42, 2123-2129.	12.0	7
185	On fracture toughness of nano-particle modified epoxy. Composites Part B: Engineering, 2011, 42, 2170-2175.	12.0	204
186	Electrical and dielectric properties of polypropylene nanocomposites based on carbon nanotubes and barium titanate nanoparticles. Composites Science and Technology, 2011, 71, 1706-1712.	7.8	75
187	Electrospinning induced ferroelectricity in poly(vinylidene fluoride) fibers. Nanoscale, 2011, 3, 3068.	5.6	163
188	Reduction of silver nanoparticles onto graphene oxide nanosheets with N,N-dimethylformamide and SERS activities of GO/Ag composites. Journal of Nanoparticle Research, 2011, 13, 5571-5581.	1.9	88
189	Elevated temperature nanoindentation behaviour of polyamide 6. Polymer International, 2011, 60, 1753-1761.	3.1	20
190	Super Deformability and Young's Modulus of GaAs Nanowires. Advanced Materials, 2011, 23, 1356-1360.	21.0	114
191	Electrospun poly(<scp>L</scp> ″actide)/poly(εâ€caprolactone) blend fibers and their cellular response to adiposeâ€derived stem cells. Journal of Applied Polymer Science, 2011, 120, 2154-2165.	2.6	25
192	Singularities of an interface crack in electrostrictive materials. International Journal of Solids and Structures, 2011, 48, 1395-1401.	2.7	6
193	Improving thermal conductivity while retaining high electrical resistivity of epoxy composites by incorporating silica-coated multi-walled carbon nanotubes. Carbon, 2011, 49, 495-500.	10.3	262
194	Simultaneous surface functionalization and reduction of graphene oxide with octadecylamine for electrically conductive polystyrene composites. Carbon, 2011, 49, 4724-4730.	10.3	365
195	Nanoscale investigation of ferroelectric properties in electrospun barium titanate/polyvinylidene fluoride composite fibers using piezoresponse force microscopy. Composites Science and Technology, 2011, 71, 1435-1440.	7.8	91
196	Determination of the Drucker–Prager parameters of polymers exhibiting pressure-sensitive plastic behaviour by depth-sensing indentation. International Journal of Mechanical Sciences, 2011, 53, 471-478.	6.7	43
197	Effect of fiber diameter on the deformation behavior of self-assembled carbon nanotube reinforced electrospun Polyamide 6,6 fibers. Materials Science & Spineering A: Structural Materials: Properties, Microstructure and Processing, 2011, 528, 6565-6572.	5.6	27
198	Morphologic and nanomechanical characterization of bone tissue growth around bioactive sol–gel coatings containing wollastonite particles applied on stainless steel implants. Materials Science and Engineering C, 2011, 31, 545-552.	7.3	35

#	Article	IF	Citations
199	Permeable Interfacial Crack in Electrostrictive Materials. IUTAM Symposium on Cellular, Molecular and Tissue Mechanics, 2011, , 133-139.	0.2	1
200	Electrospinning of polymer nanofibers: Effects on oriented morphology, structures and tensile properties. Composites Science and Technology, 2010, 70, 703-718.	7.8	711
201	Critical particle size for interfacial debonding in polymer/nanoparticle composites. Composites Science and Technology, 2010, 70, 861-872.	7.8	52
202	Nanostructures and thermomechanical properties of epoxy thermosets containing reactive diblock copolymer. Journal of Applied Polymer Science, 2010, 115, 2110-2118.	2.6	17
203	Large Enhancement in Conductivity of Polyaniline Films by Cold Stretching. Macromolecular Chemistry and Physics, 2010, 211, 1109-1116.	2.2	21
204	On stiffness of scaffolds for bone tissue engineering—a numerical study. Journal of Biomechanics, 2010, 43, 1738-1744.	2.1	89
205	Fire response of polyamide 6 with layered and fibrillar nanofillers. Polymer Degradation and Stability, 2010, 95, 845-851.	5.8	24
206	Novel ultraviolet-opaque, visible-transparent and light-emitting ZnO-QD/silicone composites with tunable luminescence colors. Polymer, 2010, 51, 2755-2762.	3.8	47
207	A facile route for preparing stable co-continuous morphology of LLDPE/PA6 blends with low PA6 content. Polymer, 2010, 51, 4958-4968.	3.8	31
208	Multiple melting behaviour of annealed crystalline polymers. Polymer Testing, 2010, 29, 273-280.	4.8	47
209	Comparison of cohesive zone model and linear elastic fracture mechanics for a mode I crack near a compliant/stiff interface. Engineering Fracture Mechanics, 2010, 77, 3408-3417.	4.3	12
210	Impact fracture behaviour of nylon 6-based ternary nanocomposites. Composites Part B: Engineering, 2010, 41, 67-75.	12.0	41
211	Mechanical behavior of self-assembled carbon nanotube reinforced nylon 6,6 fibers. Composites Science and Technology, 2010, 70, 1401-1409.	7.8	115
212	Effects of loading rate and temperature on tensile yielding and deformation mechanisms of nylon 6-based nanocomposites. Composites Science and Technology, 2010, 70, 1994-2002.	7.8	9
213	Synthesis of carbon nanotube/epoxy composite films with a high nanotube loading by a mixed-curing-agent assisted layer-by-layer method and their electrical conductivity. Carbon, 2010, 48, 2057-2062.	10.3	79
214	Fracture of electrostrictive solids subjected to combined mechanical and electric loads. Engineering Fracture Mechanics, 2010, 77, 1503-1515.	4.3	4
215	Solution of a crack in an electrostrictive solid. International Journal of Solids and Structures, 2010, 47, 444-453.	2.7	17
216	Hydrogen bonding interactions, crystallization, and surface hydrophobicity in nanostructured epoxy/block copolymer blends. Journal of Polymer Science, Part B: Polymer Physics, 2010, 48, 790-800.	2.1	48

#	Article	IF	CITATIONS
217	4th China–Europe Symposium on Processing and Properties of Reinforced Polymers. Plastics, Rubber and Composites, 2010, 39, 47-47.	2.0	O
218	Toughening Polypropylene and Its Nanocomposites with Submicrometer Voids. Macromolecules, 2010, 43, 5734-5739.	4.8	74
219	Solution of collinear cracks in an electrostrictive solid. Philosophical Magazine, 2010, 90, 1245-1262.	1.6	7
220	Reactive block copolymer modified thermosets: highly ordered nanostructures and improved properties. Soft Matter, 2010, 6, 6119.	2.7	73
221	Silica hybrid particles with nanometre polymer shells and their influence on the toughening of polypropylene. Nanoscale, 2010, 2, 2269.	5.6	35
222	Analytical Solution for the Damped-Dynamics of Printed Circuit Board and Applied to Study the Effects of Distorted Half-Sine Support Excitation. IEEE Transactions on Advanced Packaging, 2009, 32, 536-545.	1.6	6
223	Evaluation of Methods for Stiffness Predictions of Polymer/Clay Nanocomposites. Journal of Reinforced Plastics and Composites, 2009, 28, 1625-1649.	3.1	14
224	Extrusion compounding and injection moulding. , 2009, , 6-28.		3
225	ENHANCED MECHANICAL PROPERTIES OF POLYPROPYLENE/SILICA NANOCOMPOSITES WITH SURFACE MODIFICATION OF NANO-SILICA VIA IN SITU COPOLYMERIZATION OF METHYL METHACRYLATE AND BUTYL ACRYLATE. Chinese Journal of Polymer Science (English Edition), 2009, 27, 685.	3.8	21
226	Elastic modulus of short fibre reinforced polymers. , 2009, , 119-163.		1
227	Introduction to short fibre reinforced polymer composites. , 2009, , 1-5.		14
228	Thermal conductivity and expansion of short fibre reinforced polymer composites., 2009,, 184-205.		0
229	Novel synthesis of poly(3,4-ethylenedioxythiophene) nanotubes and hollow micro-spheres. Materials Letters, 2009, 63, 1590-1593.	2.6	19
230	Fracture mechanics analysis on Smart-Cut® technology. Part 1: Effects of stiffening wafer and defect interaction. Acta Mechanica Sinica/Lixue Xuebao, 2009, 25, 73-81.	3.4	10
231	Fracture mechanics analysis on Smart-Cut® technology. Part 2: Effect of bonding flaws. Acta Mechanica Sinica/Lixue Xuebao, 2009, 25, 197-203.	3.4	4
232	Effective properties of magnetoelectroelastic materials with aligned ellipsoidal voids. Mechanics Research Communications, 2009, 36, 563-572.	1.8	13
233	A facile method to fabricate silica-coated carbon nanotubes and silica nanotubes from carbon nanotubes templates. Journal of Materials Science, 2009, 44, 4539-4545.	3.7	79
234	Fundamental aspects and recent progress on wear/scratch damage in polymer nanocomposites. Materials Science and Engineering Reports, 2009, 63, 31-80.	31.8	223

#	Article	IF	Citations
235	Cyclic fatigue of polymer nanocomposites. Engineering Failure Analysis, 2009, 16, 2635-2645.	4.0	61
236	The damped dynamics of printed circuit board and analysis of distorted and deformed half-sine excitation. Microelectronics Reliability, 2009, 49, 916-923.	1.7	10
237	Roles of graphite oxide, clay and POSS during the combustion of polyamide 6. Polymer, 2009, 50, 1577-1587.	3.8	113
238	Electrically conductive and super-tough polyamide-based nanocomposites. Polymer, 2009, 50, 4112-4121.	3.8	104
239	Effect of hygrothermal ageing on morphology and indentation modulus of injection moulded nylon 6/organoclay nanocomposites. Composites Science and Technology, 2009, 69, 1093-1100.	7.8	16
240	Dispersion, thermal and mechanical properties of polypropylene/magnesium hydroxide nanocomposites compatibilized by SEBS-g-MA. Composites Science and Technology, 2009, 69, 1873-1879.	7.8	72
241	Electroelastic gap waves between dissimilar piezoelectric materials in different classes of symmetry. International Journal of Solids and Structures, 2009, 46, 3760-3770.	2.7	4
242	Investigation on Tensile Deformation Behavior of Semi-Crystalline Polymers. Journal of Macromolecular Science - Physics, 2009, 48, 799-811.	1.0	19
243	Analytical Solutions for PCB Assembly Subjected to Mismatched Thermal Expansion. IEEE Transactions on Advanced Packaging, 2009, 32, 602-611.	1.6	13
244	Major factors affecting the performance of short fibre reinforced polymers., 2009,, 29-58.		5
245	Stress transfer in short fibre reinforced polymers. , 2009, , 59-79.		0
246	Strength of short fibre reinforced polymers. , 2009, , 80-118.		14
247	Effects of particle size, particle/matrix interface adhesion and particle loading on mechanical properties of particulate–polymer composites. Composites Part B: Engineering, 2008, 39, 933-961.	12.0	2,646
248	Anomalous electrical conductivity and percolation in carbon nanotube composites. Journal of Materials Science, 2008, 43, 6012-6015.	3.7	49
249	Sticky chain model for shear response of red blood cells. Journal of Biomechanics, 2008, 41, 2349-2352.	2.1	0
250	Predictions of stiffness and strength of nylon 6/MMT nanocomposites with an improved staggered model. Composites Part B: Engineering, 2008, 39, 1062-1068.	12.0	23
251	Processing-structure-property aspects of particulate- and whisker-reinforced titanium matrix composites. Composites Science and Technology, 2008, 68, 583-601.	7.8	435
252	Theoretical analysis of Hertzian contact fracture: Ring crack. Engineering Fracture Mechanics, 2008, 75, 4247-4256.	4.3	10

#	Article	IF	CITATIONS
253	Depth sensing indentation of linear viscoelastic–plastic solids: A simple method to determine creep compliance. Engineering Fracture Mechanics, 2008, 75, 4852-4862.	4.3	33
254	Effects of magnetic fields on cracks in a soft ferromagnetic material. Engineering Fracture Mechanics, 2008, 75, 4863-4875.	4.3	19
255	Fracture mechanics analysis of the effects of temperature and material mismatch on the Smart-Cut® technology. Engineering Fracture Mechanics, 2008, 75, 4996-5006.	4.3	11
256	Shape-Controlled Synthesis and Assembly of Copper Sulfide Nanoparticles. Crystal Growth and Design, 2008, 8, 2032-2035.	3.0	44
257	Novel Solid-State and Template-Free Synthesis of Branched Polyaniline Nanofibers. Chemistry of Materials, 2008, 20, 3806-3808.	6.7	80
258	New Method To Prepare Graphite Nanocomposites. Chemistry of Materials, 2008, 20, 2066-2068.	6.7	125
259	Facile Synthesis of Highly Transparent Polymer Nanocomposites by Introduction of Core–Shell Structured Nanoparticles. Chemistry of Materials, 2008, 20, 2637-2643.	6.7	117
260	Wear and scratch damage in polymer nanocomposites. Tribology and Interface Engineering Series, 2008, 55, 374-399.	0.0	2
261	Experimental study and computer simulation on degradation of z-pin reinforcement under cyclic fatigue. Composites Part A: Applied Science and Manufacturing, 2008, 39, 406-414.	7.6	48
262	Facile Method of Preparing Supertough Polyamide 6 with Low Rubber Content. Macromolecules, 2008, 41, 7264-7267.	4.8	59
263	Facile Synthesis of Hierarchical Polyaniline Nanostructures with Dendritic Nanofibers as Scaffolds. Journal of Physical Chemistry C, 2008, 112, 19836-19840.	3.1	56
264	Effects of a surrounding elastic medium on flexural waves propagating in carbon nanotubes via nonlocal elasticity. Journal of Applied Physics, 2008, 103, .	2.5	46
265	Special Issue on Green Composites. Journal of Reinforced Plastics and Composites, 2008, 27, 1677-1678.	3.1	0
266	Fracture Mechanics Analysis on Smart-Cut® Technology: Effects of Stiffening Wafer and Defect Interaction. Advanced Materials Research, 2008, 33-37, 67-72.	0.3	2
267	Orientation and the extent of exfoliation of clay on scratch damage in polyamide 6 nanocomposites. Nanotechnology, 2008, 19, 055708.	2.6	22
268	Coupled electromechanical behavior of an interface electrode in a piezoelectric layer. Proceedings of SPIE, 2008, , .	0.8	0
269	Enhanced mechanical and wear performance of PS and HIPS composites by surface modification of hydroxyapatite via in situ polymerization and copolymerization. Composite Interfaces, 2007, 14, 335-350.	2.3	2
270	On Thermal Shock Behavior of Functionally Graded Materials. Journal of Thermal Stresses, 2007, 30, 523-558.	2.0	21

#	Article	IF	CITATIONS
271	The Origin of Superhardness in Nanocomposite Coatings: Analysis of Nanoindentation and Scratch Tests., 2007,, 39-49.		О
272	Effect of Input Electric Field on Fatigue Degradation of Piezoelectric Fibre Bridging Force. Key Engineering Materials, 2007, 334-335, 593-596.	0.4	2
273	Exact and Fundamental Solution for an Anti-plane Crack Vertical to the Boundaries of a Magnetoelectroelastic Strip. International Journal of Damage Mechanics, 2007, 16, 77-94.	4.2	5
274	Controlled Synthesis and Novel Solution Rheology of Hyperbranched Poly(ureaâ^'urethane)-Functionalized Multiwalled Carbon Nanotubes. Macromolecules, 2007, 40, 5858-5867.	4.8	55
275	Analytical Solutions for Interconnect Stress in Board Level Drop Impact. IEEE Transactions on Advanced Packaging, 2007, 30, 654-664.	1.6	21
276	Transcrystalline Regions in the Vicinity of Nanofillers in Polyamide-6. Macromolecules, 2007, 40, 123-130.	4.8	75
277	Toughening, Thermal Stability, Flame Retardancy, and Scratch–Wear Resistance of Polymer–Clay Nanocomposites. Australian Journal of Chemistry, 2007, 60, 496.	0.9	25
278	Flame retardancy of highly filled polyamide 6/clay nanocomposites. Nanotechnology, 2007, 18, 445602.	2.6	64
279	Structure and Photoresponsive Behaviors of Multiwalled Carbon Nanotubes Grafted by Polyurethanes Containing Azobenzene Side Chains. Journal of Physical Chemistry C, 2007, 111, 11231-11239.	3.1	64
280	Self-consistent analysis of coupled magnetoelectroelastic fracture – theoretical investigation and finite element verification. Computer Methods in Applied Mechanics and Engineering, 2007, 196, 2044-2054.	6.6	21
281	The effect of stitch distribution on Mode I delamination toughness of stitched laminated composites – experimental results and FEA simulation. Composites Science and Technology, 2007, 67, 1058-1072.	7.8	58
282	Permeability modelling of polymer-layered silicate nanocomposites. Composites Science and Technology, 2007, 67, 2895-2902.	7.8	76
283	Microstructure and properties of highly filled rubber/clay nanocomposites prepared by melt blending. Composites Science and Technology, 2007, 67, 2903-2913.	7.8	64
284	Applicability of the crack-face electromagnetic boundary conditions for fracture of magnetoelectroelastic materials. International Journal of Solids and Structures, 2007, 44, 387-398.	2.7	167
285	Topological design of structures and composite materials with multiobjectives. International Journal of Solids and Structures, 2007, 44, 7092-7109.	2.7	141
286	Improved mechanical and functional properties of elastomer/graphite nanocomposites prepared by latex compounding. Acta Materialia, 2007, 55, 6372-6382.	7.9	135
287	Multiple surface cracks in a piezoelectric layer bonded to an elastic substrate under transient electromechanical loads. Mechanics of Materials, 2007, 39, 564-579.	3.2	15
288	Intercalated structure of polypropylene/in situ polymerization-modified talc composites via melt compounding. Polymer, 2007, 48, 3555-3564.	3.8	25

#	Article	IF	Citations
289	Synergistic effect of SEBS-g-MA and epoxy on toughening of polyamide 6/glass fiber composites. Journal of Polymer Science, Part B: Polymer Physics, 2007, 45, 1448-1458.	2.1	16
290	Numerical study on void growth in rate and temperature dependent solids. International Journal of Fracture, 2007, 142, 119-136.	2.2	6
291	Fracture toughness of nylon 6/organoclay/elastomer nanocomposites. Composites Science and Technology, 2007, 67, 2914-2923.	7.8	72
292	Advances in Vapor Pressure Modeling for Electronic Packaging. IEEE Transactions on Advanced Packaging, 2006, 29, 751-759.	1.6	30
293	Interfacial Characteristics of Sisal Fiber and Polymeric Matrices. Journal of Adhesion, 2006, 82, 527-554.	3.0	38
294	Facile Synthesis and Assembly of Cu2S Nanodisks to Corncoblike Nanostructures. Chemistry of Materials, 2006, 18, 5156-5158.	6.7	69
295	Intra-ply shear locking in finite element analyses of woven fabric forming processes. Composites Part A: Applied Science and Manufacturing, 2006, 37, 790-803.	7.6	40
296	Z-pin bridging in composite laminates and some related problems. Australian Journal of Mechanical Engineering, 2006, 3, 11-19.	2.1	2
297	Synthesis and self-assembly of polystyrene-grafted multiwalled carbon nanotubes with a hairy-rod nanostructure. Journal of Polymer Science Part A, 2006, 44, 3869-3881.	2.3	71
298	A theoretical model on piezoelectric fibre pullout with electric input. Engineering Fracture Mechanics, 2006, 73, 2053-2066.	4.3	5
299	A periodic array of cracks in functionally graded materials subjected to transient loading. International Journal of Engineering Science, 2006, 44, 351-364.	5.0	28
300	Preparation and characterization of transparent ZnO/epoxy nanocomposites with high-UV shielding efficiency. Polymer, 2006, 47, 2127-2132.	3.8	255
301	A simple damage-accumulation model for constraint effects on ductile fracture. International Journal of Fracture, 2006, 141, 135-145.	2.2	1
302	Recent advances on understanding the origin of superhardness in nanocomposite coatings: A critical review. Journal of Materials Science, 2006, 41, 937-950.	3.7	90
303	A micromechanics-based Cosserat-type model for dense particulate solids. Zeitschrift Fur Angewandte Mathematik Und Physik, 2006, 57, 682-707.	1.4	9
304	Micro- and nano-scale deformation behavior of nylon 66-based binary and ternary nanocomposites. Composites Science and Technology, 2006, 66, 3097-3114.	7.8	102
305	Multiwalled Carbon Nanotubes Functionalized by Hyperbranched Poly(urea-urethane)s by a One-Pot Polycondensation. Macromolecular Rapid Communications, 2006, 27, 1695-1701.	3.9	87
306	Closed-Form Solution for an Antiplane Interface Crack between Two Dissimilar Magnetoelectroelastic Layers. Journal of Applied Mechanics, Transactions ASME, 2006, 73, 281-290.	2.2	43

#	Article	IF	CITATIONS
307	Determination of Effective Nanoindentation Range for Hard (Ti,Al)N Thin Film. Japanese Journal of Applied Physics, 2006, 45, 6411-6416.	1.5	3
308	Fracture Properties and Characteristics of Sisal Textile Reinforced Epoxy Composites. Key Engineering Materials, 2006, 312, 167-172.	0.4	1
309	Indentation Size Effect on Hardness of Nanostructured Thin Films. Key Engineering Materials, 2006, 312, 363-368.	0.4	6
310	The Reliability of Fragmentation Test. Key Engineering Materials, 2006, 312, 155-160.	0.4	0
311	Study of Hydroxyapatite/Al ₂ O ₃ (anodic) Biocomposite Coating on Titanium with a Novel Multi-Step Method. Key Engineering Materials, 2006, 312, 257-262.	0.4	0
312	Near-Tip Fields for Penny-Shaped Cracks in Magnetoelectroelastic Media. Key Engineering Materials, 2006, 312, 41-46.	0.4	5
313	Notch Effects in Tensile Behavior of AM60 Magnesium Alloys. Key Engineering Materials, 2006, 312, 59-64.	0.4	2
314	Some Issues on Structure-Properties of Polymer Nanocomposites. , 2006, , .		1
315	Polymer-Clay Nanocomposites – A Review of Mechanical and Physical Properties. , 2006, , 307-358.		2
316	Specimen Design for IFSS Measurement in Fiber Pullout Test. Key Engineering Materials, 2006, 312, 149-154.	0.4	1
317	Re-evaluation of fragmentation test based on the stress singularity of interface end. Composite Interfaces, 2006, 13, 67-88.	2.3	4
318	Theoretical Consideration on the Fracture of Shape Memory Alloys. , 2006, , 217-226.		3
319	Polymer nanocomposites., 2006, , .		244
320	Finite element simulations of the doublediaphragm forming process. Revue Europeenne Des Elements, 2005, 14, 633-651.	0.1	6
321	An electrode analysis for multilayer ceramic actuators. Sensors and Actuators A: Physical, 2005, 121, 203-212.	4.1	21
322	Transient one-dimensional heat conduction problems solved by finite element. International Journal of Mechanical Sciences, 2005, 47, 303-317.	6.7	86
323	Dispersion and alignment of carbon nanotubes in polymer matrix: A review. Materials Science and Engineering Reports, 2005, 49, 89-112.	31.8	1,674
324	Effects of PA6,6/PP ratio on the mechanical properties of short glass fiber reinforced and rubber-toughened polyamide 6,6/polypropylene blends. Composites Part B: Engineering, 2005, 37, 182-190.	12.0	41

#	Article	IF	CITATIONS
325	Clay exfoliation and organic modification on wear of nylon 6 nanocomposites processed by different routes. Composites Science and Technology, 2005, 65, 2314-2328.	7.8	125
326	A New Strategy to Exfoliate Silicone Rubber/Clay Nanocomposites. Macromolecular Rapid Communications, 2005, 26, 830-833.	3.9	61
327	Effect of blending sequence on microstructure of ternary nanocomposites. Polymer, 2005, 46, 5986-5991.	3.8	151
328	Water-assisted melt compounding of nylon-6/pristine montmorillonite nanocomposites. Journal of Polymer Science, Part B: Polymer Physics, 2005, 43, 1100-1112.	2.1	78
329	Effects of heat and pressure on intercalation structures of isobutylene-isoprene rubber/clay nanocomposites. I. Prepared by melt blending. Journal of Polymer Science, Part B: Polymer Physics, 2005, 43, 2653-2664.	2.1	35
330	A Preliminary Study on Damage Wave in Elastic-brittle Materials. International Journal of Damage Mechanics, 2005, 14, 127-147.	4.2	12
331	Effects of fibre surface treatment on fracture-mechanical properties of sisal-fibre composites. Composite Interfaces, 2005, 12, 141-163.	2.3	81
332	Optimum information in crackling noise. Physical Review E, 2005, 72, 027101.	2.1	25
333	Influence of Aspect Ratio on Barrier Properties of Polymer-Clay Nanocomposites. Physical Review Letters, 2005, 95, 088303.	7.8	220
334	Numerical Study on Buckling of Z-pinned Composite Laminates. , 2004, , 307-312.		2
334	Numerical Study on Buckling of Z-pinned Composite Laminates. , 2004, , 307-312. Effects of anodization voltage on CaP/Al2O3–Ti nanometre biocomposites. Nanotechnology, 2004, 15, 1465-1471.	2.6	2
	Effects of anodization voltage on CaP/Al2O3–Ti nanometre biocomposites. Nanotechnology, 2004, 15,	2.6	
335	Effects of anodization voltage on CaP/Al2O3–Ti nanometre biocomposites. Nanotechnology, 2004, 15, 1465-1471. Numerical Analysis of Adhesive Thickness Effect on Fracture Toughness in Adhesive-Bonded Joints. Key		14
335 336	Effects of anodization voltage on CaP/Al2O3–Ti nanometre biocomposites. Nanotechnology, 2004, 15, 1465-1471. Numerical Analysis of Adhesive Thickness Effect on Fracture Toughness in Adhesive-Bonded Joints. Key Engineering Materials, 2004, 270-273, 1200-1205. Elasticity theory, fracture mechanics, and some relevant thermal properties of quasi-crystalline	0.4	2
335 336 337	Effects of anodization voltage on CaP/Al2O3–Ti nanometre biocomposites. Nanotechnology, 2004, 15, 1465-1471. Numerical Analysis of Adhesive Thickness Effect on Fracture Toughness in Adhesive-Bonded Joints. Key Engineering Materials, 2004, 270-273, 1200-1205. Elasticity theory, fracture mechanics, and some relevant thermal properties of quasi-crystalline materials. Applied Mechanics Reviews, 2004, 57, 325-343. Strength Evaluation of Piezoelectric Ceramics under Transient Thermal Environments. Journal of the	0.4	14 2 143
335 336 337 338	Effects of anodization voltage on CaP/Al2O3–Ti nanometre biocomposites. Nanotechnology, 2004, 15, 1465-1471. Numerical Analysis of Adhesive Thickness Effect on Fracture Toughness in Adhesive-Bonded Joints. Key Engineering Materials, 2004, 270-273, 1200-1205. Elasticity theory, fracture mechanics, and some relevant thermal properties of quasi-crystalline materials. Applied Mechanics Reviews, 2004, 57, 325-343. Strength Evaluation of Piezoelectric Ceramics under Transient Thermal Environments. Journal of the American Ceramic Society, 2004, 87, 929-936. On fast fracture in an elastic-(plastic)-viscoplastic solid PartÂll – The motion of crack. International	0.4	14 2 143 2
335 336 337 338	Effects of anodization voltage on CaP/Al2O3–Ti nanometre biocomposites. Nanotechnology, 2004, 15, 1465-1471. Numerical Analysis of Adhesive Thickness Effect on Fracture Toughness in Adhesive-Bonded Joints. Key Engineering Materials, 2004, 270-273, 1200-1205. Elasticity theory, fracture mechanics, and some relevant thermal properties of quasi-crystalline materials. Applied Mechanics Reviews, 2004, 57, 325-343. Strength Evaluation of Piezoelectric Ceramics under Transient Thermal Environments. Journal of the American Ceramic Society, 2004, 87, 929-936. On fast fracture in an elastic-(plastic)-viscoplastic solid PartÂll – The motion of crack. International Journal of Fracture, 2004, 129, 177-195. Mode II delamination toughness of z-pinned laminates. Composites Science and Technology, 2004, 64,	0.4 10.1 3.8 2.2	14 2 143 2

#	Article	IF	Citations
343	Surface fracture of a semi-infinite piezoelectric medium under transient thermal loading (poling axis) Tj ETQq1 1	0.784314 i	rgBT /Overlo
344	Micromechanical properties on the surface of PVC/SBR blends spatially resolved by a nanoindentation technique. Polymer Engineering and Science, 2004, 44, 609-614.	3.1	12
345	Polypropylene modified with elastomeric metallocene-catalyzed polyolefin blends: Fracture behavior and development of damage mechanisms. Journal of Polymer Science, Part B: Polymer Physics, 2004, 42, 1075-1089.	2.1	18
346	Mechanical and dynamic mechanical properties of nylon 66/montmorillonite nanocomposites fabricated by melt compounding. Polymer International, 2004, 53, 1093-1098.	3.1	87
347	Toughening of recycled poly(ethylene terephthalate) with a maleic anhydride grafted SEBS triblock copolymer. Journal of Applied Polymer Science, 2004, 93, 1462-1472.	2.6	66
348	On Toughness and Stiffness of Poly(butylene terephthalate) with Epoxide-Containing Elastomer by Reactive Extrusion. Macromolecular Materials and Engineering, 2004, 289, 763-770.	3.6	27
349	A Novel Approach to High Performance Elastomer by Using Clay. Macromolecular Rapid Communications, 2004, 25, 1692-1696.	3.9	106
350	Structure-property relationships of in-situ PMMA modified nano-sized antimony trioxide filled poly(vinyl chloride) nanocomposites. Polymer, 2004, 45, 2793-2802.	3.8	102
351	Crystallization and impact energy of polypropylene/CaCO3 nanocomposites with nonionic modifier. Polymer, 2004, 45, 5985-5994.	3.8	287
352	Rheological and mechanical properties of PVC/CaCO3 nanocomposites prepared by in situ polymerization. Polymer, 2004, 45, 6665-6673.	3.8	325
353	Fabrication and characterization of nanometer CaP(aggregate)/Al2O3 composite coating on titanium. Materials Science & Description of Natural Materials: Properties, Microstructure and Processing, 2004, 367, 51-56.	5.6	16
354	Scratch damage of polymers in nanoscale. Acta Materialia, 2004, 52, 431-443.	7.9	79
355	Thermal shock resistance of functionally graded materials. Acta Materialia, 2004, 52, 4961-4972.	7.9	96
356	Effect of stitch distribution on mode I delamination toughness of laminated DCB specimens. Composites Science and Technology, 2004, 64, 967-981.	7.8	43
357	Experimental study on z-pin bridging law by pullout test. Composites Science and Technology, 2004, 64, 2451-2457.	7.8	108
358	Delamination detection in smart composite beams using Lamb waves. Smart Materials and Structures, 2004, 13, 544-551.	3.5	71
359	Enhanced Interfacial Adhesion between PPO and Glass Beads in Composites by Surface Modification of Glass Beads via In Situ Polymerization and Copolymerization. Chemistry of Materials, 2004, 16, 133-138.	6.7	49
360	A Novel Method for Preparation of Disorderly Exfoliated Epoxy/Clay Nanocomposite. Chemistry of Materials, 2004, 16, 757-759.	6.7	92

#	Article	IF	CITATIONS
361	Impermeable Crack and Permeable Crack Assumptions, Which One is More Realistic?. Journal of Applied Mechanics, Transactions ASME, 2004, 71, 575-578.	2.2	111
362	Effects of fibre debonding and sliding on the fracture behaviour of fibre-reinforced composites. Composites Part A: Applied Science and Manufacturing, 2004, 35, 1313-1323.	7.6	17
363	Substrate constraint and adhesive thickness effects on fracture toughness of adhesive joints. Journal of Adhesion Science and Technology, 2004, 18, 39-53.	2.6	51
364	Permeability of Sisal Textile Reinforced Composites by Resin Transfer Molding. , 2004, , 1087-1092.		2
365	Interface End Theory and Fragmentation Test. , 2004, , 588-593.		0
366	Study on Re-pull Force in Pultrusion Processes—I. Experimental Observations. , 2004, , 834-839.		0
367	Study on Re-pull Force in Pultrusion Processes—II. Theoretical Analysis. , 2004, , 840-845.		0
368	Stress Singularity Analysis of Interface End and Specimen Design for Fiber Pullout Test. , 2004, , 594-599.		0
369	The partition function and state equation of the point group 12mm two-dimensional dodecagonal quasicrystal. European Physical Journal B, 2003, 31, 25-27.	1.5	16
370	Title is missing!. Journal of Materials Science, 2003, 38, 207-215.	3.7	17
370 371	Title is missing!. Journal of Materials Science, 2003, 38, 207-215. Impact Strength and Crystallization Behavior of Nano-SiOx/Poly(phenylene sulfide)(PPS) Composites with Heat-Treated PPS. Macromolecular Materials and Engineering, 2003, 288, 693-698.	3.7	50
	Impact Strength and Crystallization Behavior of Nano-SiOx/Poly(phenylene sulfide)(PPS) Composites		
371	Impact Strength and Crystallization Behavior of Nano-SiOx/Poly(phenylene sulfide)(PPS) Composites with Heat-Treated PPS. Macromolecular Materials and Engineering, 2003, 288, 693-698. Polysilsesquioxane Nanosheets Synthesized in Confined Environment. Macromolecular Rapid	3.6	50
371 372	Impact Strength and Crystallization Behavior of Nano-SiOx/Poly(phenylene sulfide)(PPS) Composites with Heat-Treated PPS. Macromolecular Materials and Engineering, 2003, 288, 693-698. Polysilsesquioxane Nanosheets Synthesized in Confined Environment. Macromolecular Rapid Communications, 2003, 24, 676-680. Tensile deformation mechanisms of polypropylene/elastomer blends reinforced with short glass fiber.	3.6	50 1
371 372 373	Impact Strength and Crystallization Behavior of Nano-SiOx/Poly(phenylene sulfide)(PPS) Composites with Heat-Treated PPS. Macromolecular Materials and Engineering, 2003, 288, 693-698. Polysilsesquioxane Nanosheets Synthesized in Confined Environment. Macromolecular Rapid Communications, 2003, 24, 676-680. Tensile deformation mechanisms of polypropylene/elastomer blends reinforced with short glass fiber. Journal of Applied Polymer Science, 2003, 87, 441-451. Thermal conductivity of misaligned short-fiber-reinforced polymer composites. Journal of Applied	3.6 3.9 2.6	50 1 11
371 372 373 374	Impact Strength and Crystallization Behavior of Nano-SiOx/Poly(phenylene sulfide)(PPS) Composites with Heat-Treated PPS. Macromolecular Materials and Engineering, 2003, 288, 693-698. Polysilsesquioxane Nanosheets Synthesized in Confined Environment. Macromolecular Rapid Communications, 2003, 24, 676-680. Tensile deformation mechanisms of polypropylene/elastomer blends reinforced with short glass fiber. Journal of Applied Polymer Science, 2003, 87, 441-451. Thermal conductivity of misaligned short-fiber-reinforced polymer composites. Journal of Applied Polymer Science, 2003, 88, 1497-1505. Asymptotic fields for dynamic crack growth in non-associative pressure sensitive materials.	3.6 3.9 2.6 2.6	50 1 11 72
371 372 373 374	Impact Strength and Crystallization Behavior of Nano-SiOx/Poly(phenylene sulfide)(PPS) Composites with Heat-Treated PPS. Macromolecular Materials and Engineering, 2003, 288, 693-698. Polysilsesquioxane Nanosheets Synthesized in Confined Environment. Macromolecular Rapid Communications, 2003, 24, 676-680. Tensile deformation mechanisms of polypropylene/elastomer blends reinforced with short glass fiber. Journal of Applied Polymer Science, 2003, 87, 441-451. Thermal conductivity of misaligned short-fiber-reinforced polymer composites. Journal of Applied Polymer Science, 2003, 88, 1497-1505. Asymptotic fields for dynamic crack growth in non-associative pressure sensitive materials. International Journal of Solids and Structures, 2003, 40, 649-670. Theoretical model of piezoelectric fibre pull-out. International Journal of Solids and Structures,	3.6 3.9 2.6 2.7	50 1 11 72

#	Article	IF	Citations
379	Numerical study on the mode I delamination toughness of z-pinned laminates. Composites Science and Technology, 2003, 63, 1481-1493.	7.8	99
380	Anti-plane fracture of a functionally graded material strip. European Journal of Mechanics, A/Solids, 2003, 22, 357-368.	3.7	28
381	Crack tip field in piezoelectric/piezomagnetic media. European Journal of Mechanics, A/Solids, 2003, 22, 591-602.	3.7	160
382	Impact damage behaviour of shape memory alloy composites. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2003, 342, 207-215.	5.6	89
383	Theoretical modelling of the effect of plasticity on reverse transformation in superelastic shape memory alloys. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2003, 354, 146-157.	5.6	50
384	Modelling and finite element treatment of intra-ply shearing of woven fabric. Journal of Materials Processing Technology, 2003, 138, 47-52.	6.3	14
385	Dispersion and distribution of organically modified montmorillonite in nylon-66 matrix. Journal of Polymer Science, Part B: Polymer Physics, 2003, 41, 1234-1243.	2.1	75
386	Multiple melting and crystallization of nylon-66/montmorillonite nanocomposites. Journal of Polymer Science, Part B: Polymer Physics, 2003, 41, 2861-2869.	2.1	67
387	Drop weight impact and work of fracture of short glass fiber reinforced polypropylene composites toughened with elastomer. Polymer Composites, 2003, 24, 437-447.	4.6	10
388	Essential work of fracture (EWF) analysis for short glass fiber reinforced and rubber toughened nylon-6. Polymer Engineering and Science, 2003, 43, 558-569.	3.1	34
389	On the electrical boundary conditions on the crack surfaces in piezoelectric ceramics. International Journal of Engineering Science, 2003, 41, 633-652.	5.0	78
390	On tearing of ductile polymer films using the essential work of fracture (EWF) method. Acta Materialia, 2003, 51, 4929-4938.	7.9	51
391	A micromechanical model for interpenetrating multiphase composites. Computational Materials Science, 2003, 28, 486-493.	3.0	77
392	Induction of bonelike apatite on carbon–carbon composite by sodium silicate. Materials Letters, 2003, 57, 3500-3503.	2.6	21
393	Rate-dependent bridging law and its application to dynamic crack growth in brittle-matrix composite materials. Composites Part A: Applied Science and Manufacturing, 2003, 34, 1053-1063.	7.6	3
394	Stress-strain simulation of solder joints in a BGA package. , 2003, , .		0
395	Thermal shock fracture of piezoelectric materials. Philosophical Magazine, 2003, 83, 631-657.	1.6	20
396	Interface end theory and re-evaluation in interfacial strength test methods. Composite Interfaces, 2003, 10, 567-580.	2.3	28

#	Article	IF	Citations
397	Crystallization-induced stress in reactively sputter-deposited molybdenum nitride thin films. Philosophical Magazine Letters, 2003, 83, 125-133.	1.2	7
398	Quantitative Assessment of Damage in a Structural Beam Based on Wave Propagation by Impact Excitation. Structural Health Monitoring, 2003, 2, 27-40.	7.5	13
399	Z-Pin Bridging Force in Composite Delamination. European Structural Integrity Society, 2003, 32, 491-502.	0.1	10
400	Performance Synergism in Polymer-Based Hybrid Materials. , 2003, , .		0
401	OS6(4)-15(OS06W0098) Influence of Electric Field on Fracture Toughness and Fatigue Crack Growth for an Actuator Piezo-Ceramic PIC151. The Abstracts of ATEM International Conference on Advanced Technology in Experimental Mechanics Asian Conference on Experimental Mechanics, 2003, 2003, 230.	0.0	0
402	OS09W0037 Delamination detection of composite beams using Lamb waves. The Abstracts of ATEM International Conference on Advanced Technology in Experimental Mechanics Asian Conference on Experimental Mechanics, 2003, 2003.2, _OS09W0037OS09W0037.	0.0	0
403	PL-1(PL1W0032) On Smart Materials, Smart Structures and Damage Detection. The Abstracts of ATEM International Conference on Advanced Technology in Experimental Mechanics Asian Conference on Experimental Mechanics, 2003, 2003, 3.	0.0	0
404	Fracture behavior of short glass fibre and short carbon fibre reinforced polypropylene composites. International Journal of Materials and Product Technology, 2002, 17, 108.	0.2	4
405	Effect of transformation volume contraction on the toughness of superelastic shape memory alloys. Smart Materials and Structures, 2002, 11, 947-955.	3.5	50
406	Correction of the measurement of fiber length of short fiber reinforced thermoplastics. Composites Part A: Applied Science and Manufacturing, 2002, 33, 1549-1555.	7.6	54
407	Characterisation of fibre/matrix interfacial degradation under cyclic fatigue loading using dynamic mechanical analysis. Composites Part A: Applied Science and Manufacturing, 2002, 33, 1585-1592.	7.6	68
408	Preparation and performance characteristics of short-glass-fiber/maleated styrene-ethylene-butylene-styrene/polypropylene hybrid composites. Journal of Applied Polymer Science, 2002, 86, 1303-1311.	2.6	34
409	Synergistic effect on the fracture toughness of hybrid short glass fiber and short carbon fiber reinforced polypropylene composites. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2002, 323, 326-335.	5.6	75
410	Reactively sputter-deposited Mo–Ox–Ny thin films. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2002, 95, 222-229.	3.5	14
411	On the elastic modulus of hybrid particle/short-fiber/polymer composites. Composites Part B: Engineering, 2002, 33, 291-299.	12.0	151
412	Mechanical behavior and fracture toughness evaluation of maleic anhydride compatibilized short glass fiber/SEBS/polypropylene hybrid composites. Composites Science and Technology, 2002, 62, 831-840.	7.8	124
413	Short glass fiber-reinforced polyamide 6,6 composites toughened with maleated SEBS. Composites Science and Technology, 2002, 62, 2017-2027.	7.8	69
414	Thermal de-consolidation of thermoplastic matrix composites—I. Growth of voids. Composites Science and Technology, 2002, 62, 2121-2130.	7.8	43

#	Article	IF	CITATIONS
415	Fracture characteristics of short glass fibre/maleated styrene-ethylene-butylene-styrene/polypropylene hybrid composite. Polymer International, 2002, 51, 1248-1255.	3.1	24
416	Impact-specific essential work of fracture of maleic anhydride-compatibilized polypropylene/elastomer blends and their composites. Journal of Polymer Science, Part B: Polymer Physics, 2002, 40, 1881-1892.	2.1	36
417	Fracture behaviour of polypropylene films at different temperatures: fractography and deformation mechanisms studied by SEM. Polymer, 2002, 43, 3083-3091.	3.8	33
418	Laser shock processing and its effects on microstructure and properties of metal alloys: a review. International Journal of Fatigue, 2002, 24, 1021-1036.	5.7	926
419	Cohesive zone and crack–resistance (R)-curve of cementitious materials and their fibre-reinforced composites. Engineering Fracture Mechanics, 2002, 69, 219-234.	4.3	42
420	BEM for crack-hole problems in thermopiezoelectric materials. Engineering Fracture Mechanics, 2002, 69, 577-588.	4.3	60
421	Title is missing!. Journal of Materials Science, 2002, 37, 921-927.	3.7	38
422	Title is missing!. Journal of Materials Science, 2002, 37, 3067-3074.	3.7	27
423	Title is missing!. International Journal of Fracture, 2002, 116, 161-177.	2.2	73
424	A DAMAGE IDENTIFICATION APPROACH BASED ON STRESS WAVE PROPAGATION., 2002,,.		1
425	Multi-Scale Energy Release Rate in Dynamic Crack Growth of Strain-Softening Materials. Solid Mechanics and Its Applications, 2002, , 281-292.	0.2	0
426	Fracture toughness characterizations of compatibilized polyamide-6 (PA6)/poly(phenylene ether) (PPE) blends. Journal of Polymer Research, 2001, 8, 17-26.	2.4	3
427	On the impact essential work of fracture of ductile polymers. Polymer Engineering and Science, 2001, 41, 1-14.	3.1	43
428	Impact specific essential work of fracture of compatibilized polyamide-6 (PA6)/poly(phenylene ether) (PPE) blends. Polymer Engineering and Science, 2001, 41, 1007-1018.	3.1	27
429	Effects of substrate materials on fracture toughness measurement in adhesive joints. International Journal of Mechanical Sciences, 2001, 43, 2091-2102.	6.7	42
430	Crack-tip field for fast fracture of an elasticâ€"plasticâ€"viscoplastic material incorporated with quasi-brittle damage. Part 1. Large damage regime. International Journal of Solids and Structures, 2001, 38, 9383-9402.	2.7	4
431	Crack-tip field for fast fracture of an elastic–plastic–viscoplastic material coupled with quasi-brittle damage. Part 2. Small damage regime. International Journal of Solids and Structures, 2001, 38, 9403-9420.	2.7	2
432	New analysis on the fiber push-out problem with interface roughness and thermal residual stresses. Journal of Materials Science, 2001, 36, 2095-2104.	3.7	24

#	Article	IF	Citations
433	Title is missing!. International Journal of Fracture, 2001, 111, 343-359.	2.2	3
434	Title is missing!. Applied Composite Materials, 2001, 8, 361-369.	2.5	6
435	Nonlinear analysis of plastic ball grid array solder joints. Journal of Materials Science: Materials in Electronics, 2001, 12, 667-673.	2.2	7
436	Title is missing!. Journal of Materials Science, 2001, 36, 1243-1251.	3.7	101
437	Characterization of fiber length distribution of short-fiber reinforced thermoplastics. Journal of Materials Science Letters, 2001, 20, 31-33.	0.5	24
438	An experimental study of the influence of fibre–matrix interface on fatigue tensile strength of notched composite laminates. Composites Part B: Engineering, 2001, 32, 371-377.	12.0	24
439	<title>Increased impact damage resistance of shape memory alloy composites</title> ., 2001, 4234, 125.		3
440	Resistance Welding of Carbon Fiber Reinforced Polyetherimide Composit. Journal of Thermoplastic Composite Materials, 2001, 14, 2-19.	4.2	14
441	Effect of Bond Thickness on Fracture Behaviour in Adhesive Joints. Journal of Adhesion, 2001, 75, 27-44.	3.0	35
442	Effect of fiber pretreatment condition on the interfacial strength and mechanical properties of wood fiber/PP composites. Journal of Applied Polymer Science, 2000, 76, 1000-1010.	2.6	178
443	Crack branch in piezoelectric bimaterial system. International Journal of Engineering Science, 2000, 38, 673-693.	5.0	29
444	Asymptotic fields for dynamic crack growth in pressure-sensitive elastic–plastic materials. International Journal of Solids and Structures, 2000, 37, 6297-6319.	2.7	4
445	Effect of rubber functionality on microstructures and fracture toughness of impact-modified nylon 6,6/polypropylene blendsPart II. Toughening mechanisms. Polymer, 2000, 41, 5471-5483.	3.8	41
446	On the fracture mechanical behaviour of fibre reinforced metal laminates (FRMLs). Computer Methods in Applied Mechanics and Engineering, 2000, 185, 173-190.	6.6	42
447	Effects of gauge length and strain rate on fracture toughness of polyethylene terephthalate glycol (PETG) film using the essential work of fracture analysis. Polymer Engineering and Science, 2000, 40, 310-319.	3.1	67
448	Effect of strain rate on the fracture toughness of some ductile polymers using the essential work of fracture (EWF) approach. Polymer Engineering and Science, 2000, 40, 2558-2568.	3.1	44
449	Modelling mechanical properties of core–shell rubber-modified epoxies. Acta Materialia, 2000, 48, 579-586.	7.9	31
450	Effect of crack depth and specimen width on fracture toughness of a carbon steel in the ductile–brittle transition region. International Journal of Pressure Vessels and Piping, 2000, 77, 313-319.	2.6	13

#	Article	IF	Citations
451	Sisal fibre and its composites: a review of recent developments. Composites Science and Technology, 2000, 60, 2037-2055.	7.8	982
452	On the elastic stress transfer and longitudinal modulus of unidirectional multi-short-fiber composites. Composites Science and Technology, 2000, 60, 3001-3012.	7.8	35
453	Analyses of the micromechanics of stress transfer in single- and multi-fiber pull-out tests. Composites Science and Technology, 2000, 60, 569-579.	7.8	65
454	Low cycle fatigue behaviour of particulate reinforced metal matrix composites. Journal of Materials Science, 2000, 35, 1715-1723.	3.7	28
455	A Study on Polymer Composite Strengthening Systems for Concrete Columns. Applied Composite Materials, 2000, 7, 125-138.	2.5	42
456	Effect of Interface Strength on MMC Properties. , 2000, , 117-138.		2
457	Ultraviolet curing of Glass Fibre Reinforced Polyester Composites. Advanced Composites Letters, 2000, 9, 096369350000900.	1.3	4
458	Hybrids and Sandwiches. , 2000, , 249-290.		6
459	Designing for piezoelectric ceramic wafers bonded on structures using force transfer criteria. Smart Materials and Structures, 2000, 9, 157-162.	3.5	5
460	Effect of blending sequence on the morphology and impact toughness of poly(ethylene) Tj ETQq0 0 0 rgBT /Ove	rlogk 10 T	f 50 382 Td (t
461	Three-Dimensional Elasto-Plastic Finite Element Modeling of Rigid-Rigid Polymer Toughening Processes. ACS Symposium Series, 2000, , 86-96.	0.5	1
462	Numerical simulation of the essential fracture work method. European Structural Integrity Society, 2000, 27, 175-186.	0.1	11
463	Evaluation of Property Retention in E-Glass/Vinylester Composites after Exposure to Salt Solution and Natural Weathering. Journal of Reinforced Plastics and Composites, 2000, 19, 704-731.	3.1	7
464	Essential fracture work of short fiber reinforced polymer blends. Polymer Engineering and Science, 1999, 39, 356-364.	3.1	67
465	Crack path selection in piezoelectric bimaterials. Composite Structures, 1999, 47, 519-524.	5.8	9
466	Resistance welding of carbon fibre reinforced thermoplastic composite using alternative heating element. Composite Structures, 1999, 47, 667-672.	5.8	60
467	Optimum design of cross-sectional profiles of pultruded box beams with high ultimate strength. Composite Structures, 1999, 45, 279-288.	5 . 8	9
468	Influence of fibre cross-sectional aspect ratio on mechanical properties of glass fibre/epoxy composites I. Tensile and flexure behaviour. Composites Science and Technology, 1999, 59, 1331-1339.	7.8	39

#	Article	IF	CITATIONS
469	On steady-state fibre pull-outll Computer simulation. Composites Science and Technology, 1999, 59, 2191-2199.	7.8	39
470	On steady-state fibre pull-outl The stress field. Composites Science and Technology, 1999, 59, 2179-2189.	7.8	43
471	Some problems in plane thermopiezoelectric materials with holes. International Journal of Solids and Structures, 1999, 36, 427-439.	2.7	35
472	A closed crack tip model for interface cracks inthermopiezoelectric materials. International Journal of Solids and Structures, 1999, 36, 2463-2479.	2.7	80
473	Title is missing!. , 1999, 34, 2139-2149.		15
474	Finite Element Analysis of Stress Distributions in a Fibre/Matrix Fragment. Key Engineering Materials, 1998, 145-149, 613-620.	0.4	6
475	Effect of constraint on void growth near a blunt crack tip. International Journal of Fracture, 1998, 92, 287-304.	2.2	15
476	Effective moduli for thermopiezoelectric materials with microcracks. International Journal of Fracture, 1998, 91, 359-371.	2.2	33
477	Numerical investigation on stable crack growth in plane stress. International Journal of Fracture, 1998, 91, 117-130.	2.2	5
478	Title is missing!. Applied Composite Materials, 1998, 5, 109-122.	2.5	2
479	Effect of Through-Thickness Stitching on the Fatigue Life of Composite Single-Lap Joints. Applied Composite Materials, 1998, 5, 399-409.	2.5	15
480	Micromechanics of rubber–toughened polymers. Journal of Materials Science, 1998, 33, 3529-3539.	3.7	57
481	Thermoelectroelastic Green's function and its application for bimaterial of piezoelectric materials. Archive of Applied Mechanics, 1998, 68, 433-444.	2.2	50
482	Effects of relative sliding distance on the frictional stress transfer in fiber-reinforced ceramics. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 1998, 252, 53-63.	5.6	1
483	Fiber reinforcement and fracture resistance of PC/PBT/LCP ternaryin situ composite. Polymer Engineering and Science, 1998, 38, 156-168.	3.1	20
484	The effects of particle bulk modulus on toughening mechanisms in rubber-modified polymers. Polymer Engineering and Science, 1998, 38, 1763-1769.	3.1	16
485	Simulation of temperature and curing profiles in pultruded composite rods. Composites Science and Technology, 1998, 58, 191-197.	7.8	63
486	Rate dependence of mode I fracture behaviour in carbon-fibre/epoxy composite laminates. Composites Science and Technology, 1998, 58, 591-602.	7.8	113

#	Article	IF	CITATIONS
487	On the effects of stitching in CFRPs—II. Mode II delamination toughness. Composites Science and Technology, 1998, 58, 829-837.	7.8	141
488	On the effects of stitching in CFRPsâ€"I. mode I delamination toughness. Composites Science and Technology, 1998, 58, 815-827.	7.8	259
489	Evaluation of fibre tensile strength and fibre/matrix adhesion using single fibre fragmentation tests. Composites Part A: Applied Science and Manufacturing, 1998, 29, 423-434.	7.6	52
490	Characteristics of resistance welding of lap shear coupons. Part I: Heat transfer. Composites Part A: Applied Science and Manufacturing, 1998, 29, 899-909.	7.6	60
491	Characteristics of resistance welding of lap shear coupons Composites Part A: Applied Science and Manufacturing, 1998, 29, 911-919.	7.6	44
492	Characteristics of resistance welding of lap-shear coupons. Part III. Crystallinity. Composites Part A: Applied Science and Manufacturing, 1998, 29, 921-932.	7.6	23
493	Effect of fibre/matrix adhesion on residual strength of notched composite laminates. Composites Part A: Applied Science and Manufacturing, 1998, 29, 1525-1533.	7.6	35
494	An appraisal of composite interface mechanics models and some challenging problems. Composite Interfaces, 1998, 6, 343-362.	2.3	8
495	Surface treatments and adhesion bonding between concrete and a CFRP composite. Advanced Composite Materials, 1998, 7, 47-61.	1.9	17
496	Measurement of interfacial shear strength of carbon fibre/epoxy composites using a single fibre pull-out test. Advanced Composite Materials, 1998, 7, 169-182.	1.9	30
497	Characterization of interfaces. , 1998, , 5-41.		10
498	Effect of Reinforcing Tabs on the Mode I Delamination Toughness of Stitched CFRPs. Journal of Composite Materials, 1998, 32, 2016-2041.	2.4	27
499	Sensitivity of piezoelectric wafers to the curing of thermoset resins and thermoset composites. Smart Materials and Structures, 1998, 7, 113-120.	3.5	6
500	Experimental investigation of piezoelectric wafers in monitoring the resin transfer moulding process. Smart Materials and Structures, 1998, 7, 121-127.	3.5	5
501	Residual Strength of an ARALL Laminate Containing a Crack. Journal of Composite Materials, 1997, 31, 746-761.	2.4	11
502	Progressive Damage and Residual Strength of a Carbon Fibre Reinforced Metal Laminate. Journal of Composite Materials, 1997, 31, 762-787.	2.4	47
503	The Effect of Triaxial Constraint on Toughening Mechanisms of Rubber-Modified Epoxy System. Key Engineering Materials, 1997, 137, 115-122.	0.4	12
504	Potential of Piezoelectric Elements in the Monitoring of Composite Manufacturing Process. Journal of Intelligent Material Systems and Structures, 1997, 8, 1073-1078.	2.5	1

#	Article	IF	CITATIONS
505	Potential of piezoelectric elements in the monitoring of composite manufacturing process., 1997,,.		1
506	Statistical Fatigue Life Prediction of Cross-Ply Composite Laminates. Journal of Composite Materials, 1997, 31, 1442-1460.	2.4	12
507	Fatigue behaviour of CF/PEEK composite laminates made from commingled prepreg. Part II: statistical simulations. Composites Part A: Applied Science and Manufacturing, 1997, 28, 749-755.	7.6	8
508	Application of plasma technologies in fibre-reinforced polymer composites: a review of recent developments. Composites Part A: Applied Science and Manufacturing, 1997, 28, 73-86.	7.6	281
509	Title is missing!. International Journal of Fracture, 1997, 87, 345-362.	2.2	10
510	The effect of adhesive bonding between aluminum and composite prepreg on the mechanical properties of carbon-fiber-reinforced metal laminates. Composites Science and Technology, 1997, 57, 35-45.	7.8	88
511	Evaluations of effective crack growth and residual strength of fibre-reinforced metal laminates with a sharp notch. Composites Science and Technology, 1996, 56, 1079-1088.	7.8	20
512	Fatigue and fracture behaviour of novel rubber modified epoxy resins. Polymer, 1996, 37, 565-572.	3.8	48
513	Adhesion of nylon-6 on surface treated aluminium substrates. Journal of Materials Science, 1996, 31, 2109-2116.	3.7	16
514	Fracture mechanics of a shaft-loaded blister of thin flexible membrane on rigid substrate. International Journal of Fracture, 1996, 74, 181-197.	2.2	97
515	Abrasive wear of dental composite resins. Journal of Materials Science: Materials in Medicine, 1996, 7, 611-616.	3.6	5
516	Simulation of fatigue performance of cross-ply composite laminates. Applied Composite Materials, 1996, 3, 391-406.	2.5	12
517	Evaluation of critical wear transition loads of MMCs by rule based fuzzy modelling. Tribology Letters, 1996, 2, 89.	2.6	3
518	Injection molding of PC/PBT/LCP ternaryin situ composite. Polymer Engineering and Science, 1996, 36, 769-777.	3.1	21
519	The essential fracture work concept for toughness measurement of ductile polymers. Polymer Engineering and Science, 1996, 36, 2275-2288.	3.1	243
520	Effective Crack Growth and Residual Strength of Composite Laminates with a Sharp Notch. Journal of Composite Materials, 1996, 30, 333-357.	2.4	28
521	Evaluation of Mode-II Fracture Energy of Adhesive Joints with Different Bond Thickness. Journal of Adhesion, 1996, 56, 171-186.	3.0	17
522	Mixed-Mode Fracture of Adhesively Bonded CF/Epoxy Composite Joints. Journal of Composite Materials, 1996, 30, 1248-1265.	2.4	35

#	Article	IF	Citations
523	Modelling of stress transfer across the fibre—matrix interface. , 1996, , 287-326.		3
524	Statistics and size effect in cementitious materials. Cement and Concrete Research, 1995, 25, 408-416.	11.0	3
525	On the paradox between crack bridging and crack interaction in quasi-brittle materials. Journal of the European Ceramic Society, 1995, 15, 1061-1064.	5.7	8
526	Deformation and fracture of Macadamia nuts. International Journal of Fracture, 1995, 69, 51-65.	2.2	30
527	Deformation and fracture of Macadamia nuts. International Journal of Fracture, 1995, 69, 67-85.	2.2	50
528	Q solutions for compact tension and single-edge cracked tension specimens. International Journal of Fracture, 1995, 68, R97-R103.	2.2	4
529	Grain size effects on cyclic fatigue and crack-growth resistance behaviour of partially stabilized zirconia. Journal of Materials Science, 1995, 30, 3291-3299.	3.7	16
530	Cyclic fatigue of a sintered Al2O3/ZrO2 ceramic. Journal of Materials Science, 1995, 30, 5192-5198.	3.7	2
531	Statistical prediction of fatigue failure of fibre reinforced composite materials. Applied Composite Materials, 1995, 2, 153-173.	2.5	6
532	Crack-tip Degradation Processes Observed during in situ Cyclic Fatigue of Partially Stabilized Zirconia. Journal of the American Ceramic Society, 1995, 78, 2801-2810.	3.8	14
533	Effect of Interface Roughness on Fiber Push-Out Stress. Journal of the American Ceramic Society, 1995, 78, 560-566.	3.8	23
534	Effects of Damage on Thermal Shock Strength Behavior of Ceramics. Journal of the American Ceramic Society, 1995, 78, 1873-1881.	3.8	26
535	A statistical model of residual strength and fatigue life of composite laminates. Composites Science and Technology, 1995, 54, 329-336.	7.8	47
536	Consolidation of unidirectional CF/PEEK composites from commingled yarn prepreg. Composites Science and Technology, 1995, 54, 349-358.	7.8	113
537	Determination of mode II delamination toughness of stitched laminated composites. Composites Science and Technology, 1995, 55, 241-253.	7.8	84
538	Analyses of fibre push-out test based on the fracture mechanics approach. Composites Part B: Engineering, 1995, 5, 1199-1219.	0.6	25
539	Prediction of the initiation of ductile fracture. Journal of the Mechanics and Physics of Solids, 1995, 43, 793-810.	4.8	13
540	Mode-l Fracture Behaviour of Adhesive Joints. Part I. Relationship Between Fracture Energy and Bond Thickness. Journal of Adhesion, 1995, 53, 149-162.	3.0	54

#	Article	lF	CITATIONS
541	Fracture Mechanics Analysis of the Fibre Fragmentation Test. Journal of Composite Materials, 1995, 29, 881-902.	2.4	26
542	Techniques for Evaluating Interfacial Properties of Fibre-Matrix Composites. Key Engineering Materials, 1995, 104-107, 549-600.	0.4	18
543	Mode-I Fracture Behaviour of Adhesive Joints. Part II. Stress Analysis and Constraint Parameters. Journal of Adhesion, 1995, 53, 163-172.	3.0	29
544	Tensile behavior of a sintered steel at elevated temperatures. Scripta Metallurgica Et Materialia, 1995, 33, 115-121.	1.0	1
545	Fracture mechanics of a new blister test with stable crack growth. Acta Metallurgica Et Materialia, 1995, 43, 4109-4115.	1.8	81
546	On fibre pull-out with a rough interface. Philosophical Magazine A: Physics of Condensed Matter, Structure, Defects and Mechanical Properties, 1994, 70, 359-372.	0.6	40
547	On the effect of stitching on mode I delamination toughness of laminated composites. Composites Science and Technology, 1994, 51, 331-345.	7.8	146
548	Interfacial debonding and fibre pull-out stresses. Journal of Materials Science, 1994, 29, 5541-5550.	3.7	30
549	The influence of temperature on the mechanical and fracture properties of a 20 vol% ceramic particulate-reinforced aluminium matrix composite. Journal of Materials Science, 1994, 29, 3906-3912.	3.7	6
550	Mode I delamination toughness of laminated composites with through-thickness reinforcement. Applied Composite Materials, 1994, 1, 1-17.	2.5	30
551	Temperature effect on fracture behaviour of an alumina particulate-reinforced 6061-aluminium composite. Applied Composite Materials, 1994, 1, 93-113.	2.5	9
552	Fracture toughness and fracture mechanisms of polybutylene-terephthalate/polycarbonate/impact-modifier blends. Journal of Materials Science, 1994, 29, 4510-4522.	3.7	52
553	Analysis of stitched laminated ENF specimens for interlaminar mode II fracture toughness. International Journal of Fracture, 1994, 68, 219-244.	2.2	69
554	Interfacial debonding and fibre pull-out stresses. Journal of Materials Science, 1994, 29, 554-561.	3.7	36
555	Fracture behaviour of a rubber-modified tough epoxy system. Journal of Materials Science Letters, 1994, 13, 1330-1333.	0.5	15
556	Deformation of ceria-stabilised tetragonal zirconia ceramics in scratch experiments with a sharp indenter. Journal of the European Ceramic Society, 1994, 13, 11-23.	5.7	4
557	Improving the delamination resistance of CFRP by stitching—a review. Composites Science and Technology, 1994, 50, 305-317.	7.8	472
558	A theoretical model for the evaluation of interfacial properties of fibre-reinforced ceramics with the slice compression test. Composites Science and Technology, 1994, 51, 565-574.	7.8	4

#	Article	IF	CITATIONS
559	Simulation of the fibre fragmentation process by a fracture mechanics analysis. Composites Science and Technology, 1994, 52, 253-260.	7.8	14
560	Analysis of Fiber Frictional Sliding in Fiber Bundle Pushout Test. Journal of the American Ceramic Society, 1994, 77, 2076-2080.	3.8	13
561	Fatigue of sintered steel. Acta Metallurgica Et Materialia, 1994, 42, 99-104.	1.8	22
562	Effects of fibre volume fraction on the stress transfer in fibre pull-out tests. Composites, 1994, 25, 470-475.	0.7	21
563	The effects of material microstructure on cyclic fatigue crack growth in transformation-toughened ceramics., 1994,, 365-370.		0
564	Fracture of CFRP containing impregnated fibre bundles. Composites Science and Technology, 1993, 49, 51-60.	7.8	15
565	Effect of stitching on interlaminar delamination extension in composite laminates. Composites Science and Technology, 1993, 49, 165-171.	7.8	96
566	Buckling of delaminated composites re-examined. Composites Science and Technology, 1993, 47, 35-41.	7.8	33
567	Micromechanical characterisation of fibre/matrix interfaces. Composites Science and Technology, 1993, 48, 227-236.	7.8	48
568	Analysis of fatigue crack growth in a rubber-toughened epoxy resin: effect of temperature and stress ratio. Polymer, 1993, 34, 4221-4229.	3.8	8
569	Fracture toughness and failure mechanisms in silica-filled epoxy resin composites: effects of temperature and loading rate. Polymer, 1993, 34, 3446-3455.	3.8	51
570	On the plane-stress essential fracture work in plastic failure of ductile materials. International Journal of Mechanical Sciences, 1993, 35, 995-1005.	6.7	47
571	Cyclic fatigue lifetime predictions of partially stabilized zirconia with crack resistance curve characteristics. Journal of the European Ceramic Society, 1993, 11, 445-453.	5.7	10
572	Effect of temperature on fatigue crack growth in unplasticized polyvinyl chloride. Journal of Materials Science, 1993, 28, 5479-5485.	3.7	24
573	Effect of ceramic reinforcement on the ageing behaviour of an aluminium alloy. Journal of Materials Science, 1993, 28, 3665-3669.	3.7	39
574	On the single fibre pullout and pushout problem: Effect of fibre anisotropy. Zeitschrift Fur Angewandte Mathematik Und Physik, 1993, 44, 769-775.	1.4	18
575	Cyclic Fatigue Crack Propagation Behavior of 9Ce-TZP Ceramics with Different Grain Size. Journal of the American Ceramic Society, 1993, 76, 2601-2606.	3.8	18
576	Cyclic fatigue behaviour of eutectoid aged Mg-PSZ ceramics with processing flaws. Journal of the European Ceramic Society, 1993, 12, 221-226.	5.7	3

#	Article	IF	Citations
577	Delamination buckling with bridging. Composites Science and Technology, 1993, 47, 25-33.	7.8	48
578	Drop-weight impact damage tolerance of CFRP with rubber-modified epoxy matrix. Composites, 1993, 24, 485-494.	0.7	92
579	A new model for evaluation of the interfacial friction coefficient and residual clamping stress in a fibre-push-out test. Philosophical Magazine Letters, 1993, 68, 5-11.	1.2	15
580	On the Low Endurance Fatigue of Rubber-Toughened Adhesives and Its Implication on Characterization of Damage. International Journal of Damage Mechanics, 1993, 2, 177-198.	4.2	3
581	The effect of constraint on fracture of carbon and low alloy steel. , 1993, , 81-90.		2
582	ON THE PLANE STRESS ESSENTIAL FRACTURE WORK IN PLASTIC FAILURE OF DUCTILE MATERIALS. , 1993 , , $49-61$.		0
583	EFFECT OF IN-PLANE CONSTRAINT ON PLASTIC FRACTURE. , 1993, , 385-392.		0
584	Fracture Toughness and Fracture Mechanisms of PBT/PC/IM Blend. Materials Research Society Symposia Proceedings, 1992, 274, 3.	0.1	1
585	Time-dependent fracture of a two-phase brittle material. Philosophical Magazine A: Physics of Condensed Matter, Structure, Defects and Mechanical Properties, 1992, 66, 173-186.	0.6	0
586	Crack Tip Shielding in Ceramic and Cementitious Materials Subjected to Monotonic and Cyclic Loading. Applied Mechanics Reviews, 1992, 45, 346-354.	10.1	8
587	Crack-Resistance Curve and Cyclic Fatigue in Ceramic Materials. , 1992, , 387-422.		7
588	Surface analysis of carbon fibres modified with PVAL coating and the composite interfaces. Journal of Materials Science, 1992, 27, 6811-6816.	3.7	13
589	Interfacial debonding and fibre pull-out stresses. Journal of Materials Science, 1992, 27, 3143-3154.	3.7	127
590	Interfacial debonding and fibre pull-out stresses. Journal of Materials Science, 1992, 27, 3155-3166.	3.7	104
591	Crack-Bridging Analysis for Alumina Ceramics under Monotonic and Cyclic Loading. Journal of the American Ceramic Society, 1992, 75, 848-853.	3.8	56
592	Strain-Rate-Dependent Transformation Behavior of a 9 mol% Ce-TZP Ceramic. Journal of the American Ceramic Society, 1992, 75, 3495-3497.	3.8	1
593	On the single fibre pull-out problem: effect of loading method. Composites Science and Technology, 1992, 45, 153-160.	7.8	51
594	Effects of temperature and rate on fracture toughness of short-alumina-fibre-reinforced epoxies. Composites Science and Technology, 1992, 43, 3-12.	7.8	9

#	Article	IF	Citations
595	Compliance analysis of a bridged crack under monotonic and cyclic loading. Journal of the European Ceramic Society, 1992, 9, 213-217.	5.7	10
596	A Crack Growth Resistance Model for Fibre-Reinforced Ceramic Materials. , 1992, , 29-51.		3
597	THE EFFECT OF FIBRE PRE-TENSION ON RESIDUAL STRESSES IN FIBRE COMPOSITES. , 1992, , 11-16.		0
598	A SOFTENING-ELASTIC FOUNDATION MODEL IN DELAMINATION. , 1992, , 393-398.		0
599	THE EFFECT OF IMPREGNATED FIBRE BUNDLES ON THE FRACTURE BEHAVIOURS OF CFRP. , 1992, , 17-22.		0
600	A model of fatigue crack growth based on Dugdale model and damage accumulation. International Journal of Fracture, 1992, 57, 253-267.	2.2	27
601	Ductile-brittle fracture transition due to increasing crack length in a medium carbon steel. Acta Metallurgica Et Materialia, 1991, 39, 2527-2532.	1.8	16
602	Instability of interfacial debonding during fibre pull-out. Scripta Metallurgica Et Materialia, 1991, 25, 315-320.	1.0	16
603	Tensile strength of short-fibre-reinforced brittle materials with pre-existing defects. Philosophical Magazine A: Physics of Condensed Matter, Structure, Defects and Mechanical Properties, 1991, 64, 1265-1279.	0.6	4
604	High strength, high fracture toughness fibre composites with interface controlâ€"A review. Composites Science and Technology, 1991, 41, 333-378.	7.8	458
605	Essential work of fracture and j-integral measurements for ductile polymers. Journal of Polymer Science, Part B: Polymer Physics, 1991, 29, 785-793.	2.1	209
606	Effects of interfacial coating and temperature on the fracture behaviours of unidirectional Kevlar and carbon fibre reinforced epoxy resin composites. Journal of Materials Science, 1991, 26, 4702-4720.	3.7	69
607	A Comparison of Fibre Pullout and Pushout in Ceramic Fibre Composites. Key Engineering Materials, 1991, 53-55, 144-152.	0.4	5
608	Failure Characterisation of Fibreâ€"Reinforced Cement Composites with Râ€"Curve Characteristics. , 1991, , 467-505.		6
609	On the relationship between crack tip opening displacement at the initiation of a ductile tear in low carbon steel, hydrostatic stress, and void growth. International Journal of Fracture, 1991, 51, 207-218.	2.2	10
610	R-curve behaviour in a macro-defect-free cement paste. Philosophical Magazine A: Physics of Condensed Matter, Structure, Defects and Mechanical Properties, 1990, 62, 347-361.	0.6	6
611	Plastic ?-factor (? p). International Journal of Fracture, 1990, 45, 1-18.	2.2	40
612	A Statistical Theory of Time-Dependent Fracture for Cementitious Materials. , 1990, , 37-46.		0

#	Article	IF	Citations
613	Further comments on J-shaped stress-strain curves and the crack resistance of biological materials. Journal Physics D: Applied Physics, 1989, 22, 48-54.	2.8	28
614	Failure mechanisms in glassy-metal-reinforced epoxy composites. Composites Science and Technology, 1989, 34, 267-283.	7.8	3
615	The fracture resistance of sintered steel. Materials Science & Description of the Properties, Microstructure and Processing, 1989, 117, 149-156.	5.6	5
616	Rate and temperature effects on crack blunting mechanisms in pure and modified epoxies. Journal of Materials Science, 1989, 24, 1634-1644.	3.7	41
617	A statistical theory of time-dependent fracture for cementitious materials subjected to cyclic loading. Journal of Materials Science, 1989, 24, 3118-3122.	3.7	6
618	Impact fracture energy of mineral-filled polypropylene. Polymer Engineering and Science, 1989, 29, 505-512.	3.1	44
619	Controlled interfacial bonding on the residual strength of fatigue-damaged carbon fibre—epoxy composites. Journal of Materials Science Letters, 1988, 7, 581-582.	0.5	5
620	Fatigue crack propagation in unplasticized poly(vinyl chloride) (uPVC): 2. Near-threshold fatigue crack growth. Polymer, 1988, 29, 277-285.	3.8	7
621	Fracture of fiber-reinforced materials. Zeitschrift Fur Angewandte Mathematik Und Physik, 1988, 39, 550-572.	1.4	420
622	Slip-line field solutions for three-point notch-bend specimens. International Journal of Fracture, 1988, 37, 13-29.	2.2	46
623	Fracture parameters for sintered steels. Journal of Materials Science, 1988, 23, 2965-2970.	3.7	6
624	Failure mechanisms in toughened epoxy resins—A review. Composites Science and Technology, 1988, 31, 179-223.	7.8	434
625	Failure prediction in toughened epoxy resins. Composites Science and Technology, 1988, 31, 225-242.	7.8	33
626	Micromechanisms of crack extension in unmodified and modified epoxy resins. Composites Science and Technology, 1988, 33, 191-212.	7.8	22
627	Fatigue crack propagation in unplasticized poly(vinyl chloride): 1. Effect of mean stress. Polymer, 1988, 29, 268-276.	3.8	11
628	The statistics of brittle fracture of small specimens. Philosophical Magazine Letters, 1988, 57, 69-73.	1.2	8
629	The effect of a fracture process zone on a model for crack growth in fibre-reinforced cementitious materials. Advances in Cement Research, 1988, 1, 75-83.	1.6	3
630	A statistical theory of time-dependent fracture for brittle materials. Philosophical Magazine A: Physics of Condensed Matter, Structure, Defects and Mechanical Properties, 1988, 58, 299-324.	0.6	35

#	Article	IF	CITATIONS
631	Crack resistance by interfacial bridging: Its role in determining strength characteristics. Journal of Materials Research, 1987, 2, 345-356.	2.6	121
632	Lifetime prediction of ceramic materials subjected to static loads. Journal of Materials Science Letters, 1987, 6, 462-464.	0.5	4
633	Crack growth resistance curve and size effect in the fracture of cement paste. Journal of Materials Science, 1987, 22, 2734-2738.	3.7	57
634	Slip-line field solutions of three-point bend specimens with deep notches. International Journal of Mechanical Sciences, 1987, 29, 557-564.	6.7	16
635	Crack-Interface Grain Bridging as a Fracture Resistance I, Mechanism in Ceramics: I, Experimental Study on Alumina. Journal of the American Ceramic Society, 1987, 70, 279-289.	3.8	529
636	Crack-Interface Grain Bridging as a Fracture Resistance Mechanism in Ceramics: II, Theoretical Fracture Mechanics Model. Journal of the American Ceramic Society, 1987, 70, 289-294.	3.8	378
637	Crack Stability and Toughness Characteristics in Brittle Materials. Annual Review of Materials Research, 1986, 16, 415-439.	5.5	103
638	Crack growth resistance curves in strain-softening materials. Journal of the Mechanics and Physics of Solids, 1986, 34, 593-607.	4.8	283
639	Crack initiation and propagation in ductile fracture: Path dependence and one parameter characterization?. International Journal of Fracture, 1986, 30, R49-R52.	2.2	4
640	On the essential work of ductile fracture in polymers. International Journal of Fracture, 1986, 32, 105-125.	2.2	369
641	Porosity and mechanical properties of epoxy-resin modified cement mortar. Cement and Concrete Research, 1986, 16, 646-652.	11.0	17
642	Compression Behavior of a Self-Healing Fibre Reinforced Epoxy Composite. Applied Mechanics and Materials, 0, 55-57, 1281-1286.	0.2	1
643	<i>In Situ</i> Flame Synthesis of Polyhedral Nickel Oxide Nanoparticles on Carbon Fibers. Advanced Materials Research, 0, 557-559, 438-441.	0.3	0
644	Effect of Barium Titanate Reinforcement on Tensile Strength and Dielectric Response of Electrospun Polyvinylidene Fluoride Fibers., 0, , .		2