

Alexander Vaskevich

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6772859/publications.pdf>

Version: 2024-02-01

76
papers

3,868
citations

125106

35
h-index

139680

61
g-index

79
all docs

79
docs citations

79
times ranked

5272
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Improving the quality factors of plasmonic silver cavities for strong coupling with quantum emitters. <i>Journal of Chemical Physics</i> , 2021, 154, 014703. | 1.2 | 4 |
| 2 | Glutathione Self-Assembles into a Shell of Hydrogen-Bonded Intermolecular Aggregates on "Naked" Silver Nanoparticles. <i>Journal of Physical Chemistry B</i> , 2021, 125, 895-906. | 1.2 | 7 |
| 3 | Empowering Electroless Plating to Produce Silver Nanoparticle Films for DNA Biosensing Using Localized Surface Plasmon Resonance Spectroscopy. <i>ACS Applied Bio Materials</i> , 2019, 2, 856-864. | 2.3 | 17 |
| 4 | Expanding the boundaries of metal deposition: High aspect ratio silver nanoplatelets created by merging nanobelts. <i>Electrochimica Acta</i> , 2018, 264, 233-243. | 2.6 | 16 |
| 5 | Nucleation-Controlled Solution Deposition of Silver Nanoplate Architectures for Facile Derivatization and Catalytic Applications. <i>Advanced Materials</i> , 2018, 30, e1805179. | 11.1 | 23 |
| 6 | Highly Sensitive Colorimetric Detection of Early Stage Aluminum Corrosion in Water Using Plasmonic Gold Nanoparticle Films. <i>Advanced Optical Materials</i> , 2018, 6, 1800599. | 3.6 | 7 |
| 7 | Morphological Control in Solution-Deposited Silver Nanoplatelet Films. <i>ECS Meeting Abstracts</i> , 2018, , . | 0.0 | 0 |
| 8 | Refractive Index Sensing Using Visible Electromagnetic Resonances of Supported Cu ₂ O Particles. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 8177-8186. | 4.0 | 18 |
| 9 | Application of Surface Click Reactions to Localized Surface Plasmon Resonance (LSPR) Biosensing. <i>Chemistry - A European Journal</i> , 2017, 23, 10148-10155. | 1.7 | 10 |
| 10 | Template-Free Electroless Plating of Gold Nanowires: Direct Surface Functionalization with Shape-Selective Nanostructures for Electrochemical Applications. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 31142-31152. | 4.0 | 29 |
| 11 | Real-time plasmon spectroscopy study of the solid-state oxidation and Kirkendall void formation in copper nanoparticles. <i>Nanoscale</i> , 2017, 9, 12573-12589. | 2.8 | 36 |
| 12 | A General Kinetic-Optical Model for Solid-State Reactions Involving the Nano Kirkendall Effect. The Case of Copper Nanoparticle Oxidation. <i>Journal of Physical Chemistry C</i> , 2016, 120, 16140-16152. | 1.5 | 19 |
| 13 | pH-Dependent Galvanic Replacement of Supported and Colloidal Cu ₂ O Nanocrystals with Gold and Palladium. <i>Small</i> , 2015, 11, 3942-3953. | 5.2 | 22 |
| 14 | Critical Issues in Localized Plasmon Sensing. <i>Journal of Physical Chemistry C</i> , 2014, 118, 8227-8244. | 1.5 | 61 |
| 15 | Chemical Deposition of Cu ₂ O Nanocrystals with Precise Morphology Control. <i>ACS Nano</i> , 2014, 8, 162-174. | 7.3 | 140 |
| 16 | Direct Observation of Aminoglycoside-RNA Binding by Localized Surface Plasmon Resonance Spectroscopy. <i>Analytical Chemistry</i> , 2013, 85, 2200-2207. | 3.2 | 21 |
| 17 | Stabilization of Metal Nanoparticle Films on Glass Surfaces Using Ultrathin Silica Coating. <i>Analytical Chemistry</i> , 2013, 85, 10022-10027. | 3.2 | 22 |
| 18 | Phosphonate-stabilized silver nanoparticles: one-step synthesis and monolayer assembly. <i>Journal of Materials Chemistry C</i> , 2013, 1, 3573. | 2.7 | 17 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Solid-State Thermal Dewetting of Just-Percolated Gold Films Evaporated on Glass: Development of the Morphology and Optical Properties. <i>Journal of Physical Chemistry C</i> , 2013, 117, 11337-11346. | 1.5 | 88 |
| 20 | Mechanism of morphology transformation during annealing of nanostructured gold films on glass. <i>Physical Chemistry Chemical Physics</i> , 2013, 15, 4656. | 1.3 | 44 |
| 21 | Localized Surface Plasmon Resonance (LSPR) Transducers Based on Random Evaporated Gold Island Films: Properties and Sensing Applications. , 2012, , 333-368. | | 10 |
| 22 | Oscillatory Behavior of the Long-Range Response of Localized Surface Plasmon Resonance Transducers. <i>Journal of Physical Chemistry C</i> , 2012, 116, 26865-26873. | 1.5 | 9 |
| 23 | Comparative assessment of the sensitivity of localized surface plasmon resonance transducers and interference-based Fabry-Pérot transducers. <i>Annalen Der Physik</i> , 2012, 524, 713-722. | 0.9 | 6 |
| 24 | Optimization of Localized Surface Plasmon Resonance Transducers for Studying Carbohydrate-Protein Interactions. <i>Analytical Chemistry</i> , 2012, 84, 232-240. | 3.2 | 83 |
| 25 | Chemical Deposition and Stabilization of Plasmonic Copper Nanoparticle Films on Transparent Substrates. <i>Chemistry of Materials</i> , 2012, 24, 2501-2508. | 3.2 | 83 |
| 26 | Improved Sensitivity of Localized Surface Plasmon Resonance Transducers Using Reflection Measurements. <i>Journal of Physical Chemistry Letters</i> , 2011, 2, 1223-1226. | 2.1 | 29 |
| 27 | Tunable Localized Plasmon Transducers Prepared by Thermal Dewetting of Percolated Evaporated Gold Films. <i>Journal of Physical Chemistry C</i> , 2011, 115, 24642-24652. | 1.5 | 114 |
| 28 | Stabilization of Gold Nanoparticle Films on Glass by Thermal Embedding. <i>ACS Applied Materials & Interfaces</i> , 2011, 3, 978-987. | 4.0 | 81 |
| 29 | Versatile Scheme for the Step-by-Step Assembly of Nanoparticle Multilayers. <i>Langmuir</i> , 2011, 27, 1298-1307. | 1.6 | 20 |
| 30 | Sensitivity and Optimization of Localized Surface Plasmon Resonance Transducers. <i>ACS Nano</i> , 2011, 5, 748-760. | 7.3 | 155 |
| 31 | A Quantitative, Real-Time Assessment of Binding of Peptides and Proteins to Gold Surfaces. <i>Chemistry - A European Journal</i> , 2011, 17, 1327-1336. | 1.7 | 35 |
| 32 | Protein-surface interactions: challenging experiments and computations. <i>Journal of Molecular Recognition</i> , 2010, 23, 259-262. | 1.1 | 41 |
| 33 | Self-Assembly of Nanostructures on Surfaces Using Metal-Organic Coordination. <i>Israel Journal of Chemistry</i> , 2010, 50, 333-346. | 1.0 | 10 |
| 34 | On the formation mechanism of metal nanoparticle nanotubes. <i>Thin Solid Films</i> , 2010, 518, 1661-1666. | 0.8 | 6 |
| 35 | Rapid Formation of Coordination Multilayers Using Accelerated Self-Assembly Procedure (ASAP). <i>Langmuir</i> , 2010, 26, 7277-7284. | 1.6 | 17 |
| 36 | Morphology and Refractive Index Sensitivity of Gold Island Films. <i>Chemistry of Materials</i> , 2009, 21, 5875-5885. | 3.2 | 124 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Mass Thickness Analysis of Gold Thin Films Using Room Temperature Gas-Phase Chlorination. <i>Analytical Chemistry</i> , 2009, 81, 2877-2883. | 3.2 | 4 |
| 38 | Raman Spectroelectrochemistry of Molecules within Individual Electromagnetic Hot Spots. <i>Journal of the American Chemical Society</i> , 2009, 131, 14390-14398. | 6.6 | 87 |
| 39 | Third-Order Nonlinear Optical Response of Gold Island Films. <i>Advanced Functional Materials</i> , 2008, 18, 1281-1289. | 7.8 | 39 |
| 40 | Highly Stable Localized Plasmon Transducers Obtained by Thermal Embedding of Gold Island Films on Glass. <i>Advanced Materials</i> , 2008, 20, 3893-3899. | 11.1 | 98 |
| 41 | Biological Sensing and Interface Design in Gold Island Film Based Localized Plasmon Transducers. <i>Analytical Chemistry</i> , 2008, 80, 7487-7498. | 3.2 | 100 |
| 42 | Polymer-Coated Gold Island Films as Localized Plasmon Transducers for Gas Sensing. <i>Journal of Physical Chemistry B</i> , 2008, 112, 14530-14538. | 1.2 | 64 |
| 43 | Laterally Controlled Template Electrodeposition of Polyaniline. <i>Israel Journal of Chemistry</i> , 2008, 48, 359-366. | 1.0 | 11 |
| 44 | Silica-Stabilized Gold Island Films for Transmission Localized Surface Plasmon Sensing. <i>Journal of the American Chemical Society</i> , 2007, 129, 84-92. | 6.6 | 136 |
| 45 | Divergent Growth of Coordination Dendrimers on Surfaces. <i>Journal of the American Chemical Society</i> , 2006, 128, 8341-8349. | 6.6 | 55 |
| 46 | Reversible Binding of Gold Nanoparticles to Polymeric Solid Supports. <i>Chemistry of Materials</i> , 2006, 18, 1247-1260. | 3.2 | 12 |
| 47 | Assembly of Coordination Nanostructures via Ligand Derivatization of Oxide Surfaces. <i>Langmuir</i> , 2006, 22, 2130-2135. | 1.6 | 25 |
| 48 | Au-Pd Alloy Gradients Prepared by Laterally Controlled Template Synthesis. <i>Advanced Functional Materials</i> , 2006, 16, 693-698. | 7.8 | 16 |
| 49 | Preparative Manipulation of Gold Nanoparticles by Reversible Binding to a Polymeric Solid Support. <i>Chemistry - A European Journal</i> , 2005, 11, 2836-2841. | 1.7 | 13 |
| 50 | Sensitivity of Transmission Surface Plasmon Resonance (T-SPR) Spectroscopy: Self-Assembled Multilayers on Evaporated Gold Island Films. <i>Chemistry - A European Journal</i> , 2005, 11, 5555-5562. | 1.7 | 59 |
| 51 | Underpotential Deposition of Nickel on {111}-Textured Gold Electrodes in Dimethyl Sulfoxide. <i>Journal of the Electrochemical Society</i> , 2005, 152, C744. | 1.3 | 11 |
| 52 | Branched Coordination Multilayers on Gold. <i>Journal of the American Chemical Society</i> , 2005, 127, 17877-17887. | 6.6 | 72 |
| 53 | Coordination-Based Gold Nanoparticle Layers. <i>Journal of the American Chemical Society</i> , 2005, 127, 9207-9215. | 6.6 | 100 |
| 54 | Template Synthesis of Nanotubes by Room-Temperature Coalescence of Metal Nanoparticles. <i>Chemistry of Materials</i> , 2005, 17, 3743-3748. | 3.2 | 79 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 55 | Improved blocking properties of short-chain alkanethiol monolayers self-assembled on gold. Israel Journal of Chemistry, 2005, 45, 337-344. | 1.0 | 11 |
| 56 | Nanoparticle Nanotubes.. ChemInform, 2004, 35, no. | 0.1 | 0 |
| 57 | Layer-by-Layer Assembly of Ordinary and Composite Coordination Multilayers. Langmuir, 2004, 20, 10727-10733. | 1.6 | 37 |
| 58 | Widely-Applicable Gold Substrate for the Study of Ultrathin Overlayers. Journal of the American Chemical Society, 2004, 126, 5569-5576. | 6.6 | 60 |
| 59 | Biological Sensing Using Transmission Surface Plasmon Resonance Spectroscopy. Langmuir, 2004, 20, 7365-7367. | 1.6 | 109 |
| 60 | Ultrathin Gold Island Films on Silanized Glass. Morphology and Optical Properties. Chemistry of Materials, 2004, 16, 3476-3483. | 3.2 | 193 |
| 61 | Nanoparticle Nanotubes. Angewandte Chemie - International Edition, 2003, 42, 5576-5579. | 7.2 | 174 |
| 62 | Preparation of Graded Materials by Laterally Controlled Template Synthesis. Journal of the American Chemical Society, 2003, 125, 4718-4719. | 6.6 | 35 |
| 63 | A new molecular switch: redox-driven translocation mechanism of the copper cation Electronic supplementary information (ESI) available: Fig. S1: cyclic voltammetry of Cu(II)N2O2 in DMSO. See http://www.rsc.org/suppdata/cc/b2/b204145f/ . Chemical Communications, 2002, , 1426-1427. | 2.2 | 51 |
| 64 | Transmission Surface-Plasmon Resonance (T-SPR) Measurements for Monitoring Adsorption on Ultrathin Gold Island Films. Chemistry - A European Journal, 2002, 8, 3849-3857. | 1.7 | 107 |
| 65 | Differential Plasmon Spectroscopy as a Tool for Monitoring Molecular Binding to Ultrathin Gold Films. Journal of the American Chemical Society, 2001, 123, 3177-3178. | 6.6 | 92 |
| 66 | Underpotential deposition of copper in acetonitrile. Journal of Electroanalytical Chemistry, 2000, 491, 87-94. | 1.9 | 12 |
| 67 | Controlled surface charging as a depth-profiling probe for mesoscopic layers. Nature, 2000, 406, 382-385. | 13.7 | 143 |
| 68 | UV/Vis Spectroscopy of Metalloporphyrin and Metallophthalocyanine Monolayers Self-Assembled on Ultrathin Gold Films. Journal of Physical Chemistry B, 2000, 104, 8238-8244. | 1.2 | 148 |
| 69 | A Metal-Ion Coordinated Hybrid Multilayer. Langmuir, 2000, 16, 4420-4423. | 1.6 | 48 |
| 70 | Spectroscopic Characterization of Self-Assembled Macrocyclic Monolayers on Gold. Reviews in Analytical Chemistry, 1999, 18, . | 1.5 | 11 |
| 71 | Underpotentialâ€“overpotential transition of a Ag overlayer on Pt.. Journal of Electroanalytical Chemistry, 1998, 442, 147-150. | 1.9 | 14 |
| 72 | Coordination-Controlled Self-Assembled Multilayers on Gold. Journal of the American Chemical Society, 1998, 120, 13469-13477. | 6.6 | 102 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Irreversibly adsorbed silver on Pt(111) and transformation of the electrosorption behaviour induced by thermal annealing. Journal of the Chemical Society, Faraday Transactions, 1996, 92, 3777. | 1.7 | 17 |
| 74 | Underpotential-overpotential transition in a silver overlayer on platinum. Part 2. reversible 2d \leftrightarrow 3d rearrangement. Journal of Electroanalytical Chemistry, 1996, 412, 117-123. | 1.9 | 15 |
| 75 | Underpotential-overpotential transition of silver overlayer on platinum Part 1. Formation of a Pt + Ag surface alloy. Journal of Electroanalytical Chemistry, 1995, 383, 167-174. | 1.9 | 47 |
| 76 | Anodized Niobium Electrodes under Cathodic Polarization: Electrochemical and Optical Studies. Journal of the Electrochemical Society, 1995, 142, 1501-1508. | 1.3 | 12 |