

Joan E Bailey-Wilson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6775627/publications.pdf>

Version: 2024-02-01

248
papers

16,668
citations

30551

56
h-index

20625

120
g-index

263
all docs

263
docs citations

263
times ranked

22286
citing authors

#	ARTICLE	IF	CITATIONS
1	What makes a good prediction? Feature importance and beginning to open the black box of machine learning in genetics. <i>Human Genetics</i> , 2022, 141, 1515-1528.	1.8	18
2	Whole exome sequence analysis in 51,624 participants identifies novel genes and variants associated with refractive error and myopia. <i>Human Molecular Genetics</i> , 2022, , .	1.4	10
3	Gene-level association analysis of ordinal traits with functional ordinal logistic regressions. <i>Genetic Epidemiology</i> , 2022, 46, 234-255.	0.6	3
4	Complex N-Linked Glycosylation: A Potential Modifier of Niemann-Pick Disease, Type C1 Pathology. <i>International Journal of Molecular Sciences</i> , 2022, 23, 5082.	1.8	2
5	Two-stage Study of Familial Prostate Cancer by Whole-exome Sequencing and Custom Capture Identifies 10 Novel Genes Associated with the Risk of Prostate Cancer. <i>European Urology</i> , 2021, 79, 353-361.	0.9	28
6	Gene-Based Association Testing of Dichotomous Traits With Generalized Functional Linear Mixed Models Using Extended Pedigrees: Applications to Age-Related Macular Degeneration. <i>Journal of the American Statistical Association</i> , 2021, 116, 531-545.	1.8	3
7	Increased Burden of Rare Sequence Variants in GnRH-Associated Genes in Women With Hypothalamic Amenorrhea. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, e1441-e1452.	1.8	13
8	Rare deleterious germline variants and risk of lung cancer. <i>Npj Precision Oncology</i> , 2021, 5, 12.	2.3	19
9	Gene-based analysis of bivariate survival traits via functional regressions with applications to eye diseases. <i>Genetic Epidemiology</i> , 2021, 45, 455-470.	0.6	1
10	IMI 2021 Yearly Digest. , 2021, 62, 7.		36
11	Genetic Variation and Recurrent Haplotypes on Chromosome 6q23-25 Risk Locus in Familial Lung Cancer. <i>Cancer Research</i> , 2021, 81, 3162-3173.	0.4	5
12	Evaluation of Shared Genetic Susceptibility to High and Low Myopia and Hyperopia. <i>JAMA Ophthalmology</i> , 2021, 139, 601.	1.4	22
13	Myopia in African Americans Is Significantly Linked to Chromosome 7p15.2-14.2. , 2021, 62, 16.		2
14	Sterol and lipid analyses identifies hypolipidemia and apolipoprotein disorders in autism associated with adaptive functioning deficits. <i>Translational Psychiatry</i> , 2021, 11, 471.	2.4	9
15	A powerful new method for rare-variant analysis of quantitative traits in families. <i>European Journal of Human Genetics</i> , 2020, 28, 1629-1630.	1.4	0
16	Whole Exome Sequencing of Highly Aggregated Lung Cancer Families Reveals Linked Loci for Increased Cancer Risk on Chromosomes 12q, 7p, and 4q. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 434-442.	1.1	11
17	Linear mixed models for association analysis of quantitative traits with next-generation sequencing data. <i>Genetic Epidemiology</i> , 2019, 43, 189-206.	0.6	5
18	Gene-based association analysis of survival traits via functional regression-based mixed effect cox models for related samples. <i>Genetic Epidemiology</i> , 2019, 43, 952-965.	0.6	4

#	ARTICLE	IF	CITATIONS
19	Small posterior fossa in Chiari I malformation affected families is significantly linked to 1q43-44 and 12q23-24.11 using whole exome sequencing. <i>European Journal of Human Genetics</i> , 2019, 27, 1599-1610.	1.4	15
20	Genome-wide scans of myopia in Pennsylvania Amish families reveal significant linkage to 12q15, 8q21.3 and 5p15.33. <i>Human Genetics</i> , 2019, 138, 339-354.	1.8	8
21	Exome genotyping and linkage analysis identifies two novel linked regions and replicates two others for myopia in Ashkenazi Jewish families. <i>BMC Medical Genetics</i> , 2019, 20, 27.	2.1	5
22	Analysis of the <i>CDKN2A</i> Gene in FAMMM Syndrome Families Reveals Early Age of Onset for Additional Syndromic Cancers. <i>Cancer Research</i> , 2019, 79, 2992-3000.	0.4	10
23	ComPaSS-WAS: A method to reduce type I error in genome-wide association studies when replication data are not available. <i>Genetic Epidemiology</i> , 2019, 43, 102-111.	0.6	7
24	Inferring disease risk genes from sequencing data in multiplex pedigrees through sharing of rare variants. <i>Genetic Epidemiology</i> , 2019, 43, 37-49.	0.6	6
25	Phenotypic and genotypic heterogeneity of Lynch syndrome: a complex diagnostic challenge. <i>Familial Cancer</i> , 2018, 17, 403-414.	0.9	20
26	Genetic Susceptibility to Lung Cancer. , 2018, , 46-51.e2.		5
27	The 677C>T variant of MTHFR is the major genetic modifier of biomarkers of folate status in a young, healthy Irish population. <i>American Journal of Clinical Nutrition</i> , 2018, 108, 1334-1341.	2.2	18
28	Genome-wide association meta-analysis highlights light-induced signaling as a driver for refractive error. <i>Nature Genetics</i> , 2018, 50, 834-848.	9.4	239
29	Rare Variants in Known Susceptibility Loci and Their Contribution to Risk of Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2018, 13, 1483-1495.	0.5	22
30	A genome-wide association study identifies a susceptibility locus for biliary atresia on 2p16.1 within the gene EFEMP1. <i>PLoS Genetics</i> , 2018, 14, e1007532.	1.5	51
31	Genome-wide association study of familial lung cancer. <i>Carcinogenesis</i> , 2018, 39, 1135-1140.	1.3	42
32	Myopia in Chinese families shows linkage to 10q26.13. <i>Molecular Vision</i> , 2018, 24, 29-42.	1.1	3
33	A genome-wide association study of corneal astigmatism: The CREAM Consortium. <i>Molecular Vision</i> , 2018, 24, 127-142.	1.1	10
34	gsSKAT: Rapid gene set analysis and multiple testing correction for rare variant association studies using weighted linear kernels. <i>Genetic Epidemiology</i> , 2017, 41, 297-308.	0.6	9
35	Rare copy number variants in patients with congenital conotruncal heart defects. <i>Birth Defects Research</i> , 2017, 109, 271-295.	0.8	15
36	Genome-wide association study identifies three novel loci in Fuchs endothelial corneal dystrophy. <i>Nature Communications</i> , 2017, 8, 14898.	5.8	101

#	ARTICLE	IF	CITATIONS
37	A comparison study of multivariate fixed models and Gene Association with Multiple Traits (GAMuT) for next-generation sequencing. <i>Genetic Epidemiology</i> , 2017, 41, 18-34.	0.6	3
38	Analysis of sequence data to identify potential risk variants for oral clefts in multiplex families. <i>Molecular Genetics & Genomic Medicine</i> , 2017, 5, 570-579.	0.6	13
39	The FUT2 secretor variant p.Trp154Ter influences serum vitamin B12 concentration via holo-haptocorrin, but not holo-transcobalamin, and is associated with haptocorrin glycosylation. <i>Human Molecular Genetics</i> , 2017, 26, 4975-4988.	1.4	16
40	Caucasian Families Exhibit Significant Linkage of Myopia to Chromosome 11p. , 2017, 58, 3547.		11
41	Familial Lung Cancer: A Brief History from the Earliest Work to the Most Recent Studies. <i>Genes</i> , 2017, 8, 36.	1.0	22
42	Post hoc Analysis for Detecting Individual Rare Variant Risk Associations Using Probit Regression Bayesian Variable Selection Methods in Case-Control Sequencing Studies. <i>Genetic Epidemiology</i> , 2016, 40, 461-469.	0.6	5
43	A Common Polymorphism in HIBCH Influences Methylmalonic Acid Concentrations in Blood Independently of Cobalamin. <i>American Journal of Human Genetics</i> , 2016, 98, 869-882.	2.6	43
44	REVEL: An Ensemble Method for Predicting the Pathogenicity of Rare Missense Variants. <i>American Journal of Human Genetics</i> , 2016, 99, 877-885.	2.6	1,555
45	Assessing the Genetic Predisposition of Education on Myopia: A Mendelian Randomization Study. <i>Genetic Epidemiology</i> , 2016, 40, 66-72.	0.6	56
46	A Comparison Study of Fixed and Mixed Effect Models for Gene Level Association Studies of Complex Traits. <i>Genetic Epidemiology</i> , 2016, 40, 702-721.	0.6	10
47	Childhood gene-environment interactions and age-dependent effects of genetic variants associated with refractive error and myopia: The CREAM Consortium. <i>Scientific Reports</i> , 2016, 6, 25853.	1.6	80
48	Comparison of parametric and machine methods for variable selection in simulated Genetic Analysis Workshop 19 data. <i>BMC Proceedings</i> , 2016, 10, 147-152.	1.8	1
49	Parametric Linkage Analysis Identifies Five Novel Genome-Wide Significant Loci for Familial Lung Cancer. <i>Human Heredity</i> , 2016, 82, 64-74.	0.4	13
50	r2VIM: A new variable selection method for random forests in genome-wide association studies. <i>BioData Mining</i> , 2016, 9, 7.	2.2	53
51	High incidence of unrecognized visceral/neurological late-onset Niemann-Pick disease, type C1, predicted by analysis of massively parallel sequencing data sets. <i>Genetics in Medicine</i> , 2016, 18, 41-48.	1.1	171
52	Focused Analysis of Exome Sequencing Data for Rare Germline Mutations in Familial and Sporadic Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2016, 11, 52-61.	0.5	27
53	Ancestry of the Timorese: age-related macular degeneration associated genotype and allele sharing among human populations from throughout the world. <i>Frontiers in Genetics</i> , 2015, 6, 238.	1.1	9
54	Lessons Learned from Whole Exome Sequencing in Multiplex Families Affected by a Complex Genetic Disorder, Intracranial Aneurysm. <i>PLoS ONE</i> , 2015, 10, e0121104.	1.1	32

#	ARTICLE	IF	CITATIONS
55	Tiled regression reduces type I error rates in tests of association of rare single nucleotide variants with non-normally distributed traits, compared with simple linear regression. , 2015, , .		1
56	A Recurrent Mutation in PARK2 Is Associated with Familial Lung Cancer. American Journal of Human Genetics, 2015, 96, 301-308.	2.6	61
57	A Hereditary Form of Small Intestinal Carcinoid Associated With a Germline Mutation in Inositol Polyphosphate Multikinase. Gastroenterology, 2015, 149, 67-78.	0.6	96
58	Common Variants at Putative Regulatory Sites of the Tissue Nonspecific Alkaline Phosphatase Gene Influence Circulating Pyridoxal 5 α -Phosphate Concentration in Healthy Adults. Journal of Nutrition, 2015, 145, 1386-1393.	1.3	19
59	Gene \times Gene Interaction Among <i>WNT</i> Genes for Oral Cleft in Trios. Genetic Epidemiology, 2015, 39, 385-394.	0.6	30
60	Genome-wide association study for refractive astigmatism reveals genetic co-determination with spherical equivalent refractive error: the CREAM consortium. Human Genetics, 2015, 134, 131-146.	1.8	24
61	Determination of the allelic frequency in Smith \times Lemli \times Opitz syndrome by analysis of massively parallel sequencing data sets. Clinical Genetics, 2015, 87, 570-575.	1.0	43
62	Copy number variants encompassing Mendelian disease genes in a large multigenerational family segregating bipolar disorder. BMC Genetics, 2015, 16, 27.	2.7	18
63	Pleiotropy Analysis of Quantitative Traits at Gene Level by Multivariate Functional Linear Models. Genetic Epidemiology, 2015, 39, 259-275.	0.6	52
64	Variable selection method for the identification of epistatic models. Pacific Symposium on Biocomputing Pacific Symposium on Biocomputing, 2015, , 195-206.	0.7	6
65	Genome-Wide Meta-Analysis of Myopia and Hyperopia Provides Evidence for Replication of 11 Loci. PLoS ONE, 2014, 9, e107110.	1.1	40
66	Generalized Functional Linear Models for Gene \times Environment Based Case \times Control Association Studies. Genetic Epidemiology, 2014, 38, 622-637.	0.6	22
67	8q24 risk alleles and prostate cancer in African-Barbadian men. Prostate, 2014, 74, 1579-1588.	1.2	20
68	George Bonney (1947 \times 2013) Remembered. Genetic Epidemiology, 2014, 38, 95-96.	0.6	0
69	Association analysis of 9,560 prostate cancer cases from the International Consortium of Prostate Cancer Genetics confirms the role of reported prostate cancer associated SNPs for familial disease. Human Genetics, 2014, 133, 347-356.	1.8	24
70	Inferring rare disease risk variants based on exact probabilities of sharing by multiple affected relatives. Bioinformatics, 2014, 30, 2189-2196.	1.8	30
71	Genome-wide analysis of multi-ancestry cohorts identifies new loci influencing intraocular pressure and susceptibility to glaucoma. Nature Genetics, 2014, 46, 1126-1130.	9.4	212
72	False-positive rates in two-point parametric linkage analysis. BMC Proceedings, 2014, 8, S110.	1.8	1

#	ARTICLE	IF	CITATIONS
73	Whole Exome Sequencing of Distant Relatives in Multiplex Families Implicates Rare Variants in Candidate Genes for Oral Clefts. <i>Genetics</i> , 2014, 197, 1039-1044.	1.2	79
74	VARIABLE SELECTION METHOD FOR THE IDENTIFICATION OF EPISTATIC MODELS. , 2014, , .		7
75	Risk estimation using probability machines. <i>BioData Mining</i> , 2014, 7, 2.	2.2	14
76	Genetic heterogeneity in Finnish hereditary prostate cancer using ordered subset analysis. <i>European Journal of Human Genetics</i> , 2013, 21, 437-443.	1.4	4
77	Meta-analysis of genome-wide association studies in five cohorts reveals common variants in RBFOX1, a regulator of tissue-specific splicing, associated with refractive error. <i>Human Molecular Genetics</i> , 2013, 22, 2754-2764.	1.4	60
78	HOXB13 is a susceptibility gene for prostate cancer: results from the International Consortium for Prostate Cancer Genetics (ICPCG). <i>Human Genetics</i> , 2013, 132, 5-14.	1.8	166
79	Nine Loci for Ocular Axial Length Identified through Genome-wide Association Studies, Including Shared Loci with Refractive Error. <i>American Journal of Human Genetics</i> , 2013, 93, 264-277.	2.6	139
80	Matrix Metalloproteinases and Educational Attainment in Refractive Error. <i>Ophthalmology</i> , 2013, 120, 298-305.	2.5	38
81	Genome-wide meta-analyses of multiancestry cohorts identify multiple new susceptibility loci for refractive error and myopia. <i>Nature Genetics</i> , 2013, 45, 314-318.	9.4	398
82	Functional Linear Models for Association Analysis of Quantitative Traits. <i>Genetic Epidemiology</i> , 2013, 37, 726-742.	0.6	53
83	Linkage analysis identifies a locus for plasma von Willebrand factor undetected by genome-wide association. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 588-593.	3.3	85
84	Regional replication of association with refractive error on 15q14 and 15q25 in the Age-Related Eye Disease Study cohort. <i>Molecular Vision</i> , 2013, 19, 2173-86.	1.1	12
85	A founder mutation in LEPRE1 carried by 1.5% of West Africans and 0.4% of African Americans causes lethal recessive osteogenesis imperfecta. <i>Genetics in Medicine</i> , 2012, 14, 543-551.	1.1	49
86	Large scale international replication and meta-analysis study confirms association of the 15q14 locus with myopia. The CREAM consortium. <i>Human Genetics</i> , 2012, 131, 1467-1480.	1.8	67
87	Genome-Wide Association Study of Intracranial Aneurysms Confirms Role of Anril and SOX17 in Disease Risk. <i>Stroke</i> , 2012, 43, 2846-2852.	1.0	106
88	Analysis of Xq27-28 linkage in the international consortium for prostate cancer genetics (ICPCG) families. <i>BMC Medical Genetics</i> , 2012, 13, 46.	2.1	5
89	Chromosomes 4 and 8 implicated in a genome wide SNP linkage scan of 762 prostate cancer families collected by the ICPCG. <i>Prostate</i> , 2012, 72, 410-426.	1.2	14
90	Suggestive evidence of linkage identified at chromosomes 12q24 and 2p16 in African American prostate cancer families from Louisiana. <i>Prostate</i> , 2012, 72, 938-947.	1.2	16

#	ARTICLE	IF	CITATIONS
91	A cooperative interaction between LPHN3 and 11q doubles the risk for ADHD. <i>Molecular Psychiatry</i> , 2012, 17, 741-747.	4.1	52
92	Identifying rare variants from exome scans: the GAW17 experience. <i>BMC Proceedings</i> , 2011, 5, S1.	1.8	6
93	Performance of random forests and logic regression methods using mini-exome sequence data. <i>BMC Proceedings</i> , 2011, 5, S104.	1.8	2
94	Comparison of results from tests of association in unrelated individuals with uncollapsed and collapsed sequence variants using tiled regression. <i>BMC Proceedings</i> , 2011, 5, S15.	1.8	10
95	Old lessons learned anew: family-based methods for detecting genes responsible for quantitative and qualitative traits in the Genetic Analysis Workshop 17 mini-exome sequence data. <i>BMC Proceedings</i> , 2011, 5, S83.	1.8	10
96	Brief review of regression-based and machine learning methods in genetic epidemiology: the Genetic Analysis Workshop 17 experience. <i>Genetic Epidemiology</i> , 2011, 35, S5-11.	0.6	93
97	Regression and data mining methods for analyses of multiple rare variants in the Genetic Analysis Workshop 17 mini-exome data. <i>Genetic Epidemiology</i> , 2011, 35, S92-100.	0.6	5
98	Genome-wide linkage scan for prostate cancer susceptibility in Finland: Evidence for a novel locus on 2q37.3 and confirmation of signal on 17q21-q22. <i>International Journal of Cancer</i> , 2011, 129, 2400-2407.	2.3	18
99	Linkage Analysis of Quantitative Refraction and Refractive Errors in the Beaver Dam Eye Study. , 2011, 52, 5220.		18
100	Linkage Analysis in the Next-Generation Sequencing Era. <i>Human Heredity</i> , 2011, 72, 228-236.	0.4	89
101	Dissecting the genetic heterogeneity of myopia susceptibility in an Ashkenazi Jewish population using ordered subset analysis. <i>Molecular Vision</i> , 2011, 17, 1641-51.	1.1	3
102	Genome-wide linkage analysis of 1,233 prostate cancer pedigrees from the International Consortium for prostate cancer Genetics using novel sumLINK and sumLOD analyses. <i>Prostate</i> , 2010, 70, 735-744.	1.2	22
103	Contribution of <i>HPC1</i> (<i>RNASEL</i>) and <i>HPCX</i> variants to prostate cancer in a founder population. <i>Prostate</i> , 2010, 70, 1716-1727.	1.2	29
104	Genome-wide Linkage Analysis of Multiple Metabolic Factors: Evidence of Genetic Heterogeneity. <i>Obesity</i> , 2010, 18, 146-152.	1.5	6
105	Admixture Mapping of Obesity-related Traits in African Americans: The Atherosclerosis Risk in Communities (ARIC) Study. <i>Obesity</i> , 2010, 18, 563-572.	1.5	44
106	A common variant of the latrophilin 3 gene, LPHN3, confers susceptibility to ADHD and predicts effectiveness of stimulant medication. <i>Molecular Psychiatry</i> , 2010, 15, 1053-1066.	4.1	245
107	Association of Matrix Metalloproteinase Gene Polymorphisms with Refractive Error in Amish and Ashkenazi Families. , 2010, 51, 4989.		34
108	A Susceptibility Locus on Chromosome 6q Greatly Increases Lung Cancer Risk among Light and Never Smokers. <i>Cancer Research</i> , 2010, 70, 2359-2367.	0.4	52

#	ARTICLE	IF	CITATIONS
109	A Second Genetic Variant on Chromosome 15q24-25.1 Associates with Lung Cancer. <i>Cancer Research</i> , 2010, 70, 3128-3135.	0.4	5
110	Cumulative Effect of Multiple Loci on Genetic Susceptibility to Familial Lung Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 517-524.	1.1	24
111	Ordered Subset Analysis Identifies Loci Influencing Lung Cancer Risk on Chromosomes 6q and 12q. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 3157-3166.	1.1	10
112	The Relationship Between Smoking and Replicated Sequence Variants on Chromosomes 8 and 9 With Familial Intracranial Aneurysm. <i>Stroke</i> , 2010, 41, 1132-1137.	1.0	47
113	Structure-Function Correlations Using Scanning Laser Polarimetry in Primary Angle-Closure Glaucoma and Primary Open-Angle Glaucoma. <i>American Journal of Ophthalmology</i> , 2010, 149, 817-825.e1.	1.7	16
114	Genomewide Linkage Scans for Ocular Refraction and Meta-analysis of Four Populations in the Myopia Family Study. , 2009, 50, 2024.		30
115	Fine Mapping of Chromosome 6q23-25 Region in Familial Lung Cancer Families Reveals <i>RGS17</i> as a Likely Candidate Gene. <i>Clinical Cancer Research</i> , 2009, 15, 2666-2674.	3.2	80
116	Evaluation of random forests performance for genome-wide association studies in the presence of interaction effects. <i>BMC Proceedings</i> , 2009, 3, S64.	1.8	21
117	Haplotype and Cell Proliferation Analyses of Candidate Lung Cancer Susceptibility Genes on Chromosome 15q24-25.1. <i>Cancer Research</i> , 2009, 69, 7844-7850.	0.4	49
118	Polymorphisms in the neural nicotinic acetylcholine receptor $\alpha 4$ subunit (CHRNA4) are associated with ADHD in a genetic isolate. <i>ADHD Attention Deficit and Hyperactivity Disorders</i> , 2009, 1, 19-24.	1.7	19
119	Genome screen in familial intracranial aneurysm. <i>BMC Medical Genetics</i> , 2009, 10, 3.	2.1	26
120	Genome-wide Scan of African-American and White Families for Linkage to Myopia. <i>American Journal of Ophthalmology</i> , 2009, 147, 512-517.e2.	1.7	30
121	Heritability Analysis of Spherical Equivalent, Axial Length, Corneal Curvature, and Anterior Chamber Depth in the Beaver Dam Eye Study. <i>JAMA Ophthalmology</i> , 2009, 127, 649.	2.6	91
122	EPHA2 Is Associated with Age-Related Cortical Cataract in Mice and Humans. <i>PLoS Genetics</i> , 2009, 5, e1000584.	1.5	140
123	Fine-mapping of candidate region in Amish and Ashkenazi families confirms linkage of refractive error to a QTL on 1p34-p36. <i>Molecular Vision</i> , 2009, 15, 1398-406.	1.1	10
124	Examining the effect of linkage disequilibrium between markers on the Type I error rate and power of nonparametric multipoint linkage analysis of two-generation and multigenerational pedigrees in the presence of missing genotype data. <i>Genetic Epidemiology</i> , 2008, 32, 41-51.	0.6	7
125	Genomewide scan of ocular refraction in African-American families shows significant linkage to chromosome 7p15. <i>Genetic Epidemiology</i> , 2008, 32, 454-463.	0.6	51
126	ARLTS1 germline variants and the risk for breast, prostate, and colorectal cancer. <i>European Journal of Human Genetics</i> , 2008, 16, 983-991.	1.4	12

#	ARTICLE	IF	CITATIONS
127	Establishing an adjusted p-value threshold to control the family-wide type 1 error in genome wide association studies. BMC Genomics, 2008, 9, 516.	1.2	287
128	Genome Screen to Detect Linkage to Intracranial Aneurysm Susceptibility Genes. Stroke, 2008, 39, 1434-1440.	1.0	47
129	Recruitment strategies and comparison of prostate cancer-specific clinical data on African-American and Caucasian males with and without family history. Prostate Cancer and Prostatic Diseases, 2008, 11, 274-279.	2.0	5
130	Familial Aggregation of Common Sequence Variants on 15q24-25.1 in Lung Cancer. Journal of the National Cancer Institute, 2008, 100, 1326-1330.	3.0	141
131	Identification of a Novel Tumor Suppressor Gene p34 on Human Chromosome 6q25.1. Cancer Research, 2007, 67, 93-99.	0.4	37
132	Familial aggregation of myopia in the Tehran eye study: estimation of the sibling and parent offspring recurrence risk ratios. British Journal of Ophthalmology, 2007, 91, 1440-1444.	2.1	18
133	The GLC1H Glaucoma Locus May Reflect Glaucoma With Elevated Intraocular Pressure. JAMA Ophthalmology, 2007, 125, 1716.	2.6	3
134	Compelling evidence for a prostate cancer gene at 22q12.3 by the International Consortium for Prostate Cancer Genetics. Human Molecular Genetics, 2007, 16, 1271-1278.	1.4	31
135	EGFR-T790M Is a Rare Lung Cancer Susceptibility Allele with Enhanced Kinase Activity. Cancer Research, 2007, 67, 4665-4670.	0.4	92
136	Confirmation of Linkage to Ocular Refraction on Chromosome 22q and Identification of a Novel Linkage Region on 1q. JAMA Ophthalmology, 2007, 125, 80.	2.6	47
137	Attention-Deficit/Hyperactivity Disorder and Comorbid Disruptive Behavior Disorders: Evidence of Pleiotropy and New Susceptibility Loci. Biological Psychiatry, 2007, 61, 1329-1339.	0.7	69
138	Identification of Novel Genetic Loci for Intraocular Pressure. JAMA Ophthalmology, 2007, 125, 74.	2.6	47
139	Heritability and Familial Aggregation of Refractive Error in the Old Order Amish. , 2007, 48, 4002.		47
140	Genome-wide linkage of 77 families from the African American Hereditary Prostate Cancer Study (AAHPC). Prostate, 2007, 67, 22-31.	1.2	23
141	Replicating genotype-phenotype associations. Nature, 2007, 447, 655-660.	13.7	1,509
142	KLF6 IVS1 -27G>A Variant and the Risk of Prostate Cancer in Finland. European Urology, 2007, 52, 1076-1081.	0.9	14
143	Segregation analysis of 1,546 prostate cancer families in Finland shows recessive inheritance. Human Genetics, 2007, 121, 257-267.	1.8	26
144	The Value of Molecular Haplotypes in a Family-Based Linkage Study. American Journal of Human Genetics, 2006, 79, 458-468.	2.6	10

#	ARTICLE	IF	CITATIONS
145	Pooled genome linkage scan of aggressive prostate cancer: results from the International Consortium for Prostate Cancer Genetics. <i>Human Genetics</i> , 2006, 120, 471-485.	1.8	57
146	Segregation analysis of urothelial cell carcinoma. <i>European Journal of Cancer</i> , 2006, 42, 1428-1433.	1.3	30
147	Allele frequency misspecification: effect on power and Type I error of model-dependent linkage analysis of quantitative traits under random ascertainment. <i>BMC Genetics</i> , 2006, 7, 21.	2.7	11
148	A genetic model for determining MSH2 and MLH1 carrier probabilities based on family history and tumor microsatellite instability. <i>Clinical Genetics</i> , 2006, 69, 254-262.	1.0	20
149	Population Isolates in South Tyrol and Their Value for Genetic Dissection of Complex Diseases. <i>Annals of Human Genetics</i> , 2006, 70, 812-821.	0.3	15
150	Genes, environment and the value of prospective cohort studies. <i>Nature Reviews Genetics</i> , 2006, 7, 812-820.	7.7	276
151	Covariate-based linkage analysis: application of a propensity score as the single covariate consistently improves power to detect linkage. <i>European Journal of Human Genetics</i> , 2006, 14, 1018-1026.	1.4	9
152	Two-locus genome-wide linkage scan for prostate cancer susceptibility genes with an interaction effect. <i>Human Genetics</i> , 2006, 118, 716-724.	1.8	16
153	Genomewide scan in Ashkenazi Jewish families demonstrates evidence of linkage of ocular refraction to a QTL on chromosome 1p36. <i>Human Genetics</i> , 2006, 119, 389-399.	1.8	84
154	Identification of genetic loci for basal cell nevus syndrome and inflammatory bowel disease in a single large pedigree. <i>Human Genetics</i> , 2006, 120, 31-41.	1.8	4
155	Profiling Genetic Variation along the Androgen Biosynthesis and Metabolism Pathways Implicates Several Single Nucleotide Polymorphisms and Their Combinations as Prostate Cancer Risk Factors. <i>Cancer Research</i> , 2006, 66, 743-747.	0.4	54
156	A common nonsense mutation in EphB2 is associated with prostate cancer risk in African American men with a positive family history. <i>Journal of Medical Genetics</i> , 2006, 43, 507-511.	1.5	65
157	Genome-wide scan of additional Jewish families confirms linkage of a myopia susceptibility locus to chromosome 22q12. <i>Molecular Vision</i> , 2006, 12, 1499-505.	1.1	17
158	Parametric versus nonparametric and two-point versus multipoint: controversies in gene mapping. , 2005, , .		0
159	Genetic Analysis Workshop 14: Introduction to Workshop Summaries. <i>Genetic Epidemiology</i> , 2005, 29, S1-S6.	0.6	5
160	Haplotypes and haplotype-tagging single-nucleotide polymorphism: Presentation Group 8 of Genetic Analysis Workshop 14. <i>Genetic Epidemiology</i> , 2005, 29, S59-S71.	0.6	11
161	Hereditary prostate cancer in Finland: fine-mapping validates 3p26 as a major predisposition locus. <i>Human Genetics</i> , 2005, 116, 43-50.	1.8	25
162	A major locus for hereditary prostate cancer in Finland: localization by linkage disequilibrium of a haplotype in the HPCX region. <i>Human Genetics</i> , 2005, 117, 307-316.	1.8	30

#	ARTICLE	IF	CITATIONS
163	Genetic Analysis Workshop 14: microsatellite and single-nucleotide polymorphism marker loci for genome-wide scans. BMC Genetics, 2005, 6, S1.	2.7	10
164	Investigation of altering single-nucleotide polymorphism density on the power to detect trait loci and frequency of false positive in nonparametric linkage analyses of qualitative traits. BMC Genetics, 2005, 6, S20.	2.7	5
165	Application of the propensity score in a covariate-based linkage analysis of the Collaborative Study on the Genetics of Alcoholism. BMC Genetics, 2005, 6, S33.	2.7	6
166	Identification of tag single-nucleotide polymorphisms in regions with varying linkage disequilibrium. BMC Genetics, 2005, 6, S73.	2.7	7
167	Haplotypic structure of the X chromosome in the COGA population sample and the quality of its reconstruction by extant software packages. BMC Genetics, 2005, 6, S77.	2.7	8
168	A Genetic Contribution to Intraocular Pressure: The Beaver Dam Eye Study. , 2005, 46, 555.		50
169	Support for Polygenic Influences on Ocular Refractive Error. , 2005, 46, 442.		51
170	EPIDEMIOLOGY: Enhanced: DNA Identifications After the 9/11 World Trade Center Attack. Science, 2005, 310, 1122-1123.	6.0	147
171	Polygenic Effects and Cigarette Smoking Account for a Portion of the Familial Aggregation of Nuclear Sclerosis. American Journal of Epidemiology, 2005, 161, 707-713.	1.6	17
172	Inheritance of Total Serum IgE in the Isolated Tangier Island Population from Virginia: Complexities Associated with Genealogical Depth of Pedigrees in Segregation Analyses. Human Heredity, 2005, 59, 228-238.	0.4	8
173	A Combined Genomewide Linkage Scan of 1,233 Families for Prostate Cancerâ€“Susceptibility Genes Conducted by the International Consortium for Prostate Cancer Genetics. American Journal of Human Genetics, 2005, 77, 219-229.	2.6	138
174	Genome-wide Scan for Myopia in the Old Order Amish. American Journal of Ophthalmology, 2005, 140, 469-476.	1.7	47
175	Functional annotation of a novel NFKB1 promoter polymorphism that increases risk for ulcerative colitis. Human Molecular Genetics, 2004, 13, 35-45.	1.4	321
176	Combined Genome-Wide Scan for Prostate Cancer Susceptibility Genes. Journal of the National Cancer Institute, 2004, 96, 1240-1247.	3.0	72
177	Genome-wide scanning for linkage in Finnish breast cancer families. European Journal of Human Genetics, 2004, 12, 98-104.	1.4	27
178	Penetrances of breast and ovarian cancer in a large series of families tested for BRCA1/2 mutations. European Journal of Human Genetics, 2004, 12, 899-906.	1.4	55
179	Pedigree disequilibrium test (PDT) replicates association and linkage between DRD4 and ADHD in multigenerational and extended pedigrees from a genetic isolate. Molecular Psychiatry, 2004, 9, 252-259.	4.1	61
180	Clinical characteristics of African-American men with hereditary prostate cancer: the AAHPC study. Prostate Cancer and Prostatic Diseases, 2004, 7, 165-169.	2.0	25

#	ARTICLE	IF	CITATIONS
181	GeneLink: a database to facilitate genetic studies of complex traits. BMC Genomics, 2004, 5, 81.	1.2	7
182	Candidate high myopia loci on chromosomes 18p and 12q do not play a major role in susceptibility to common myopia. BMC Medical Genetics, 2004, 5, 20.	2.1	38
183	Attention-Deficit/Hyperactivity Disorder and Comorbidities in 18 Paisa Colombian Multigenerational Families. Journal of the American Academy of Child and Adolescent Psychiatry, 2004, 43, 1506-1515.	0.3	52
184	The number of STR markers necessary to resolve relationships in deficiency paternity cases. International Congress Series, 2004, 1261, 541-543.	0.2	1
185	Meta-Analysis of 13 Genome Scans Reveals Multiple Cleft Lip/Palate Genes with Novel Loci on 9q21 and 2q32-35. American Journal of Human Genetics, 2004, 75, 161-173.	2.6	200
186	Genomewide Linkage Scan for Myopia Susceptibility Loci among Ashkenazi Jewish Families Shows Evidence of Linkage on Chromosome 22q12. American Journal of Human Genetics, 2004, 75, 448-459.	2.6	123
187	A Major Lung Cancer Susceptibility Locus Maps to Chromosome 6q23-25. American Journal of Human Genetics, 2004, 75, 460-474.	2.6	272
188	Attention-Deficit/Hyperactivity Disorder in a Population Isolate: Linkage to Loci at 4q13.2, 5q33.3, 11q22, and 17p11. American Journal of Human Genetics, 2004, 75, 998-1014.	2.6	192
189	A genome-wide scan for loci predisposing to non-syndromic cleft lip with or without cleft palate in two large Syrian families. American Journal of Medical Genetics Part A, 2003, 123A, 140-147.	2.4	46
190	Estimation of Linkage and Association from Allele Transmission Data. Biometrical Journal, 2003, 45, 349-366.	0.6	3
191	Importance sampling method of correction for multiple testing in affected sib-pair linkage analysis. BMC Genetics, 2003, 4, S73.	2.7	6
192	Genome-wide scan for linkage in finnish hereditary prostate cancer (HPC) families identifies novel susceptibility loci at 11q14 and 3p25-26. Prostate, 2003, 57, 280-289.	1.2	47
193	Evidence for linkage of nonsyndromic cleft lip with or without cleft palate to a region on chromosome 2. European Journal of Human Genetics, 2003, 11, 835-839.	1.4	30
194	Localization of a Novel Melanoma Susceptibility Locus to 1p22. American Journal of Human Genetics, 2003, 73, 301-313.	2.6	113
195	Hypercholesterolemia in children with Smith-Magenis syndrome: del (17)(p11.2p11.2). Genetics in Medicine, 2002, 4, 118-125.	1.1	59
196	Physical and Transcript Map of the Hereditary Prostate Cancer Region at Xq27. Genomics, 2002, 79, 41-50.	1.3	24
197	Germline Alterations of the RNASEL Gene, a Candidate HPC1 Gene at 1q25, in Patients and Families with Prostate Cancer. American Journal of Human Genetics, 2002, 70, 1299-1304.	2.6	202
198	A Comprehensive Method for Genome Scans. Human Heredity, 2002, 54, 174-185.	0.4	14

#	ARTICLE	IF	CITATIONS
199	Inferring relationships between pairs of individuals from locus heterozygosities. <i>BMC Genetics</i> , 2002, 3, 23.	2.7	22
200	Evidence for a major gene influencing risk of pancreatic cancer. <i>Genetic Epidemiology</i> , 2002, 23, 133-149.	0.6	123
201	Transmission/disequilibrium tests of androgen receptor and glutathione S-transferase pi variants in prostate cancer families. <i>International Journal of Cancer</i> , 2002, 98, 938-942.	2.3	10
202	Segregation analysis of 389 Icelandic pedigrees with Breast and prostate cancer. <i>Genetic Epidemiology</i> , 2002, 23, 349-363.	0.6	11
203	A genomic map of a 6-Mb region at 13q21-q22 implicated in cancer development: identification and characterization of candidate genes. <i>Human Genetics</i> , 2002, 110, 111-121.	1.8	66
204	Attention-deficit/hyperactivity disorder (ADHD): feasibility of linkage analysis in a genetic isolate using extended and multigenerational pedigrees. <i>Clinical Genetics</i> , 2002, 61, 335-343.	1.0	29
205	Germline mutations in the ribonuclease L gene in families showing linkage with HPC1. <i>Nature Genetics</i> , 2002, 30, 181-184.	9.4	470
206	Germline mutations and sequence variants of the macrophage scavenger receptor 1 gene are associated with prostate cancer risk. <i>Nature Genetics</i> , 2002, 32, 321-325.	9.4	318
207	Evaluation of Linkage and Association of HPC2/ELAC2 in Patients with Familial or Sporadic Prostate Cancer. <i>American Journal of Human Genetics</i> , 2001, 68, 901-911.	2.6	93
208	Autosomal dominant inheritance of prostate cancer: a confirmatory study. <i>Urology</i> , 2001, 57, 97-101.	0.5	47
209	Effects of misspecification of allele frequencies on the power of Haseman-Elston sib-pair linkage method for quantitative traits. <i>American Journal of Medical Genetics Part A</i> , 2001, 103, 308-313.	2.4	12
210	Genetic epidemiology of breast cancer: Segregation analysis of 389 Icelandic pedigrees. , 2000, 18, 81-94.		10
211	Analysis of HPC1, HPCX, and PCaP in Icelandic hereditary prostate cancer. <i>Human Genetics</i> , 2000, 107, 372-375.	1.8	35
212	Effects of Misspecification of Allele Frequencies on the Type I Error Rate of Model-Free Linkage Analysis. <i>Human Heredity</i> , 2000, 50, 126-132.	0.4	18
213	Genetic Epidemiologic Studies on Age-specified Traits. <i>American Journal of Epidemiology</i> , 2000, 152, 1003-1008.	1.6	38
214	The Transmission/Disequilibrium Test for Linkage on the X Chromosome. <i>American Journal of Human Genetics</i> , 2000, 66, 1158-1160.	2.6	18
215	Segregation Analysis of Esophageal Cancer in a Moderately High Incidence Area of Northern China. <i>American Journal of Human Genetics</i> , 2000, 67, 110-119.	2.6	62
216	Recruitment Experience in the First Phase of the African American Hereditary Prostate Cancer (AAHPC) Study. <i>Annals of Epidemiology</i> , 2000, 10, S68-S77.	0.9	81

#	ARTICLE	IF	CITATIONS
217	Progressive juvenile-onset punctate cataracts caused by mutation of the β -crystallin gene. Proceedings of the National Academy of Sciences of the United States of America, 1999, 96, 1008-1012.	3.3	187
218	Mild association between the A/G polymorphism in the promoter of the apolipoprotein A-I gene and apolipoprotein A-I levels: A meta-analysis. , 1999, 82, 235-241.		60
219	Risk of abnormal pregnancy outcome in carriers of balanced reciprocal translocations involving the Miller-Dieker syndrome (MDS) critical region in chromosome 17p13.3. , 1999, 85, 369-375.		13
220	Localization of a Gene for Duane Retraction Syndrome to Chromosome 2q31. American Journal of Human Genetics, 1999, 65, 1639-1646.	2.6	115
221	Environmental covariates: Effects on the power of sib-pair linkage methods. Genetic Epidemiology, 1999, 17, S643-8.	0.6	9
222	Evidence for a prostate cancer susceptibility locus on the X chromosome.. Nature Genetics, 1998, 20, 175-179.	9.4	641
223	Survey of genetic counselors and clinical geneticists regarding recurrence risks for families with nonsyndromic cleft lip with or without cleft palate. , 1998, 79, 184-190.		10
224	Segregation analysis of cutaneous melanoma in Queensland. , 1998, 15, 391-401.		23
225	Clustering of non-major histocompatibility complex susceptibility candidate loci in human autoimmune diseases. Proceedings of the National Academy of Sciences of the United States of America, 1998, 95, 9979-9984.	3.3	563
226	Comparison of selected methods used to analyze bipolar disorder. Genetic Epidemiology, 1997, 14, 705-710.	0.6	4
227	Comparison of sib-pair and variance-components methods for genomic screening. Genetic Epidemiology, 1997, 14, 867-872.	0.6	20
228	Comparison of sib-pair and variance-components methods for genomic screening. , 1997, 14, 867.		1
229	Major Susceptibility Locus for Prostate Cancer on Chromosome 1 Suggested by a Genome-Wide Search. Science, 1996, 274, 1371-1374.	6.0	717
230	Bipolar disorder: Evidence for a major locus. American Journal of Medical Genetics Part A, 1995, 60, 370-376.	2.4	52
231	Model-free association analysis of a rare Disease. Genetic Epidemiology, 1995, 12, 571-575.	0.6	7
232	Effects of marker information on sib-pair linkage analysis of a rare disease. Genetic Epidemiology, 1995, 12, 625-630.	0.6	4
233	Segregation analysis of smoking-associated malignancies: Evidence for mendelian inheritance. American Journal of Medical Genetics Part A, 1994, 52, 308-314.	2.4	53
234	Potential role of an additive genetic component in the cause of amyotrophic lateral sclerosis and parkinsonism-dementia in the western Pacific. American Journal of Medical Genetics Part A, 1993, 45, 68-76.	2.4	42

#	ARTICLE	IF	CITATIONS
235	Sib-pair linkage analyses of Alzheimer's disease. <i>Genetic Epidemiology</i> , 1993, 10, 371-376.	0.6	2
236	The HGAR1 familial hypercholesterolemia pedigree. <i>Genetic Epidemiology</i> , 1993, 10, 529-531.	0.6	5
237	Linkage analysis in a large pedigree ascertained due to essential familial hypercholesterolemia. <i>Genetic Epidemiology</i> , 1993, 10, 665-669.	0.6	19
238	Sib-pair linkage analysis applied to pedigrees with melanoma and dysplastic nevi. <i>Cytogenetic and Genome Research</i> , 1992, 59, 176-178.	0.6	0
239	Effect of cohort differences in smoking prevalence on models of lung cancer susceptibility. <i>Genetic Epidemiology</i> , 1992, 9, 261-271.	0.6	35
240	Discrimination of heterozygotes for phenylketonuria, persistent hyperphenylalaninemia and controls by phenylalanine loading. <i>Clinica Chimica Acta</i> , 1986, 161, 347-352.	0.5	6
241	Segregation analysis of hereditary nonpolyposis colorectal cancer. <i>Genetic Epidemiology</i> , 1986, 3, 27-38.	0.6	55
242	Genetic analysis of human breast cancer: Literature review and description of family data in workshop. <i>Genetic Epidemiology</i> , 1986, 3, 1-13.	0.6	16
243	Genetic analysis of human breast cancer: A synthesis of contributions to Gaw IV. <i>Genetic Epidemiology</i> , 1986, 3, 15-35.	0.6	13
244	Critique of a published analysis of the Jacobsen data. <i>Genetic Epidemiology</i> , 1986, 3, 55-59.	0.6	3
245	Hereditary nonpolyposis colorectal cancer (lynch syndromes I and II). I. Clinical description of resource. <i>Cancer</i> , 1985, 56, 934-938.	2.0	298
246	Hereditary nonpolyposis colorectal cancer (lynch syndromes I and II). II. Biomarker studies. <i>Cancer</i> , 1985, 56, 939-951.	2.0	156
247	Discrimination of phenylketonurics from persistent hyperphenylalaninemia patients using a simple phenylalanine loading test. <i>Clinica Chimica Acta</i> , 1985, 153, 137-142.	0.5	7
248	CELLULAR GENES IN THE MOUSE REGULATE IN TRANS THE EXPRESSION OF ENDOGENOUS MOUSE MAMMARY TUMOR VIRUSES. <i>Genetics</i> , 1985, 111, 597-615.	1.2	20