

# Javeed Mahmood

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6778523/publications.pdf>

Version: 2024-02-01

56  
papers

5,676  
citations

218677

26  
h-index

175258

52  
g-index

59  
all docs

59  
docs citations

59  
times ranked

7487  
citing authors

#	ARTICLE	IF	CITATIONS
1	Fused aromatic networks as a new class of gas hydrate inhibitors. <i>Chemical Engineering Journal</i> , 2022, 433, 133691.	12.7	7
2	Low-overpotential overall water splitting by a cooperative interface of cobalt-iron hydroxide and iron oxyhydroxide. <i>Cell Reports Physical Science</i> , 2022, 3, 100762.	5.6	43
3	Solution-Processable Semiconducting Conjugated Planar Network. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 14588-14595.	8.0	0
4	Crystalline Porphyrazine-Linked Fused Aromatic Networks with High Proton Conductivity. <i>Angewandte Chemie</i> , 2022, 134, .	2.0	1
5	Crystalline Porphyrazine-Linked Fused Aromatic Networks with High Proton Conductivity. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	13.8	6
6	In-Plane Oriented Two-Dimensional Conjugated Metal-Organic Framework Films for High-Performance Humidity Sensing. , 2022, 4, 1146-1153.		7
7	Recent Progress in Porous Fused Aromatic Networks and Their Applications. <i>Small Science</i> , 2021, 1, 2000007.	9.9	14
8	Anomalous phonon softening of G-band in compressed graphitic carbon nitride due to strong electrostatic repulsion. <i>Applied Physics Letters</i> , 2021, 118, .	3.3	2
9	Fused Aromatic Network Structures: Fused Aromatic Network with Exceptionally High Carrier Mobility (Adv. Mater. 9/2021). <i>Advanced Materials</i> , 2021, 33, 2170063.	21.0	0
10	Fused aromatic networks with the different spatial arrangement of structural units. <i>Cell Reports Physical Science</i> , 2021, 2, 100502.	5.6	3
11	Synthesis of Saddle-Shape Octaaminotetraphenylene Octahydrochloride. <i>Journal of Organic Chemistry</i> , 2021, 86, 14398-14403.	3.2	2
12	Fused Aromatic Network with Exceptionally High Carrier Mobility. <i>Advanced Materials</i> , 2021, 33, e2004707.	21.0	16
13	3D Porous Fused Aromatic Networks for High Performance Gas and Iodine Uptakes. <i>Advanced Materials Interfaces</i> , 2021, 8, 2101373.	3.7	3
14	Direct conversion of aromatic amides into crystalline covalent triazine frameworks by a condensation mechanism. <i>Cell Reports Physical Science</i> , 2021, 2, 100653.	5.6	4
15	3D Porous Fused Aromatic Networks for High Performance Gas and Iodine Uptakes (Adv. Mater.)	3.7	0
16	Recent advances in ruthenium-based electrocatalysts for the hydrogen evolution reaction. <i>Nanoscale Horizons</i> , 2020, 5, 43-56.	8.0	223
17	Iron encased organic networks with enhanced lithium storage properties. <i>Energy Storage</i> , 2020, 2, e114.	4.3	4
18	Identifying the electrocatalytic active sites of a Ru-based catalyst with high Faraday efficiency in CO <sub>2</sub> -saturated media for an aqueous Zn-CO <sub>2</sub> system. <i>Journal of Materials Chemistry A</i> , 2020, 8, 14927-14934.	10.3	16

#	ARTICLE	IF	CITATIONS
19	Ruthenium anchored on carbon nanotube electrocatalyst for hydrogen production with enhanced Faradaic efficiency. <i>Nature Communications</i> , 2020, 11, 1278.	12.8	340
20	Two-dimensional amine and hydroxy functionalized fused aromatic covalent organic framework. <i>Communications Chemistry</i> , 2020, 3, .	4.5	40
21	Vertical two-dimensional layered fused aromatic ladder structure. <i>Nature Communications</i> , 2020, 11, 2021.	12.8	29
22	Forming layered conjugated porous BBL structures. <i>Polymer Chemistry</i> , 2019, 10, 4185-4193.	3.9	13
23	Metal (M = Ru, Pd and Co) embedded in C <sub>2</sub> N with enhanced lithium storage properties. <i>Materials Today Energy</i> , 2019, 14, 100359.	4.7	13
24	Room-Temperature Organic Ferromagnetism. <i>CheM</i> , 2019, 5, 1012-1014.	11.7	9
25	Synergistic Coupling Derived Cobalt Oxide with Nitrogenated Holey Two-Dimensional Matrix as an Efficient Bifunctional Catalyst for Metal-Air Batteries. <i>ACS Nano</i> , 2019, 13, 5502-5512.	14.6	87
26	Fused Aromatic Network Structures as a Platform for Efficient Electrocatalysis. <i>Advanced Materials</i> , 2019, 31, e1805062.	21.0	31
27	Scalable Synthesis of Tetrapodal Octaamine. <i>European Journal of Organic Chemistry</i> , 2019, 2019, 2335-2338.	2.4	4
28	Robust fused aromatic pyrazine-based two-dimensional network for stably cocooning iron nanoparticles as an oxygen reduction electrocatalyst. <i>Nano Energy</i> , 2019, 56, 581-587.	16.0	35
29	Direct Synthesis of a Covalent Triazine-Based Framework from Aromatic Amides. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 8438-8442.	13.8	196
30	Direct Synthesis of a Covalent Triazine-Based Framework from Aromatic Amides. <i>Angewandte Chemie</i> , 2018, 130, 8574-8578.	2.0	40
31	A Robust 3D Cage-Like Ultramicroporous Network Structure with High Gas Uptake Capacity. <i>Angewandte Chemie</i> , 2018, 130, 3473-3478.	2.0	6
32	A Robust 3D Cage-Like Ultramicroporous Network Structure with High Gas Uptake Capacity. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 3415-3420.	13.8	40
33	Defect-Free Encapsulation of Fe <sup>0</sup> in 2D Fused Organic Networks as a Durable Oxygen Reduction Electrocatalyst. <i>Journal of the American Chemical Society</i> , 2018, 140, 1737-1742.	13.7	124
34	Fe@C <sub>2</sub> N: A highly-efficient indirect-contact oxygen reduction catalyst. <i>Nano Energy</i> , 2018, 44, 304-310.	16.0	118
35	Hydrogen Evolution Reaction: Encapsulating Iridium Nanoparticles Inside a 3D Cage-Like Organic Network as an Efficient and Durable Catalyst for the Hydrogen Evolution Reaction (Adv. Mater.) <i>Tj ETQq1 1 0.784311ogBT /Overlock</i>		
36	Encapsulating Iridium Nanoparticles Inside a 3D Cage-Like Organic Network as an Efficient and Durable Catalyst for the Hydrogen Evolution Reaction. <i>Advanced Materials</i> , 2018, 30, e1805606.	21.0	98

#	ARTICLE	IF	CITATIONS
37	Molybdenum-Based Carbon Hybrid Materials to Enhance the Hydrogen Evolution Reaction. Chemistry - A European Journal, 2018, 24, 18158-18179.	3.3	46
38	Organic Ferromagnetism: Trapping Spins in the Glassy State of an Organic Network Structure. Chem, 2018, 4, 2357-2369.	11.7	42
39	Controlled Fabrication of Hierarchically Structured Nitrogen-Doped Carbon Nanotubes as a Highly Active Bifunctional Oxygen Electrocatalyst. Advanced Functional Materials, 2017, 27, 1605717.	14.9	80
40	Electrocatalysts: Controlled Fabrication of Hierarchically Structured Nitrogen-Doped Carbon Nanotubes as a Highly Active Bifunctional Oxygen Electrocatalyst (Adv. Funct. Mater. 9/2017). Advanced Functional Materials, 2017, 27, .	14.9	1
41	An efficient and pH-universal ruthenium-based catalyst for the hydrogen evolution reaction. Nature Nanotechnology, 2017, 12, 441-446.	31.5	1,271
42	Two-Dimensional Covalent Organic Frameworks for Optoelectronics and Energy Storage. ChemNanoMat, 2017, 3, 373-391.	2.8	106
43	Nitrogen-rich two-dimensional porous polybenzimidazole network as a durable metal-free electrocatalyst for a cobalt reduction reaction in organic dye-sensitized solar cells. Nano Energy, 2017, 34, 533-540.	16.0	11
44	Electrocatalysis: Porous Cobalt Phosphide Polyhedrons with Iron Doping as an Efficient Bifunctional Electrocatalyst (Small 40/2017). Small, 2017, 13, .	10.0	1
45	2D Frameworks of C <sub>2</sub> N and C <sub>3</sub> N as New Anode Materials for Lithium-Ion Batteries. Advanced Materials, 2017, 29, 1702007.	21.0	282
46	Porous Cobalt Phosphide Polyhedrons with Iron Doping as an Efficient Bifunctional Electrocatalyst. Small, 2017, 13, 1701167.	10.0	82
47	Forming a three-dimensional porous organic network via solid-state explosion of organic single crystals. Nature Communications, 2017, 8, 1599.	12.8	12
48	Macroporous Inverse Opal-like Mo <sub>x</sub> C with Incorporated Mo Vacancies for Significantly Enhanced Hydrogen Evolution. ACS Nano, 2017, 11, 7527-7533.	14.6	102
49	Unusually Stable Triazine-Based Organic Superstructures. Angewandte Chemie, 2016, 128, 7539-7543.	2.0	3
50	Two-dimensional polyaniline (C <sub>3</sub> N) from carbonized organic single crystals in solid state. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 7414-7419.	7.1	380
51	Unusually Stable Triazine-Based Organic Superstructures. Angewandte Chemie - International Edition, 2016, 55, 7413-7417.	13.8	6
52	Nitrogenated holey two-dimensional structures. Nature Communications, 2015, 6, 6486.	12.8	923
53	Cobalt Oxide Encapsulated in C <sub>2</sub> N- <i>h</i> 2D Network Polymer as a Catalyst for Hydrogen Evolution. Chemistry of Materials, 2015, 27, 4860-4864.	6.7	131
54	Scalable Synthesis of Pure and Stable Hexaaminobenzene Trihydrochloride. Synlett, 2013, 24, 246-248.	1.8	23

#	ARTICLE	IF	CITATIONS
55	Edge-carboxylated graphene nanosheets via ball milling. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 5588-5593.	7.1	595
56	A facile synthesis of novel unsymmetrical N-(4-oxo-2-phenyl-3(4H)-quinazolinoyl)-N-(aryl)acetamidines. Chinese Chemical Letters, 2010, 21, 905-910.	9.0	3