Ilan Ben-Zvi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6779007/publications.pdf

Version: 2024-02-01

394421 276875 1,915 75 19 41 citations h-index g-index papers 78 78 78 3061 docs citations times ranked citing authors all docs

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Hydroxychloroquine: From Malaria to Autoimmunity. Clinical Reviews in Allergy and Immunology, 2012, 42, 145-153. | 6.5 | 465 |
| 2 | Chronic inflammation in FMF: markers, risk factors, outcomes and therapy. Nature Reviews Rheumatology, 2011, 7, 105-112. | 8.0 | 181 |
| 3 | Anakinra for Colchicineâ€Resistant Familial Mediterranean Fever: A Randomized, Doubleâ€Blind, Placeboâ€Controlled Trial. Arthritis and Rheumatology, 2017, 69, 854-862. | 5.6 | 147 |
| 4 | The Impact of Vitamin D on Dendritic Cell Function in Patients with Systemic Lupus Erythematosus. PLoS ONE, 2010, 5, e9193. | 2.5 | 138 |
| 5 | Mortality risk factors associated with familial Mediterranean fever among a cohort of 1.25 million adolescents. Annals of the Rheumatic Diseases, 2014, 73, 704-709. | 0.9 | 70 |
| 6 | Familial Mediterranean fever without MEFV mutations: a case–control study. Orphanet Journal of Rare Diseases, 2015, 10, 34. | 2.7 | 51 |
| 7 | The relative contribution of environmental and genetic factors to phenotypic variation in familial Mediterranean fever (FMF). Gene, 2012, 491, 260-263. | 2.2 | 42 |
| 8 | Familial Mediterranean fever (FMF) phenotype in patients homozygous to the MEFV M694V mutation. European Journal of Medical Genetics, 2019, 62, 103532. | 1.3 | 39 |
| 9 | DNA-Mediated Interferon Signature Induction by SLE Serum Occurs in Monocytes Through Two Pathways: A Mechanism to Inhibit Both Pathways. Frontiers in Immunology, 2018, 9, 2824. | 4.8 | 32 |
| 10 | Exertional Leg Pain in Familial Mediterranean Fever: A Manifestation of an Underlying Enthesopathy and a Marker of More Severe Disease. Arthritis and Rheumatology, 2014, 66, 3221-3226. | 5.6 | 31 |
| 11 | Anti-DNA antibodies cross-react with C1q. Journal of Autoimmunity, 2013, 44, 34-39. | 6.5 | 27 |
| 12 | Familial Mediterranean Fever (FMF) with Proteinuria: Clinical Features, Histology, Predictors, and Prognosis in a Cohort of 25 Patients. Journal of Rheumatology, 2013, 40, 2083-2087. | 2.0 | 27 |
| 13 | Familial Mediterranean Fever and Incidence of Cancer. Arthritis and Rheumatology, 2018, 70, 127-133. | 5.6 | 27 |
| 14 | Automated processing of thermal imaging to detect COVID-19. Scientific Reports, 2021, 11, 17489. | 3.3 | 25 |
| 15 | Baseline clinical predictors of an ultimate giant cell arteritis diagnosis in patients referred to temporal artery biopsy. Clinical Rheumatology, 2016, 35, 1817-1822. | 2.2 | 24 |
| 16 | Colchicine-free remission in familial Mediterranean fever: featuring a unique subset of the disease-a case control study. Orphanet Journal of Rare Diseases, 2014, 9, 3. | 2.7 | 23 |
| 17 | Immunoglobulinâ€free light chain monomerâ€dimer patterns help to distinguish malignant from premalignant monoclonal gammopathies: A pilot study. American Journal of Hematology, 2014, 89, 882-888. | 4.1 | 23 |
| 18 | Type 2 myocardial infarction in general medical wards. Medicine (United States), 2019, 98, e17404. | 1.0 | 23 |

| # | Article | IF | CITATIONS |
|----|---|--------------|-----------|
| 19 | Benzodiazepine and opioid sedation attenuate the sympathetic response to fiberoptic bronchoscopy. Prophylactic labetalol gave no additional benefit. Results of a randomized double-blind placebo-controlled study. Respiratory Medicine, 2008, 102, 978-983. | 2.9 | 22 |
| 20 | Analysis of microRNAs in familial Mediterranean fever. PLoS ONE, 2018, 13, e0197829. | 2.5 | 22 |
| 21 | Environmental shedding of toxigenic Clostridioides difficile by asymptomatic carriers: A prospective observational study. Clinical Microbiology and Infection, 2020, 26, 1052-1057. | 6.0 | 20 |
| 22 | Effects of Diabetes Mellitus, Chronic Renal Failure and Hemodialysis on Serum and Salivary Antioxidant Status. Nephron Clinical Practice, 2007, 105, c114-c120. | 2.3 | 19 |
| 23 | Normal QT dispersion in colchicine-resistant familial Mediterranean fever (FMF). Clinical Rheumatology, 2012, 31, 1093-1096. | 2.2 | 18 |
| 24 | T helper 17 polarization in familial Mediterranean fever. Genes and Immunity, 2013, 14, 212-216. | 4.1 | 18 |
| 25 | â€~Silent' carriage of two familial Mediterranean fever gene mutations in large families with only a single identified patient. Clinical Genetics, 2012, 82, 288-291. | 2.0 | 17 |
| 26 | Serum Uric Acid Is Associated With Coronary Artery Calcification. Journal of Clinical Hypertension, 2014, 16, 424-428. | 2.0 | 17 |
| 27 | Colchicine intoxication in familial Mediterranean fever patients using clarithromycin for the treatment of Helicobacter pylori: a series of six patients. Rheumatology International, 2018, 38, 141-147. | 3.0 | 17 |
| 28 | Macrophage activation syndrome complicating rheumatic diseases in adults: case-based review. Rheumatology International, 2020, 40, 663-669. | 3.0 | 17 |
| 29 | Cardiovascular and Metabolic Risk Factors in Inherited Autoinflammation. Journal of Clinical Endocrinology and Metabolism, 2014, 99, E2123-E2128. | 3 . 6 | 16 |
| 30 | Association between specimen length and diagnostic yield of temporal artery biopsy. Scandinavian Journal of Rheumatology, 2017, 46, 222-225. | 1.1 | 16 |
| 31 | Negative temporal artery biopsy: predictive factors for giant cell arteritis diagnosis and alternate diagnoses of patients without arteritis. Clinical Rheumatology, 2018, 37, 2819-2824. | 2.2 | 16 |
| 32 | Hyperglycaemic disorders associated with PCSK9 inhibitors: a real-world, pharmacovigilance study. European Journal of Preventive Cardiology, 2022, 29, 1334-1342. | 1.8 | 16 |
| 33 | First Detection of Human Infection With Rickettsia felis in Israel. American Journal of the Medical Sciences, 2010, 340, 343-344. | 1.1 | 14 |
| 34 | QT dispersion in amyloidosis due to familial Mediterranean fever. Rheumatology International, 2012, 32, 1945-1948. | 3.0 | 14 |
| 35 | Left Ventricular Hypertrophy Predicts Cardiovascular Events in Hypertensive Patients With Coronary Artery Calcifications. American Journal of Hypertension, 2018, 31, 313-320. | 2.0 | 14 |
| 36 | Clinical significance of positive antiâ€neutrophil cytoplasmic antibodies without evidence of antiâ€neutrophil cytoplasmic antibodiesâ€associated vasculitis. International Journal of Rheumatic Diseases, 2019, 22, 940-945. | 1.9 | 14 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 37 | Salivary $\hat{1}^2$ 2-Microglobulin Analysis in Chronic Kidney Disease and Hemodialyzed Patients. Blood Purification, 2007, 25, 505-509. | 1.8 | 12 |
| 38 | Exertional leg pain as a manifestation of occult spondyloarthropathy in familial Mediterranean fever: an MRI evaluation. Scandinavian Journal of Rheumatology, 2012, 41, 482-486. | 1.1 | 12 |
| 39 | Efficacy and safety of long-term treatment with intravenous colchicine for familial Mediterranean fever (FMF) refractory to oral colchicine. Rheumatology International, 2019, 39, 517-523. | 3.0 | 11 |
| 40 | The impact of inflammatory rheumatic diseases on the presentation, severity, and outcome of acute coronary syndrome. Clinical Rheumatology, 2016, 35, 233-237. | 2.2 | 10 |
| 41 | Immunoglobulin free light chains in saliva: a potential marker for disease activity in multiple sclerosis. Clinical and Experimental Immunology, 2018, 192, 7-17. | 2.6 | 10 |
| 42 | Toll-like receptor 2 is overexpressed in Familial Mediterranean fever patients and is inhibited by colchicine treatment. Best Practice and Research in Clinical Rheumatology, 2018, 32, 651-661. | 3.3 | 10 |
| 43 | P-wave dispersion in systemic AA amyloidosis of familial Mediterranean fever. Clinical Rheumatology, 2011, 30, 1295-1298. | 2.2 | 9 |
| 44 | Amyloid storm: acute kidney injury and massive proteinuria, rapidly progressing to end-stage kidney disease in AA amyloidosis of familial Mediterranean fever. Rheumatology, 2021, 60, 3235-3242. | 1.9 | 9 |
| 45 | Risk factors for amyloidosis and impact of kidney transplantation on the course of familial Mediterranean fever. Israel Medical Association Journal, 2012, 14, 221-4. | 0.1 | 9 |
| 46 | Inflammation and cardiovascular disease in familial Mediterranean fever. An analysis of hospital admissions for acute cardiovascular event. Clinical and Experimental Rheumatology, 2018, 36, 80-85. | 0.8 | 9 |
| 47 | A Case of Murine Typhus Associated With Large Vessel Infarct of the Spleen. American Journal of the Medical Sciences, 2008, 335, 502-503. | 1.1 | 8 |
| 48 | Effect of tumor necrosis factor-α inhibitors on ambulatory 24-h blood pressure. Blood Pressure, 2017, 26, 24-29. | 1.5 | 8 |
| 49 | Hematological malignancies mimicking rheumatic syndromes: case series and review of the literature. Rheumatology International, 2018, 38, 1743-1749. | 3.0 | 8 |
| 50 | IFNγ potentiates TNFα/TNFR1 signaling to induce FAT10 expression in macrophages. Molecular Immunology, 2020, 117, 101-109. | 2.2 | 8 |
| 51 | Saliva immunoglobulin free light chain analysis for monitoring disease activity and response to treatment in multiple sclerosis. Multiple Sclerosis and Related Disorders, 2020, 44, 102339. | 2.0 | 8 |
| 52 | The prevalence and clinical effect of immunogenicity of TNF-α blockers in patients with axial spondyloarthritis. Clinical and Experimental Rheumatology, 2018, 36, 228-232. | 0.8 | 8 |
| 53 | Exertional muscle pain in familial Mediterranean fever patients evaluated by MRI and 31P magnetic resonance spectroscopy. Clinical Radiology, 2013, 68, 371-375. | 1.1 | 6 |
| 54 | Safety of the BNT162b2 mRNA COVID-19 vaccine in patients with familial Mediterranean fever. Rheumatology, 2022, 61, SI129-SI135. | 1.9 | 6 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Physiological Effects of Wearing N95 Respirator on Medical Staff During Prolong Work Hours in Covid-19 Departments. Journal of Occupational and Environmental Medicine, 2022, 64, e378-e380. | 1.7 | 6 |
| 56 | E148Q MEFV mutation carriage and longevity in individuals of Ashkenazi origin. Immunologic Research, 2013, 56, 371-375. | 2.9 | 5 |
| 57 | Gender disparities in the functional significance of anemia among apparently healthy adults. European Journal of Haematology, 2017, 98, 435-442. | 2.2 | 5 |
| 58 | Sex and Gender Differences in Autoimmune Diseases. , 2012, , 101-124. | | 5 |
| 59 | Risk factors for severe cranial ischaemic events in patients with giant cell arteritis. Clinical and Experimental Rheumatology, 2017, 35 Suppl 103, 88-93. | 0.8 | 5 |
| 60 | Familial Mediterranean fever (FMF)-response to TNF-blockers used for treatment of FMF patients with concurrent inflammatory diseases. Joint Bone Spine, 2021, 88, 105201. | 1.6 | 4 |
| 61 | Effect of interleukin-1 inhibition in a cohort of patients with colchicine-resistant familial Mediterranean fever treated consecutively with anakinra and canakinumab. Clinical and Experimental Rheumatology, 2021, 39, 75-79. | 0.8 | 4 |
| 62 | Factors associated with suitability of empiric antibiotic therapy in hospitalized patients with bloodstream infections. Journal of Chemotherapy, 2017, 29, 159-163. | 1.5 | 3 |
| 63 | Normal arterial stiffness in familial Mediterranean fever. Evidence for a possible cardiovascular protective role of colchicine. Clinical and Experimental Rheumatology, 2017, 35 Suppl 108, 32-37. | 0.8 | 3 |
| 64 | Kidney disease and plasma cell dyscrasias: ambiguous cases solved by serum free light chain dimerization analysis. Clinical and Experimental Nephrology, 2019, 23, 763-772. | 1.6 | 2 |
| 65 | Clinical and prognostic significance of elevated ferritin levels in hospitalised adults. Postgraduate Medical Journal, 2022, 98, 622-625. | 1.8 | 2 |
| 66 | Adult Still's Disease Triggered by Influenza Vaccine. Israel Medical Association Journal, 2021, 23, 196-197. | 0.1 | 2 |
| 67 | The Preferential Use of Anakinra in Various Settings of FMF: A Review Applied to an Updated Treatment-Related Perspective of the Disease. International Journal of Molecular Sciences, 2022, 23, 3956. | 4.1 | 2 |
| 68 | Carriage of Mediterranean Fever (MEFV) Mutations in Patients with Postpericardiotomy Syndrome (PPS). Israel Medical Association Journal, 2017, 19, 562-565. | 0.1 | 1 |
| 69 | Cytokine expression in temporal arteries: comparative analysis between patients with biopsy-positive giant cell arteritis, biopsy-negative giant cell arteritis and biopsy-negative without arteritis. Clinical and Experimental Rheumatology, 2019, 37 Suppl 117, 122-129. | 0.8 | 1 |
| 70 | Environment, Immune Dysfunction, and Systemic Lupus Erythematosus. Molecular and Integrative Toxicology, 2012, , 193-213. | 0.5 | 0 |
| 71 | Reply. Arthritis and Rheumatology, 2017, 69, 1914-1914. | 5.6 | 0 |
| 72 | Reply. Arthritis and Rheumatology, 2018, 70, 1167-1168. | 5.6 | 0 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | The Israeli Annual FMF, Amyloidosis and Other Autoinflammatory Diseases Meeting (July 2011): a bridge spanning these entities. Israel Medical Association Journal, 2012, 14, 219-20. | 0.1 | O |
| 74 | Effect of interleukin-1 inhibition in a cohort of patients with colchicine-resistant familial Mediterranean fever treated consecutively with anakinra and canakinumab. Clinical and Experimental Rheumatology, 2021, 39 Suppl 132, 75-79. | 0.8 | 0 |
| 75 | CHA2DS2-VASC Score Predicts the Risk of Stroke in Patients Hospitalized to the Internal Medicine Department Without Known Atrial Fibrillation. Journal of General Internal Medicine, 2022, 37, 3355-3360. | 2.6 | 0 |