

Ann Van Loey

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6781122/publications.pdf>

Version: 2024-02-01

307
papers

14,964
citations

13099

68
h-index

31849

101
g-index

310
all docs

310
docs citations

310
times ranked

8725
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of high-pressure processing on colour, texture and flavour of fruit- and vegetable-based food products: a review. <i>Trends in Food Science and Technology</i> , 2008, 19, 320-328.	15.1	522
2	Pectins in Processed Fruits and Vegetables: Part IIâ€”Structureâ€”Function Relationships. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2009, 8, 86-104.	11.7	320
3	The Emulsifying and Emulsionâ€”Stabilizing Properties of Pectin: A Review. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2015, 14, 705-718.	11.7	253
4	Does high pressure processing influence nutritional aspects of plant based food systems?. <i>Trends in Food Science and Technology</i> , 2008, 19, 300-308.	15.1	236
5	Effects of high electric field pulses on enzymes. <i>Trends in Food Science and Technology</i> , 2001, 12, 94-102.	15.1	217
6	Pectins in Processed Fruits and Vegetables: Part IIIâ€”Texture Engineering. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2009, 8, 105-117.	11.7	202
7	Fine-tuning the properties of pectinâ€”calcium gels by control of pectin fine structure, gel composition and environmental conditions. <i>Trends in Food Science and Technology</i> , 2010, 21, 219-228.	15.1	193
8	Effect of thermal blanching and of high pressure treatments on sweet green and red bell pepper fruits (<i>Capsicum annuum</i> L.). <i>Food Chemistry</i> , 2008, 107, 1436-1449.	8.2	177
9	Effect of high pressure/high temperature processing on cell wall pectic substances in relation to firmness of carrot tissue. <i>Food Chemistry</i> , 2008, 107, 1225-1235.	8.2	165
10	Comparison of microalgal biomasses as functional food ingredients: Focus on the composition of cell wall related polysaccharides. <i>Algal Research</i> , 2018, 32, 150-161.	4.6	152
11	Influence of pectin properties and processing conditions on thermal pectin degradation. <i>Food Chemistry</i> , 2007, 105, 555-563.	8.2	146
12	Changes in Sulfhydryl Content of Egg White Proteins Due to Heat and Pressure Treatment. <i>Journal of Agricultural and Food Chemistry</i> , 2005, 53, 5726-5733.	5.2	144
13	Nonâ€”enzymatic Depolymerization of Carrot Pectin: Toward a Better Understanding of Carrot Texture During Thermal Processing. <i>Journal of Food Science</i> , 2006, 71, E1.	3.1	139
14	Combined thermal and high pressure colour degradation of tomato puree and strawberry juice. <i>Journal of Food Engineering</i> , 2007, 79, 553-560.	5.2	134
15	Kinetic study on the thermal and pressure degradation of anthocyanins in strawberries. <i>Food Chemistry</i> , 2010, 123, 269-274.	8.2	134
16	Colour and carotenoid changes of pasteurised orange juice during storage. <i>Food Chemistry</i> , 2015, 171, 330-340.	8.2	129
17	Comparing equivalent thermal, high pressure and pulsed electric field processes for mild pasteurization of orange juice. <i>Innovative Food Science and Emerging Technologies</i> , 2011, 12, 466-477.	5.6	128
18	Carotenoid bioaccessibility in fruit- and vegetable-based food products as affected by product (micro)structural characteristics and the presence of lipids: A review. <i>Trends in Food Science and Technology</i> , 2014, 38, 125-135.	15.1	128

#	ARTICLE	IF	CITATIONS
19	Influence of intrinsic and extrinsic factors on rheology of pectin-calcium gels. <i>Food Hydrocolloids</i> , 2009, 23, 2069-2077.	10.7	125
20	Changes in β -carotene bioaccessibility and concentration during processing of carrot puree. <i>Food Chemistry</i> , 2012, 133, 60-67.	8.2	124
21	Kinetics for Isobaric-Isothermal Degradation of l-Ascorbic Acid. <i>Journal of Agricultural and Food Chemistry</i> , 1998, 46, 2001-2006.	5.2	123
22	High pressure homogenization followed by thermal processing of tomato pulp: Influence on microstructure and lycopene in vitro bioaccessibility. <i>Food Research International</i> , 2010, 43, 2193-2200.	6.2	123
23	Process-Structure-Function Relations of Pectin in Food. <i>Critical Reviews in Food Science and Nutrition</i> , 2016, 56, 1021-1042.	10.3	122
24	Effect of heat-treatment on the physico-chemical properties of egg white proteins: A kinetic study. <i>Journal of Food Engineering</i> , 2006, 75, 316-326.	5.2	120
25	Texture changes of processed fruits and vegetables: potential use of high-pressure processing. <i>Trends in Food Science and Technology</i> , 2008, 19, 309-319.	15.1	120
26	Quality changes of pasteurised orange juice during storage: A kinetic study of specific parameters and their relation to colour instability. <i>Food Chemistry</i> , 2015, 187, 140-151.	8.2	120
27	Effect of Thermal Processing on the Degradation, Isomerization, and Bioaccessibility of Lycopene in Tomato Pulp. <i>Journal of Food Science</i> , 2010, 75, C753-9.	3.1	119
28	Towards a better understanding of the relationship between the β -carotene in vitro bio-accessibility and pectin structural changes: A case study on carrots. <i>Food Research International</i> , 2009, 42, 1323-1330.	6.2	116
29	Emulsion stabilizing properties of citrus pectin and its interactions with conventional emulsifiers in oil-in-water emulsions. <i>Food Hydrocolloids</i> , 2018, 85, 144-157.	10.7	116
30	A modeling approach for evaluating process uniformity during batch high hydrostatic pressure processing: combination of a numerical heat transfer model and enzyme inactivation kinetics. <i>Innovative Food Science and Emerging Technologies</i> , 2000, 1, 5-19.	5.6	115
31	Foaming properties of egg white proteins affected by heat or high pressure treatment. <i>Journal of Food Engineering</i> , 2007, 78, 1410-1426.	5.2	115
32	In vitro approaches to estimate the effect of food processing on carotenoid bioavailability need thorough understanding of process induced microstructural changes. <i>Trends in Food Science and Technology</i> , 2010, 21, 607-618.	15.1	111
33	Thermal and Pressure-Temperature Degradation of Chlorophyll in Broccoli (Brassica Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 187 5289-5294.	5.2	110
34	Quality change during high pressure processing and thermal processing of cloudy apple juice. <i>LWT - Food Science and Technology</i> , 2017, 75, 85-92.	5.2	108
35	Pectins in Processed Fruit and Vegetables: Part I - Stability and Catalytic Activity of Pectinases. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2009, 8, 75-85.	11.7	106
36	Thermal versus high pressure processing of carrots: A comparative pilot-scale study on equivalent basis. <i>Innovative Food Science and Emerging Technologies</i> , 2012, 15, 1-13.	5.6	100

#	ARTICLE	IF	CITATIONS
37	Influence of Pretreatment Conditions on the Texture and Cell Wall Components of Carrots During Thermal Processing. <i>Journal of Food Science</i> , 2005, 70, E85-E91.	3.1	98
38	Mild-Heat and High-Pressure Inactivation of Carrot Pectin Methyltransferase: A Kinetic Study. <i>Journal of Food Science</i> , 2003, 68, 1377-1383.	3.1	96
39	Isolation and structural characterisation of papaya peel pectin. <i>Food Research International</i> , 2014, 55, 215-221.	6.2	96
40	Comparing the impact of high pressure, pulsed electric field and thermal pasteurization on quality attributes of cloudy apple juice using targeted and untargeted analyses. <i>Innovative Food Science and Emerging Technologies</i> , 2019, 54, 64-77.	5.6	96
41	Pectin Fraction Interconversions: Insight into Understanding Texture Evolution of Thermally Processed Carrots. <i>Journal of Agricultural and Food Chemistry</i> , 2006, 54, 8471-8479.	5.2	93
42	Combined effect of high pressure and temperature on selected properties of egg white proteins. <i>Innovative Food Science and Emerging Technologies</i> , 2005, 6, 11-20.	5.6	92
43	Biochemical characterization and process stability of polyphenoloxidase extracted from Victoria grape (<i>Vitis vinifera</i> ssp. <i>Sativa</i>). <i>Food Chemistry</i> , 2006, 94, 253-261.	8.2	92
44	Inactivation of plant pectin methyltransferase by thermal or high intensity pulsed electric field treatments. <i>Innovative Food Science and Emerging Technologies</i> , 2006, 7, 40-48.	5.6	91
45	Kinetic approach to study the relation between in vitro lipid digestion and carotenoid bioaccessibility in emulsions with different oil unsaturation degree. <i>Journal of Functional Foods</i> , 2018, 41, 135-147.	3.4	91
46	Thermal Stability of Ascorbic Acid and Ascorbic Acid Oxidase in Broccoli (<i>Brassica Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 30</i>)	3.1	90
47	Effect of de-methyltransferase on network development and nature of Ca ²⁺ -pectin gels: Towards understanding structure-function relations of pectin. <i>Food Hydrocolloids</i> , 2012, 26, 89-98.	10.7	89
48	Influence of pressure/temperature treatments on glucosinolate conversion in broccoli (<i>Brassica Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 30</i>)	8.2	88
49	Lycopene degradation, isomerization and in vitro bioaccessibility in high pressure homogenized tomato puree containing oil: Effect of additional thermal and high pressure processing. <i>Food Chemistry</i> , 2012, 135, 1290-1297.	8.2	88
50	Kinetics of heat denaturation of proteins from farmed Atlantic cod (<i>Gadus morhua</i>). <i>Journal of Food Engineering</i> , 2008, 85, 51-58.	5.2	86
51	Effect of high-pressure/high-temperature processing on chemical pectin conversions in relation to fruit and vegetable texture. <i>Food Chemistry</i> , 2009, 115, 207-213.	8.2	86
52	Carrot β -Carotene Degradation and Isomerization Kinetics during Thermal Processing in the Presence of Oil. <i>Journal of Agricultural and Food Chemistry</i> , 2012, 60, 10312-10319.	5.2	86
53	Influence of pectin structure on texture of pectin-calcium gels. <i>Innovative Food Science and Emerging Technologies</i> , 2010, 11, 401-409.	5.6	85
54	The type and quantity of lipids present during digestion influence the in vitro bioaccessibility of lycopene from raw tomato pulp. <i>Food Research International</i> , 2012, 45, 250-255.	6.2	82

#	ARTICLE	IF	CITATIONS
55	Pilot scale thermal and alternative pasteurization of tomato and watermelon juice: An energy comparison and life cycle assessment. <i>Journal of Cleaner Production</i> , 2017, 141, 514-525.	9.3	81
56	Carrot texture degradation kinetics and pectin changes during thermal versus high-pressure/high-temperature processing: A comparative study. <i>Food Chemistry</i> , 2010, 120, 1104-1112.	8.2	80
57	Effect of thermal and high pressure processes on structural and health-related properties of carrots (<i>Daucus carota</i>). <i>Food Chemistry</i> , 2011, 125, 903-912.	8.2	80
58	Modelling of Vitamin C Degradation during Thermal and High-Pressure Treatments of Red Fruit. <i>Food and Bioprocess Technology</i> , 2013, 6, 1015-1023.	4.7	80
59	The effect of pectin concentration and degree of methyl-esterification on the in vitro bioaccessibility of β -carotene-enriched emulsions. <i>Food Research International</i> , 2014, 57, 71-78.	6.2	79
60	Inactivation kinetics of polygalacturonase in tomato juice. <i>Innovative Food Science and Emerging Technologies</i> , 2003, 4, 135-142.	5.6	78
61	Combined thermal and high pressure effect on carrot pectinmethylesterase stability and catalytic activity. <i>Journal of Food Engineering</i> , 2007, 78, 755-764.	5.2	78
62	Microstructure and bioaccessibility of different carotenoid species as affected by high pressure homogenisation: A case study on differently coloured tomatoes. <i>Food Chemistry</i> , 2013, 141, 4094-4100.	8.2	78
63	Carotenoid bioaccessibility and the relation to lipid digestion: A kinetic study. <i>Food Chemistry</i> , 2017, 232, 124-134.	8.2	78
64	Temperature and pressure stability of mustard seed (<i>Sinapis alba</i> L.) myrosinase. <i>Food Chemistry</i> , 2006, 97, 263-271.	8.2	77
65	The effect of high pressure homogenization on pectin: Importance of pectin source and pH. <i>Food Hydrocolloids</i> , 2015, 43, 189-198.	10.7	77
66	Processing tomato pulp in the presence of lipids: The impact on lycopene bioaccessibility. <i>Food Research International</i> , 2013, 51, 32-38.	6.2	74
67	Pressure-Temperature Degradation of Green Color in Broccoli Juice. <i>Journal of Food Science</i> , 1999, 64, 504-508.	3.1	73
68	Thermal and high pressure stability of tomato lipoxygenase and hydroperoxide lyase. <i>Journal of Food Engineering</i> , 2007, 79, 423-429.	5.2	73
69	Kinetics of colour changes in pasteurised strawberry juice during storage. <i>Journal of Food Engineering</i> , 2018, 216, 42-51.	5.2	73
70	Functional properties of citric acid extracted mango peel pectin as related to its chemical structure. <i>Food Hydrocolloids</i> , 2015, 44, 424-434.	10.7	69
71	Stiffness of Ca ²⁺ -pectin gels: combined effects of degree and pattern of methylesterification for various Ca ²⁺ concentrations. <i>Carbohydrate Research</i> , 2012, 348, 69-76.	2.3	68
72	Headspace fingerprinting as an untargeted approach to compare novel and traditional processing technologies: A case-study on orange juice pasteurisation. <i>Food Chemistry</i> , 2012, 134, 2303-2312.	8.2	68

#	ARTICLE	IF	CITATIONS
73	Thermal and high pressure high temperature processes result in distinctly different pectin non-enzymatic conversions. <i>Food Hydrocolloids</i> , 2014, 39, 251-263.	10.7	68
74	Intrinsic time temperature integrators for heat treatment of milk. <i>Trends in Food Science and Technology</i> , 2002, 13, 293-311.	15.1	67
75	CHARACTERIZATION AND INACTIVATION BY THERMAL AND PRESSURE PROCESSING OF STRAWBERRY (FRAGARIA ANANASSA) POLYPHENOL OXIDASE: A KINETIC STUDY. <i>Journal of Food Biochemistry</i> , 2006, 30, 56-76.	2.9	66
76	Headspace components that discriminate between thermal and high pressure high temperature treated green vegetables: Identification and linkage to possible process-induced chemical changes. <i>Food Chemistry</i> , 2013, 141, 1603-1613.	8.2	66
77	Comparing the impact of high pressure high temperature and thermal sterilization on the volatile fingerprint of onion, potato, pumpkin and red beet. <i>Food Research International</i> , 2014, 56, 218-225.	6.2	66
78	Anthocyanin degradation kinetics during thermal and high pressure treatments of raspberries. <i>Journal of Food Engineering</i> , 2011, 105, 513-521.	5.2	65
79	Novel targeted approach to better understand how natural structural barriers govern carotenoid in vitro bioaccessibility in vegetable-based systems. <i>Food Chemistry</i> , 2013, 141, 2036-2043.	8.2	65
80	Effect of preheating and calcium pre-treatment on pectin structure and thermal texture degradation: a case study on carrots. <i>Journal of Food Engineering</i> , 2005, 67, 419-425.	5.2	64
81	Quantitative evaluation of thermal processes using time-temperature integrators. <i>Trends in Food Science and Technology</i> , 1996, 7, 16-26.	15.1	63
82	Thermal and high-pressure stability of purified polygalacturonase and pectinmethylesterase from four different tomato processing varieties. <i>Food Research International</i> , 2006, 39, 440-448.	6.2	63
83	Effects of pressure/temperature treatments on stability and activity of endogenous broccoli (Brassica) Tj ETQq1 1 0.784314 rgBT /Over 178-186.	5.2	61
84	Effect of high pressure high temperature processing on the volatile fraction of differently coloured carrots. <i>Food Chemistry</i> , 2014, 153, 340-352.	8.2	61
85	Heat-Induced Changes in the Susceptibility of Egg White Proteins to Enzymatic Hydrolysis: a Kinetic Study. <i>Journal of Agricultural and Food Chemistry</i> , 2003, 51, 3819-3823.	5.2	59
86	Thermal pretreatments of carrot pieces using different heating techniques: Effect on quality related aspects. <i>Innovative Food Science and Emerging Technologies</i> , 2009, 10, 522-529.	5.6	58
87	Effect of preheating on thermal degradation kinetics of carrot texture. <i>Innovative Food Science and Emerging Technologies</i> , 2004, 5, 37-44.	5.6	57
88	Thermal and high-pressure inactivation kinetics of carrot pectinmethylesterase: from model system to real foods. <i>Innovative Food Science and Emerging Technologies</i> , 2004, 5, 429-436.	5.6	57
89	The Effect of High Pressure~High Temperature Processing Conditions on Acrylamide Formation and Other Maillard Reaction Compounds. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 11740-11748.	5.2	57
90	Relation Between Particle Properties and Rheological Characteristics of Carrot-derived Suspensions. <i>Food and Bioprocess Technology</i> , 2013, 6, 1127-1143.	4.7	56

#	ARTICLE	IF	CITATIONS
91	Effect of debranching on the rheological properties of Ca ²⁺ pectin gels. <i>Food Hydrocolloids</i> , 2012, 26, 44-53.	10.7	55
92	Impact of pH on the Kinetics of Acrylamide Formation/Elimination Reactions in Model Systems. <i>Journal of Agricultural and Food Chemistry</i> , 2006, 54, 7847-7855.	5.2	53
93	Pectin conversions under high pressure: Implications for the structure-related quality characteristics of plant-based foods. <i>Trends in Food Science and Technology</i> , 2012, 24, 103-118.	15.1	52
94	The Effects of Process-Induced Pectin Changes on the Viscosity of Carrot and Tomato Sera. <i>Food and Bioprocess Technology</i> , 2013, 6, 2870-2883.	4.7	52
95	Study of chemical changes in pasteurised orange juice during shelf-life: A fingerprinting-kinetics evaluation of the volatile fraction. <i>Food Research International</i> , 2015, 75, 295-304.	6.2	52
96	Minimizing quality changes of cloudy apple juice: The use of kiwifruit puree and high pressure homogenization. <i>Food Chemistry</i> , 2018, 249, 202-212.	8.2	52
97	Purification, characterization, thermal and high-pressure inactivation of a pectin methylesterase from white grapefruit (<i>Citrus paradisi</i>). <i>Innovative Food Science and Emerging Technologies</i> , 2005, 6, 363-371.	5.6	51
98	From fingerprinting to kinetics in evaluating food quality changes. <i>Trends in Biotechnology</i> , 2014, 32, 125-131.	9.3	51
99	Quantifying structural characteristics of partially de-esterified pectins. <i>Food Hydrocolloids</i> , 2011, 25, 434-443.	10.7	50
100	(Bio)chemical reactions during high pressure/high temperature processing affect safety and quality of plant-based foods. <i>Trends in Food Science and Technology</i> , 2012, 23, 28-38.	15.1	50
101	Application of thermal inactivation of enzymes during vitamin C analysis to study the influence of acidification, crushing and blanching on vitamin C stability in Broccoli (<i>Brassica oleracea</i> L var.) <i>Trends in Food Science and Technology</i> , 2014, 25, 142-149.	10.7	49
102	Role of structural barriers for carotenoid bioaccessibility upon high pressure homogenization. <i>Food Chemistry</i> , 2016, 199, 423-432.	8.2	49
103	New semi-empirical approach to handle time-variable boundary conditions during sterilisation of non-conductive heating foods. <i>Journal of Food Engineering</i> , 1995, 24, 249-268.	5.2	48
104	<i>Aspergillus aculeatus</i> pectin methylesterase: study of the inactivation by temperature and pressure and the inhibition by pectin methylesterase inhibitor. <i>Enzyme and Microbial Technology</i> , 2005, 36, 385-390.	3.2	48
105	The effect of pectin on in vitro β -carotene bioaccessibility and lipid digestion in low fat emulsions. <i>Food Hydrocolloids</i> , 2015, 49, 73-81.	10.7	48
106	Mode of De-esterification of Alkaline and Acidic Pectin Methyl Esterases at Different pH Conditions. <i>Journal of Agricultural and Food Chemistry</i> , 2006, 54, 7825-7831.	5.2	47
107	Carrot pectin methylesterase and its inhibitor from kiwi fruit: Study of activity, stability and inhibition. <i>Innovative Food Science and Emerging Technologies</i> , 2009, 10, 601-609.	5.6	47
108	Evaluation of cation-facilitated pectin-gel properties: Cryo-SEM visualisation and rheological properties. <i>Food Hydrocolloids</i> , 2016, 61, 172-182.	10.7	47

#	ARTICLE	IF	CITATIONS
109	Comparative study on lipid digestion and carotenoid bioaccessibility of emulsions, nanoemulsions and vegetable-based in situ emulsions. Food Hydrocolloids, 2019, 87, 119-128.	10.7	47

110	Modeling Heat Transfer during High-Pressure Freezing and Thawing. Biotechnology Progress, 1997, 13, 416-423.	2.6	46
-----	--	-----	----

111

#	ARTICLE	IF	CITATIONS
127	Rheology of Concentrated Tomato-Derived Suspensions: Effects of Particle Characteristics. <i>Food and Bioprocess Technology</i> , 2014, 7, 248-264.	4.7	40
128	Carotene Degradation and Isomerization during Thermal Processing: A Review on the Kinetic Aspects. <i>Critical Reviews in Food Science and Nutrition</i> , 2016, 56, 1844-1855.	10.3	40
129	Evaluating microalgal cell disruption upon ultra high pressure homogenization. <i>Algal Research</i> , 2019, 42, 101616.	4.6	40
130	THERMAL AND HIGH-PRESSURE STABILITY OF PURIFIED PECTIN METHYLESTERASE FROM PLUMS (<i>PRUNUS</i>)	2.9	39
131	Rheological Properties of Tomato-based Products after Thermal and High-pressure Treatment. <i>Journal of Food Science</i> , 2006, 71, S243-S248.	3.1	39
132	High-pressure treatments induce folate polyglutamate profile changes in intact broccoli (<i>Brassica</i>)	8.2	38
133	Kinetics of Acrylamide Formation/Elimination Reactions as Affected by Water Activity. <i>Biotechnology Progress</i> , 2008, 23, 722-728.	2.6	38
134	Interactions between citrus pectin and Zn ²⁺ or Ca ²⁺ and associated <i>in vitro</i> Zn ²⁺ bioaccessibility as affected by degree of methylesterification and blockiness. <i>Food Hydrocolloids</i> , 2018, 79, 319-330.	10.7	38
135	Effect of temperature and pressure on the activity of purified tomato polygalacturonase in the presence of pectins with different patterns of methyl esterification. <i>Innovative Food Science and Emerging Technologies</i> , 2005, 6, 293-303.	5.6	37
136	Inactivation of pepper (<i>Capsicum annuum</i>) pectin methylesterase by combined high-pressure and temperature treatments. <i>Journal of Food Engineering</i> , 2006, 75, 50-58.	5.2	37
137	Effect of Moisture Content during Dry-Heating on Selected Physicochemical and Functional Properties of Dried Egg White. <i>Journal of Agricultural and Food Chemistry</i> , 2007, 55, 127-135.	5.2	37
138	Kinetic study on the combined effect of high pressure and temperature on the physico-chemical properties of egg white proteins. <i>Journal of Food Engineering</i> , 2007, 78, 206-216.	5.2	37
139	Impact evaluation of high pressure treatment on foods: considerations on the development of pressure-temperature-time integrators (pTTIs). <i>Trends in Food Science and Technology</i> , 2008, 19, 337-348.	15.1	37
140	Integrated science-based approach to study quality changes of shelf-stable food products during storage: A proof of concept on orange and mango juices. <i>Trends in Food Science and Technology</i> , 2018, 73, 76-86.	15.1	37
141	Thermal treatment of common beans (<i>Phaseolus vulgaris</i> L.): Factors determining cooking time and its consequences for sensory and nutritional quality. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2021, 20, 3690-3718.	11.7	37
142	Enzyme infusion prior to thermal/high pressure processing of strawberries: Mechanistic insight into firmness evolution. <i>Innovative Food Science and Emerging Technologies</i> , 2010, 11, 23-31.	5.6	36
143	Development of an Enzymic Time Temperature Integrator for Sterilization Processes Based on <i>Bacillus licheniformis</i> α -amylase at Reduced Water Content. <i>Journal of Food Science</i> , 2002, 67, 285-291.	3.1	35
144	The kinetics of acrylamide formation/elimination in asparagine-glucose systems at different initial reactant concentrations and ratios. <i>Food Chemistry</i> , 2008, 111, 719-729.	8.2	35

#	ARTICLE	IF	CITATIONS
145	Enzyme infusion and thermal processing of strawberries: Pectin conversions related to firmness evolution. <i>Food Chemistry</i> , 2009, 114, 1371-1379.	8.2	35
146	Towards a better understanding of the pectin structure–function relationship in broccoli during processing: Part II – Analyses with anti-pectin antibodies. <i>Food Research International</i> , 2011, 44, 2896-2906.	6.2	35
147	Comparing the Effects of High Hydrostatic Pressure and Thermal Processing on Blanched and Unblanched Mango (<i>Mangifera indica</i> L.) Nectar: Using Headspace Fingerprinting as an Untargeted Approach. <i>Food and Bioprocess Technology</i> , 2014, 7, 3000-3011.	4.7	35
148	Evaluation of process value distribution with time temperature integrators. <i>Food Research International</i> , 1994, 27, 413-423.	6.2	34
149	Kinetic Study on the Changes in the Susceptibility of Egg White Proteins to Enzymatic Hydrolysis Induced by Heat and High Hydrostatic Pressure Pretreatment. <i>Journal of Agricultural and Food Chemistry</i> , 2004, 52, 5621-5626.	5.2	34
150	Quality changes of pasteurised mango juice during storage. Part II: Kinetic modelling of the shelf-life markers. <i>Food Research International</i> , 2015, 78, 410-423.	6.2	34
151	Influence of Low-temperature Blanching Combined with High-pressure Shift Freezing on the Texture of Frozen Carrots. <i>Journal of Food Science</i> , 2005, 70, S304-S308.	3.1	33
152	Influence of rotational speed on the statistical variability of heat penetration parameters and on the non-uniformity of lethality in retort processing. <i>Journal of Food Engineering</i> , 2000, 45, 93-102.	5.2	32
153	The in situ observation of the temperature and pressure stability of recombinant <i>Aspergillus aculeatus</i> pectin methyltransferase with Fourier transform IR spectroscopy reveals an unusual pressure stability of β -helices. <i>Biochemical Journal</i> , 2005, 392, 565-571.	3.7	32
154	Comparison of enzymatic de-esterification of strawberry and apple pectin at elevated pressure by fungal pectinmethyltransferase. <i>Innovative Food Science and Emerging Technologies</i> , 2007, 8, 93-101.	5.6	32
155	Role of precursors on the kinetics of acrylamide formation and elimination under low moisture conditions using a multiresponse approach – Part I: Effect of the type of sugar. <i>Food Chemistry</i> , 2009, 114, 116-126.	8.2	32
156	Lycopene and β -carotene transfer to oil and micellar phases during in vitro digestion of tomato and red carrot based-fractions. <i>Food Research International</i> , 2014, 64, 831-838.	6.2	32
157	Relation between in vitro lipid digestion and β -carotene bioaccessibility in β -carotene-enriched emulsions with different concentrations of L- α -phosphatidylcholine. <i>Food Research International</i> , 2015, 67, 60-66.	6.2	32
158	Kinetics of quality changes of green peas and white beans during thermal processing. <i>Journal of Food Engineering</i> , 1995, 24, 361-377.	5.2	30
159	Model based process design of the combined high pressure and mild heat treatment ensuring safety and quality of a carrot simulant system. <i>Journal of Food Engineering</i> , 2007, 78, 1010-1021.	5.2	30
160	Non-uniformity of lethality in retort processes based on heat distribution and heat penetration data. <i>Journal of Food Engineering</i> , 2000, 45, 103-110.	5.2	29
161	Investigation of the Influence of Different Moisture Levels on Acrylamide Formation/Elimination Reactions Using Multiresponse Analysis. <i>Journal of Agricultural and Food Chemistry</i> , 2008, 56, 6460-6470.	5.2	29
162	Thermal and High-Pressure Stability of Pectinmethyltransferase, Polygalacturonase, β -Galactosidase and α -Arabinofuranosidase in a Tomato Matrix: Towards the Creation of Specific Endogenous Enzyme Populations Through Processing. <i>Food and Bioprocess Technology</i> , 2013, 6, 3368-3380.	4.7	29

#	ARTICLE	IF	CITATIONS
163	Comparing thermal and high pressure processing of carrots at different processing intensities by headspace fingerprinting. <i>Innovative Food Science and Emerging Technologies</i> , 2013, 18, 31-42.	5.6	29
164	A kinetic study of furan formation during storage of shelf-stable fruit juices. <i>Journal of Food Engineering</i> , 2015, 165, 74-81.	5.2	29
165	Investigating the potential of <i>Bacillus subtilis</i> α -amylase as a pressure-temperature-time indicator for high hydrostatic pressure pasteurization processes. <i>Biotechnology Progress</i> , 2009, 25, 1184-1193.	2.6	28
166	In situ pectin engineering as a tool to tailor the consistency and syneresis of carrot puree. <i>Food Chemistry</i> , 2012, 133, 146-155.	8.2	28
167	Modeling Lycopene Degradation and Isomerization in the Presence of Lipids. <i>Food and Bioprocess Technology</i> , 2013, 6, 909-918.	4.7	28
168	Investigating the role of pectin in carrot cell wall changes during thermal processing: A microscopic approach. <i>Innovative Food Science and Emerging Technologies</i> , 2014, 24, 113-120.	5.6	28
169	The effect of high pressure homogenization and endogenous pectin-related enzymes on tomato puree consistency and serum pectin structure. <i>Innovative Food Science and Emerging Technologies</i> , 2017, 43, 35-44.	5.6	28
170	Optimizing Thermal Process for Canned White Beans in Water Cascading Retorts. <i>Journal of Food Science</i> , 1994, 59, 828-832.	3.1	27
171	Effect of temperature and pressure on the combined action of purified tomato pectinmethylesterase and polygalacturonase in presence of pectin. <i>Enzyme and Microbial Technology</i> , 2007, 40, 1141-1146.	3.2	27
172	Protein-based indicator system for detection of temperature differences in high pressure high temperature processing. <i>Food Research International</i> , 2010, 43, 862-871.	6.2	27
173	Chemical changes of thermally sterilized broccoli puree during shelf-life: Investigation of the volatile fraction by fingerprinting-kinetics. <i>Food Research International</i> , 2015, 67, 264-271.	6.2	27
174	Flavor characterization of native Peruvian chili peppers through integrated aroma fingerprinting and pungency profiling. <i>Food Research International</i> , 2018, 109, 250-259.	6.2	27
175	Assessing the optimal experiment setup for first order kinetic studies by Monte Carlo analysis. <i>Food Control</i> , 2005, 16, 873-882.	5.5	26
176	Effect of Temperature and High Pressure on the Activity and Mode of Action of Fungal Pectin Methyl Esterase. <i>Biotechnology Progress</i> , 2008, 22, 1313-1320.	2.6	26
177	Modelling acrylamide changes in foods: from single-response empirical to multiresponse mechanistic approaches. <i>Trends in Food Science and Technology</i> , 2009, 20, 155-167.	15.1	26
178	An integrated fingerprinting and kinetic approach to accelerated shelf-life testing of chemical changes in thermally treated carrot puree. <i>Food Chemistry</i> , 2015, 179, 94-102.	8.2	26
179	Pectin-interactions and <i>in vitro</i> bioaccessibility of calcium and iron in particulated tomato-based suspensions. <i>Food Hydrocolloids</i> , 2015, 49, 164-175.	10.7	26
180	Carotenoid transfer to oil upon high pressure homogenisation of tomato and carrot based matrices. <i>Journal of Functional Foods</i> , 2015, 19, 775-785.	3.4	26

#	ARTICLE	IF	CITATIONS
181	Membrane fatty acid composition as a determinant of <i>Listeria monocytogenes</i> sensitivity to trans-cinnamaldehyde. <i>Research in Microbiology</i> , 2017, 168, 536-546.	2.1	26
182	The potential of kiwifruit puree as a clean label ingredient to stabilize high pressure pasteurized cloudy apple juice during storage. <i>Food Chemistry</i> , 2018, 255, 197-208.	8.2	26
183	Influence of sugars and polyols on the thermal stability of purified tomato and cucumber pectinmethylesterases: a basis for TTI development. <i>Enzyme and Microbial Technology</i> , 2003, 33, 544-555.	3.2	25
184	Pressure and Temperature Stability of 5-Methyltetrahydrofolic Acid: A Kinetic Study. <i>Journal of Agricultural and Food Chemistry</i> , 2005, 53, 3081-3087.	5.2	25
185	Rapid HPLC method to screen pectins for heterogeneity in methyl-esterification and amidation. <i>Food Hydrocolloids</i> , 2007, 21, 85-91.	10.7	25
186	Impact of different large scale pasteurisation technologies and refrigerated storage on the headspace fingerprint of tomato juice. <i>Innovative Food Science and Emerging Technologies</i> , 2014, 26, 431-444.	5.6	25
187	Comparing the Impact of High-Pressure Processing and Thermal Processing on Quality of 'Hayward' and 'Zintao' Kiwifruit Purées: Untargeted Headspace Fingerprinting and Targeted Approaches. <i>Food and Bioprocess Technology</i> , 2016, 9, 2059-2069.	4.7	25
188	Impact of processing on n-3 LC-PUFA in model systems enriched with microalgae. <i>Food Chemistry</i> , 2018, 268, 441-450.	8.2	25
189	Molar mass influence on pectin-Ca ²⁺ adsorption capacity, interaction energy and associated functionality: Gel microstructure and stiffness. <i>Food Hydrocolloids</i> , 2018, 85, 331-342.	10.7	25
190	Impact of <i>Nannochloropsis</i> sp. dosage form on the oxidative stability of n-3 LC-PUFA enriched tomato purees. <i>Food Chemistry</i> , 2019, 279, 389-400.	8.2	25
191	Role of precursors on the kinetics of acrylamide formation and elimination under low moisture conditions using a multiresponse approach – Part II: Competitive reactions. <i>Food Chemistry</i> , 2009, 114, 535-546.	8.2	24
192	Reduction of Furan Formation by High-Pressure High-Temperature Treatment of Individual Vegetable Purées. <i>Food and Bioprocess Technology</i> , 2014, 7, 2679.	4.7	24
193	I. The development of an enzymic time temperature integrator to assess thermal efficacy of sterilization of low-acid canned foods. <i>Food Biotechnology</i> , 1997, 11, 147-168.	1.5	23
194	Enzyme sensitivity towards high pressure at low temperature. <i>Food Biotechnology</i> , 1998, 12, 263-277.	1.5	23
195	Activity and Process Stability of Purified Green Pepper (<i>Capsicum annuum</i>) Pectin Methylesterase. <i>Journal of Agricultural and Food Chemistry</i> , 2004, 52, 5724-5729.	5.2	23
196	Plant pectin methylesterase and its inhibitor from kiwi fruit: Interaction analysis by surface plasmon resonance. <i>Food Chemistry</i> , 2010, 121, 207-214.	8.2	23
197	<i>In vitro</i> protein and starch digestion kinetics of individual chickpea cells: from static to more complex <i>in vitro</i> digestion approaches. <i>Food and Function</i> , 2021, 12, 7787-7804.	4.6	23
198	Influence of β -subunit on thermal and high-pressure process stability of tomato polygalacturonase. <i>Biotechnology and Bioengineering</i> , 2004, 86, 543-549.	3.3	22

#	ARTICLE	IF	CITATIONS
199	Effect of pH on Thermal and/or Pressure Inactivation of Victoria Grape (<i>Vitis vinifera sativa</i>) Polyphenol Oxidase: A Kinetic Study. <i>Journal of Food Science</i> , 2005, 70, E301.	3.1	22
200	Characterisation and screening of the process stability of bioactive compounds in red fruit paste and red fruit juice. <i>European Food Research and Technology</i> , 2012, 234, 593-605.	3.3	22
201	Potential of different mechanical and thermal treatments to control off-flavour generation in broccoli puree. <i>Food Chemistry</i> , 2017, 217, 531-541.	8.2	22
202	Combining untargeted, targeted and sensory data to investigate the impact of storage on food volatiles: A case study on strawberry juice. <i>Food Research International</i> , 2018, 113, 382-391.	6.2	22
203	Impact of processing and storage conditions on color stability of strawberry puree: The role of PPO reactions revisited. <i>Journal of Food Engineering</i> , 2021, 294, 110402.	5.2	22
204	Application of multivariate data analysis for food quality investigations: An example-based review. <i>Food Research International</i> , 2022, 151, 110878.	6.2	22
205	Development characterization and use of a high-performance enzymatic time-temperature integrator for the control of sterilization process' impacts. <i>Biotechnology and Bioengineering</i> , 2004, 88, 15-25.	3.3	21
206	<i>Bacillus licheniformis</i> α -amylase immobilized on glass beads and equilibrated at low moisture content: potentials as a Time-Temperature Integrator for sterilisation processes. <i>Innovative Food Science and Emerging Technologies</i> , 2004, 5, 317-325.	5.6	21
207	Enzymatic cell wall degradation of high-pressure-homogenized tomato puree and its effect on lycopene bioaccessibility. <i>Journal of the Science of Food and Agriculture</i> , 2016, 96, 254-261.	3.5	21
208	Effect of sugar reduction on flavour release and sensory perception in an orange juice soft drink model. <i>Food Chemistry</i> , 2019, 284, 125-132.	8.2	21
209	Simultaneous optimisation of surface quality during the sterilisation of packed foods using constant and variable retort temperature profiles. <i>Journal of Food Engineering</i> , 1996, 30, 283-297.	5.2	20
210	Combined thermal and high pressure inactivation kinetics of tomato lipoxygenase. <i>European Food Research and Technology</i> , 2006, 222, 636-642.	3.3	20
211	Influence of pilot scale in pack pasteurization and sterilization treatments on nutritional and textural characteristics of carrot pieces. <i>Food Research International</i> , 2013, 50, 526-533.	6.2	20
212	Isomerisation of carrot β -carotene in presence of oil during thermal and combined thermal/high pressure processing. <i>Food Chemistry</i> , 2013, 138, 1515-1520.	8.2	20
213	Furan formation as a function of pressure, temperature and time conditions in spinach puree. <i>LWT - Food Science and Technology</i> , 2015, 64, 565-570.	5.2	20
214	Impact of microalgal species on the oxidative stability of n-3 LC-PUFA enriched tomato puree. <i>Algal Research</i> , 2019, 40, 101502.	4.6	20
215	Implications of β -Mercaptoethanol in Relation to Folate Stability and to Determination of Folate Degradation Kinetics during Processing: A Case Study on [6S]-5-Methyltetrahydrofolic Acid. <i>Journal of Agricultural and Food Chemistry</i> , 2004, 52, 8247-8254.	5.2	19
216	Use of pectinmethylesterase and calcium in osmotic dehydration and osmodehydrofreezing of strawberries. <i>European Food Research and Technology</i> , 2008, 226, 1145-1154.	3.3	19

#	ARTICLE	IF	CITATIONS
217	Furan formation during storage and reheating of sterilised vegetable purées. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2015, 32, 161-169.	2.3	19
218	The Effect of Brine Ingredients on Carrot Texture during Thermal Processing in Relation to Pectin Depolymerization due to the β -Elimination Reaction. Journal of Food Science, 2006, 71, E370-E375.	3.1	18
219	Thermal and High-Pressure Stability of Pectin-Converting Enzymes in Broccoli and Carrot Purée: Towards the Creation of Specific Endogenous Enzyme Populations Through Processing. Food and Bioprocess Technology, 2014, 7, 1713-1724.	4.7	18
220	Role of temperature distribution studies in the evaluation and identification of processing conditions for static and rotary water cascading retorts. Journal of Food Engineering, 2001, 48, 61-68.	5.2	17
221	Trypsin Inhibition Activity of Heat-Denatured Ovomuroid: A Kinetic Study. Biotechnology Progress, 2008, 20, 82-86.	2.6	17
222	Solvent engineering as a tool in enzymatic indicator development for mild high pressure pasteurization processing. Journal of Food Engineering, 2010, 97, 301-310.	5.2	17
223	Influence of Thermal Processing on Hydrolysis and Stability of Folate Poly- β -glutamates in Broccoli (<i>Brassica oleracea</i> var. <i>italica</i>), Carrot (<i>Daucus carota</i>) and Tomato (<i>Lycopersicon</i>) Tj ETQq1 1 0.784214 rgBT/Overlo	5.2	17
224	Temperature uniformity mapping in a high pressure high temperature reactor using a temperature sensitive indicator. Journal of Food Engineering, 2011, 105, 36-47.	5.2	17
225	The Impact of Drying and Rehydration on the Structural Properties and Quality Attributes of Pre-Cooked Dried Beans. Foods, 2021, 10, 1665.	4.3	17
226	Heat Distribution in Industrial-scale Water Cascading (Rotary) Retort. Journal of Food Science, 1998, 63, 882-886.	3.1	16
227	Identification of pressure/temperature combinations for optimal pepper (<i>Capsicum annum</i>) pectin methylesterase activity. Enzyme and Microbial Technology, 2006, 38, 831-838.	3.2	16
228	Effect of high-pressure induced ice I/ice III-transition on the texture and microstructure of fresh and pretreated carrots and strawberries. Food Research International, 2007, 40, 1276-1285.	6.2	16
229	Influence of environmental conditions on thermal stability of recombinant <i>Aspergillus aculeatus</i> pectinmethylesterase. Food Chemistry, 2008, 111, 912-920.	8.2	16
230	Acidification, crushing and thermal treatments can influence the profile and stability of folate poly- β -glutamates in broccoli (<i>Brassica oleracea</i> L. var. <i>italica</i>). Food Chemistry, 2009, 117, 568-575.	8.2	16
231	Mapping temperature uniformity in industrial scale HP equipment using enzymatic pressure-temperature-time indicators. Journal of Food Engineering, 2010, 98, 93-102.	5.2	16
232	Headspace fingerprinting and sensory evaluation to discriminate between traditional and alternative pasteurization of watermelon juice. European Food Research and Technology, 2016, 242, 787-803.	3.3	16
233	Kinetics of Strecker aldehyde formation during thermal and high pressure high temperature processing of carrot puree. Innovative Food Science and Emerging Technologies, 2017, 39, 88-93.	5.6	16
234	Unravelling the structure of serum pectin originating from thermally and mechanically processed carrot-based suspensions. Food Hydrocolloids, 2018, 77, 482-493.	10.7	16

#	ARTICLE	IF	CITATIONS
235	Microscopic evidence for pectin changes in hard-to-cook development of common beans during storage. <i>Food Research International</i> , 2021, 141, 110115.	6.2	16
236	Reaction pathways and factors influencing nonenzymatic browning in shelf-stable fruit juices during storage. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2021, 20, 5698-5721.	11.7	16
237	Nonuniformity in Lethality and Quality in Thermal Process Optimization: A Case Study on Color Degradation of Green Peas. <i>Journal of Food Science</i> , 2003, 68, 545-550.	3.1	15
238	Modelling the kinetics of enzyme-catalysed reactions in frozen systems: the alkaline phosphatase catalysed hydrolysis of di-sodium-p-nitrophenyl phosphate. <i>Innovative Food Science and Emerging Technologies</i> , 2004, 5, 335-344.	5.6	15
239	Process stability of <i>Capsicum annum</i> pectin methylesterase in model systems, pepper puree and intact pepper tissue. <i>European Food Research and Technology</i> , 2005, 221, 452-458.	3.3	15
240	Evaluating the potential of high pressure high temperature and thermal processing on volatile compounds, nutritional and structural properties of orange and yellow carrots. <i>European Food Research and Technology</i> , 2015, 240, 183-198.	3.3	15
241	Impact of processing on odour-active compounds of a mixed tomato-onion puree. <i>Food Chemistry</i> , 2017, 228, 14-25.	8.2	15
242	Carotenoid stability and lipid oxidation during storage of low-fat carrot and tomato based systems. <i>LWT - Food Science and Technology</i> , 2017, 80, 470-478.	5.2	15
243	Statistical Variability Of Heat Penetration Parameters in Relation to Process Design. <i>Journal of Food Science</i> , 2000, 65, 685-693.	3.1	14
244	Overview: Effect of High Pressure on Enzymes Related to Food Quality - Kinetics as a Basis for Process Engineering. <i>High Pressure Research</i> , 2002, 22, 613-618.	1.2	14
245	THERMAL AND HIGH PRESSURE INACTIVATION KINETICS OF VICTORIA GRAPE POLYPHENOL OXIDASE: FROM MODEL SYSTEMS TO GRAPE MUST. <i>Journal of Food Process Engineering</i> , 2006, 29, 269-286.	2.9	14
246	Development and evaluation of monoclonal antibodies as probes to assess the differences between two tomato pectin methylesterase isoenzymes. <i>Journal of Immunological Methods</i> , 2009, 349, 18-27.	1.4	14
247	Kinetics of thermal and high-pressure inactivation of avocado polygalacturonase. <i>Innovative Food Science and Emerging Technologies</i> , 2014, 26, 51-58.	5.6	14
248	Deliberate processing of carrot purées entails tailored serum pectin structures. <i>Innovative Food Science and Emerging Technologies</i> , 2016, 33, 515-523.	5.6	14
249	In vitro digestibility kinetics of oil-in-water emulsions structured by water-soluble pectin-protein mixtures from vegetable purées. <i>Food Hydrocolloids</i> , 2018, 80, 231-244.	10.7	14
250	KINETICS of THERMAL SOFTENING of WHITE BEANS EVALUATED BY A SENSORY PANEL and the FMC TENDEROMETER. <i>Journal of Food Processing and Preservation</i> , 1994, 18, 407-420.	2.0	13
251	II. The use of an enzymic time temperature integrator to monitor lethal efficacy of sterilization of low-acid canned foods. <i>Food Biotechnology</i> , 1997, 11, 169-188.	1.5	13
252	Effect of temperature, pressure and calcium soaking pre-treatments and pressure shift freezing on the texture and texture evolution of frozen green bell peppers (<i>Capsicum annum</i>). <i>European Food Research and Technology</i> , 2007, 226, 33-43.	3.3	13

#	ARTICLE	IF	CITATIONS
253	Improving the hardness of thermally processed carrots by selective pretreatments. <i>Food Research International</i> , 2010, 43, 1297-1303.	6.2	13
254	Effect of Pilot-Scale Aseptic Processing on Tomato Soup Quality Parameters. <i>Journal of Food Science</i> , 2011, 76, C714-23.	3.1	13
255	Effect of Enzyme Homogenization on the Physical Properties of Carrot Cell Wall Suspensions. <i>Food and Bioprocess Technology</i> , 2015, 8, 1377-1385.	4.7	13
256	Investigating chemical changes during shelf-life of thermal and high-pressure high-temperature sterilised carrot purees: A "fingerprinting kinetics" approach. <i>Food Chemistry</i> , 2015, 185, 119-126.	8.2	13
257	The evolution of quality characteristics of mango piece after pasteurization and during shelf life in a mango juice drink. <i>European Food Research and Technology</i> , 2016, 242, 703-712.	3.3	13
258	Heat and Light Stability of Pumpkin-Based Carotenoids in a Photosensitive Food: A Carotenoid-Coloured Beverage. <i>Foods</i> , 2022, 11, 485.	4.3	13
259	THE THERMAL STABILITY OF ASPERGILLUS ORYZAE ALPHA-AMYLASE IN PRESENCE OF SUGARS AND POLYOLS. <i>Journal of Food Process Engineering</i> , 2006, 29, 287-303.	2.9	12
260	Xylanase B from the hyperthermophile <i>Thermotoga maritima</i> as an indicator for temperature gradients in high pressure high temperature processing. <i>Innovative Food Science and Emerging Technologies</i> , 2011, 12, 187-196.	5.6	12
261	The Effect of Endogenous Pectinases on the Consistency of Tomato-Carrot Purée Mixes. <i>Food and Bioprocess Technology</i> , 2014, 7, 2570-2580.	4.7	12
262	Role of mechanical forces in the stomach phase on the in vitro bioaccessibility of β -carotene. <i>Food Research International</i> , 2014, 55, 271-280.	6.2	12
263	Quality changes of pasteurised mango juice during storage. Part I: Selecting shelf-life markers by integration of a targeted and untargeted multivariate approach. <i>Food Research International</i> , 2015, 78, 396-409.	6.2	12
264	Carotenoid transfer to oil during thermal processing of low fat carrot and tomato particle based suspensions. <i>Food Research International</i> , 2016, 86, 64-73.	6.2	12
265	Process-induced water-soluble biopolymers from broccoli and tomato purées: Their molecular structure in relation to their emulsion stabilizing capacity. <i>Food Hydrocolloids</i> , 2018, 81, 312-327.	10.7	12
266	Impact of processing on the production of a carotenoid-rich <i>Cucurbita maxima</i> cv. Hokkaido pumpkin juice. <i>Food Chemistry</i> , 2022, 380, 132191.	8.2	12
267	The influence of moisture content on the thermostability of <i>Aspergillus oryzae</i> α -amylase. <i>Enzyme and Microbial Technology</i> , 2005, 37, 167-174.	3.2	11
268	Thermal processing of kale purée: The impact of process intensity and storage on different quality related aspects. <i>Innovative Food Science and Emerging Technologies</i> , 2019, 58, 102213.	5.6	11
269	Impact of processing on the functionalization of pumpkin pomace as a food texturizing ingredient. <i>Innovative Food Science and Emerging Technologies</i> , 2021, 69, 102669.	5.6	11
270	Combined use of the equivalent point method and a multicomponent time-temperature integrator in thermal process evaluation: influence of kinetic characteristics and reference temperature. <i>Food Control</i> , 1994, 5, 249-256.	5.5	10

#	ARTICLE	IF	CITATIONS
271	AN EMPIRICAL EQUATION FOR THE DESCRIPTION OF OPTIMUM VARIABLE RETORT TEMPERATURE PROFILES THAT MAXIMIZE SURFACE QUALITY RETENTION IN THERMALLY PROCESSED FOODS. <i>Journal of Food Processing and Preservation</i> , 1996, 20, 251-264.	2.0	10
272	Kinetics of the Alkaline Phosphatase Catalyzed Hydrolysis of Disodium p-Nitrophenyl Phosphate: Effects of Carbohydrate Additives, Low Temperature, and Freezing. <i>Biotechnology Progress</i> , 2004, 20, 1467-1478.	2.6	10
273	Advances in understanding pectin methylesterase inhibitor in kiwi fruit: an immunological approach. <i>Planta</i> , 2011, 233, 287-298.	3.2	10
274	Shelf-life dating of shelf-stable strawberry juice based on survival analysis of consumer acceptance information. <i>Journal of the Science of Food and Agriculture</i> , 2018, 98, 3437-3445.	3.5	10
275	Measuring Primary Lipid Oxidation in Food Products Enriched with Colored Microalgae. <i>Food Analytical Methods</i> , 2019, 12, 2150-2160.	2.6	10
276	The effect of thermal processing and storage on the color stability of strawberry puree originating from different cultivars. <i>LWT - Food Science and Technology</i> , 2021, 145, 111270.	5.2	10
277	Effect of processing and microstructural properties of chickpea-flours on in vitro digestion and appetite sensations. <i>Food Research International</i> , 2022, 157, 111245.	6.2	10
278	Combined Use of Two Single-Component Enzymatic Time-Temperature Integrators: Application to Industrial Continuous Rotary Processing of Canned Ravioli. <i>Journal of Food Protection</i> , 2005, 68, 375-383.	1.7	9
279	The relation between (bio-)chemical, morphological, and mechanical properties of thermally processed carrots as influenced by high-pressure pretreatment condition. <i>European Food Research and Technology</i> , 2007, 226, 127-135.	3.3	9
280	Insight into non-enzymatic browning of shelf-stable orange juice during storage: A fractionation and kinetic approach. <i>Journal of the Science of Food and Agriculture</i> , 2020, 100, 3765-3775.	3.5	9
281	Utilizing Hydrothermal Processing to Align Structure and In Vitro Digestion Kinetics between Three Different Pulse Types. <i>Foods</i> , 2022, 11, 206.	4.3	9
282	Rheological properties of Ca ²⁺ -gels of partially methylesterified polygalacturonic acid: Effect of mixed-patterns of methylesterification. <i>Carbohydrate Polymers</i> , 2012, 88, 37-45.	10.2	7
283	Effect of calcium ions and pH on the structure and rheology of carrot-derived suspensions. <i>Food Hydrocolloids</i> , 2014, 36, 382-391.	10.7	7
284	Effect of oxygen availability and pH on the furan concentration formed during thermal preservation of plant-based foods. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2016, 33, 1-11.	2.3	7
285	Kinetics of the Alkaline Phosphatase Catalyzed Hydrolysis of Disodium p-Nitrophenyl Phosphate in Frozen Model Systems. <i>Biotechnology Progress</i> , 2002, 18, 1249-1256.	2.6	6
286	Effects of Cryostabilizers, Low Temperature, and Freezing on the Kinetics of the Pectin Methylesterase-Catalyzed De-esterification of Pectin. <i>Journal of Agricultural and Food Chemistry</i> , 2005, 53, 2282-2288.	5.2	6
287	The effect of exogenous enzymes and mechanical treatment on mango puree: Effect on the molecular properties of pectic substances. <i>Food Hydrocolloids</i> , 2015, 50, 193-202.	10.7	6
288	Carotenoid profile and basic structural indicators of native Peruvian chili peppers. <i>European Food Research and Technology</i> , 2019, 245, 717-732.	3.3	6

#	ARTICLE	IF	CITATIONS
289	Changes in β -Carotene During Processing of Carrots. , 2015, , 11-16.		5
290	Enhanced electrostatic interactions in tomato cell suspensions. Food Hydrocolloids, 2015, 43, 442-450.	10.7	5
291	The effect of exogenous enzymes and mechanical treatment on mango puree: Microscopic, mesoscopic, and macroscopic evaluation. Innovative Food Science and Emerging Technologies, 2016, 33, 438-449.	5.6	5
292	Effect of cultivar, pasteurization and storage on the volatile and taste compounds of strawberry puree. LWT - Food Science and Technology, 2021, 150, 112007.	5.2	5
293	Potential of Chickpea Flours with Different Microstructures as Multifunctional Ingredient in an Instant Soup Application. Foods, 2021, 10, 2622.	4.3	5
294	Microstructural and Texturizing Properties of Partially Pectin-Depleted Cell Wall Material: The Role of Botanical Origin and High-Pressure Homogenization. Foods, 2021, 10, 2644.	4.3	5
295	Modeling the Kinetics of the Pectin Methyltransferase Catalyzed De-esterification of Pectin in Frozen Systems. Biotechnology Progress, 2008, 20, 480-490.	2.6	4
296	Oxidative stability of vegetable purees enriched with ω -3 LC ω -PUFA microalgal biomass: impact of type of vegetable. International Journal of Food Science and Technology, 2020, 55, 751-759.	2.7	4
297	The Potential of Phaeodactylum as a Natural Source of Antioxidants for Fish Oil Stabilization. Foods, 2022, 11, 1461.	4.3	4
298	Development of an immunological toolbox to detect endogenous and exogenous pectin methyltransferase in plant-based food products. Food Research International, 2011, 44, 931-939.	6.2	3
299	Recombinant kiwi pectin methyltransferase inhibitor: Purification and characterization of the interaction with plant pectin methyltransferase during thermal and high-pressure processing. Innovative Food Science and Emerging Technologies, 2015, 29, 295-301.	5.6	3
300	High-Pressure Processing Uniformity. Food Engineering Series, 2016, , 253-268.	0.7	3
301	The moisture plasticizing effect on enzyme-catalyzed reactions in model and real systems in view of legume ageing and their hard to cook development. Journal of Food Engineering, 2022, 314, 110781.	5.2	3
302	Photo-Oxidative Stability of Aqueous Model Systems Enriched with Omega-3 Long-Chain Polyunsaturated Fatty Acid-Rich Microalgae as Compared to Autoxidative Stability. Journal of Agricultural and Food Chemistry, 2022, 70, 5691-5700.	5.2	3
303	The rehydration attributes and quality characteristics of "Quick-cooking"™ dehydrated beans: Implications of glass transition on storage stability. Food Research International, 2022, 157, 111377.	6.2	3
304	The effect of pressure processing on food quality related enzymes: from kinetic information to process engineering. Progress in Biotechnology, 2002, 19, 517-524.	0.2	2
305	Immunological toolbox available for in situ exploration of pectic homogalacturonan and its modifying enzymes in fruits and vegetables and their derived food products. Innovative Food Science and Emerging Technologies, 2012, 15, 72-80.	5.6	2
306	Relative importance and interactions of furan precursors in sterilised, vegetable-based food systems. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2015, 33, 1-14.	2.3	1

#	ARTICLE	IF	CITATIONS
307	Effect of Enzymes on Serum and Particle Properties of Carrot Cell Suspensions. Food Biophysics, 2015, 10, 428-438.	3.0	0