

Kent D Stewart

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/678187/publications.pdf>

Version: 2024-02-01

93
papers

4,436
citations

87888

38
h-index

110387

64
g-index

96
all docs

96
docs citations

96
times ranked

4635
citing authors

#	ARTICLE	IF	CITATIONS
1	Synthesis and Biological Characterization of Aryl Uracil Inhibitors of Hepatitis C Virus NS5B Polymerase: Discovery of ABT-072, a trans-Stilbene Analog with Good Oral Bioavailability. <i>Journal of Medicinal Chemistry</i> , 2018, 61, 1153-1163.	6.4	17
2	Structure activity optimization of 6H-pyrrolo[2,3-e][1,2,4]triazolo[4,3-a]pyrazines as Jak1 kinase inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2015, 25, 4399-4404.	2.2	16
3	Azaindole-Based Inhibitors of Cdc7 Kinase: Impact of the Pre-DFG Residue, Val 195. <i>ACS Medicinal Chemistry Letters</i> , 2013, 4, 211-215.	2.8	25
4	Design and synthesis of tricyclic cores for kinase inhibition. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2013, 23, 693-698.	2.2	21
5	Aryl uracil inhibitors of hepatitis C virus NS5B polymerase: Synthesis and characterization of analogs with a fused 5,6-bicyclic ring motif. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2013, 23, 3487-3490.	2.2	7
6	Hit to Lead optimization of a novel class of squarate-containing polo-like kinases inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2012, 22, 7615-7622.	2.2	12
7	Pyrazole diaminopyrimidines as dual inhibitors of KDR and Aurora B kinases. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2012, 22, 4750-4755.	2.2	14
8	Exploration of diverse hinge-binding scaffolds for selective Aurora kinase inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2012, 22, 4528-4531.	2.2	4
9	Contribution of indazolinone tautomers to kinase activity. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2012, 22, 4502-4505.	2.2	1
10	Thienopyridine ureas as dual inhibitors of the VEGF and Aurora kinase families. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2012, 22, 3208-3212.	2.2	24
11	Discovery of potent and selective thienopyrimidine inhibitors of Aurora kinases. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2011, 21, 5620-5624.	2.2	45
12	Hepatitis C NS5B polymerase inhibitors: Functional equivalents for the benzothiadiazine moiety. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2011, 21, 1876-1879.	2.2	11
13	Non-peptide entry inhibitors of HIV-1 that target the gp41 coiled coil pocket. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010, 20, 612-617.	2.2	33
14	Imidazo[2,1-b]thiazoles: Multitargeted inhibitors of both the insulin-like growth factor receptor and members of the epidermal growth factor family of receptor tyrosine kinases. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010, 20, 2452-2455.	2.2	47
15	Cheminformatic Tools for Medicinal Chemists. <i>Journal of Medicinal Chemistry</i> , 2010, 53, 4830-4841.	6.4	72
16	Discovery of 3 <i>H</i> -Benzo[4,5]thieno[3,2- <i>d</i>]pyrimidin-4-ones as Potent, Highly Selective, and Orally Bioavailable Inhibitors of the Human Protooncogene Proviral Insertion Site in Moloney Murine Leukemia Virus (PIM) Kinases. <i>Journal of Medicinal Chemistry</i> , 2009, 52, 6621-6636.	6.4	77
17	Synthesis and Biological Characterization of B-Ring Amino Analogues of Potent Benzothiadiazine Hepatitis C Virus Polymerase Inhibitors. <i>Journal of Medicinal Chemistry</i> , 2009, 52, 3174-3183.	6.4	37
18	Identification of aminopyrazolopyridine ureas as potent VEGFR/PDGFR multitargeted kinase inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2008, 18, 386-390.	2.2	39

#	ARTICLE	IF	CITATIONS
19	Scaffold oriented synthesis. Part 2: Design, synthesis and biological evaluation of pyrimido-diazepines as receptor tyrosine kinase inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2008, 18, 2691-2695.	2.2	31
20	Hepatitis C NS5B polymerase inhibitors: 4,4-Dialkyl-1-hydroxy-3-oxo-3,4-dihydronaphthalene-3-yl benzothiadiazine derivatives. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2008, 18, 3887-3890.	2.2	19
21	Isoxazolo[3,4-b]quinoline-3,4(1H,9H)-diones as unique, potent and selective inhibitors for Pim-1 and Pim-2 kinases: Chemistry, biological activities, and molecular modeling. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2008, 18, 5206-5208.	2.2	54
22	7-Aminopyrazolo[1,5-c]pyrimidines as Potent Multitargeted Receptor Tyrosine Kinase Inhibitors. <i>Journal of Medicinal Chemistry</i> , 2008, 51, 3777-3787.	6.4	46
23	3-Amino-benzo[d]isoxazoles as Novel Multitargeted Inhibitors of Receptor Tyrosine Kinases. <i>Journal of Medicinal Chemistry</i> , 2008, 51, 1231-1241.	6.4	32
24	Identification and Structural Characterization of I84C and I84A Mutations That Are Associated with High-Level Resistance to Human Immunodeficiency Virus Protease Inhibitors and Impair Viral Replication. <i>Antimicrobial Agents and Chemotherapy</i> , 2007, 51, 732-735.	3.2	14
25	Discovery and Structure-Activity Relationships of Piperidinone- and Piperidine-Constrained Phenethylamines as Novel, Potent, and Selective Dipeptidyl Peptidase IV Inhibitors. <i>Journal of Medicinal Chemistry</i> , 2007, 50, 1983-1987.	6.4	83
26	Pharmacological and Functional Comparison of the Polo-like Kinase Family: Insight into Inhibitor and Substrate Specificity. <i>Biochemistry</i> , 2007, 46, 9551-9563.	2.5	100
27	Structure-Based Design, Synthesis, and Biological Evaluation of Potent and Selective Macrocyclic Checkpoint Kinase 1 Inhibitors. <i>Journal of Medicinal Chemistry</i> , 2007, 50, 1514-1527.	6.4	79
28	Design, Synthesis, and Biological Activity of 5,10-Dihydro-dibenzo[b,e][1,4]diazepin-11-one-Based Potent and Selective Chk-1 Inhibitors. <i>Journal of Medicinal Chemistry</i> , 2007, 50, 4162-4176.	6.4	37
29	Discovery of N-(4-(3-Amino-1H-indazol-4-yl)phenyl)-N'-(2-fluoro-5-methylphenyl)urea (ABT-869), a 3-Aminoindazole-Based Orally Active Multitargeted Receptor Tyrosine Kinase Inhibitor. <i>Journal of Medicinal Chemistry</i> , 2007, 50, 1584-1597.	6.4	179
30	Discovery of 1,4-dihydroindeno[1,2-c]pyrazoles as a novel class of potent and selective checkpoint kinase 1 inhibitors. <i>Bioorganic and Medicinal Chemistry</i> , 2007, 15, 2759-2767.	3.0	36
31	Pyrrolidine-constrained phenethylamines: The design of potent, selective, and pharmacologically efficacious dipeptidyl peptidase IV (DPP4) inhibitors from a lead-like screening hit. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2007, 17, 2005-2012.	2.2	34
32	Synthesis and biological evaluation of 5-substituted 1,4-dihydroindeno[1,2-c]pyrazoles as multitargeted receptor tyrosine kinase inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2007, 17, 3136-3140.	2.2	15
33	1,4-Dihydroindeno[1,2-c]pyrazoles as potent checkpoint kinase 1 inhibitors: Extended exploration on phenyl ring substitutions and preliminary ADME/PK studies. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2007, 17, 3618-3623.	2.2	12
34	Cyanopyridyl containing 1,4-dihydroindeno[1,2-c]pyrazoles as potent checkpoint kinase 1 inhibitors: Improving oral bioavailability. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2007, 17, 5665-5670.	2.2	5
35	Discovery of 4-(1,4-dihydro-indeno[1,2-c]pyrazol-3-yl)-benzotriles and 4-(1,4-dihydro-indeno[1,2-c]pyrazol-3-yl)-pyridine-2-carbonitriles as potent checkpoint kinase 1 (Chk1) inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2007, 17, 5944-5951.	2.2	25
36	Thienopyridine urea inhibitors of KDR kinase. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2007, 17, 1246-1249.	2.2	41

#	ARTICLE	IF	CITATIONS
37	Identification and characterization of mutations conferring resistance to an HCV RNA-dependent RNA polymerase inhibitor in vitro. <i>Antiviral Research</i> , 2007, 76, 93-97.	4.1	39
38	Design and characterization of an engineered gp41 protein from human immunodeficiency virus-1 as a tool for drug discovery. <i>Journal of Computer-Aided Molecular Design</i> , 2007, 21, 121-130.	2.9	6
39	Discovery, Structure-Activity Relationship, and Pharmacological Evaluation of (5-Substituted-pyrrolidinyl-2-carbonyl)-2-cyanopyrrolidines as Potent Dipeptidyl Peptidase IV Inhibitors. <i>Journal of Medicinal Chemistry</i> , 2006, 49, 3520-3535.	6.4	62
40	Crystal Structures of DPP-IV (CD26) from Rat Kidney Exhibit Flexible Accommodation of Peptidase-Selective Inhibitors. <i>Biochemistry</i> , 2006, 45, 7474-7482.	2.5	41
41	Discovery of ((4R,5S)-5-Amino-4-(2,4,5-trifluorophenyl)cyclohex-1-enyl)-(3-)-Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 592 Td ((trifluoromethyl)amino)acetic acid) as a novel class of dipeptidyl peptidase IV inhibitors. <i>Journal of Medicinal Chemistry</i> , 2006, 49, 6439-6442.	6.4	55
42	Discovery of 2-[4-{{2-(2S,5R)-2-Cyano-5-ethynyl-1-pyrrolidinyl}-2-oxoethyl}amino]-4-methyl-1-piperidinyl]-4-pyridinecarboxylic Acid (ABT-279): A Very Potent, Selective, Effective, and Well-Tolerated Inhibitor of Dipeptidyl Peptidase-IV, Useful for the Treatment of Diabetes. <i>Journal of Medicinal Chemistry</i> , 2006, 49, 6416-6420.	6.4	39
43	Hit-to-lead optimization of 1,4-dihydroindeno[1,2-c]pyrazoles as a novel class of KDR kinase inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2006, 16, 4371-4375.	2.2	27
44	Isothiazolopyrimidines and isoxazolopyrimidines as novel multi-targeted inhibitors of receptor tyrosine kinases. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2006, 16, 4326-4330.	2.2	23
45	1,4-Dihydroindeno[1,2-c]pyrazoles as novel multitargeted receptor tyrosine kinase inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2006, 16, 4266-4271.	2.2	24
46	Drug Guru: A computer software program for drug design using medicinal chemistry rules. <i>Bioorganic and Medicinal Chemistry</i> , 2006, 14, 7011-7022.	3.0	97
47	Xanthine mimetics as potent dipeptidyl peptidase IV inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2006, 16, 6226-6230.	2.2	19
48	Design, synthesis, and structural analysis of inhibitors of influenza neuraminidase containing a 2,3-disubstituted tetrahydrofuran-5-carboxylic acid core. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2005, 15, 125-128.	2.2	27
49	Naphthamidine urokinase plasminogen activator inhibitors with improved pharmacokinetic properties. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2005, 15, 93-98.	2.2	23
50	Novel Transient Receptor Potential Vanilloid 1 Receptor Antagonists for the Treatment of Pain: Structure-Activity Relationships for Ureas with Quinoline, Isoquinoline, Quinazoline, Phthalazine, Quinoxaline, and Cinnoline Moieties. <i>Journal of Medicinal Chemistry</i> , 2005, 48, 744-752.	6.4	149
51	An intramolecular ionic hydrogen bond stabilizes acis amide bond rotamer of a ring-opened rapamycin-degradation product. <i>Magnetic Resonance in Chemistry</i> , 2005, 43, 41-46.	1.9	8
52	Synthesis and activity of N-acyl azacyclic urea HIV-1 protease inhibitors with high potency against multiple drug resistant viral strains. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2005, 15, 5499-5503.	2.2	23
53	Establishment and Characterization of 7 New Monoclonal Antibodies to Tissue Inhibitor of Metalloproteinases-1. <i>Tumor Biology</i> , 2005, 26, 71-80.	1.8	23
54	Mutations Conferring Resistance to a Hepatitis C Virus (HCV) RNA-Dependent RNA Polymerase Inhibitor Alone or in Combination with an HCV Serine Protease Inhibitor In Vitro. <i>Antimicrobial Agents and Chemotherapy</i> , 2005, 49, 4305-4314.	3.2	124

#	ARTICLE	IF	CITATIONS
55	Structure-Based Characterization and Optimization of Novel Hydrophobic Binding Interactions in a Series of Pyrrolidine Influenza Neuraminidase Inhibitors. <i>Journal of Medicinal Chemistry</i> , 2005, 48, 3980-3990.	6.4	58
56	An Unusual Intramolecular Hetero-Diels-Alder Cycloaddition. <i>Journal of Organic Chemistry</i> , 2005, 70, 3332-3335.	3.2	3
57	Thienopyrimidine Ureas as Novel and Potent Multitargeted Receptor Tyrosine Kinase Inhibitors. <i>Journal of Medicinal Chemistry</i> , 2005, 48, 6066-6083.	6.4	153
58	Mutations Conferring Resistance to a Potent Hepatitis C Virus Serine Protease Inhibitor In Vitro. <i>Antimicrobial Agents and Chemotherapy</i> , 2004, 48, 2260-2266.	3.2	165
59	Conserved residues in the coiled-coil pocket of human immunodeficiency virus type 1 gp41 are essential for viral replication and interhelical interaction. <i>Virology</i> , 2004, 329, 319-327.	2.4	41
60	Isoindolinone ureas: a novel class of KDR kinase inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2004, 14, 4505-4509.	2.2	31
61	Formation, isolation and characterization of an AB-biaryl atropisomer of oritavancin. <i>Tetrahedron</i> , 2004, 60, 10611-10618.	1.9	3
62	An 'Inside-the-Box' Approach to Drug Resistance. <i>Chemistry and Biology</i> , 2004, 11, 1327-1328.	6.0	0
63	Interaction with the S1 ² -pocket of urokinase: 8-heterocycle substituted and 6,8-disubstituted 2-naphthamide urokinase inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2004, 14, 3063-3068.	2.2	14
64	Identification of Novel Binding Interactions in the Development of Potent, Selective 2-Naphthamide Inhibitors of Urokinase. Synthesis, Structural Analysis, and SAR of N-Phenyl Amide 6-Substitution. <i>Journal of Medicinal Chemistry</i> , 2004, 47, 303-324.	6.4	71
65	Interaction with the S1 ^β -pocket of urokinase: 8-heterocycle substituted and 6,8-disubstituted 2-naphthamide urokinase inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2004, 14, 3063-3068.	2.2	21
66	Characterization of resistant HIV variants generated by in vitro passage with lopinavir/ritonavir. <i>Antiviral Research</i> , 2003, 59, 173-180.	4.1	29
67	Corrigendum to "Design, Synthesis, and Neuraminidase Inhibitory Activity of GS-4071 Analogues that Utilize a Novel Hydrophobic Paradigm". <i>Bioorganic and Medicinal Chemistry Letters</i> , 2003, 13, 1837.	2.2	1
68	Influenza Neuraminidase Inhibitors: A Structure-Based Design of a Novel Inhibitor Series. <i>Biochemistry</i> , 2003, 42, 718-727.	2.5	113
69	In Vitro Selection and Characterization of Influenza A (A/N9) Virus Variants Resistant to a Novel Neuraminidase Inhibitor, A-315675. <i>Journal of Virology</i> , 2002, 76, 5380-5386.	3.4	49
70	Synthesis of an Influenza Neuraminidase Inhibitor Intermediate via a Highly Diastereoselective Coupling Reaction. <i>Organic Letters</i> , 2002, 4, 1427-1430.	4.6	22
71	Design, synthesis, and neuraminidase inhibitory activity of GS-4071 analogues that utilize a novel hydrophobic paradigm. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2002, 12, 3425-3429.	2.2	22
72	X-ray crystallographic structure of ABT-378 (Lopinavir) bound to HIV-1 protease. <i>Bioorganic and Medicinal Chemistry</i> , 2002, 10, 2803-2806.	3.0	96

#	ARTICLE	IF	CITATIONS
73	Species Specificity of Amidine-Based Urokinase Inhibitors. <i>Biochemistry</i> , 2001, 40, 9125-9131.	2.5	29
74	Design, Synthesis, and Structural Analysis of Influenza Neuraminidase Inhibitors Containing Pyrrolidine Cores. <i>Journal of Medicinal Chemistry</i> , 2001, 44, 1192-1201.	6.4	136
75	Structure-directed discovery of potent non-peptidic inhibitors of human urokinase that access a novel binding subsite. <i>Structure</i> , 2000, 8, 553-563.	3.3	56
76	The 2.2 Å... structure of the rRNA methyltransferase ErmC ² and its complexes with cofactor and cofactor analogs: implications for the reaction mechanism. <i>Journal of Molecular Biology</i> , 1999, 289, 277-291.	4.2	94
77	Discovery of a new cyclooxygenase-2 lead compound through 3-D database searching and combinatorial chemistry. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1998, 8, 529-534.	2.2	26
78	ABT-378, a Highly Potent Inhibitor of the Human Immunodeficiency Virus Protease. <i>Antimicrobial Agents and Chemotherapy</i> , 1998, 42, 3218-3224.	3.2	468
79	In Vitro Selection and Characterization of Human Immunodeficiency Virus Type 1 Variants with Increased Resistance to ABT-378, a Novel Protease Inhibitor. <i>Journal of Virology</i> , 1998, 72, 7532-7541.	3.4	152
80	Lack of stereospecificity in the binding of the P2 amino acid of ritonavir to HIV protease. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1997, 7, 699-704.	2.2	4
81	A Novel, Picomolar Inhibitor of Human Immunodeficiency Virus Type 1 Protease. <i>Journal of Medicinal Chemistry</i> , 1996, 39, 392-397.	6.4	70
82	Investigation into the diastereomeric composition of a pyruvamide dimer. <i>Journal of Heterocyclic Chemistry</i> , 1993, 30, 1153-1154.	2.6	1
83	Survey of the DNA binding properties of natural and synthetic polyamino compounds. <i>Journal of Physical Organic Chemistry</i> , 1992, 5, 461-466.	1.9	51
84	DOCKing ligands into receptors: The test case of β -chymotrypsin. <i>Tetrahedron Computer Methodology</i> , 1990, 3, 713-722.	0.2	12
85	New Shapes in HIV protease inhibitors. <i>Protein Engineering, Design and Selection</i> , 1990, 4, 1-2.	2.1	3
86	Computerized Probe Analysis of the Energetically Favored Binding Sites of an Aspartyl Protease. <i>Annals of the New York Academy of Sciences</i> , 1990, 616, 611-612.	3.8	0
87	Designed DNA Interactions. , 1990, , 75-80.		0
88	Molecular basis for potentiation of bleomycin-mediated degradation of DNA by polyamines. Experimental and molecular mechanical studies. <i>Journal of Molecular Recognition</i> , 1989, 2, 158-166.	2.1	46
89	The effect of structural changes in a polyamine backbone on its DNA-binding properties. <i>Biochemical and Biophysical Research Communications</i> , 1988, 152, 1441-1446.	2.1	54
90	Host-guest complexation. 42. Preorganization strongly enhances the tendency of hemispherands to form hemispheraplexes. <i>Journal of the American Chemical Society</i> , 1987, 109, 3098-3107.	13.7	92

#	ARTICLE	IF	CITATIONS
91	Host-guest complexation. 40. Synthesis and complexation of macrocyclic hosts containing cyclic ureas, anisyls, and steric barriers. <i>Journal of Organic Chemistry</i> , 1986, 51, 4327-4337.	3.2	11
92	The catalytic oxidation of dithiols by a semisynthetic enzyme. <i>Journal of the American Chemical Society</i> , 1986, 108, 3480-3483.	13.7	13
93	Complementary solutes enter nonpolar preorganized cavities in lipophilic noncomplementary media. <i>Journal of the American Chemical Society</i> , 1985, 107, 2574-2575.	13.7	71