Floriana Morgillo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6782352/publications.pdf

Version: 2024-02-01

81743 74018 6,074 116 39 75 citations g-index h-index papers 119 119 119 9919 docs citations times ranked citing authors all docs

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Chronic inflammation and oxidative stress in human carcinogenesis. International Journal of Cancer, 2007, 121, 2381-2386. | 2.3 | 809 |
| 2 | Implications for KRAS status and EGFR-targeted therapies in metastatic CRC. Nature Reviews Clinical Oncology, 2009, 6, 519-527. | 12.5 | 391 |
| 3 | Mechanisms of resistance to EGFR-targeted drugs: lung cancer. ESMO Open, 2016, 1, e000060. | 2.0 | 325 |
| 4 | Heterodimerization of Insulin-like Growth Factor Receptor/Epidermal Growth Factor Receptor and Induction of Survivin Expression Counteract the Antitumor Action of Erlotinib. Cancer Research, 2006, 66, 10100-10111. | 0.4 | 313 |
| 5 | Implication of the Insulin-like Growth Factor-IR Pathway in the Resistance of Non–small Cell Lung Cancer Cells to Treatment with Gefitinib. Clinical Cancer Research, 2007, 13, 2795-2803. | 3.2 | 248 |
| 6 | First-Line Erlotinib Followed by Second-Line Cisplatin-Gemcitabine Chemotherapy in Advanced Non–Small-Cell Lung Cancer: The TORCH Randomized Trial. Journal of Clinical Oncology, 2012, 30, 3002-3011. | 0.8 | 229 |
| 7 | Pulmonary Large-Cell Neuroendocrine Carcinoma: From Epidemiology to Therapy. Journal of Thoracic Oncology, 2015, 10, 1133-1141. | 0.5 | 212 |
| 8 | Increased TGF-α as a Mechanism of Acquired Resistance to the Anti-EGFR Inhibitor Cetuximab through EGFR–MET Interaction and Activation of MET Signaling in Colon Cancer Cells. Clinical Cancer Research, 2013, 19, 6751-6765. | 3.2 | 130 |
| 9 | Cancer resistance to therapies against the EGFR-RAS-RAF pathway: The role of MEK. Cancer Treatment Reviews, 2017, 53, 61-69. | 3.4 | 118 |
| 10 | Synergistic Effects of Metformin Treatment in Combination with Gefitinib, a Selective EGFR Tyrosine Kinase Inhibitor, in LKB1 Wild-type NSCLC Cell Lines. Clinical Cancer Research, 2013, 19, 3508-3519. | 3.2 | 106 |
| 11 | SMO Gene Amplification and Activation of the Hedgehog Pathway as Novel Mechanisms of Resistance to Anti-Epidermal Growth Factor Receptor Drugs in Human Lung Cancer. Clinical Cancer Research, 2015, 21, 4686-4697. | 3.2 | 103 |
| 12 | Hypoxia-inducible Factor $1\hat{1}$ and Antiangiogenic Activity of Farnesyltransferase Inhibitor SCH66336 in Human Aerodigestive Tract Cancer. Journal of the National Cancer Institute, 2005, 97, 1272-1286. | 3.0 | 101 |
| 13 | Elevated perioperative serum vascular endothelial growth factor levels in patients with colon carcinoma. Cancer, 2004, 100, 270-278. | 2.0 | 100 |
| 14 | Present and future of metastatic colorectal cancer treatment: A review of new candidate targets. World Journal of Gastroenterology, 2017, 23, 4675. | 1.4 | 91 |
| 15 | Primary and Acquired Resistance of Colorectal Cancer Cells to Anti-EGFR Antibodies Converge on MEK/ERK Pathway Activation and Can Be Overcome by Combined MEK/EGFR Inhibition. Clinical Cancer Research, 2014, 20, 3775-3786. | 3.2 | 89 |
| 16 | Therapeutic value of EGFR inhibition in CRC and NSCLC: 15â€years of clinical evidence. ESMO Open, 2016, 1, e000088. | 2.0 | 85 |
| 17 | Resistance to epidermal growth factor receptor-targeted therapy. Drug Resistance Updates, 2005, 8, 298-310. | 6.5 | 84 |
| 18 | Antitumor activity of pimasertib, a selective MEK 1/2 inhibitor, in combination with PI3K/mTOR inhibitors or with multiâ€targeted kinase inhibitors in pimasertibâ€resistant human lung and colorectal cancer cells. International Journal of Cancer, 2013, 133, 2089-2101. | 2.3 | 81 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 19 | Synergistic Antitumor Activity of Sorafenib in Combination with Epidermal Growth Factor Receptor Inhibitors in Colorectal and Lung Cancer Cells. Clinical Cancer Research, 2010, 16, 4990-5001. | 3.2 | 79 |
| 20 | HGF/MET and the Immune System: Relevance for Cancer Immunotherapy. International Journal of Molecular Sciences, 2018, 19, 3595. | 1.8 | 78 |
| 21 | Primary and acquired resistance to anti-EGFR targeted drugs in cancer therapy. Differentiation, 2007, 75, 788-799. | 1.0 | 72 |
| 22 | Control of post-thoracotomy pain by transcutaneous electrical nerve stimulation: effect on serum cytokine levels, visual analogue scale, pulmonary function and medication. European Journal of Cardio-thoracic Surgery, 2012, 41, 861-868. | 0.6 | 71 |
| 23 | Role and targeting of anaplastic lymphoma kinase in cancer. Molecular Cancer, 2018, 17, 30. | 7.9 | 71 |
| 24 | Elevated Serum Levels of Interleukin-8 in Advanced Non-Small Cell Lung Cancer Patients: Relationship with Prognosis. Journal of Interferon and Cytokine Research, 2002, 22, 1129-1135. | 0.5 | 70 |
| 25 | Carcinogenesis as a Result of Multiple Inflammatory and Oxidative Hits: a Comprehensive Review from Tumor Microenvironment to Gut Microbiota. Neoplasia, 2018, 20, 721-733. | 2.3 | 65 |
| 26 | Metformin: An old drug against old age and associated morbidities. Diabetes Research and Clinical Practice, 2020, 160, 108025. | 1.1 | 64 |
| 27 | Primary and Acquired Resistance of Colorectal Cancer to Anti-EGFR Monoclonal Antibody Can Be Overcome by Combined Treatment of Regorafenib with Cetuximab. Clinical Cancer Research, 2015, 21, 2975-2983. | 3.2 | 63 |
| 28 | Results of the safety run-in part of the METAL (METformin in Advanced Lung cancer) study: a multicentre, open-label phase l–II study of metformin with erlotinib in second-line therapy of patients with stage IV non-small-cell lung cancer. ESMO Open, 2017, 2, e000132. | 2.0 | 61 |
| 29 | Metformin increases antitumor activity of MEK inhibitors through GLI1 downregulation in LKB1 positive human NSCLC cancer cells. Oncotarget, 2016, 7, 4265-4278. | 0.8 | 58 |
| 30 | Antitumor activity of dual blockade of PD-L1 and MEK in NSCLC patients derived three-dimensional spheroid cultures. Journal of Experimental and Clinical Cancer Research, 2019, 38, 253. | 3.5 | 58 |
| 31 | EPHA2 Is a Predictive Biomarker of Resistance and a Potential Therapeutic Target for Improving Antiepidermal Growth Factor Receptor Therapy in Colorectal Cancer. Molecular Cancer Therapeutics, 2019, 18, 845-855. | 1.9 | 58 |
| 32 | Receptor tyrosine kinase-dependent PI3K activation is an escape mechanism to vertical suppression of the EGFR/RAS/MAPK pathway in KRAS-mutated human colorectal cancer cell lines. Journal of Experimental and Clinical Cancer Research, 2019, 38, 41. | 3.5 | 57 |
| 33 | The use of xenograft models for the selection of cancer treatments with the EGFR as an example. Critical Reviews in Oncology/Hematology, 2008, 65, 200-211. | 2.0 | 56 |
| 34 | Treatment of Advanced Non–Small-Cell Lung Cancer With Epidermal Growth Factor Receptor (EGFR) Mutation or ALK Gene Rearrangement: Results of an International Expert Panel Meeting of the Italian Association of Thoracic Oncology. Clinical Lung Cancer, 2014, 15, 173-181. | 1.1 | 56 |
| 35 | AXL is an oncotarget in human colorectal cancer. Oncotarget, 2015, 6, 23281-23296. | 0.8 | 55 |
| 36 | Implication of the Hedgehog pathway in hepatocellular carcinoma. World Journal of Gastroenterology, 2017, 23, 4330. | 1.4 | 54 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Immunotherapy for head and neck cancer: Present and future. Critical Reviews in Oncology/Hematology, 2022, 174, 103679. | 2.0 | 45 |
| 38 | Lonafarnib in cancer therapy. Expert Opinion on Investigational Drugs, 2006, 15, 709-719. | 1.9 | 44 |
| 39 | Vascular endothelial growth factor in pleural fluid for differential diagnosis of benign and malignant origin and its clinical applications. Interactive Cardiovascular and Thoracic Surgery, 2011, 12, 420-424. | 0.5 | 42 |
| 40 | Antitumor Activity of Sorafenib in Human Cancer Cell Lines with Acquired Resistance to EGFR and VEGFR Tyrosine Kinase Inhibitors. PLoS ONE, 2011, 6, e28841. | 1,1 | 40 |
| 41 | BEVERLY: Rationale and Design of a Randomized Open-Label Phase III Trial Comparing Bevacizumab Plus Erlotinib Versus Erlotinib Alone as First-Line Treatment of Patients With EGFR-Mutated Advanced Nonsquamous Non–Small-Cell Lung Cancer. Clinical Lung Cancer, 2016, 17, 461-465. | 1.1 | 37 |
| 42 | Clinical Practice Use of Liquid Biopsy to Identify RAS/BRAF Mutations in Patients with Metastatic Colorectal Cancer (mCRC): A Single Institution Experience. Cancers, 2019, 11, 1504. | 1.7 | 36 |
| 43 | Immune Checkpoint Blockade: A New Era for Non-Small Cell Lung Cancer. Current Oncology Reports, 2016, 18, 59. | 1.8 | 35 |
| 44 | Head and neck cancer: the role of anti-EGFR agents in the era of immunotherapy. Therapeutic Advances in Medical Oncology, 2021, 13, 175883592094941. | 1.4 | 35 |
| 45 | Synergistic antiâ€proliferative and proâ€apoptotic activity of combined therapy with bortezomib, a proteasome inhibitor, with antiâ€epidermal growth factor receptor (EGFR) drugs in human cancer cells. Journal of Cellular Physiology, 2008, 216, 698-707. | 2.0 | 33 |
| 46 | Efficacy of continuous EGFR-inhibition and role of Hedgehog in EGFR acquired resistance in human lung cancer cells with activating mutation of EGFR. Oncotarget, 2017, 8, 23020-23032. | 0.8 | 33 |
| 47 | Role of HGF–MET Signaling in Primary and Acquired Resistance to Targeted Therapies in Cancer. Biomedicines, 2014, 2, 345-358. | 1.4 | 30 |
| 48 | Type III or allosteric kinase inhibitors for the treatment of non-small cell lung cancer. Expert Opinion on Investigational Drugs, 2014, 23, 809-821. | 1.9 | 29 |
| 49 | Antitumor Efficacy of Dual Blockade of EGFR Signaling by Osimertinib in Combination With Selumetinib or Cetuximab in Activated EGFR Human NCLC Tumor Models. Journal of Thoracic Oncology, 2018, 13, 810-820. | 0.5 | 29 |
| 50 | The value of matrix metalloproteinase-9 and vascular endothelial growth factor receptor 1 pathway in diagnosing indeterminate pleural effusionâ€. Interactive Cardiovascular and Thoracic Surgery, 2013, 16, 263-269. | 0.5 | 28 |
| 51 | Activity and molecular targets of pioglitazone via blockade of proliferation, invasiveness and bioenergetics in human NSCLC. Journal of Experimental and Clinical Cancer Research, 2019, 38, 178. | 3.5 | 28 |
| 52 | Sequence-dependent, synergistic antiproliferative and proapoptotic effects of the combination of cytotoxic drugs and enzastaurin, a protein kinase \hat{Cl}^2 inhibitor, in non-small cell lung cancer cells. Molecular Cancer Therapeutics, 2008, 7, 1698-1707. | 1.9 | 27 |
| 53 | Clinical outcome and molecular characterisation of chemorefractory metastatic colorectal cancer patients with long-term efficacy of regorafenib treatment. ESMO Open, 2017, 2, e000177. | 2.0 | 27 |
| 54 | Regorafenib in combination with silybin as a novel potential strategy for the treatment of metastatic colorectal cancer. Oncotarget, 2017, 8, 68305-68316. | 0.8 | 27 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 55 | Emerging VEGF-receptor inhibitors for colorectal cancer. Expert Opinion on Emerging Drugs, 2013, 18, 25-37. | 1.0 | 26 |
| 56 | Kisspeptin and Cancer: Molecular Interaction, Biological Functions, and Future Perspectives. Frontiers in Endocrinology, 2018, 9, 115. | 1.5 | 26 |
| 57 | Ex vivo lung cancer spheroids resemble treatment response of a patient with NSCLC to chemotherapy and immunotherapy: case report and translational study. ESMO Open, 2019, 4, e000536. | 2.0 | 26 |
| 58 | Dual MET and SMO Negative Modulators Overcome Resistance to EGFR Inhibitors in Human Nonsmall Cell Lung Cancer. Journal of Medicinal Chemistry, 2017, 60, 7447-7458. | 2.9 | 25 |
| 59 | Induction of natural killer antibody-dependent cell cytotoxicity and of clinical activity of cetuximab plus avelumab in non-small cell lung cancer. ESMO Open, 2020, 5, e000753. | 2.0 | 25 |
| 60 | Addition of Bevacizumab to Erlotinib as First-Line Treatment of Patients With EGFR-Mutated Advanced Nonsquamous NSCLC: The BEVERLY Multicenter Randomized Phase 3 Trial. Journal of Thoracic Oncology, 2022, 17, 1086-1097. | 0.5 | 25 |
| 61 | Phosphatidylinositol 3-kinase (PI 3 KÎ \pm)/AKT axis blockade with taselisib or ipatasertib enhances the efficacy of anti-microtubule drugs in human breast cancer cells. Oncotarget, 2017, 8, 76479-76491. | 0.8 | 24 |
| 62 | Gut microbiota correlates with antitumor activity in patients with <scp>mCRC</scp> and <scp>NSCLC</scp> treated with cetuximab plus avelumab. International Journal of Cancer, 2022, 151, 473-480. | 2.3 | 24 |
| 63 | Cetuximab and gemcitabine in elderly or adult PS2 patients with advanced non-small-cell lung cancer: The cetuximab in advanced lung cancer (CALC1-E and CALC1-PS2) randomized phase II trials. Lung Cancer, 2010, 67, 86-92. | 0.9 | 23 |
| 64 | Quality of Life Analysis of TORCH, a Randomized Trial Testing First-Line Erlotinib Followed by Second-Line Cisplatin/Gemcitabine Chemotherapy in Advanced Non–Small-Cell Lung Cancer. Journal of Thoracic Oncology, 2012, 7, 1830-1844. | 0.5 | 23 |
| 65 | Metformin in lung cancer: rationale for a combination therapy. Expert Opinion on Investigational Drugs, 2013, 22, 1401-1409. | 1.9 | 23 |
| 66 | AXL is a predictor of poor survival and of resistance to anti-EGFR therapy in RAS wild-type metastatic colorectal cancer. European Journal of Cancer, 2020, 138, 1-10. | 1.3 | 23 |
| 67 | Immunotherapy in advanced Non-Small Cell Lung Cancer patients with poor performance status: The role of clinical-pathological variables and inflammatory biomarkers. Lung Cancer, 2021, 152, 165-173. | 0.9 | 23 |
| 68 | Beyond bevacizumab: new anti-VEGF strategies in colorectal cancer. Expert Opinion on Investigational Drugs, 2012, 21, 949-959. | 1.9 | 21 |
| 69 | Maintenance Treatment with Cetuximab and BAY86-9766 Increases Antitumor Efficacy of Irinotecan plus Cetuximab in Human Colorectal Cancer Xenograft Models. Clinical Cancer Research, 2015, 21, 4153-4164. | 3.2 | 21 |
| 70 | Baseline IFN- \hat{I}^3 and IL-10 expression in PBMCs could predict response to PD-1 checkpoint inhibitors in advanced melanoma patients. Scientific Reports, 2020, 10, 17626. | 1.6 | 20 |
| 71 | Resistance mechanisms of tumour cells to EGFR inhibitors. Clinical and Translational Oncology, 2009, 11, 270-275. | 1.2 | 19 |
| 72 | A Randomized Phase II Study of Pemetrexed or RAD001 as Second-Line Treatment of Advanced Non–Small-Cell Lung Cancer in Elderly Patients: Treatment Rationale and Protocol Dynamics. Clinical Lung Cancer, 2007, 8, 568-571. | 1.1 | 18 |

| # | Article | IF | CITATIONS |
|------------|---|--------------|-----------|
| 73 | Weekly Chemotherapy with Cisplatin and Paclitaxel and Concurrent Radiation Therapy as Preoperative Treatment in Locally Advanced Esophageal Cancer: A Phase II Study. Cancer Investigation, 2010, 28, 820-827. | 0.6 | 18 |
| 74 | Combined blockade of MEK and PI3KCA as an effective antitumor strategy in HER2 gene amplified human colorectal cancer models. Journal of Experimental and Clinical Cancer Research, 2019, 38, 236. | 3.5 | 17 |
| 7 5 | A Multicenter, Open-Label Phase II Study of Metformin With Erlotinib in Second-Line Therapy of Stage IV Non–Small-Cell Lung Cancer Patients: Treatment Rationale and Protocol Dynamics of the METAL Trial. Clinical Lung Cancer, 2015, 16, 57-59. | 1.1 | 16 |
| 76 | Urtica dioica L. inhibits proliferation and enhances cisplatin cytotoxicity in NSCLC cells via Endoplasmic Reticulum-stress mediated apoptosis. Scientific Reports, 2019, 9, 4986. | 1.6 | 15 |
| 77 | Therapeutic efficacy of SYM004, a mixture of two anti-EGFR antibodies in human colorectal cancer with acquired resistance to cetuximab and MET activation. Oncotarget, 2017, 8, 67592-67604. | 0.8 | 15 |
| 78 | Vulnerability to low-dose combination of irinotecan and niraparib in ATM-mutated colorectal cancer. Journal of Experimental and Clinical Cancer Research, 2021, 40, 15. | 3 . 5 | 13 |
| 79 | Which treatment after first line therapy in NSCLC patients without genetic alterations in the era of immunotherapy?. Critical Reviews in Oncology/Hematology, 2022, 169, 103538. | 2.0 | 13 |
| 80 | How I treat malignant pleural mesothelioma. ESMO Open, 2019, 4, e000669. | 2.0 | 12 |
| 81 | Targeted approach to metastatic colorectal cancer: what comes beyond epidermal growth factor receptor antibodies and bevacizumab?. Therapeutic Advances in Medical Oncology, 2013, 5, 51-72. | 1.4 | 11 |
| 82 | Conversion chemotherapy followed by hepatic resection in colorectal cancer with initially unresectable liver-limited metastases. Oncology Reports, 2013, 30, 2992-2998. | 1.2 | 11 |
| 83 | Therapies in the pipeline for small-cell lung cancer: Table 1. British Medical Bulletin, 2016, 119, 37-48. | 2.7 | 11 |
| 84 | Feasibility of next-generation sequencing in clinical practice: results of a pilot study in the Department of Precision Medicine at the University of Campania †Luigi Vanvitelli'. ESMO Open, 2020, 5, e000675. | 2.0 | 11 |
| 85 | Chemotherapy-induced neutropenia and treatment efficacy in advanced non-small-cell lung cancer: a pooled analysis of 6 randomized trials. BMC Cancer, 2021, 21, 549. | 1.1 | 10 |
| 86 | Antitumor efficacy of Kisspeptin in human malignant mesothelioma cells. Oncotarget, 2018, 9, 19273-19282. | 0.8 | 10 |
| 87 | Role of mesenchymal-epithelial transition amplification in resistance to anti-epidermal growth factor receptor agents. Annals of Translational Medicine, 2015, 3, 81. | 0.7 | 9 |
| 88 | Antitumor efficacy of triple monoclonal antibody inhibition of epidermal growth factor receptor (EGFR) with MM151 in EGFR-dependent and in cetuximab-resistant human colorectal cancer cells. Oncotarget, 2017, 8, 82773-82783. | 0.8 | 8 |
| 89 | <p>Nivolumab in Heavily Pretreated Metastatic Gastric Cancer Patients: Real-Life Data from a Western Population</p> . OncoTargets and Therapy, 2020, Volume 13, 867-876. | 1.0 | 8 |
| 90 | Dual inhibition of $TGF\hat{l}^2$ and AXL as a novel therapy for human colorectal adenocarcinoma with mesenchymal phenotype. Medical Oncology, 2021, 38, 24. | 1.2 | 7 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Anti-tumor activity of cetuximab plus avelumab in non-small cell lung cancer patients involves innate immunity activation: findings from the CAVE-Lung trial. Journal of Experimental and Clinical Cancer Research, 2022, 41, 109. | 3.5 | 7 |
| 92 | Pembrolizumab monotherapy in advanced NSCLC patients with low PD-L1 expression: is there real evidence?. Translational Cancer Research, 2019, 8, S618-S620. | 0.4 | 6 |
| 93 | Epidermal growth factor receptor inhibitors in non-small-cell lung cancer. Expert Opinion on Drug Discovery, 2007, 2, 335-348. | 2.5 | 5 |
| 94 | Critical appraisal of the use of regorafenib in the management of colorectal cancer. Cancer Management and Research, 2013, 5, 49. | 0.9 | 5 |
| 95 | Effect on quality of life of cisplatin added to single-agent chemotherapy as first-line treatment for elderly patients with advanced non-small cell lung cancer: Joint analysis of MILES-3 and MILES-4 randomised phase 3 trials. Lung Cancer, 2019, 133, 62-68. | 0.9 | 5 |
| 96 | Combination of epidermal growth factor receptor inhibitors and antiangiogenic drugs: a model for treatment. Targeted Oncology, 2006, 1, 123-129. | 1.7 | 4 |
| 97 | Asymptomatic azygos vein overflow in a young patient with primary mediastinal seminoma. Thoracic Cancer, 2019, 10, 2308-2311. | 0.8 | 3 |
| 98 | Hypothalamic–Pituitary Autoimmunity in Patients Treated with Anti-PD-1 and Anti-PD-L1 Antibodies. Cancers, 2021, 13, 4036. | 1.7 | 3 |
| 99 | Efficacy and safety of immunotherapy in non-small cell lung cancer patients with poor performance status Journal of Clinical Oncology, 2020, 38, e21601-e21601. | 0.8 | 3 |
| 100 | A Trimodality, Four-Step Treatment including Chemotherapy, Pleurectomy/Decortication and Radiotherapy in Early-Stage Malignant Pleural Mesothelioma: A Single-Institution Retrospective Case Series Study. Cancers, 2022, 14, 142. | 1.7 | 3 |
| 101 | Combination of Standard Chemotherapy and Targeted Agents. Journal of Thoracic Oncology, 2007, 2, S19-S23. | 0.5 | 2 |
| 102 | ILK and SHP2 expression identify a poor prognostic cohort of EGFR-mutant lung cancer. EBioMedicine, 2019, 39, 5-6. | 2.7 | 2 |
| 103 | Combination of Anti-EGFR Drugs and Other Molecular Targeted Agents as Anti-Cancer Strategy. Current Cancer Therapy Reviews, 2007, 3, 117-126. | 0.2 | 0 |
| 104 | Mechanisms of Intrinsic and Acquired Resistance to EGFR Inhibitors. Current Cancer Therapy Reviews, 2007, 3, 276-283. | 0.2 | 0 |
| 105 | Delivery optimization of erlotinib according to toxicity: May clinical practice go beyond research?. Lung Cancer, 2013, 80, 352-353. | 0.9 | 0 |
| 106 | Small bowel metastasis from pancreatic cancer in a long-term survival patient with synchronous advanced malignant pleural mesothelioma: A case report and literature review. Oncology Letters, 2016, 12, 4505-4509. | 0.8 | 0 |
| 107 | Complete response to capecitabine in a frail, elderly patient with metastatic colorectal cancer: A case report. Oncology Letters, 2017, 13, 979-983. | 0.8 | 0 |
| 108 | Adjuvant treatment with EGFR TKI in resected non-small cell lung cancer with EGFR mutation: all that glitters is not gold!. Annals of Translational Medicine, 2020, 8, 1199-1199. | 0.7 | 0 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Analysis of DNA from liquid biopsy: new genetic biomarkers for cancer immunotherapy?. Exploration of Targeted Anti-tumor Therapy, 0, , . | 0.5 | O |
| 110 | PercuTwist tracheostomy in an intubated patient with tracheal stent. Asian Cardiovascular and Thoracic Annals, 2021, 29, 431-433. | 0.2 | 0 |
| 111 | Trastuzumab Resistance in Breast Cancer. , 2011, , 51-60. | | 0 |
| 112 | Basic Science of Lung Cancer in Older Patients. , 2013, , 3-12. | | 0 |
| 113 | Incidence and prognostic significance of HER2 overexpression in gastric cancer (GC): A monoinstitutional retrospective analysis Journal of Clinical Oncology, 2014, 32, 160-160. | 0.8 | O |
| 114 | Postoperative chemoradiation FOLFOX 4-based for R1 resected gastric cancer: A retrospective mono-institutional study Journal of Clinical Oncology, 2014, 32, 143-143. | 0.8 | 0 |
| 115 | Combination nab-paclitaxel (Nab-P) plus gemcitabine (G) as first-line treatment in advanced pancreatic cancer (APC): Our experience Journal of Clinical Oncology, 2014, 32, e15257-e15257. | 0.8 | 0 |
| 116 | Baseline neutrophil-lymphocyte ratio as a prognostic factor for patients with resectable gastric cancer undergoing adjuvant chemotherapy Journal of Clinical Oncology, 2015, 33, e15018-e15018. | 0.8 | 0 |