
James F Thrasher

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/678558/publications.pdf Version: 2024-02-01



INMES F THDASHED

#	Article	IF	CITATIONS
1	Prevalence of vaping and smoking among adolescents in Canada, England, and the United States: repeat national cross sectional surveys. BMJ: British Medical Journal, 2019, 365, l2219.	2.3	217
2	Examining the relationship of vaping to smoking initiation among US youth and young adults: a reality check. Tobacco Control, 2019, 28, 629-635.	3.2	155
3	Cigarette Warning Label Policy Alternatives and Smoking-Related Health Disparities. American Journal of Preventive Medicine, 2012, 43, 590-600.	3.0	147
4	Can pictorial warning labels on cigarette packages address smoking-related health disparities? Field experiments in Mexico to assess pictorial warning label content. Cancer Causes and Control, 2012, 23, 69-80.	1.8	141
5	Path analysis of warning label effects on negative emotions and quit attempts: A longitudinal study of smokers in Australia, Canada, Mexico, and the US. Social Science and Medicine, 2018, 197, 226-234.	3.8	103
6	Mediational pathways of the impact of cigarette warning labels on quit attempts Health Psychology, 2014, 33, 1410-1420.	1.6	102
7	Smoke-free policies and the social acceptability of smoking in Uruguay and Mexico: Findings from the International Tobacco Control Policy Evaluation Project. Nicotine and Tobacco Research, 2009, 11, 591-599.	2.6	85
8	Influences of Self-Efficacy, Response Efficacy, and Reactance on Responses to Cigarette Health Warnings: A Longitudinal Study of Adult Smokers in Australia and Canada. Health Communication, 2016, 31, 1517-1526.	3.1	80
9	A longitudinal study of electronic cigarette use and onset of conventional cigarette smoking and marijuana use among Mexican adolescents. Drug and Alcohol Dependence, 2017, 180, 427-430.	3.2	76
10	Methods of the ITC Four Country Smoking and Vaping Survey, wave 1 (2016). Addiction, 2019, 114, 6-14.	3.3	74
11	Reasons for regular vaping and for its discontinuation among smokers and recent exâ€smokers: findings from the 2016 ITC Four Country Smoking and Vaping Survey. Addiction, 2019, 114, 35-48.	3.3	74
12	Policy Support, Norms, and Secondhand Smoke Exposure Before and After Implementation of a Comprehensive Smoke-Free Law in Mexico City. American Journal of Public Health, 2010, 100, 1789-1798.	2.7	72
13	Cigarette brands with flavour capsules in the filter: trends in use and brand perceptions among smokers in the USA, Mexico and Australia, 2012–2014. Tobacco Control, 2016, 25, 275-283.	3.2	72
14	Tobacco Quit Intentions and Behaviors among Cigar Smokers in the United States in Response to COVID-19. International Journal of Environmental Research and Public Health, 2020, 17, 5368.	2.6	72
15	Water pipe tobacco smoking in the United States: Findings from the National Adult Tobacco Survey. Preventive Medicine, 2015, 71, 88-93.	3.4	68
16	Prevalence and Correlates of E-Cigarette Perceptions and Trial Among Early Adolescents in Mexico. Journal of Adolescent Health, 2016, 58, 358-365.	2.5	66
17	Socioeconomic status and smokers' number of smoking friends: Findings from the International Tobacco Control (ITC) Four Country Survey. Drug and Alcohol Dependence, 2014, 143, 158-166.	3.2	64
18	Identification and evaluation of risk of generalizability biases in pilot versus efficacy/effectiveness trials: a systematic review and meta-analysis. International Journal of Behavioral Nutrition and Physical Activity, 2020, 17, 19.	4.6	64

#	Article	IF	CITATIONS
19	The relation between number of smoking friends, and quit intentions, attempts, and success: Findings from the International Tobacco Control (ITC) Four Country Survey Psychology of Addictive Behaviors, 2014, 28, 1144-1152.	2.1	62
20	Evaluation of a Social Marketing Campaign to Support Mexico City's Comprehensive Smoke-Free Law. American Journal of Public Health, 2011, 101, 328-335.	2.7	60
21	Self-reported price of cigarettes, consumption and compensatory behaviours in a cohort of Mexican smokers before and after a cigarette tax increase. Tobacco Control, 2010, 19, 481-487.	3.2	50
22	Linking mass media campaigns to pictorial warning labels on cigarette packages: a cross-sectional study to evaluate effects among Mexican smokers. Tobacco Control, 2013, 22, e57-e65.	3.2	50
23	Effectiveness of health warnings for waterpipe tobacco smoking among college students. International Journal of Public Health, 2016, 61, 709-715.	2.3	50
24	Flavour capsule cigarettes continue to experience strong global growth. Tobacco Control, 2019, 28, 595-596.	3.2	50
25	Pictorial health warning label content and smokers' understanding of smoking-related risksa cross-country comparison. Health Education Research, 2015, 30, 35-45.	1.9	49
26	Cigarette package inserts can promote efficacy beliefs and sustained smoking cessation attempts: A longitudinal assessment of an innovative policy in Canada. Preventive Medicine, 2016, 88, 59-65.	3.4	49
27	Level of cigarette consumption and quit behavior in a population of low-intensity smokers—Longitudinal results from the International Tobacco Control (ITC) survey in Mexico. Addictive Behaviors, 2013, 38, 1958-1965.	3.0	46
28	Geographic Proximity of Waterpipe Smoking Establishments to Colleges in the U.S American Journal of Preventive Medicine, 2016, 50, e9-e14.	3.0	44
29	The U.S. National <i>Tips From Former Smokers</i> Antismoking Campaign. Health Education and Behavior, 2015, 42, 480-486.	2.5	43
30	Market share for flavour capsule cigarettes is quickly growing, especially in Latin America. Tobacco Control, 2017, 26, 468-470.	3.2	42
31	Interpersonal communication about pictorial health warnings on cigarette packages: Policy-related influences and relationships with smoking cessation attempts. Social Science and Medicine, 2016, 164, 141-149.	3.8	41
32	Advancing Tobacco Product Warning Labels Research Methods and Theory: A Summary of a Grantee Meeting Held by the US National Cancer Institute. Nicotine and Tobacco Research, 2019, 21, 855-862.	2.6	41
33	The Use of Cigarette Package Inserts to Supplement Pictorial Health Warnings: An Evaluation of the Canadian Policy. Nicotine and Tobacco Research, 2015, 17, 870-875.	2.6	39
34	Eliciting preferences for waterpipe tobacco smoking using a discrete choice experiment: implications for product regulation. BMJ Open, 2015, 5, e009497.	1.9	39
35	Patterns of Waterpipe Tobacco Smoking Among U.S. Young Adults, 2013â^'2014. American Journal of Preventive Medicine, 2017, 52, 507-512.	3.0	39
36	Smokers' reactions to the new larger health warning labels on plain cigarette packs in Australia: findings from the ITC Australia project. Tobacco Control, 2016, 25, 181-187.	3.2	38

#	Article	IF	CITATIONS
37	Social norms as a predictor of smoking uptake among youth: a systematic review, metaâ€analysis and metaâ€regression of prospective cohort studies. Addiction, 2021, 116, 2953-2967.	3.3	38
38	Youth self-reported exposure to and perceptions of vaping advertisements: Findings from the 2017 International Tobacco Control Youth Tobacco and Vaping Survey. Preventive Medicine, 2019, 126, 105775.	3.4	37
39	The Power of Product Innovation: Smokers' Perceptions of Capsule Cigarettes. Nicotine and Tobacco Research, 2018, 20, 1157-1160.	2.6	36
40	Are the Same Health Warnings Effective Across Different Countries? An Experimental Study in Seven Countries. Nicotine and Tobacco Research, 2019, 21, 887-895.	2.6	36
41	Perceptions of Harmfulness of Heated Tobacco Products Compared to Combustible Cigarettes among Adult Smokers in Japan: Findings from the 2018 ITC Japan Survey. International Journal of Environmental Research and Public Health, 2020, 17, 2394.	2.6	35
42	Waterpipe Tobacco Smoking and Susceptibility to Cigarette Smoking Among Young Adults in the United States, 2012–2013. Preventing Chronic Disease, 2016, 13, E24.	3.4	34
43	Tax, price and cigarette brand preferences: a longitudinal study of adult smokers from the ITC Mexico Survey. Tobacco Control, 2014, 23, i80-i85.	3.2	33
44	Patterns of awareness and use of electronic cigarettes in Mexico, a middle-income country that bans them: Results from a 2016 national survey. Preventive Medicine, 2018, 116, 211-218.	3.4	32
45	"Technophiliaâ€ŧ A new risk factor for electronic cigarette use among early adolescents?. Addictive Behaviors, 2019, 91, 193-200.	3.0	31
46	International differences in patterns of cannabis use among adult cigarette smokers: Findings from the 2018 ITC Four Country Smoking and Vaping Survey. International Journal of Drug Policy, 2020, 79, 102754.	3.3	31
47	US Smokers' Beliefs, Experiences and Perceptions of Different Cigarette Variants Before and After the FSPTCA Ban on Misleading Descriptors Such as "Light,―"Mild,―or "Low― Nicotine and Tobacco Research, 2016, 18, 2115-2123.	2.6	30
48	Young adult susceptible non-smokers' and smokers' responses to capsule cigarettes. Tobacco Control, 2019, 28, 498-505.	3.2	30
49	Trends in e-cigarette brands, devices and the nicotine profile of products used by youth in England, Canada and the USA: 2017–2019. Tobacco Control, 2023, 32, 19-29.	3.2	30
50	The impact of the 2009/2010 enhancement of cigarette health warning labels in Uruguay: longitudinal findings from the International Tobacco Control (ITC) Uruguay Survey. Tobacco Control, 2016, 25, tobaccocontrol-2014-051742.	3.2	29
51	Longer term impact of cigarette package warnings in Australia compared with the United Kingdom and Canada. Health Education Research, 2015, 30, 67-80.	1.9	29
52	Australian smokers' support for plain or standardised packs before and after implementation: findings from the ITC Four Country Survey. Tobacco Control, 2015, 24, 616-621.	3.2	29
53	Stages of change of the readiness to quit smoking among a random sample of minority Arab -male smokers in Israel. BMC Public Health, 2015, 15, 672.	2.9	29
54	Over-Time Impacts of Pictorial Health Warning Labels and their Differences across Smoker Subgroups: Results from Adult Smokers in Canada and Australia. Nicotine and Tobacco Research, 2018, 20, 888-896.	2.6	29

#	Article	IF	CITATIONS
55	Promoting cessation resources through cigarette package warning labels: a longitudinal survey with adult smokers in Canada, Australia and Mexico. Tobacco Control, 2015, 24, e23-e31.	3.2	28
56	The impact and relevance of tobacco control research in low-and middle-income countries globally and to the US. Addictive Behaviors, 2018, 87, 162-168.	3.0	27
57	Socioeconomic patterns of smoking cessation behavior in low and middle-income countries: Emerging evidence from the Global Adult Tobacco Surveys and International Tobacco Control Surveys. PLoS ONE, 2019, 14, e0220223.	2.5	27
58	Use of Cigarettes With Flavor-Changing Capsules Among Smokers in the United Kingdom: An Online Survey. Nicotine and Tobacco Research, 2019, 21, 1547-1555.	2.6	27
59	Impact of the 'Giving Cigarettes is Giving Harm' campaign on knowledge and attitudes of Chinese smokers. Tobacco Control, 2015, 24, iv28-iv34.	3.2	26
60	Effects of 30% and 50% Cigarette Pack Graphic Warning Labels on Visual Attention, Negative Affect, Quit Intentions, and Smoking Susceptibility among Disadvantaged Populations in the United States. Nicotine and Tobacco Research, 2018, 20, 859-866.	2.6	26
61	Assessing Smoking Cessation Messages with a Discrete Choice Experiment. Tobacco Regulatory Science (discontinued), 2018, 4, 73-87.	0.2	26
62	Differential impact of local and federal smoke-free legislation in Mexico: a longitudinal study among adult smokers. Salud Publica De Mexico, 2010, 52, S244-S253.	0.4	26
63	A Mobile Smoking Cessation Intervention for Mexico (Vive sin Tabaco ¡DecÃdete!): Single-Arm Pilot Study. JMIR MHealth and UHealth, 2019, 7, e12482.	3.7	26
64	Perceived justice and popular support for public health laws: A case study around comprehensive smoke-free legislation in Mexico City. Social Science and Medicine, 2010, 70, 787-793.	3.8	25
65	Nicotine Metabolite Ratio (NMR) Prospectively Predicts Smoking Relapse: Longitudinal Findings From ITC Surveys in Five Countries. Nicotine and Tobacco Research, 2017, 19, 1040-1047.	2.6	25
66	Social norms towards smoking and vaping and associations with product use among youth in England, Canada, and the US. Drug and Alcohol Dependence, 2019, 205, 107635.	3.2	24
67	Flavour capsule heat-sticks for heated tobacco products. Tobacco Control, 2019, 28, e158-e159.	3.2	24
68	Consumption of single cigarettes and quitting behavior: A longitudinal analysis of Mexican smokers. BMC Public Health, 2011, 11, 134.	2.9	23
69	The predictive utility of micro indicators of concern about smoking: Findings from the International Tobacco Control Four Country study. Addictive Behaviors, 2014, 39, 1235-1242.	3.0	23
70	Smoking trends in Mexico, 2002–2016: before and after the ratification of the WHO's Framework Convention on Tobacco Control. Tobacco Control, 2020, 29, tobaccocontrol-2019-055153.	3.2	22
71	Tobacco smoke exposure in public places and workplaces after smoke-free policy implementation: a longitudinal analysis of smoker cohorts in Mexico and Uruguay. Health Policy and Planning, 2013, 28, 789-798.	2.7	21
72	Physician Advice for e-Cigarette Use. Journal of the American Board of Family Medicine, 2016, 29, 741-747.	1.5	21

#	Article	IF	CITATIONS
73	The role of negative affect and message credibility in perceived effectiveness of smokeless tobacco health warning labels in Navi Mumbai, India and Dhaka, Bangladesh: A moderated-mediation analysis. Addictive Behaviors, 2017, 73, 22-29.	3.0	21
74	Smoking in Movies and Adolescent Smoking Initiation: A Longitudinal Study among Argentinian Adolescents. Journal of Pediatrics, 2017, 180, 222-228.	1.8	21
75	Age of smoking initiation among adolescents in Africa. International Journal of Public Health, 2017, 62, 63-72.	2.3	21
76	Genome-Wide Association Study of Heavy Smoking and Daily/Nondaily Smoking in the Hispanic Community Health Study/Study of Latinos (HCHS/SOL). Nicotine and Tobacco Research, 2018, 20, 448-457.	2.6	21
77	E-cigarette use frequency and motivations among current users in middle school. Drug and Alcohol Dependence, 2019, 204, 107585.	3.2	21
78	Prevalence and predictors of e-cigarette trial among adolescents in Argentina. Tobacco Prevention and Cessation, 2016, 2, .	0.4	21
79	Mistrusting Companies, Mistrusting the Tobacco Industry: Clarifying the Context of Tobacco Prevention Efforts That Focus on the Tobacco Industry. Journal of Health and Social Behavior, 2006, 47, 406-422.	4.8	20
80	Neural biomarkers for assessing different types of imagery in pictorial health warning labels for cigarette packaging: a cross-sectional study. BMJ Open, 2014, 4, e006411.	1.9	20
81	Smoking-related thoughts and microbehaviours, and their predictive power for quitting. Tobacco Control, 2015, 24, 354-361.	3.2	20
82	Neural response to pictorial health warning labels can predict smoking behavioral change. Social Cognitive and Affective Neuroscience, 2016, 11, 1802-1811.	3.0	20
83	Educational differences in the impact of pictorial cigarette warning labels on smokers: findings from the International Tobacco Control (ITC) Europe surveys. Tobacco Control, 2016, 25, 325-332.	3.2	20
84	Evaluating the validity of self-reported smoking in Mexican adolescents. BMJ Open, 2015, 5, e007485.	1.9	19
85	Filter presence and tipping paper color influence consumer perceptions of cigarettes. BMC Public Health, 2015, 15, 1279.	2.9	19
86	Neighbourhood deprivation and smoking and quit behaviour among smokers in Mexico: findings from the ITC Mexico Survey. Tobacco Control, 2015, 24, iii56-iii63.	3.2	18
87	Predictive and External Validity of a Pre-Market Study to Determine the Most Effective Pictorial Health Warning Label Content for Cigarette Packages. Nicotine and Tobacco Research, 2016, 18, 1376-1381.	2.6	18
88	Delphi study among international expert panel to develop waterpipe-specific health warning labels. Tobacco Control, 2020, 29, tobaccocontrol-2018-054718.	3.2	18
89	Adult Smokers' Responses to "Corrective Statements―Regarding Tobacco Industry Deception. American Journal of Preventive Medicine, 2014, 47, 26-36.	3.0	17
90	Increasing availability and consumption of single cigarettes: trends and implications for smoking cessation from the ITC Mexico Survey. Tobacco Control, 2015, 24, iii64-iii70.	3.2	17

#	Article	IF	CITATIONS
91	Does neighborhood social cohesion modify the relationship between neighborhood social norms and smoking behaviors in Mexico?. Health and Place, 2016, 40, 145-152.	3.3	17
92	Discussions between health professionals and smokers about nicotine vaping products: results from the 2016 ITC Four Country Smoking and Vaping Survey. Addiction, 2019, 114, 71-85.	3.3	17
93	Individual-level determinants of waterpipe smoking demand in four Eastern-Mediterranean countries. Health Promotion International, 2019, 34, 1157-1166.	1.8	17
94	Detecting Smoking Events Using Accelerometer Data Collected Via Smartwatch Technology: Validation Study. JMIR MHealth and UHealth, 2017, 5, e189.	3.7	17
95	Achievements, challenges, priorities and needs to address the current tobacco epidemic in Latin America. Tobacco Control, 2022, 31, 138-141.	3.2	17
96	Exposure to Negative News Stories About Vaping, and Harm Perceptions of Vaping, Among Youth in England, Canada, and the United States Before and After the Outbreak of E-cigarette or Vaping-Associated Lung Injury (â€̃EVALI'). Nicotine and Tobacco Research, 2022, 24, 1386-1395.	2.6	17
97	Are movies with tobacco, alcohol, drugs, sex, and violence rated for youth? A comparison of rating systems in Argentina, Brazil, Mexico, and the United States. International Journal of Drug Policy, 2014, 25, 267-275.	3.3	16
98	Parental Style and Its Association With Substance Use in Argentinean Youth. Substance Use and Misuse, 2017, 52, 518-526.	1.4	16
99	Media Coverage of Smoke-Free Policies After Their Innovation. Journal of Health Communication, 2015, 20, 297-305.	2.4	15
100	Evaluation of strategies to communicate harmful and potentially harmful constituent (HPHC) information through cigarette package inserts: a discrete choice experiment. Tobacco Control, 2018, 27, 677-683.	3.2	15
101	Banning tobacco price promotions, smoking-related beliefs and behaviour: findings from the International Tobacco Control Four Country (ITC 4C) Survey. Tobacco Control, 2018, 27, 310-318.	3.2	15
102	Parental Restriction of Mature-rated Media and Its Association With Substance Use Among Argentinean Adolescents. Academic Pediatrics, 2016, 16, 282-289.	2.0	14
103	Smoking-Related Stigma: A Public Health Tool or a Damaging Force?. Nicotine and Tobacco Research, 2020, 22, 96-103.	2.6	14
104	Awareness of Marketing of Heated Tobacco Products and Cigarettes and Support for Tobacco Marketing Restrictions in Japan: Findings from the 2018 International Tobacco Control (ITC) Japan Survey. International Journal of Environmental Research and Public Health, 2020, 17, 8418.	2.6	14
105	â€~It brings light to what you really put into your body': a focus group study of reactions to messages about nicotine reduction in cigarettes. Tobacco Control, 2022, 31, 649-654.	3.2	14
106	The Conceptual Framework for the International Food Policy Study: Evaluating the Population-Level Impact of Food Policy. Journal of Nutrition, 2022, 152, 1S-12S.	2.9	14
107	Exploring the effectiveness of cigarette warning labels: findings from the United States and United Kingdom arms of the International Tobacco Control (ITC) Four Country Survey. International Journal of Nonprofit and Voluntary Sector Marketing, 2008, 13, 263-274.	0.8	13
108	The impact of product information and trials on demand for smokeless tobacco and cigarettes: Evidence from experimental auctions. Preventive Medicine, 2014, 60, 3-9.	3.4	13

#	Article	IF	CITATIONS
109	The impact of neighbourhood violence and social cohesion on smoking behaviours among a cohort of smokers in Mexico. Journal of Epidemiology and Community Health, 2015, 69, 1083-1090.	3.7	13
110	Differences in norms towards the use of nicotine vaping products among adult smokers, former smokers and nicotine vaping product users: crossâ€sectional findings from the 2016 ITC Four Country Smoking and Vaping Survey. Addiction, 2019, 114, 97-106.	3.3	13
111	Cross-sectional study on the awareness, susceptibility and use of heated tobacco products among adolescents in Guatemala City, Guatemala. BMJ Open, 2020, 10, e039792.	1.9	13
112	Attention and Recall of Point-of-sale Tobacco Marketing: A Mobile Eye-Tracking Pilot Study. AIMS Public Health, 2016, 3, 13-24.	2.6	13
113	Perceptions of branded and plain cigarette packaging among Mexican youth. Health Promotion International, 2017, 32, dav117.	1.8	12
114	Smoke-Free Policies and Smoking Cessation in the United States, 2003–2015. International Journal of Environmental Research and Public Health, 2019, 16, 3200.	2.6	12
115	E-cigarette use and its association with smoking reduction and cessation intentions among Mexican smokers. Salud Publica De Mexico, 2019, 61, 276.	0.4	12
116	Remote Acculturation and Cigarette Smoking Susceptibility Among Youth in Mexico. Journal of Cross-Cultural Psychology, 2019, 50, 63-79.	1.6	12
117	Addicted to smoking or addicted to nicotine? A focus group study on perceptions of nicotine and addiction among US adult current smokers, former smokers, nonâ€smokers and dual users of cigarettes and eâ€cigarettes. Addiction, 2022, 117, 472-481.	3.3	12
118	Factors associated with changing cigarette consumption patterns among low-intensity smokers: Longitudinal findings across four waves (2008–2012) of ITC Mexico Survey. Addictive Behaviors Reports, 2018, 8, 154-163.	1.9	11
119	Effects of tobacco product type and characteristics on appeal and perceived harm: Results from a discrete choice experiment among Guatemalan adolescents. Preventive Medicine, 2021, 148, 106590.	3.4	11
120	Investigating the Impact of Menu Labeling on Revenue and Profit in a Foodservice Operation. Journal of Foodservice Business Research, 2014, 17, 215-227.	2.3	10
121	Cigarette price and other factors associated with brand choice and brand loyalty in Zambia: findings from the ITC Zambia Survey. Tobacco Control, 2015, 24, iii33-iii40.	3.2	10
122	Risk factors associated with tobacco, alcohol and drug use among adolescents attending secondary school in three cities from Argentina. Archivos Argentinos De Pediatria, 2017, 115, 155-158.	0.2	10
123	Smoking susceptibility as a predictive measure of cigarette and e-cigarette use among early adolescents. Salud Publica De Mexico, 2018, 60, 423.	0.4	10
124	Exposure to and perceptions of health warning labels on nicotine vaping products: findings from the 2016 International Tobacco Control Four Country Smoking and Vaping Survey. Addiction, 2019, 114, 134-143.	3.3	10
125	Cigarette taxes, prices, and disparities in current smoking in the United States. SSM - Population Health, 2020, 12, 100686.	2.7	10
126	Estimated Prevalence of Smoking and Smoking-Attributable Mortality Associated With Graphic Health Warnings on Cigarette Packages in the US From 2022 to 2100. JAMA Health Forum, 2021, 2, e212852.	2.2	10

#	Article	IF	CITATIONS
127	Effects of tobacco control policies on smoking prevalence and tobacco-attributable deaths in Mexico: the SimSmoke model. Revista Panamericana De Salud Publica/Pan American Journal of Public Health, 2015, 38, 316-25.	1.1	10
128	Portrayals of character smoking and drinking in Argentine-, Mexican- and US-produced films. Preventive Medicine, 2016, 90, 143-147.	3.4	9
129	Resolving ambiguities in accelerometer data due to location of sensor on wrist in application to detection of smoking gesture. , 2017, , .		9
130	Disentangling the roles of point-of-sale ban, tobacco retailer density and proximity on cessation and relapse among a cohort of smokers: findings from ITC Canada Survey. Tobacco Control, 2019, 28, tobaccocontrol-2017-054081.	3.2	9
131	Youth Exposure to Warnings on Cigar, E-Cigarette, and Waterpipe Tobacco Packages. American Journal of Preventive Medicine, 2021, 61, 80-87.	3.0	9
132	Examining Truth and State-Sponsored Media Campaigns as a Means of Decreasing Youth Smoking and Related Disparities in the United States. Nicotine and Tobacco Research, 2022, 24, 469-477.	2.6	9
133	Impact of risk of generalizability biases in adult obesity interventions: A metaâ€epidemiological review and metaâ€analysis. Obesity Reviews, 2022, 23, e13369.	6.5	9
134	Do more graphic and aversive cigarette health warning labels affect Brazilian smokers' likelihood of quitting?. Addictive Behaviors, 2016, 60, 209-212.	3.0	8
135	Cross-country comparison of cigarette and vaping product marketing exposure and use: findings from 2016 ITC Four Country Smoking and Vaping Survey. Tobacco Control, 2019, 29, tobaccocontrol-2018-054650.	3.2	8
136	Addressing Health and Well-Being Through State Policy: Understanding Barriers and Opportunities for Policy-Making to Prevent Adverse Childhood Experiences (ACEs) in South Carolina. American Journal of Health Promotion, 2020, 34, 189-197.	1.7	8
137	Changes in Smoking and Vaping over 18 Months among Smokers and Recent Ex-Smokers: Longitudinal Findings from the 2016 and 2018 ITC Four Country Smoking and Vaping Surveys. International Journal of Environmental Research and Public Health, 2020, 17, 7084.	2.6	8
138	Exploring practitioner and policymaker perspectives on public health approaches to address Adverse Childhood Experiences (ACEs) in South Carolina. Child Abuse and Neglect, 2020, 102, 104391.	2.6	8
139	Exploring How Exposure to Truth and State-Sponsored Anti-Tobacco Media Campaigns Affect Smoking Disparities among Young Adults Using a National Longitudinal Dataset, 2002–2017. International Journal of Environmental Research and Public Health, 2021, 18, 7803.	2.6	8
140	Which types of anti-smoking television advertisements work better in Taiwan?. Health Promotion International, 2018, 33, daw085.	1.8	7
141	Strengthening Policy-Relevant Tobacco Research Capacity in Low- and Middle-Income Countries: Challenges, Opportunities, and Lessons Learned. Nicotine and Tobacco Research, 2019, 21, 1140-1143.	2.6	7
142	Taxation reduces smoking but may not reduce smoking disparities in youth. Tobacco Control, 2021, 30, 264-272.	3.2	7
143	Smoking Behaviors, Mental Health, and Risk Perceptions during the Beginning of the COVID-19 Pandemic among Mexican Adult Smokers. International Journal of Environmental Research and Public Health, 2021, 18, 10905.	2.6	7
144	Adults' Exposure to Unhealthy Food and Beverage Marketing: A Multi-Country Study in Australia, Canada, Mexico, the United Kingdom, and the United States. Journal of Nutrition, 2022, 152, 25S-34S.	2.9	7

#	Article	IF	CITATIONS
145	Disparagement of health warning labels on cigarette packages and cessation attempts: results from four countries. Health Education Research, 2017, 32, 524-536.	1.9	6
146	Area-Level Predictors of Tobacco 21 Coverage in the U.S. Before the National Law: Exploring Potential Disparities. American Journal of Preventive Medicine, 2021, 60, 29-37.	3.0	6
147	Recall of government healthy eating campaigns by consumers in five countries. Public Health Nutrition, 2021, 24, 3986-4000.	2.2	6
148	A longitudinal analysis of smokeâ€free laws and smoking initiation disparities among young adults in the United States. Addiction, 2022, 117, 730-738.	3.3	6
149	State-Level Structural Stigma and Smoking Among Sexual Minority Adults in the USA, 2012–2014. Annals of Behavioral Medicine, 2021, 55, 557-570.	2.9	6
150	Designing More Effective Cigar Warnings: An Experiment Among Adult Cigar Smokers. Nicotine and Tobacco Research, 2022, 24, 617-622.	2.6	6
151	Tobacco 21 laws may reduce smoking and tobacco-related health disparities among youth in the U.S. Preventive Medicine Reports, 2022, 27, 101762.	1.8	6
152	Exploring Relationships Among Experience of Regret, Delay Discounting, and Worries About Future Effects of Smoking Among Current Smokers. Substance Use and Misuse, 2016, 51, 1245-1250.	1.4	5
153	Evidence-based tobacco treatment utilization among dual users of cigarettes and E-cigarettes. Preventive Medicine, 2018, 114, 193-199.	3.4	5
154	Changes in responses to nicotine vaping product warnings and leaflets in England compared with Canada, the US and Australia: findings from the 2016–2018 ITC Four Country Smoking and Vaping Surveys. Tobacco Control, 2020, , tobaccocontrol-2020-055739.	3.2	5
155	E-cigarette use susceptibility among youth in Mexico: The roles of remote acculturation, parenting behaviors, and internet use frequency. Addictive Behaviors, 2021, 113, 106688.	3.0	5
156	Tobacco Taxation and Its Prospective Impact on Disparities in Smoking Initiation and Progression Among Young Adults. Journal of Adolescent Health, 2021, 68, 765-772.	2.5	5
157	Effects of advertising features on smokers' and non-smokers' perceptions of a reduced nicotine cigarette modified risk tobacco product. Tobacco Control, 2023, 32, 6-12.	3.2	5
158	Depressive symptoms and responses to cigarette pack warning labels among Mexican smokers Health Psychology, 2016, 35, 442-453.	1.6	5
159	Reactions to Smoke-free Policies and Messaging Strategies in Support and Opposition: A Comparison of Southerners and Non-Southerners in the US. Health Behavior and Policy Review, 2015, 2, 408-420.	0.4	5
160	Cigarette Pack Price and Its Within-Person Association With Smoking Initiation, Smoking Progression, and Disparities among Young Adults. Nicotine and Tobacco Research, 2022, 24, 519-528.	2.6	5
161	Do number of smoking friends and changes over time predict smoking relapse? Findings from the International Tobacco Control Four-Country Survey. Journal of Substance Abuse Treatment, 2022, 138, 108763.	2.8	5
162	Mexico <i>SimSmoke</i> : how changes in tobacco control policies would impact smoking prevalence and smoking attributable deaths in Mexico. Global Public Health, 2017, 12, 830-845.	2.0	4

#	Article	IF	CITATIONS
163	Predictive validity of the tobacco marketing receptivity index among non-smoking youth. Addictive Behaviors, 2018, 80, 150-153.	3.0	4
164	Exposure to tobacco in video games and smoking among gamers in Argentina. Tobacco Control, 2019, 28, 427-433.	3.2	4
165	Estimating the price elasticity of demand for JUUL E-cigarettes among teens. Drug and Alcohol Dependence, 2021, 218, 108406.	3.2	4
166	Heated debates on regulations of heated tobacco products in South Korea: the news valence, source and framing of relative risk/benefit. Tobacco Control, 2022, 31, e57-e63.	3.2	4
167	Smoke-Free Laws and Disparities in Youth Smoking in the U.S., 2001–2018. American Journal of Preventive Medicine, 2021, 61, 841-851.	3.0	4
168	Strategies to enhance the effects of pictorial warnings for cigarettes: results from a discrete choice experiment. Addiction, 2022, 117, 1095-1104.	3.3	4
169	Impact of front-of-pack labels on the perceived healthfulness of a sweetened fruit drink: a randomised experiment in five countries. Public Health Nutrition, 2022, 25, 1094-1104.	2.2	4
170	Perceptions of Nicotine Reduction Policy in the United States: A Qualitative Study. Nicotine and Tobacco Research, 2022, 24, 1422-1429.	2.6	4
171	The alchemy of Marlboro: transforming 'light' into 'gold' in Mexico. Tobacco Control, 2010, 19, 342-343.	3.2	3
172	Chilean news media coverage of proposed regulations on tobacco use in national entertainment media, May 2011–February 2013. Tobacco Control, 2015, 24, 521-522.	3.2	3
173	Tobacco point-of-sale advertising in downtown Buenos Aires, Argentina and compliance with the new tobacco advertising restrictions. Tobacco Control, 2017, 26, 239-240.	3.2	3
174	The role of social norms and socioeconomic status in smoking-related stigma among smokers in Mexico and Uruguay. Critical Public Health, 2019, 29, 215-227.	2.4	3
175	PhenX: Environment measures for Tobacco Regulatory Research. Tobacco Control, 2020, 29, s35-s42.	3.2	3
176	Primary Care Physician Perspectives on Recommending E-cigarettes to Smokers: a Best-Worst Discrete Choice Experiment. Journal of General Internal Medicine, 2021, 36, 3353-3360.	2.6	3
177	The Association between Quitline Characteristics and Smoking Cessation by Educational Attainment, Income, Race/Ethnicity, and Sex. International Journal of Environmental Research and Public Health, 2021, 18, 3297.	2.6	3
178	Evaluating Cigarette Pack Insert Messages with Tips to Quit. Tobacco Regulatory Science (discontinued), 2021, 7, 203-209.	0.2	3
179	Profile and patterns of dual use of e-cigarettes and combustible cigarettes among Mexican adults. Salud Publica De Mexico, 2021, 63, 641-652.	0.4	3
180	Exposure of Secondary School Adolescents from Argentina and Mexico to Smoking Scenes in Movies: a Population-based Estimation. Revista Argentina De Cardiologia, 2016, 84, 152-158.	0.3	3

#	Article	IF	CITATIONS
181	E-cigarette vending machines: a new access channel for youth in Guatemala City. Tobacco Control, 2023, 32, e269-e270.	3.2	3
182	Do postâ€quitting experiences predict smoking relapse among former smokers in Australia and the United Kingdom? Findings from the International Tobacco Control Surveys. Drug and Alcohol Review, 2022, 41, 883-889.	2.1	3
183	Impact of the Tips From Former Smokers Anti-Smoking Media Campaign on Youth Smoking Behaviors and Anti-Tobacco Attitudes. Nicotine and Tobacco Research, 2022, 24, 1927-1936.	2.6	3
184	The Influence of Item Characteristics on Acquiescence among Latino Survey Respondents. Field Methods, 2020, 32, 3-22.	0.8	2
185	News Media Presentations of Heated Tobacco Products (HTPs): A Content Analysis of Newspaper and Television News Coverage in South Korea. Journal of Health Communication, 2021, 26, 299-311.	2.4	2
186	Inter-rater reliability of measures to characterize the tobacco retail environment in Mexico. Salud Publica De Mexico, 2015, 57, 514.	0.4	2
187	Effective package warning label systems for communicating relative risks of cigarettes, heated tobacco products, and e-cigarettes: An experimental study with Korean adults. International Journal of Drug Policy, 2022, 99, 103468.	3.3	2
188	Movies promote tobacco use amongst adolescents: The need for policies to prevent this phenomenon. Revista De La Asociación Médica Argentina, 2018, 131, 24-31.	0.0	2
189	Correlates of Self-Reported and Functional Understanding of Nutrition Labels across 5 Countries in the 2018 International Food Policy Study. Journal of Nutrition, 2022, 152, 13S-24S.	2.9	2
190	Local-Community Interests and South Carolinian Newspapers' Coverage of Smoke-Free Policies. Health Communication, 2017, 32, 812-819.	3.1	1
191	Smokers' Neurological Responses to Novel and Repeated Health Warning Labels (HWLs) From Cigarette Packages. Frontiers in Psychiatry, 2018, 9, 319.	2.6	1
192	Responding to Adverse Childhood Experiences: Understanding the Role of Safe, Stable, and Nurturing Relationships in Reducing Alcohol and Tobacco Related Risk Behaviors. Journal of Child and Adolescent Substance Abuse, 2019, 28, 426-438.	0.5	1
193	Smoke-Free Laws and Disparities in Secondhand Smoke Exposure Among Nonsmoking Adults in the United States, 1999–2014. Nicotine and Tobacco Research, 2021, 23, 1527-1535.	2.6	1
194	Australian Smokers' Sensory Experiences and Beliefs Associated with Menthol and Non-Menthol Cigarettes. International Journal of Environmental Research and Public Health, 2021, 18, 5501.	2.6	1
195	Modifying placement and simplifying menu labels in a foodservice operation reduces the energy content purchased by patrons. FASEB Journal, 2012, 26, 32.8.	0.5	1
196	Heated tobacco product use, its correlates, and reasons for use among Mexican smokers. Drug and Alcohol Dependence, 2022, 232, 109283.	3.2	1
197	OUP accepted manuscript. Journal of Nutrition, 2022, , .	2.9	1
198	Associations Between Noticing Nicotine Vaping Product Health Warning Labels, Harm Perceptions, and Use Among Adult Vapers, Current and Former Smokers. Findings From the 2018 ITC Four Country Smoking and Vaping Survey. Nicotine and Tobacco Research, 2022, 24, 1020-1027.	2.6	1

#	Article	IF	CITATIONS
199	Concentrations of nicotine, nitrosamines, and humectants in legal and illegal cigarettes in Mexico. Harm Reduction Journal, 2018, 15, 50.	3.2	0
200	A Good Idea May Not Be Good Enough: Stakeholder Buy In to QuitConnect, a National Smokers' Registry. American Journal of Health Promotion, 2018, 32, 1187-1195.	1.7	0
201	Cessation Conversations and Quit Attempts: Differences by Ethnicity and Language Preference. American Journal of Health Behavior, 2020, 44, 473-487.	1.4	0
202	Feasibility of a primary care patient decision aid for smoking cessation with information about e-cigarettes. Preventive Medicine Reports, 2022, 26, 101745.	1.8	0
203	Exploring the Potential for Smoke-Free Laws to Reduce Smoking Disparities by Sexual Orientation in the USA. International Journal of Behavioral Medicine, 2022, , .	1.7	0