

# Shuichi Nagamatsu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6788836/publications.pdf>

Version: 2024-02-01

64  
papers

1,942  
citations

236925

25  
h-index

254184

43  
g-index

66  
all docs

66  
docs citations

66  
times ranked

1907  
citing authors

#	ARTICLE	IF	CITATIONS
1	Dynamics of Preaggregation and Film Formation of Donor–Acceptor $\pi$ -Conjugated Polymers. , 2022, 4, 205-211.		6
2	Investigation of Orientation in the Thin Films of Conjugated Polymer and NIR Dye Blends Fabricated by Friction Transfer Method. , 2021, .		0
3	Oriented Thin Films of Insoluble Polythiophene Prepared by the Friction Transfer Technique. Polymers, 2021, 13, 2393.	4.5	4
4	2D positional mapping of casting condition driven microstructural distribution in organic thin films. Japanese Journal of Applied Physics, 2020, 59, SCCA06.	1.5	2
5	Ordered arrangement of F4TCNQ anions in three-dimensionally oriented P3HT thin films. Scientific Reports, 2020, 10, 20020.	3.3	14
6	Solvent-Assisted Friction Transfer Method for Fabricating Large-Area Thin Films of Semiconducting Polymers with Edge-On Oriented Extended Backbones. ACS Applied Materials & Interfaces, 2020, 12, 55033-55043.	8.0	5
7	Molecular orientation and anisotropic charge transport in the large area thin films of regioregular Poly(3-alkylthiophenes) fabricated by ribbon-shaped FTM. Organic Electronics, 2020, 81, 105687.	2.6	9
8	Investigation and Control of Charge Transport Anisotropy in Highly Oriented Friction-Transferred Polythiophene Thin Films. ACS Applied Materials & Interfaces, 2020, 12, 11876-11883.	8.0	25
9	Implication of Molecular Weight on Optical and Charge Transport Anisotropy in PQT-C12 Films Fabricated by Dynamic FTM. ACS Applied Materials & Interfaces, 2019, 11, 28088-28095.	8.0	20
10	Role of device architecture and AIOX interlayer in organic Schottky diodes and their interpretation by analytical modeling. Journal of Applied Physics, 2019, 126, .	2.5	11
11	Recent advances in the orientation of conjugated polymers for organic field-effect transistors. Journal of Materials Chemistry C, 2019, 7, 13323-13351.	5.5	111
12	2D positional profiling of orientation and thickness uniformity in the semiconducting polymers thin films. Organic Electronics, 2019, 68, 221-229.	2.6	7
13	P3HT Nanofibrils Thin-Film Transistors by Adsorbing Deposition in Suspension. Materials, 2019, 12, 3643.	2.9	3
14	Facile fabrication of large area oriented conjugated polymer films by ribbon-shaped FTM and its implication on anisotropic charge transport. Organic Electronics, 2019, 65, 1-7.	2.6	30
15	Implications of doping and depletion on the switching characteristics in polymer-based organic field-effect transistors. Organic Electronics, 2018, 56, 152-158.	2.6	2
16	Rapid Formation and Macroscopic Self-Assembly of Liquid-Crystalline, High-Mobility, Semiconducting Thienothiophene. Advanced Materials Interfaces, 2018, 5, 1700875.	3.7	41
17	Anisotropic charge transport in highly oriented films of semiconducting polymer prepared by ribbon-shaped floating film. Applied Physics Letters, 2018, 112, .	3.3	40
18	Solvent driven performance in thin floating-films of PBTTT for organic field effect transistor: Role of macroscopic orientation. Organic Electronics, 2017, 43, 240-246.	2.6	56

#	ARTICLE	IF	CITATIONS
19	Interplay of Orientation and Blending: Synergistic Enhancement of Field Effect Mobility in Thiophene-Based Conjugated Polymers. <i>Journal of Physical Chemistry C</i> , 2017, 121, 11184-11193.	3.1	24
20	Layer-by-layer coating of oriented conjugated polymer films towards anisotropic electronics. <i>Synthetic Metals</i> , 2017, 227, 29-36.	3.9	30
21	Synthesis, characterization and air stable semiconductor properties of thiophene-condensed pyrene derivatives. <i>Journal of Molecular Structure</i> , 2017, 1127, 413-418.	3.6	11
22	Controlling Factors for Orientation of Conjugated Polymer Films in Dynamic Floating-Film Transfer Method. <i>Journal of Nanoscience and Nanotechnology</i> , 2017, 17, 1915-1922.	0.9	34
23	Molecular structures of n-type semiconducting material 2,5-difluoro-1,4-phenylene-3,3'-bis{2-[(4-trifluoromethyl)phenyl]acrylonitrile} and its photo dimerization product. <i>Journal of Molecular Structure</i> , 2016, 1118, 372-377.	3.6	6
24	Enhancement of carrier mobility along with anisotropic transport in non-regiocontrolled poly(3-hexylthiophene) films processed by floating film transfer method. <i>Organic Electronics</i> , 2016, 38, 115-120.	2.6	48
25	Influence of backbone structure on orientation of conjugated polymers in the dynamic casting of thin floating-films. <i>Thin Solid Films</i> , 2016, 619, 125-130.	1.8	35
26	Molecular Structure and Crystal Packing of n-Type Semiconducting Material 3,3'-bis{2-[(4-trifluoromethyl)phenyl]acrylonitrile}-1,4-Phenylene. <i>Journal of Crystallography</i> , 2014, 0, 1-5.	0	0
27	P3HT-fiber-based field-effect transistor: Effects of nanostructure and annealing temperature. <i>Japanese Journal of Applied Physics</i> , 2014, 53, 021601.	1.5	17
28	Long-Term Air-Stable n-Channel Organic Thin-Film Transistors Using 2,5-Difluoro-1,4-phenylene-bis{2-[(4-trifluoromethyl)phenyl]acrylonitrile}. <i>ACS Applied Materials &amp; Interfaces</i> , 2014, 6, 3847-3852.	8.0	26
29	Macroscopic self ordering of solution processible poly(3,3'-dialkylquaterthiophene) by floating film transfer method. <i>Journal of Applied Physics</i> , 2013, 114, .	2.5	40
30	Fabrication of Large-scale Drop-cast Films of $\pi$ -conjugated Polymers with Floating-film Transfer Method. <i>Transactions of the Materials Research Society of Japan</i> , 2013, 38, 305-308.	0.2	13
31	Electrophoretic deposition onto an insulator for thin film preparation toward electronic device fabrication. <i>Applied Physics Letters</i> , 2012, 101, .	3.3	17
32	One-Step Deposition of Self-Oriented $\beta$ -Phase Polyfluorene Thin Films for Polarized Polymer Light-Emitting Diodes. <i>Applied Physics Express</i> , 2012, 5, 092101.	2.4	13
33	Optical and Transport Anisotropy in Poly(9,9'-dioctyl-fluorene-alt-bithiophene) Films Prepared by Floating Film Transfer Method. <i>Japanese Journal of Applied Physics</i> , 2012, 51, 055802.	1.5	25
34	Optical and Transport Anisotropy in Poly(9,9'-dioctyl-fluorene-alt-bithiophene) Films Prepared by Floating Film Transfer Method. <i>Japanese Journal of Applied Physics</i> , 2012, 51, 055802.	1.5	4
35	Bis(alkyl-thiophene) thienothiophene as hole-transport organic semiconductor. <i>Physics Procedia</i> , 2011, 14, 182-186.	1.2	8
36	Robust Hole Transport in a Thienothiophene Derivative toward Low-cost Electronics. <i>Chemistry Letters</i> , 2010, 39, 1315-1316.	1.3	8

#	ARTICLE	IF	CITATIONS
37	Solution-processable Oligothiophene Derivatives with Branched Alkyl Chains and Their Thin-film Transistor Characteristics. <i>Chemistry Letters</i> , 2010, 39, 60-61.	1.3	18
38	Ambipolar Transport in Bilayer Organic Field-Effect Transistor Based on Poly(3-hexylthiophene) and Fullerene Derivatives. <i>Japanese Journal of Applied Physics</i> , 2010, 49, 041601.	1.5	26
39	Comparative Study on Gate Insulators of Polymers and SiO <sub>2</sub> in Transport Properties of p- and n-Type Organic Field-Effect Transistors. <i>Japanese Journal of Applied Physics</i> , 2010, 49, 01AB14.	1.5	3
40	Enhancement of Transport Characteristics in Poly(3-hexylthiophene) Films Deposited with Floating Film Transfer Method. <i>Applied Physics Express</i> , 2009, 2, 111502.	2.4	66
41	A Steady Operation of n-Type Organic Thin-Film Transistors with Cyano-Substituted Distyrylbenzene Derivative. <i>Applied Physics Express</i> , 2009, 2, 101502.	2.4	12
42	Molecular orientation of poly(3-butylthiophene) friction-transferred films. <i>Thin Solid Films</i> , 2009, 518, 853-856.	1.8	16
43	Multi-Layered Oriented Polyfluorene Films. <i>Journal of Physical Chemistry B</i> , 2009, 113, 5746-5751.	2.6	3
44	Highly efficient polarized polymer light-emitting diodes utilizing oriented films of $\hat{\Gamma}^2$ -phase poly(9,9-dioctylfluorene). <i>Applied Physics Letters</i> , 2008, 93, .	3.3	65
45	Unipolarization of ambipolar organic field effect transistors toward high-impedance complementary metal-oxide-semiconductor circuits. <i>Applied Physics Letters</i> , 2007, 91, 071905.	3.3	20
46	Crystal Structure of Friction-Transferred Poly(2,5-dioctyloxy-1,4-phenylenevinylene). <i>Journal of Physical Chemistry B</i> , 2007, 111, 4349-4354.	2.6	34
47	Structure and Electrical Properties of Unsubstituted Oligothiophenes End-Capped at the $\hat{\Gamma}^2$ -Position. <i>Chemistry of Materials</i> , 2007, 19, 2694-2701.	6.7	28
48	Side-Chain Effects on Friction-Transferred Polymer Orientation. <i>Polymer Journal</i> , 2007, 39, 1300-1305.	2.7	7
49	Single-Crystal-like Structure of Poly(9,9-dioctylfluorene) Thin Films Evaluated by Synchrotron-Sourced Grazing-Incidence X-ray Diffraction. <i>Polymer Journal</i> , 2007, 39, 1306-1311.	2.7	8
50	Highly polarized polymer light-emitting diodes utilizing friction-transferred poly(9,9-dioctylfluorene) thin films. <i>Applied Physics Letters</i> , 2005, 87, 243503.	3.3	83
51	Solution-processed n-type organic thin-film transistors with high field-effect mobility. <i>Applied Physics Letters</i> , 2005, 87, 203504.	3.3	116
52	Correlation of the Number of Thiophene Units with Structural Order and Carrier Mobility in Unsubstituted Even- and Odd-Numbered $\hat{\Gamma}^{\pm}$ -Oligothiophene Films. <i>Journal of Physical Chemistry B</i> , 2005, 109, 9374-9378.	2.6	68
53	C60 thin-film transistors with low work-function metal electrodes. <i>Applied Physics Letters</i> , 2004, 85, 2396-2398.	3.3	25
54	Polymer field-effect transistors by a drawing method. <i>Applied Physics Letters</i> , 2004, 84, 4608-4610.	3.3	59

#	ARTICLE	IF	CITATIONS
55	Formation of Single-Crystal-like Poly(9,9-dioctylfluorene) Thin Film by the Friction-Transfer Technique with Subsequent Thermal Treatments. <i>Macromolecules</i> , 2004, 37, 6926-6931.	4.8	109
56	Backbone Arrangement in "Friction-Transferred" Regioregular Poly(3-alkylthiophene)s. <i>Macromolecules</i> , 2003, 36, 5252-5257.	4.8	161
57	Organic field-effect transistors by a wet-transferring method. <i>Applied Physics Letters</i> , 2003, 83, 1243-1245.	3.3	38
58	LiF/Al bilayer source and drain electrodes for n-channel organic field-effect transistors. <i>Synthetic Metals</i> , 2003, 137, 953-954.	3.9	7
59	Polarization sensitive photoelectric conversion by polymer/titania bilayer. <i>Synthetic Metals</i> , 2003, 137, 1425-1426.	3.9	19
60	Effects of molecular alignment on carrier transport in organic transistors. <i>Synthetic Metals</i> , 2003, 137, 923-924.	3.9	26
61	Device Performance of an n-Channel Organic Thin-Film Transistor with LiF/Al Bilayer Source and Drain Electrodes. <i>Japanese Journal of Applied Physics</i> , 2002, 41, L808-L810.	1.5	19
62	Mechanism of Photocarrier Generation and Transport in Poly(3-Alkylthiophene) Films. <i>Japanese Journal of Applied Physics</i> , 2000, 39, 6309-6315.	1.5	34
63	Regioregularity vs Regiorandomness: Effect on Photocarrier Transport in Poly(3-hexylthiophene). <i>Japanese Journal of Applied Physics</i> , 2000, 39, L94-L97.	1.5	82
64	Photocarrier Mobility in Regioregular Poly(3-hexylthiophene) Studied by the Time of Flight Method. <i>Japanese Journal of Applied Physics</i> , 1999, 38, L1188-L1190.	1.5	45