

Daniel J Holland

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6794226/publications.pdf>

Version: 2024-02-01

101
papers

3,676
citations

159585

30
h-index

144013

57
g-index

106
all docs

106
docs citations

106
times ranked

3431
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | A comparison of models of linear collisions between spherical particles in the pendular regime. Powder Technology, 2022, 398, 117112. | 4.2 | 4 |
| 2 | Quantification of mixtures of analogues of illicit substances by benchtop NMR spectroscopy. Journal of Magnetic Resonance, 2022, 335, 107138. | 2.1 | 4 |
| 3 | Frother concentration measurement with a benchtop NMR spectrometer. Minerals Engineering, 2022, 180, 107512. | 4.3 | 1 |
| 4 | Applications of tomography in bubble column and fixed bed reactors. , 2022, , 729-771. | | 0 |
| 5 | Multiphase flow and mixing quantification using computational fluid dynamics and magnetic resonance imaging. Flow Measurement and Instrumentation, 2021, 77, 101816. | 2.0 | 2 |
| 6 | A comparison of non-uniform sampling and model-based analysis of NMR spectra for reaction monitoring. Magnetic Resonance in Chemistry, 2021, 59, 221-236. | 1.9 | 14 |
| 7 | An investigation of collisions of liquid coated particles. EPJ Web of Conferences, 2021, 249, 08002. | 0.3 | 0 |
| 8 | Examination of the microscopic definition for granular fluidity. Physical Review Fluids, 2021, 6, . | 2.5 | 8 |
| 9 | Quantitative measurement of solid fraction in a silo using SPRITE. Journal of Magnetic Resonance, 2021, 325, 106935. | 2.1 | 4 |
| 10 | Quantitative frother analysis on coal mine process water with a benchtop NMR spectrometer. Journal of Magnetic Resonance, 2021, 331, 107054. | 2.1 | 3 |
| 11 | Quantitative analysis of wine and other fermented beverages with benchtop NMR. Analytica Chimica Acta, 2021, 1182, 338944. | 5.4 | 9 |
| 12 | Quantitative measurements of flow dynamics in 3D hoppers using MRI. Powder Technology, 2021, 392, 69-80. | 4.2 | 8 |
| 13 | Quantitative measurement of hopper flow using MRI. EPJ Web of Conferences, 2021, 249, 03006. | 0.3 | 0 |
| 14 | Bayesian approach for automated quantitative analysis of benchtop NMR data. Journal of Magnetic Resonance, 2020, 319, 106814. | 2.1 | 15 |
| 15 | Synthesis and characterisation of polyurethane made from pyrolysis bio-oil of pine wood. European Polymer Journal, 2020, 133, 109725. | 5.4 | 16 |
| 16 | Influence of contact parameters on Discrete Element method (DEM) simulations of flow from a hopper: Comparison with magnetic resonance imaging (MRI) measurements. Powder Technology, 2020, 372, 671-684. | 4.2 | 16 |
| 17 | Quantitative analysis using external standards with a benchtop NMR spectrometer. Journal of Magnetic Resonance, 2020, 320, 106826. | 2.1 | 10 |
| 18 | Improving the accuracy of model-based quantitative nuclear magnetic resonance. Magnetic Resonance, 2020, 1, 141-153. | 1.9 | 8 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | On the influence of rotational motion on MRI velocimetry of granular flows – Theoretical predictions and comparison to experimental data. <i>Journal of Magnetic Resonance</i> , 2019, 307, 106569. | 2.1 | 4 |
| 20 | Time-domain signal modelling in multidimensional NMR experiments for estimation of relaxation parameters. <i>Journal of Biomolecular NMR</i> , 2019, 73, 93-104. | 2.8 | 2 |
| 21 | A field-invariant method for quantitative analysis with benchtop NMR. <i>Journal of Magnetic Resonance</i> , 2019, 298, 35-47. | 2.1 | 25 |
| 22 | Quantifying silo flow using MRI velocimetry for testing granular flow models. <i>Physical Review Fluids</i> , 2019, 4, . | 2.5 | 18 |
| 23 | Investigation of Void Fraction Schemes for Use with CFD-DEM Simulations of Fluidized Beds. <i>Industrial & Engineering Chemistry Research</i> , 2018, 57, 3002-3013. | 3.7 | 91 |
| 24 | A Non-Linear Reweighted Total Variation Image Reconstruction Algorithm for Electrical Capacitance Tomography. <i>IEEE Sensors Journal</i> , 2018, 18, 5049-5057. | 4.7 | 19 |
| 25 | Measurements of the velocity distribution for granular flow in a Couette cell. <i>Physical Review E</i> , 2018, 98, . | 2.1 | 7 |
| 26 | Measurement of an oil-water flow using magnetic resonance imaging. <i>Flow Measurement and Instrumentation</i> , 2017, 53, 161-171. | 2.0 | 17 |
| 27 | Improving resolution in multidimensional NMR using random quadrature detection with compressed sensing reconstruction. <i>Journal of Biomolecular NMR</i> , 2017, 68, 67-77. | 2.8 | 13 |
| 28 | Impact on the Polyester Value Chain of Using <i>p</i> -Xylene Derived from Biomass. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 4119-4126. | 6.7 | 17 |
| 29 | Effective particle diameters for simulating fluidization of non-spherical particles: CFD-DEM models vs. MRI measurements. <i>AIChE Journal</i> , 2017, 63, 2555-2568. | 3.6 | 19 |
| 30 | An experimental validation of a Bayesian model for quantification in NMR spectroscopy. <i>Journal of Magnetic Resonance</i> , 2017, 285, 86-100. | 2.1 | 22 |
| 31 | Study of bubble dynamics in gas-solid fluidized beds using ultrashort echo time (UTE) magnetic resonance imaging (MRI). <i>Chemical Engineering Science</i> , 2017, 172, 476-486. | 3.8 | 14 |
| 32 | Development of ultrafast UTE imaging for granular systems. <i>Journal of Magnetic Resonance</i> , 2016, 273, 113-123. | 2.1 | 13 |
| 33 | Sensitivity of chemical-looping combustion to particle reaction kinetics. <i>Chemical Engineering Science</i> , 2016, 152, 21-25. | 3.8 | 5 |
| 34 | Investigation of drag models for the two fluid simulation of Geldart group A powders. <i>Powder Technology</i> , 2016, 304, 41-54. | 4.2 | 7 |
| 35 | Magnetic resonance imaging of gas dynamics in the freeboard of fixed beds and bubbling fluidized beds. <i>Chemical Engineering Science</i> , 2016, 147, 13-20. | 3.8 | 4 |
| 36 | 11-interval PFG pulse sequence for improved measurement of fast velocities of fluids with high diffusivity in systems with short T2*. <i>Journal of Magnetic Resonance</i> , 2016, 265, 67-76. | 2.1 | 10 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Investigation of Two-fluid Models of Fluidisation Using Magnetic Resonance and Discrete Element Simulations. <i>Procedia Engineering</i> , 2015, 102, 1436-1445. | 1.2 | 4 |
| 38 | Limitations on Fluid Grid Sizing for Using Volume-Averaged Fluid Equations in Discrete Element Models of Fluidized Beds. <i>Industrial & Engineering Chemistry Research</i> , 2015, 54, 10684-10697. | 3.7 | 26 |
| 39 | Measurement of bubble sizes in fluidised beds using electrical capacitance tomography. <i>Chemical Engineering Science</i> , 2015, 126, 679-687. | 3.8 | 51 |
| 40 | A comparison of magnetic resonance, X-ray and positron emission particle tracking measurements of a single jet of gas entering a bed of particles. <i>Chemical Engineering Science</i> , 2015, 122, 210-218. | 3.8 | 27 |
| 41 | Investigation of a swirling flow nozzle for a fluidised bed gas distributor. <i>Chemical Engineering Science</i> , 2015, 132, 22-31. | 3.8 | 19 |
| 42 | Optimizing the Geometry of Three-Dimensional Electrical Capacitance Tomography Sensors. <i>IEEE Sensors Journal</i> , 2015, 15, 1567-1574. | 4.7 | 24 |
| 43 | Quantitative mapping of chemical compositions with MRI using compressed sensing. <i>Journal of Magnetic Resonance</i> , 2015, 261, 27-37. | 2.1 | 8 |
| 44 | Phase reconstruction from velocity-encoded MRI measurements – A survey of sparsity-promoting variational approaches. <i>Journal of Magnetic Resonance</i> , 2014, 238, 26-43. | 2.1 | 51 |
| 45 | Ultrashort echo time (UTE) imaging using gradient pre-equalization and compressed sensing. <i>Journal of Magnetic Resonance</i> , 2014, 245, 116-124. | 2.1 | 23 |
| 46 | Less is More: How Compressed Sensing is Transforming Metrology in Chemistry. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 13330-13340. | 13.8 | 31 |
| 47 | Ultrafast magnetic-resonance-imaging velocimetry of liquid-liquid systems: Overcoming chemical-shift artifacts using compressed sensing. <i>Physical Review E</i> , 2014, 89, 063009. | 2.1 | 9 |
| 48 | <i>In situ</i> study of reaction kinetics using compressed sensing NMR. <i>Chemical Communications</i> , 2014, 50, 14137-14140. | 4.1 | 35 |
| 49 | Novel fluid grid and voidage calculation techniques for a discrete element model of a 3D cylindrical fluidized bed. <i>Computers and Chemical Engineering</i> , 2014, 65, 18-27. | 3.8 | 17 |
| 50 | The origin of pressure oscillations in slugging fluidized beds: Comparison of experimental results from magnetic resonance imaging with a discrete element model. <i>Chemical Engineering Science</i> , 2014, 116, 611-622. | 3.8 | 19 |
| 51 | Three-dimensional imaging of localized surface plasmon resonances of metal nanoparticles. <i>Nature</i> , 2013, 502, 80-84. | 27.8 | 450 |
| 52 | Grain Sizing in Porous Media using Bayesian Magnetic Resonance. <i>Physical Review Letters</i> , 2013, 110, 018001. | 7.8 | 18 |
| 53 | Compressed sensing electron tomography. <i>Ultramicroscopy</i> , 2013, 131, 70-91. | 1.9 | 247 |
| 54 | Properties of stationary (bubbling) fluidised beds relevant to combustion and gasification systems. , 2013, , 77-148e. | | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 55 | Sparse recovery of complex phase-encoded velocity images using iterative thresholding. , 2013, , . | | 1 |
| 56 | A new approach to the investigation of nanoparticles: Electron tomography with compressed sensing. Journal of Colloid and Interface Science, 2013, 392, 7-14. | 9.4 | 28 |
| 57 | Magnetic resonance imaging in laboratory petrophysical core analysis. Physics Reports, 2013, 526, 165-225. | 25.6 | 141 |
| 58 | Adapting Data Processing To Compare Model and Experiment Accurately: A Discrete Element Model and Magnetic Resonance Measurements of a 3D Cylindrical Fluidized Bed. Industrial & Engineering Chemistry Research, 2013, 52, 18085-18094. | 3.7 | 24 |
| 59 | Fast and robust 3D electrical capacitance tomography. Measurement Science and Technology, 2013, 24, 105406. | 2.6 | 46 |
| 60 | Compressed sensing reconstruction improves sensitivity of variable density spiral fMRI. Magnetic Resonance in Medicine, 2013, 70, 1634-1643. | 3.0 | 34 |
| 61 | Total variation image reconstruction for electrical capacitance tomography. , 2012, , . | | 11 |
| 62 | Compressed sensing reconstruction of undersampled 3D NOESY spectra: application to large membrane proteins. Journal of Biomolecular NMR, 2012, 54, 15-32. | 2.8 | 51 |
| 63 | Bubble size measurement using Bayesian magnetic resonance. Chemical Engineering Science, 2012, 84, 735-745. | 3.8 | 18 |
| 64 | Magnetic resonance studies of jets in a gasâ€“solid fluidised bed. Particuology, 2012, 10, 161-169. | 3.6 | 17 |
| 65 | Extending the use of Earthâ€™s Field NMR using Bayesian methodology: Application to particle sizing. Journal of Magnetic Resonance, 2012, 222, 44-52. | 2.1 | 9 |
| 66 | Exploring the Origins of Turbulence in Multiphase Flow Using Compressed Sensing MRI. Physical Review Letters, 2012, 108, 264505. | 7.8 | 57 |
| 67 | Applications of ultra-fast MRI to high voidage bubbly flow: Measurement of bubble size distributions, interfacial area and hydrodynamics. Chemical Engineering Science, 2012, 71, 468-483. | 3.8 | 41 |
| 68 | A comparison of magnetic resonance imaging and electrical capacitance tomography: An air jet through a bed of particles. Powder Technology, 2012, 227, 86-95. | 4.2 | 32 |
| 69 | Multi-scale magnetic resonance measurements and validation of Discrete Element Model simulations. Particuology, 2011, 9, 330-341. | 3.6 | 10 |
| 70 | Three-Dimensional Morphology of Iron Oxide Nanoparticles with Reactive Concave Surfaces. A Compressed Sensing-Electron Tomography (CS-ET) Approach. Nano Letters, 2011, 11, 4666-4673. | 9.1 | 148 |
| 71 | Time resolved velocity measurements of unsteady systems using spiral imaging. Journal of Magnetic Resonance, 2011, 211, 1-10. | 2.1 | 32 |
| 72 | Fast Multidimensional NMR Spectroscopy Using Compressed Sensing. Angewandte Chemie - International Edition, 2011, 50, 6548-6551. | 13.8 | 241 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Spatially and chemically resolved measurement of intra- and inter-particle molecular diffusion in a fixed-bed reactor. <i>Applied Catalysis A: General</i> , 2011, 392, 192-198. | 4.3 | 13 |
| 74 | A Bayesian approach to characterising multi-phase flows using magnetic resonance: Application to bubble flows. <i>Journal of Magnetic Resonance</i> , 2011, 209, 83-87. | 2.1 | 27 |
| 75 | Reducing data acquisition times in phase-encoded velocity imaging using compressed sensing. <i>Journal of Magnetic Resonance</i> , 2010, 203, 236-246. | 2.1 | 93 |
| 76 | Magnetic resonance studies of a gas–solids fluidised bed: Jet–jet and jet–wall interactions. <i>Particuology</i> , 2010, 8, 617-622. | 3.6 | 20 |
| 77 | MRI: Operando measurements of temperature, hydrodynamics and local reaction rate in a heterogeneous catalytic reactor. <i>Catalysis Today</i> , 2010, 155, 157-163. | 4.4 | 41 |
| 78 | Magnetic resonance measurements of high-velocity particle motion in a three-dimensional gas-solid spouted bed. <i>Physical Review E</i> , 2010, 82, 050302. | 2.1 | 11 |
| 79 | Magnetic Resonance Studies of Fluidization Regimes. <i>Industrial & Engineering Chemistry Research</i> , 2010, 49, 5891-5899. | 3.7 | 22 |
| 80 | Geometrical and hydrodynamical study of gas jets in packed and fluidized beds using magnetic resonance. <i>Canadian Journal of Chemical Engineering</i> , 2009, 87, 517-525. | 1.7 | 27 |
| 81 | Validation of a discrete element model using magnetic resonance measurements. <i>Particuology</i> , 2009, 7, 297-306. | 3.6 | 105 |
| 82 | Magnetic resonance velocity imaging of liquid and gas two-phase flow in packed beds. <i>Journal of Magnetic Resonance</i> , 2009, 196, 142-148. | 2.1 | 82 |
| 83 | Comparison of ECVT and MR Measurements of Voidage in a Gas-Fluidized Bed. <i>Industrial & Engineering Chemistry Research</i> , 2009, 48, 172-181. | 3.7 | 43 |
| 84 | Spatially resolved quantification of metal ion concentration in a biofilm-mediated ion exchanger. <i>Biotechnology and Bioengineering</i> , 2008, 99, 821-829. | 3.3 | 28 |
| 85 | Spatially resolved measurement of anisotropic granular temperature in gas-fluidized beds. <i>Powder Technology</i> , 2008, 182, 171-181. | 4.2 | 70 |
| 86 | Magnetic Resonance Imaging of fluidized beds. <i>Powder Technology</i> , 2008, 183, 53-62. | 4.2 | 79 |
| 87 | Granular temperature: Comparison of Magnetic Resonance measurements with Discrete Element Model simulations. <i>Powder Technology</i> , 2008, 184, 241-253. | 4.2 | 166 |
| 88 | Determining NMR flow propagator moments in porous rocks without the influence of relaxation. <i>Journal of Magnetic Resonance</i> , 2008, 193, 218-225. | 2.1 | 36 |
| 89 | Magnetic resonance imaging of fluidized beds: Recent advances. <i>Theoretical Foundations of Chemical Engineering</i> , 2008, 42, 469-478. | 0.7 | 13 |
| 90 | Improving Accuracy and Speed of NMR Flow Propagators Measurements in Permeable Rocks. , 2008, , . | | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Rapid two-dimensional imaging of bubbles and slugs in a three-dimensional, gas-solid, two-phase flow system using ultrafast magnetic resonance. <i>Physical Review E</i> , 2007, 75, 020302. | 2.1 | 40 |
| 92 | Rise velocities of bubbles and slugs in gas-fluidised beds: Ultra-fast magnetic resonance imaging. <i>Chemical Engineering Science</i> , 2007, 62, 82-93. | 3.8 | 32 |
| 93 | Oscillations in gas-fluidized beds: Ultra-fast magnetic resonance imaging and pressure sensor measurements. <i>Powder Technology</i> , 2007, 177, 87-98. | 4.2 | 35 |
| 94 | Time-of-flight variant to image mixing of granular media in a 3D fluidized bed. <i>Journal of Magnetic Resonance</i> , 2007, 187, 199-204. | 2.1 | 9 |
| 95 | Enhanced ¹³ C PFG NMR for the study of hydrodynamic dispersion in porous media. <i>Journal of Magnetic Resonance</i> , 2007, 186, 160-165. | 2.1 | 13 |
| 96 | The nature of the flow just above the perforated plate distributor of a gas-fluidised bed, as imaged using magnetic resonance. <i>Chemical Engineering Science</i> , 2006, 61, 6002-6015. | 3.8 | 72 |
| 97 | Dynamic Mr Imaging of Single- and Two-Phase Flows. <i>Chemical Engineering Research and Design</i> , 2006, 84, 272-281. | 5.6 | 24 |
| 98 | Quantifying transport within a porous medium over a hierarchy of length scales. <i>Physics of Fluids</i> , 2006, 18, 033102. | 4.0 | 15 |
| 99 | A study of the mixing of solids in gas-fluidized beds, using ultra-fast MRI. <i>Chemical Engineering Science</i> , 2005, 60, 2085-2088. | 3.8 | 38 |
| 100 | Quantitative magnetic resonance imaging of urea and lysozyme in protein chromatography. <i>Journal of Chromatography A</i> , 2004, 1033, 311-319. | 3.7 | 12 |
| 101 | Applications of fast diffusion measurement using Difftrain. <i>Journal of Magnetic Resonance</i> , 2003, 161, 112-117. | 2.1 | 29 |