
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6795148/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Adaptation and virtual feasibility pilot of a mindfulness-based lifestyle program targeting modifiable dementia risk factors in older adults. Aging and Mental Health, 2023, 27, 695-707.	2.8	1
2	Postoperative Psychological Factors Are Associated With Perceived Improvement Following Hip Arthroscopy. International Journal of Athletic Therapy and Training, 2023, 28, 46-51.	0.2	0
3	Emotional recovery after ocular trauma: is there more than meets the eye?. Eye, 2022, 36, 244-245.	2.1	1
4	My Healthy Brain: a multimodal lifestyle program to promote brain health. Aging and Mental Health, 2022, 26, 980-991.	2.8	8
5	Racial and Ethnic Disparities Associated with Traumatic Brain Injury Across the Continuum of Care: a Narrative Review and Directions for Future Research. Journal of Racial and Ethnic Health Disparities, 2022, 9, 786-799.	3.2	20
6	Psychosocial Stressors and Adaptive Coping Strategies in Couples After a Diagnosis of Young-Onset Dementia. Gerontologist, The, 2022, 62, 262-275.	3.9	14
7	Psychosocial treatment preferences of persons living with young-onset dementia and their partners. Dementia, 2022, 21, 41-60.	2.0	6
8	Associations between positive treatment outcome expectations, illness understanding, and outcomes: a cohort study on non-operative treatment of first carpometacarpal osteoarthritis. Disability and Rehabilitation, 2022, 44, 5487-5494.	1.8	5
9	A race against time: couples' lived diagnostic journeys to young-onset dementia. Aging and Mental Health, 2022, 26, 2223-2232.	2.8	6
10	Impact of the coronavirus pandemic on mental health and health care in adults with neurofibromatosis: Patient perspectives from an online survey. American Journal of Medical Genetics, Part A, 2022, 188, 71-82.	1.2	8
11	Feasibility Randomized Controlled Trial of a Mind–Body Activity Program for Older Adults With Chronic Pain and Cognitive Decline: The Virtual "Active Brains―Study. Gerontologist, The, 2022, 62, 1082-1094.	3.9	9
12	A qualitative meta-synthesis of common and unique preferences for supportive services among persons with young onset dementia and their caregivers. Dementia, 2022, 21, 519-539.	2.0	12
13	A Call for Interdisciplinary Collaboration to Promote Musculoskeletal Health: The Creation of the International Musculoskeletal Mental and Social Health Consortium (I-MESH). Journal of Clinical Psychology in Medical Settings, 2022, 29, 709-715.	1.4	15
14	Master-planned communities in the United States as novel contexts for individual and population-level research. Preventive Medicine, 2022, 154, 106864.	3.4	1
15	What Are Orthopaedic Healthcare Professionals' Attitudes Toward Addressing Patient Psychosocial Factors? A Mixed-Methods Investigation. Clinical Orthopaedics and Related Research, 2022, 480, 248-262.	1.5	19
16	Demand with low supply: A pipeline for personalized integrative medicine in multiple sclerosis. Multiple Sclerosis and Related Disorders, 2022, 58, 103493.	2.0	2
17	Identification and Management of the Consequences of Racism and Discrimination. primary care companion for CNS disorders, The, 2022, 24, .	0.6	0
18	Understanding the interplay between lifestyle factors and emotional distress for hemorrhagic stroke survivors and their informal caregivers: Protocol for a mixed methods dyadic natural history study. PLoS ONE, 2022, 17, e0261635.	2.5	0

#	Article	IF	CITATIONS
19	My Healthy Brain: Rationale and Case Report of a Virtual Group Lifestyle Program Targeting Modifiable Risk Factors for Dementia. Journal of Clinical Psychology in Medical Settings, 2022, , 1.	1.4	Ο
20	Psychosocial profiles of risk and resiliency in neurofibromatoses: a person-centered analysis of illness adaptation. Journal of Neuro-Oncology, 2022, 156, 519-527.	2.9	1
21	Association Between Coping Strategies and Pain-Related Outcomes Among Individuals with Chronic Orofacial Pain. Journal of Pain Research, 2022, Volume 15, 431-442.	2.0	8
22	Mindfulness is inversely associated with psychological symptoms in long-term cardiac arrest survivors. Journal of Behavioral Medicine, 2022, , 1.	2.1	2
23	"Practice Makes Perfect� Associations Between Home Practice and Physical and Emotional Function Outcomes Among Patients with Chronic Pain Enrolled in a Mind–Body Program. , 2022, , .		Ο
24	Optimizing the implementation of a multisite feasibility trial of a mind–body program in acute orthopedic trauma. Translational Behavioral Medicine, 2022, , .	2.4	3
25	The Strategies for Quantitative and Qualitative Remote Data Collection: Lessons From the COVID-19 Pandemic. JMIR Formative Research, 2022, 6, e30055.	1.4	8
26	Live Video Mind-Body Program for Patients With Knee Osteoarthritis, Comorbid Depression, and Obesity: Development and Feasibility Pilot Study. JMIR Formative Research, 2022, 6, e34654.	1.4	3
27	Feasibility of Concussion Rehabilitation Approaches Tailored to Psychological Coping Styles: A Randomized Controlled Trial. Archives of Physical Medicine and Rehabilitation, 2022, 103, 1565-1573.e2.	0.9	12
28	OUP accepted manuscript. Gerontologist, The, 2022, , .	3.9	5
29	Resilient youth with neurofibromatosis: Less perceived stress and greater life satisfaction after an 8-week virtual mind–body intervention. Journal of Psychosocial Oncology, 2021, 39, 680-685.	1.2	2
30	Feasibility Trial of a Mind–Body Activity Pain Management Program for Older Adults With Cognitive Decline. Gerontologist, The, 2021, 61, 1326-1337.	3.9	22
31	Associations Between Baseline Total PTSD Symptom Severity, Specific PTSD Symptoms, and 3-Month Quality of Life in Neurologically Intact Neurocritical Care Patients and Informal Caregivers. Neurocritical Care, 2021, 34, 54-63.	2.4	5
32	Mind–Body Therapy via Videoconferencing in Patients With Neurofibromatosis: Analyses of 1-Year Follow-up. Annals of Behavioral Medicine, 2021, 55, 77-81.	2.9	4
33	Development of a Novel Mind–Body Activity and Pain Management Program for Older Adults With Cognitive Decline. Gerontologist, The, 2021, 61, 449-459.	3.9	13
34	An Exploratory Analysis of Accelerometer-Measured Physical Activity and Emotional Functioning in Patients With Chronic Pain. Journal of the Academy of Consultation-Liaison Psychiatry, 2021, 62, 234-242.	0.4	3
35	Effects of a mind-body program on symptoms of depression and perceived stress among adults with neurofibromatosis type 2 who are deaf: A live-video randomized controlled trial. Complementary Therapies in Medicine, 2021, 56, 102581.	2.7	10
36	A Comprehensive Resiliency Framework: Theoretical Model, Treatment, and Evaluation. Global Advances in Health and Medicine, 2021, 10, 216495612110003.	1.6	19

#	Article	IF	CITATIONS
37	Getting Active Mindfully: Rationale and Case Illustration of a Group Mind-body and Activity Program for Chronic Pain. Journal of Clinical Psychology in Medical Settings, 2021, 28, 706-719.	1.4	1
38	A Live Video Mind-Body Treatment to Prevent Persistent Symptoms Following Mild Traumatic Brain Injury: Protocol for a Mixed Methods Study. JMIR Research Protocols, 2021, 10, e25746.	1.0	6
39	Mind-Body Activity Program for Chronic Pain: Exploring Mechanisms of Improvement in Patient-Reported, Performance-Based and Ambulatory Physical Function. Journal of Pain Research, 2021, Volume 14, 359-368.	2.0	11
40	The role of social isolation in physical and emotional outcomes among patients with chronic pain. General Hospital Psychiatry, 2021, 69, 50-54.	2.4	22
41	Sustainability of Improvements in Adaptive Coping Following Mind–Body and Activity Training for Chronic Pain. International Journal of Behavioral Medicine, 2021, 28, 820-826.	1.7	0
42	Associations between posttraumatic stress symptoms and quality of life in cardiac arrest survivors and informal caregivers: A pilot survey study. Resuscitation Plus, 2021, 5, 100085.	1.7	17
43	Development of a mind body program for obese knee osteoarthritis patients with comorbid depression. Contemporary Clinical Trials Communications, 2021, 21, 100720.	1.1	10
44	Can a Dyadic Resiliency Program Improve Quality of Life in Cognitively Intact Dyads of Neuro-ICU Survivors and Informal Caregivers? Results from a Pilot RCT. Neurocritical Care, 2021, 35, 756-766.	2.4	4
45	Predictors of Family Dissatisfaction with Support During Neurocritical Care Shared Decision-Making. Neurocritical Care, 2021, 35, 714-722.	2.4	3
46	Sustainability of Improvements in Physical and Emotional Function Following a Mind–Body Physical Activity Program for Chronic Pain. Journal of Alternative and Complementary Medicine, 2021, 27, 360-364.	2.1	4
47	A Live Video Program to Prevent Chronic Pain and Disability in At-Risk Adults With Acute Orthopedic Injuries (Toolkit for Optimal Recovery): Protocol for a Multisite Feasibility Study. JMIR Research Protocols, 2021, 10, e28155.	1.0	6
48	Thematic Analysis of Dyadic Coping in Couples With Young-Onset Dementia. JAMA Network Open, 2021, 4, e216111.	5.9	16
49	Letter to the Editor: Editor's Spotlight/Take 5: Do Relaxation Exercises Decrease Pain After Arthroscopic Rotator Cuff Repair? A Randomized Controlled Trial. Clinical Orthopaedics and Related Research, 2021, 479, 1869-1870.	1.5	0
50	Adaptation of a Live Video Mind–Body Program to a Web-Based Platform for English-Speaking Adults With Neurofibromatosis: Protocol for the NF-Web Study. JMIR Research Protocols, 2021, 10, e27526.	1.0	4
51	Current Recommendations for Patient-Reported Outcome Measures Assessing Domains of Quality of Life in Neurofibromatosis Clinical Trials. Neurology, 2021, 97, S50-S63.	1.1	11
52	A qualitative investigation of activity measurement and change following a mind-body activity program for chronic pain. Complementary Therapies in Clinical Practice, 2021, 44, 101410.	1.7	4
53	Depression explains the association between pain intensity and pain interference among adults with neurofibromatosis. Journal of Neuro-Oncology, 2021, 154, 257-263.	2.9	7
54	Understanding barriers and facilitators to implementation of psychosocial care within orthopedic trauma centers: a qualitative study with multidisciplinary stakeholders from geographically diverse settings. Implementation Science Communications, 2021, 2, 102.	2.2	20

#	Article	lF	CITATIONS
55	The Role of Mindfulness and Relaxation in Improved Sleep Quality Following a Mind–Body and Activity Program for Chronic Pain. Mindfulness, 2021, 12, 2672-2680.	2.8	5
56	Psychological resiliency explains the relationship between emotional distress and quality of life in neurofibromatosis. Journal of Neuro-Oncology, 2021, 155, 125-132.	2.9	10
57	Mechanisms of change in depression and anxiety within a mind-body activity intervention for chronic pain. Journal of Affective Disorders, 2021, 292, 534-541.	4.1	9
58	Live Video Adaptations to a Mind-Body Activity Program for Chronic Pain and Cognitive Decline: Protocol for the Virtual Active Brains Study. JMIR Research Protocols, 2021, 10, e25351.	1.0	13
59	Are Patient Expectations and Illness Perception Associated with Patient-reported Outcomes from Surgical Decompression in de Quervain's Tenosynovitis?. Clinical Orthopaedics and Related Research, 2021, 479, 1147-1155.	1.5	13
60	CORR Insights®: What is the Impact of the COVID-19 Pandemic on Quality of Life and Other Patient-reported Outcomes? An Analysis of the Hand-Wrist Study Cohort. Clinical Orthopaedics and Related Research, 2021, 479, 346-347.	1.5	0
61	Stopping to Listen: Using Qualitative Methods to Inform a Web-Based Platform for Adults With Neurofibromatosis. Journal of Patient Experience, 2021, 8, 237437352110496.	0.9	3
62	Abstract 11503: Mindfulness is Inversely Associated with Psychological Symptoms in Long-Term Cardiac Arrest Survivors. Circulation, 2021, 144, .	1.6	0
63	The Stony Brook Health Enhancement Program: The development of an active control condition for mind–body interventions. Journal of Health Psychology, 2020, 25, 2129-2140.	2.3	16
64	Rapid Progression of Knee Pain and Osteoarthritis Biomarkers Greatest for Patients with Combined Obesity and Depression: Data from the Osteoarthritis Initiative. Cartilage, 2020, 11, 38-46.	2.7	27
65	Pain Catastrophizing and Limiting Behavior Mediate the Association Between Anxiety and Postconcussion Symptoms. Psychosomatics, 2020, 61, 49-55.	2.5	30
66	Gender Differences in Longitudinal Associations Between Intimate Care, Resiliency, and Depression Among Informal Caregivers of Patients Surviving the Neuroscience Intensive Care Unit. Neurocritical Care, 2020, 32, 512-521.	2.4	9
67	Baseline resilience and depression symptoms predict trajectory of depression in dyads of patients and their informal caregivers following discharge from the Neuro-ICU. General Hospital Psychiatry, 2020, 62, 87-92.	2.4	20
68	Baseline Resilience and Posttraumatic Symptoms in Dyads of Neurocritical Patients and Their Informal Caregivers: A Prospective Dyadic Analysis. Psychosomatics, 2020, 61, 135-144.	2.5	25
69	Virtual mind-body treatment for geographically diverse youth with neurofibromatosis: A pilot randomized controlled trial. General Hospital Psychiatry, 2020, 62, 72-78.	2.4	16
70	Illness Perceptions of Patients With First Carpometacarpal Osteoarthritis, Carpal Tunnel Syndrome, Dupuytren Contracture, or Trigger Finger. Journal of Hand Surgery, 2020, 45, 455.e1-455.e8.	1.6	10
71	"Cooling of the mind†Assessing the relevance of mindfulness training among people living with HIV using alcohol and other substances in South Africa. Social Science and Medicine, 2020, 266, 113424.	3.8	7
72	Virtual mind-body treatment for adolescents with neurofibromatosis: Study protocol for a single-blind randomized controlled trial. Contemporary Clinical Trials, 2020, 95, 106078.	1.8	17

#	Article	IF	CITATIONS
73	In It Together: A Qualitative Meta-Synthesis of Common and Unique Psychosocial Stressors and Adaptive Coping Strategies of Persons With Young-Onset Dementia and Their Caregivers. Gerontologist, The, 2020, , .	3.9	17
74	Does a Patient's Approach to Achieving Goals Influence His or Her Recovery Trajectory After Musculoskeletal Illness?. Clinical Orthopaedics and Related Research, 2020, 478, 2067-2076.	1.5	5
75	<p>Psychosocial Correlates of Objective, Performance-Based, and Patient-Reported Physical Function Among Patients with Heterogeneous Chronic Pain</p> . Journal of Pain Research, 2020, Volume 13, 2255-2265.	2.0	20
76	Feasibility and Efficacy of a Resiliency Intervention for the Prevention of Chronic Emotional Distress Among Survivor-Caregiver Dyads Admitted to the Neuroscience Intensive Care Unit. JAMA Network Open, 2020, 3, e2020807.	5.9	62
77	CORR Insights®: Does Intolerance of Uncertainty Affect the Magnitude of Limitations or Pain Intensity?. Clinical Orthopaedics and Related Research, 2020, 478, 389-391.	1.5	3
78	Associations Between Gender, Resiliency Factors, and Anxiety in Neuro-ICU Caregivers: a Prospective Study. International Journal of Behavioral Medicine, 2020, 27, 677-686.	1.7	5
79	Recovering together: building resiliency in dyads of stroke patients and their caregivers at risk for chronic emotional distress; a feasibility study. Pilot and Feasibility Studies, 2020, 6, 75.	1.2	30
80	Improvement in resiliency factors among adolescents with neurofibromatosis who participate in a virtual mind–body group program. Journal of Neuro-Oncology, 2020, 147, 451-457.	2.9	8
81	A Social Blow: The Role of Interpersonal Relationships in Mild Traumatic Brain Injury. Psychosomatics, 2020, 61, 518-526.	2.5	16
82	The Impact of Resilience Factors and Anxiety During Hospital Admission on Longitudinal Anxiety Among Dyads of Neurocritical Care Patients Without Major Cognitive Impairment and Their Family Caregivers. Neurocritical Care, 2020, 33, 468-478.	2.4	21
83	A Mind-Body Physical Activity Program for Chronic Pain With or Without a Digital Monitoring Device: Proof-of-Concept Feasibility Randomized Controlled Trial. JMIR Formative Research, 2020, 4, e18703.	1.4	46
84	Expression of Concern. CORR Insights®: Preoperative Pain Sensitization Is Associated With Postoperative Pillar Pain After Open Carpal Tunnel Release. Clinical Orthopaedics and Related Research, 2020, 478, 2689-2689.	1.5	1
85	Factors Associated With Patients' Perceived ImportanceÂof Opioid Prescribing Policies in an Orthopedic Hand Surgery Practice. Journal of Hand Surgery, 2019, 44, 340.e1-340.e8.	1.6	12
86	Burnout and Resiliency Among Neurocritical Care Staff; Potential Solutions to A Growing Problem. Neurocritical Care, 2019, 31, 251-252.	2.4	3
87	Cultivating resiliency in patients with neurofibromatosis 2 who are deafened or have severe hearing loss: a live‑video randomized control trial. Journal of Neuro-Oncology, 2019, 145, 561-569.	2.9	7
88	Review: Post-Intensive Care Syndrome: Unique Challenges in the Neurointensive Care Unit. Neurocritical Care, 2019, 31, 534-545.	2.4	46
89	Physical functioning and mindfulness skills training in chronic pain: a systematic review. Journal of Pain Research, 2019, Volume 12, 179-189.	2.0	28
90	Can we prevent chronic posttraumatic stress disorder in caregivers of critical care patients?. Journal of Emergency and Critical Care Medicine, 2019, 3, 2-2.	0.7	3

#	Article	IF	CITATIONS
91	First report of quality of life in adults with neurofibromatosis 2 who are deafened or have significant hearing loss: results of a live-video randomized control trial. Journal of Neuro-Oncology, 2019, 143, 505-513.	2.9	14
92	Results of a feasibility randomized controlled trial (RCT) of the Toolkit for Optimal Recovery (TOR): a live video program to prevent chronic pain in at-risk adults with orthopedic injuries. Pilot and Feasibility Studies, 2019, 5, 30.	1.2	49
93	CORR Insights®: Can Patients Forecast Their Postoperative Disability and Pain?. Clinical Orthopaedics and Related Research, 2019, 477, 905-907.	1.5	1
94	<p>Development And Early Feasibility Testing Of A Mind-Body Physical Activity Program For Patients With Heterogeneous Chronic Pain; The GetActive Study</p> . Journal of Pain Research, 2019, Volume 12, 3279-3297.	2.0	44
95	The Relaxation Response Resiliency Program (3RP) in Patients with Headache and Musculoskeletal Pain: A Retrospective Analysis of Clinical Data. Pain Management Nursing, 2019, 20, 70-74.	0.9	11
96	Home practice and quality of life among patients with neurofibromatosis randomized to a mind-body intervention. Complementary Therapies in Medicine, 2019, 42, 114-118.	2.7	4
97	Characteristics and Usage Patterns Among 12,151 Paid Subscribers of the Calm Meditation App: Cross-Sectional Survey. JMIR MHealth and UHealth, 2019, 7, e15648.	3.7	52
98	Early Risk and Resiliency Factors Predict Chronic Posttraumatic Stress Disorder in Caregivers of Patients Admitted to a Neuroscience ICU. Critical Care Medicine, 2018, 46, 713-719.	0.9	29
99	The impact of a mind–body program on multiple dimensions of resiliency among geographically diverse patients with neurofibromatosis. Journal of Neuro-Oncology, 2018, 137, 321-329.	2.9	26
100	Bidirectional mediation of depression and pain intensity on their associations with upper extremity physical function. Journal of Behavioral Medicine, 2018, 41, 309-317.	2.1	20
101	Type D personality in patients with upper extremity musculoskeletal illness: Internal consistency, structural validity and relationship to pain interference. General Hospital Psychiatry, 2018, 50, 38-44.	2.4	9
102	Health literacy assessment in adults with neurofibromatosis: electronic and short-form measurement using FCCHL and Health LiTT. Journal of Neuro-Oncology, 2018, 136, 335-342.	2.9	7
103	Pain anxiety differentially mediates the association of pain intensity with function depending on level of intolerance of uncertainty. Journal of Psychiatric Research, 2018, 97, 30-37.	3.1	19
104	The Future of Orthopaedic Care: Promoting Psychosocial Resiliency in Orthopaedic Surgical Practices. Journal of Bone and Joint Surgery - Series A, 2018, 100, e89.	3.0	47
105	CORR Insights®: Preoperative Pain Sensitization Is Associated With Postoperative Pillar Pain After Open Carpal Tunnel Release. Clinical Orthopaedics and Related Research, 2018, 476, 741-743.	1.5	2
106	Satisfaction with life moderates the indirect effect of pain intensity on pain interference through pain catastrophizing Journal of Consulting and Clinical Psychology, 2018, 86, 231-241.	2.0	11
107	Mind-Body Treatment for International English-Speaking Adults With Neurofibromatosis via Live Videoconferencing: Protocol for a Single-Blind Randomized Controlled Trial. JMIR Research Protocols, 2018, 7, e11008.	1.0	35
108	Associations Between Pain Catastrophizing and Cognitive Fusion in Relation to Pain and Upper Extremity Function Among Hand and Upper Extremity Surgery Patients. Annals of Behavioral Medicine, 2017, 51, 547-554.	2.9	37

#	Article	IF	CITATIONS
109	First report of factors associated with satisfaction in patients with neurofibromatosis. American Journal of Medical Genetics, Part A, 2017, 173, 671-677.	1.2	9
110	First use of patient reported outcomes measurement information system (PROMIS) measures in adults with neurofibromatosis. Journal of Neuro-Oncology, 2017, 131, 413-419.	2.9	13
111	Cognitive intrusion of pain and catastrophic thinking independently explain interference of pain in the activities of daily living. Journal of Psychiatric Research, 2017, 91, 156-163.	3.1	24
112	Emotion regulation strategies mediate the associations of positive and negative affect to upper extremity physical function. Comprehensive Psychiatry, 2017, 75, 85-93.	3.1	8
113	The Effect of Priming With Questionnaire Content on Grip Strength in Patients With Hand and Upper Extremity Illness. Hand, 2017, 12, 484-489.	1.2	4
114	The Correlation Between a Numerical Rating Scale of Patient Satisfaction With Current Management of an Upper Extremity Disorder and a General Measure of Satisfaction With the Medical Visit. Hand, 2017, 12, 202-206.	1.2	11
115	Pain Catastrophizing Mediates the Effect of Psychological Inflexibility on Pain Intensity and Upper Extremity Physical Function in Patients with Upper Extremity Illness. Pain Practice, 2017, 17, 129-140.	1.9	24
116	The Correlation of Cognitive Flexibility with Pain Intensity and Magnitude of Disability in Upper Extremity Illness. Journal of Hand and Microsurgery, 2016, 06, 59-64.	0.3	20
117	Health-related Quality of Life of Individuals With Neurofibromatosis Type 2. Otology and Neurotology, 2016, 37, 574-579.	1.3	18
118	Is Social Support Associated With Upper Extremity Disability?. Clinical Orthopaedics and Related Research, 2016, 474, 1830-1836.	1.5	27
119	The direct and indirect effects of the negative affectivity trait on self reported physical function among patients with upper extremity conditions. Psychiatry Research, 2016, 246, 568-572.	3.3	6
120	Factors Associated With Met Expectations in Patients With Hand and Upper Extremity Disorders: A Pilot Study. Psychosomatics, 2016, 57, 401-408.	2.5	14
121	Does perceived injustice correlate with pain intensity and disability in orthopaedic trauma patients?. Injury, 2016, 47, 1212-1216.	1.7	23
122	The Trapeziometacarpal Arthrosis Symptoms and Disability Questionnaire. Hand, 2016, 11, 197-205.	1.2	10
123	Mental and physical health outcomes following the Relaxation Response Resiliency Program (3RP) in a clinical practice setting. European Journal of Integrative Medicine, 2016, 8, 756-761.	1.7	5
124	Psychosocial resiliency is associated with lower emotional distress among dyads of patients and their informal caregivers in the neuroscience intensive care unit. Journal of Critical Care, 2016, 36, 154-159.	2.2	39
125	Mind–body therapy via videoconferencing in patients with neurofibromatosis. Neurology, 2016, 87, 806-814.	1.1	82
126	Coaching of patients with an isolated minimally displaced fracture of the radial head immediately increases range of motion. Journal of Hand Therapy, 2016, 29, 314-319.	1.5	13

#	Article	IF	CITATIONS
127	Sleep Disturbance and Upper-Extremity Disability. Archives of Bone and Joint Surgery, 2016, 4, 35-40.	0.2	13
128	Predictors of Upper-Extremity Physical Function in Older Adults. Archives of Bone and Joint Surgery, 2016, 4, 359-365.	0.2	6
129	Quality of life among children and adolescents with neurofibromatosis 1: a systematic review of the literature. Journal of Neuro-Oncology, 2015, 122, 219-228.	2.9	47
130	Changes in Depression, Health Anxiety, and Pain Catastrophizing Between Enrollment and 1 Month After a Radius Fracture. Psychosomatics, 2015, 56, 652-657.	2.5	29
131	A preliminary RCT of a mind body skills based intervention addressing mood and coping strategies in patients with acute orthopaedic trauma. Injury, 2015, 46, 552-557.	1.7	74
132	The Relationship Between Catastrophic Thinking and Hand Diagram Areas. Journal of Hand Surgery, 2015, 40, 2440-2446.e5.	1.6	22
133	The relaxation response resiliency program (3RP) in patients with neurofibromatosis 1, neurofibromatosis 2, and schwannomatosis: results from a pilot study. Journal of Neuro-Oncology, 2014, 120, 103-109.	2.9	55
134	Creation of the Abbreviated Measures of the Pain Catastrophizing Scale and the Short Health Anxiety Inventory: The PCS-4 and SHAI-5. Journal of Musculoskeletal Pain, 2014, 22, 145-151.	0.3	37
135	Risk Factors for Continued Opioid Use One to Two Months After Surgery for Musculoskeletal Trauma. Journal of Bone and Joint Surgery - Series A, 2014, 96, 495-499.	3.0	212
136	Psychological Factors Predict Disability and Pain Intensity After Skeletal Trauma. Journal of Bone and Joint Surgery - Series A, 2014, 96, e20.	3.0	247
137	Neuroticism prospectively predicts pain among adolescents: Results from a nationally representative sample. Journal of Psychosomatic Research, 2014, 77, 474-476.	2.6	10
138	Cognitive Coping Predicts Pain Intensity and Disability in Patients with Upper Extremity Musculoskeletal Pain. Journal of Musculoskeletal Pain, 2014, 22, 373-377.	0.3	6
139	Exploring the Effectiveness of a Modified Comprehensive Mind-Body Intervention for Medical and Psychologic Symptom Relief. Psychosomatics, 2014, 55, 386-391.	2.5	24
140	Relationships between pain misconceptions, disability, patients' goals and interpretation of information from hand therapists. Journal of Hand Therapy, 2014, 27, 287-295.	1.5	10
141	Response letter regarding the Clinical Commentary. Journal of Hand Therapy, 2014, 27, 298.	1.5	0
142	Informed Shared Decision-Making and Patient Satisfaction. Psychosomatics, 2014, 55, 586-594.	2.5	38
143	Quality of life among adult patients with neurofibromatosis 1, neurofibromatosis 2 and schwannomatosis: a systematic review of the literature. Journal of Neuro-Oncology, 2013, 114, 257-262.	2.9	81
144	The Development of a Patient-Centered Program Based on the Relaxation Response: The Relaxation Response Resiliency Program (3RP). Psychosomatics, 2013, 54, 165-174.	2.5	154

#	Article	IF	CITATIONS
145	The Relaxation Response Resiliency Enhancement Program in the Management of Chronic Refractory Temporomandibular Joint Disorder: Results from a Pilot Study. Journal of Musculoskeletal Pain, 2013, 21, 224-230.	0.3	12
146	Attitude towards Stretch Pain of the Elbow after Radial Head Fracture. Shoulder and Elbow, 2012, 4, 127-130.	1.5	5
147	The emotive impact of medical language. Hand, 2012, 7, 293-296.	1.2	13
148	Psychological Factors Predict Unexpected Diagnoses. Hand, 2012, 7, 172-176.	1.2	5
149	Factors Associated With Patient Satisfaction. Journal of Hand Surgery, 2011, 36, 1504-1508.	1.6	46
150	The Emotive Impact of Orthopedic Words. Journal of Hand Therapy, 2011, 24, 112-117.	1.5	21
151	Less Specific Arm Illnesses. Journal of Hand Therapy, 2011, 24, 118-123.	1.5	10
152	Predictors of Pain Intensity and Disability After Minor Hand Surgery. Journal of Hand Surgery, 2010, 35, 956-960.	1.6	195
153	A Patient-Specific Version of the Disabilities of the Arm, Shoulder, and Hand Questionnaire. Journal of Hand Surgery, 2010, 35, 824-826.	1.6	6
154	Health Concerns and Somatic Symptoms Explain Perceived Disability and Idiopathic Hand and Arm Pain in an Orthopedics Surgical Practice: A Path-Analysis Model. Psychosomatics, 2010, 51, 330-337.	2.5	10
155	Psychosocial Aspects of Disabling Musculoskeletal Pain. Journal of Bone and Joint Surgery - Series A, 2009, 91, 2014-2018.	3.0	235
156	Integrating Patient Values into Evidence-Based Practice: Effective Communication for Shared Decision-Making. Hand Clinics, 2009, 25, 83-96.	1.0	65
157	The Development of the Negative Pain Thoughts Questionnaire. Pain Practice, 2008, 8, 337-341.	1.9	12
158	Value of Psychological Evaluation of the Hand Surgical Patient. Journal of Hand Surgery, 2008, 33, 985-987.	1.6	20
159	Child multi-type maltreatment and associated depression and PTSD symptoms: The role of social support and stress. Child Abuse and Neglect, 2007, 31, 71-84.	2.6	306
160	Mindfulness Facets Associated with Orofacial Pain Outcomes. , 0, , .		0