

# Seung Jun Lee

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6798451/publications.pdf>

Version: 2024-02-01

225  
papers

5,643  
citations

136950

32  
h-index

95266

68  
g-index

231  
all docs

231  
docs citations

231  
times ranked

4839  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Effect of ticagrelor monotherapy on mortality after percutaneous coronary intervention: a systematic review and meta-analysis of randomized trials including 26%143 patients. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2022, 8, 48-55. | 3.0 | 10        |
| 2  | Clinical Implications of Poststent Optical Coherence Tomographic Findings. <i>JACC: Cardiovascular Imaging</i> , 2022, 15, 126-137.  | 5.3 | 10        |
| 3  | Monotherapy versus combination therapy of statin and renin-angiotensin system inhibitor in ST-segment elevation myocardial infarction. <i>Cardiology Journal</i> , 2022, 29, 93-104.   | 1.2 | 0         |
| 4  | Sex difference after acute myocardial infarction patients with a history of current smoking and long-term clinical outcomes: Results of KAMIR Registry. <i>Cardiology Journal</i> , 2022, 29, 954-965.   | 1.2 | 2         |
| 5  | Clinical Outcomes of Atherectomy Plus Drug-coated Balloon Versus Drug-coated Balloon Alone in the Treatment of Femoropopliteal Artery Disease. <i>Korean Circulation Journal</i> , 2022, 52, 123.  | 1.9 | 5         |
| 6  | Outcome of early versus delayed invasive strategy in patients with non-ST-segment elevation myocardial infarction and chronic kidney disease not on dialysis. <i>Atherosclerosis</i> , 2022, 344, 60-70.   | 0.8 | 4         |
| 7  | Is Routine Postdilation During Angiography-Guided Stent Implantation as Good as Intravascular Ultrasound Guidance?: An Analysis Using Data From IVUS-XPL and ULTIMATE. <i>Circulation: Cardiovascular Interventions</i> , 2022, 15, e011366.                   | 3.9 | 10        |
| 8  | Ticagrelor Monotherapy After 3-Month Dual Antiplatelet Therapy in Acute Coronary Syndrome by High Bleeding Risk: The Subanalysis From the TICO Trial. <i>Korean Circulation Journal</i> , 2022, 52, 324.   | 1.9 | 12        |
| 9  | Improved 3-Year Cardiac Survival After IVUS-Guided Long DES Implantation. <i>JACC: Cardiovascular Interventions</i> , 2022, 15, 208-216.   | 2.9 | 38        |
| 10 | Association of Timing of Revascularization on Clinical Outcomes of Percutaneous Coronary Intervention Relative to Surgery in Non-ST-Elevation Acute Coronary Syndrome Patients With Multivessel Disease. , 2022, 1, 72.  |     | 0         |
| 11 | Effect of Wire Jailing at Side Branch in 1-Stent Strategy for Coronary Bifurcation Lesions. <i>JACC: Cardiovascular Interventions</i> , 2022, 15, 443-455.   | 2.9 | 7         |
| 12 | A Senolytic-Eluting Coronary Stent for the Prevention of In-Stent Restenosis. <i>ACS Biomaterials Science and Engineering</i> , 2022, 8, 1921-1929.  | 5.2 | 7         |
| 13 | Platelet Function and Genotype after DES Implantation in East Asian Patients: Rationale and Characteristics of the PTRG-DES Consortium. <i>Yonsei Medical Journal</i> , 2022, 63, 413.   | 2.2 | 13        |
| 14 | Long-Term Clinical Outcomes Between Biodegradable and Durable Polymer Drug-Eluting Stents: A Nationwide Cohort Study. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, 873114.   | 2.4 | 2         |
| 15 | Effects of Hypertension on Two-Year Outcomes According to Glycemic Status in Patients With Acute Myocardial Infarction Receiving Newer-Generation Drug-Eluting Stents. <i>Angiology</i> , 2022, , 000331972210982.   | 1.8 | 0         |
| 16 | Impact of New-Onset Persistent Left Bundle Branch Block on Reverse Cardiac Remodeling and Clinical Outcomes After Transcatheter Aortic Valve Replacement. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, .   | 2.4 | 1         |
| 17 | Impact of PRECISE-DAPT and DAPT Scores on Dual Antiplatelet Therapy Duration After 2nd Generation Drug-Eluting Stent Implantation. <i>Cardiovascular Drugs and Therapy</i> , 2021, 35, 343-352.  | 2.6 | 5         |
| 18 | Differential Vascular Responses to New-Generation Drug-Eluting Stenting According to Clinical Presentation: Three-Month Optical Coherence Tomographic Study. <i>Angiology</i> , 2021, 72, 381-391.   | 1.8 | 0         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Comparison of Transcatheter Aortic Valve Replacement between Self-Expanding versus Balloon-Expandable Valves in Patients with Small Aortic Annulus. <i>Korean Circulation Journal</i> , 2021, 51, 222.   | 1.9 | 9         |
| 20 | Prediabetes versus type 2 diabetes mellitus based on pre-percutaneous coronary intervention thrombolysis in myocardial infarction flow grade in patients with ST-segment elevation myocardial infarction after successful newer-generation drug-eluting stent implantation. <i>Diabetes and Vascular Disease Research</i> , 2021, 18, 147916412199150. | 2.0 | 2         |
| 21 | Impact of genetic variants on major bleeding after percutaneous coronary intervention based on a prospective multicenter registry. <i>Scientific Reports</i> , 2021, 11, 1790.   | 3.3 | 0         |
| 22 | Korean Multicenter Registry Study of EPIC Stents for the Treatment of Iliac Artery Disease: K-EPIC Registry. <i>Korean Circulation Journal</i> , 2021, 51, 441.  | 1.9 | 3         |
| 23 | Association between Body Mass Index and Clinical Outcomes of Peripheral Artery Disease after Endovascular Therapy: Data from K-VIS ELLA Registry. <i>Korean Circulation Journal</i> , 2021, 51, 696.   | 1.9 | 6         |
| 24 | Distal Anchoring Technique in Single Wire System Using Novel Short Track Sliding Balloon Catheter. <i>JACC: Cardiovascular Interventions</i> , 2021, 14, e27-e29.  | 2.9 | 1         |
| 25 | Ticagrelor Monotherapy Versus Ticagrelor With Aspirin in Patients With ST-Segment Elevation Myocardial Infarction. <i>JACC: Cardiovascular Interventions</i> , 2021, 14, 431-440.  | 2.9 | 16        |
| 26 | Effect of statin treatment in patients with acute myocardial infarction with prediabetes and type 2 diabetes mellitus. <i>Medicine (United States)</i> , 2021, 100, e24733.  | 1.0 | 4         |
| 27 | Outcomes in prediabetes vs. diabetes in patients with non-ST-segment elevation myocardial infarction undergoing percutaneous intervention. <i>Coronary Artery Disease</i> , 2021, 32, 211-223.   | 0.7 | 3         |
| 28 | Impact of genetic variants on clinical outcome after percutaneous coronary intervention in elderly patients. <i>Aging</i> , 2021, 13, 6506-6524.   | 3.1 | 1         |
| 29 | Effects of stent generation on clinical outcomes after acute myocardial infarction compared between prediabetes and diabetes patients. <i>Scientific Reports</i> , 2021, 11, 9364.   | 3.3 | 13        |
| 30 | Association between in-stent neointimal characteristics and native coronary artery disease progression. <i>PLoS ONE</i> , 2021, 16, e0247359.  | 2.5 | 2         |
| 31 | Association Between Timing of Extracorporeal Membrane Oxygenation and Clinical Outcomes in Refractory Cardiogenic Shock. <i>JACC: Cardiovascular Interventions</i> , 2021, 14, 1109-1119.  | 2.9 | 35        |
| 32 | Detection of intracellular monosodium urate crystals in gout synovial fluid using optical diffraction tomography. <i>Scientific Reports</i> , 2021, 11, 10019.   | 3.3 | 9         |
| 33 | Two-Year Clinical Outcomes According to Pre-PCI TIMI Flow Grade and Reperfusion Timing in Non-STEMI After Newer-Generation Drug-Eluting Stents Implantation. <i>Angiology</i> , 2021, , 000331972110125.   | 1.8 | 3         |
| 34 | P2Y12 inhibitor monotherapy or dual antiplatelet therapy after coronary revascularisation: individual patient level meta-analysis of randomised controlled trials. <i>BMJ, The</i> , 2021, 373, n1332.   | 6.0 | 144       |
| 35 | Long-term outcomes after renal denervation in an Asian population: results from the Global SYMPPLICITY Registry in South Korea (GSR Korea). <i>Hypertension Research</i> , 2021, 44, 1099-1104.  | 2.7 | 18        |
| 36 | Impact of preprocedural coronary flow grade on duration of dual antiplatelet therapy in acute myocardial infarction. <i>Scientific Reports</i> , 2021, 11, 11735.  | 3.3 | 2         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Safety and usefulness of a novel short track sliding balloon catheter. <i>Catheterization and Cardiovascular Interventions</i> , 2021, 98, E548-E554.   | 1.7 | 0         |
| 38 | Effect of Coronary CTA on Chronic Total Occlusion Percutaneous Coronary Intervention. <i>JACC: Cardiovascular Imaging</i> , 2021, 14, 1993-2004.  | 5.3 | 41        |
| 39 | Ticagrelor Monotherapy Versus Ticagrelor With Aspirin in Acute Coronary Syndrome Patients With a High Risk of Ischemic Events. <i>Circulation: Cardiovascular Interventions</i> , 2021, 14, e010812.  | 3.9 | 17        |
| 40 | Comparison of two-year clinical outcomes according to glycemic status and renal function in patients with acute myocardial infarction following implantation of new-generation drug-eluting stents. <i>Journal of Diabetes and Its Complications</i> , 2021, 35, 108019.                | 2.3 | 2         |
| 41 | Efficacy of Statin Treatment according to Baseline Renal Function in Korean Patients with Acute Myocardial Infarction Not Requiring Dialysis Undergoing Newer-Generation Drug-Eluting Stent Implantation. <i>Journal of Clinical Medicine</i> , 2021, 10, 3504.                         | 2.4 | 1         |
| 42 | Association of pre-percutaneous coronary flow grade and clinical outcomes in patients with non-ST-segment elevation myocardial infarction. <i>Medicine (United States)</i> , 2021, 100, e26947.   | 1.0 | 0         |
| 43 | Comparative effect of statin intensity between prediabetes and type 2 diabetes mellitus after implanting newer-generation drug-eluting stents in Korean acute myocardial infarction patients: a retrospective observational study. <i>BMC Cardiovascular Disorders</i> , 2021, 21, 386. | 1.7 | 3         |
| 44 | 1-Month Dual-Antiplatelet Therapy Followed by Aspirin Monotherapy After Polymer-Free Drug-Coated Stent Implantation. <i>JACC: Cardiovascular Interventions</i> , 2021, 14, 1801-1811.   | 2.9 | 47        |
| 45 | Comparison of First- and Second-Generation Drug-Eluting Stents in Patients with ST-Segment Elevation Myocardial Infarction Based on Pre-Percutaneous Coronary Intervention Thrombolysis in Myocardial Infarction Flow Grade. <i>Journal of Clinical Medicine</i> , 2021, 10, 367.       | 2.4 | 1         |
| 46 | Increase of CD4 <sup>+</sup> T Cells That Robustly Produce IL-17A in Advanced Abdominal Aortic Aneurysm Tissues. <i>Immune Network</i> , 2021, 21, e17.   | 3.6 | 6         |
| 47 | Clinical Outcomes of Transcatheter Aortic Valve Implantation for Native Aortic Valves in Patients with Low Coronary Heights. <i>Yonsei Medical Journal</i> , 2021, 62, 209.   | 2.2 | 2         |
| 48 | Association between angiographic and intravascular ultrasound optimizations after new-generation drug-eluting stent implantation and clinical outcomes. <i>Coronary Artery Disease</i> , 2021, 32, 541-548.   | 0.7 | 1         |
| 49 | An Open-label, Single-arm, Multicenter Feasibility Study Evaluating the Safety of Catheter-based Renal Denervation with DENEXA <sup>®</sup> in Patients with Uncontrolled Hypertension on Standard Medical Therapy. <i>Korean Circulation Journal</i> , 2021, 51, 43.                   | 1.9 | 5         |
| 50 | Transcatheter Aortic Valve Replacement with Minimal Contrast Dye in Patients with Renal Insufficiency. <i>Yonsei Medical Journal</i> , 2021, 62, 990.   | 2.2 | 1         |
| 51 | Angiotensin converting enzyme inhibitors versus angiotensin II type 1 receptor blockers in patients with acute myocardial infarction and prediabetes after successful implantation of newer-generation drug-eluting stents. <i>Cardiology Journal</i> , 2021, , .                       | 1.2 | 0         |
| 52 | Impact of Intravascular Ultrasound-Guided Optimal Stent Expansion on 3-Year Hard Clinical Outcomes. <i>Circulation: Cardiovascular Interventions</i> , 2021, 14, e011124.   | 3.9 | 11        |
| 53 | Skin Perfusion Pressure Predicts Early Wound Healing After Endovascular Therapy in Chronic Limb Threatening Ischaemia. <i>European Journal of Vascular and Endovascular Surgery</i> , 2021, 62, 909-917.  | 1.5 | 7         |
| 54 | Outcomes of Different Reperfusion Strategies of Multivessel Disease Undergoing Newer-Generation Drug-Eluting Stent Implantation in Patients with Non-ST-Elevation Myocardial Infarction and Chronic Kidney Disease. <i>Journal of Clinical Medicine</i> , 2021, 10, 4629.               | 2.4 | 2         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Risk-Benefit of 1-Year DAPT After DES Implantation in Patients Stratified by Bleeding and Ischemic Risk. <i>Journal of the American College of Cardiology</i> , 2021, 78, 1968-1986.  | 2.8 | 11        |
| 56 | Temporal Trends of Antithrombotic Therapy in Patients With Acute Myocardial Infarction and Atrial Fibrillation: Insight From the KAMIR-NIH Registry. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 762090.   | 2.4 | 3         |
| 57 | Outcomes between prediabetes and type 2 diabetes mellitus in older adults with acute myocardial infarction in the era of newer-generation drug-eluting stents: a retrospective observational study. <i>BMC Geriatrics</i> , 2021, 21, 653.  | 2.7 | 5         |
| 58 | Clinical Impact of Single and Dual Antiplatelet Therapy Beyond 12 Months on Ischemic Risk in Patients With Acute Myocardial Infarction. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 783344.  | 2.4 | 2         |
| 59 | Ticagrelor vs. Clopidogrel in Acute Coronary Syndrome Patients With Chronic Kidney Disease After New-Generation Drug-Eluting Stent Implantation. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 707722.   | 2.4 | 5         |
| 60 | ST-segment elevation versus non-ST-segment elevation myocardial infarction in current smokers after newer-generation drug-eluting stent implantation. <i>Medicine (United States)</i> , 2021, 100, e28214.  | 1.0 | 1         |
| 61 | Two-year outcomes between ST-elevation and non-ST-elevation myocardial infarction in patients with chronic kidney disease undergoing newer-generation drug-eluting stent implantation. <i>Catheterization and Cardiovascular Interventions</i> , 2021, , .  | 1.7 | 2         |
| 62 | Age-Dependent Effect of Ticagrelor Monotherapy Versus Ticagrelor With Aspirin on Major Bleeding and Cardiovascular Events: A Post Hoc Analysis of the TICO Randomized Trial. <i>Journal of the American Heart Association</i> , 2021, 10, e022700.  | 3.7 | 8         |
| 63 | Which is the worst risk factor for the long-term clinical outcome? Comparison of long-term clinical outcomes between antecedent hypertension and diabetes mellitus in South Korean acute myocardial infarction patients after stent implantation. <i>Journal of Diabetes</i> , 2020, 12, 119-133.                       | 1.8 | 6         |
| 64 | Impact of stent generation on 2-year clinical outcomes in ST-segment elevation myocardial infarction patients with multivessel disease who underwent culprit-only or multivessel percutaneous coronary intervention. <i>Catheterization and Cardiovascular Interventions</i> , 2020, 95, E40-E55.                       | 1.7 | 16        |
| 65 | Severe acute stent malapposition follow-up: 3-month and 12-month serial quantitative analyses by optical coherence tomography. <i>International Journal of Cardiology</i> , 2020, 299, 81-86.   | 1.7 | 6         |
| 66 | Long-Term Efficacy of Extended Dual Antiplatelet Therapy After Left Main Coronary Artery Bifurcation Stenting. <i>American Journal of Cardiology</i> , 2020, 125, 320-327.  | 1.6 | 14        |
| 67 | ACE Inhibitors Versus ARBs in Patients With NSTEMI With Preserved LV Systolic Function Who Underwent PCI With New Generation Drug-Eluting Stents. <i>Angiology</i> , 2020, 71, 139-149.   | 1.8 | 4         |
| 68 | Incidence, predictors, and outcomes of distal vessel expansion on follow-up intravascular ultrasound after recanalization of chronic total occlusions using newer-generation drug-eluting stents: Data from the CTO-IVUS randomized trial. <i>Catheterization and Cardiovascular Interventions</i> , 2020, 95, 154-164. | 1.7 | 3         |
| 69 | Optical Coherence Tomography for Coronary Bioresorbable Vascular Scaffold Implantation. <i>Circulation: Cardiovascular Interventions</i> , 2020, 13, e008383.   | 3.9 | 3         |
| 70 | Effects of prediabetes on long-term clinical outcomes of patients with acute myocardial infarction who underwent PCI using new-generation drug-eluting stents. <i>Diabetes Research and Clinical Practice</i> , 2020, 160, 107994.  | 2.8 | 16        |
| 71 | Efficacy and Safety of Guideline-Recommended Risk Score-Directed Dual Antiplatelet Therapy After 2nd-Generation Drug-Eluting Stents. <i>Circulation Journal</i> , 2020, 84, 161-168.  | 1.6 | 2         |
| 72 | Effect of Intravascular Ultrasound-Guided Drug-Eluting Stent Implantation. <i>JACC: Cardiovascular Interventions</i> , 2020, 13, 62-71.   | 2.9 | 151       |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Ten-Year Clinical Outcomes of Late-Acquired Stent Malapposition After Coronary Stent Implantation. Arteriosclerosis, Thrombosis, and Vascular Biology, 2020, 40, 288-295.  | 2.4 | 6         |
| 74 | Long-term outcomes after percutaneous coronary intervention relative to bypass surgery in diabetic patients with multivessel coronary artery disease according to clinical presentation. Coronary Artery Disease, 2020, 31, 174-183.   | 0.7 | 4         |
| 75 | Preventive Effect of Pretreatment with Pitavastatin on Contrast-Induced Nephropathy in Patients with Renal Dysfunction Undergoing Coronary Procedure: PRINCIPLE-II Randomized Clinical Trial. Journal of Clinical Medicine, 2020, 9, 3689.   | 2.4 | 3         |
| 76 | Comparison of First- and Second-Generation Drug-Eluting Stents in Patients with Acute Myocardial Infarction and Prediabetes Based on the Hemoglobin A1c Level. Journal of Interventional Cardiology, 2020, 2020, 1-11.   | 1.2 | 0         |
| 77 | Clinical implication of neointimal burden in in-stent restenosis treated with drug-coated balloon. Catheterization and Cardiovascular Interventions, 2020, 98, 493-502.  | 1.7 | 0         |
| 78 | Impacts of renin-angiotensin system inhibitors on two-year clinical outcomes in diabetic and dyslipidemic acute myocardial infarction patients after a successful percutaneous coronary intervention using newer-generation drug-eluting stents. Medicine (United States), 2020, 99, e21289.                               | 1.0 | 1         |
| 79 | Optical coherence tomography-based machine learning for predicting fractional flow reserve in intermediate coronary stenosis: a feasibility study. Scientific Reports, 2020, 10, 20421.  | 3.3 | 19        |
| 80 | Beta-Blocker and Renin-Angiotensin System Inhibitor Combination Therapy in Patients with Acute Myocardial Infarction and Prediabetes or Diabetes Who Underwent Successful Implantation of Newer-Generation Drug-Eluting Stents: A Retrospective Observational Registry Study. Journal of Clinical Medicine, 2020, 9, 3447. | 2.4 | 1         |
| 81 | Effectiveness of Fimasartan and Rosuvastatin Combination Treatment in Hypertensive Patients With Dyslipidemia. Clinical Therapeutics, 2020, 42, 1058-1066.e3.  | 2.5 | 0         |
| 82 | Effect of Ticagrelor Monotherapy vs Ticagrelor With Aspirin on Major Bleeding and Cardiovascular Events in Patients With Acute Coronary Syndrome. JAMA - Journal of the American Medical Association, 2020, 323, 2407.   | 7.4 | 326       |
| 83 | Effect of renin-angiotensin system inhibitors on major clinical outcomes in patients with acute myocardial infarction and prediabetes or diabetes after successful implantation of newer-generation drug-eluting stents. Journal of Diabetes and Its Complications, 2020, 34, 107574.                                      | 2.3 | 4         |
| 84 | Aortic Remodeling and Clinical Outcomes in Type B Aortic Dissection According to the Timing of Thoracic Endovascular Aortic Repair. Annals of Vascular Surgery, 2020, 67, 322-331.   | 0.9 | 15        |
| 85 | Different Statin Effects of ST-elevation Versus Non-ST-Elevation Acute Myocardial Infarction After Stent Implantation. American Journal of the Medical Sciences, 2020, 359, 156-167.   | 1.1 | 3         |
| 86 | Risk Factors for Closure Failure following Percutaneous Transfemoral Transcatheter Aortic Valve Implantation. Annals of Vascular Surgery, 2020, 66, 406-414.   | 0.9 | 8         |
| 87 | Renal Denervation in Asia. Hypertension, 2020, 75, 590-602.  | 2.7 | 50        |
| 88 | Culprit-only versus multivessel or complete versus incomplete revascularization in patients with non-ST-segment elevation myocardial infarction and multivessel disease who underwent successful percutaneous coronary intervention using newer-generation drug-eluting stents. Atherosclerosis, 2020, 301, 54-64.         | 0.8 | 7         |
| 89 | Bioresorbable Vascular Scaffolds Versus Drug-Eluting Stents for Diffuse Long Coronary Narrowings. American Journal of Cardiology, 2020, 125, 1624-1630.  | 1.6 | 5         |
| 90 | Comparison of Durable-Polymer- and Biodegradable-Polymer-Based Newer-Generation Drug-Eluting Stents in Patients with Acute Myocardial Infarction and Prediabetes After Successful Percutaneous Coronary Intervention. International Heart Journal, 2020, 61, 673-684.  | 1.0 | 1         |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Clinical Implications of Thrombocytopenia at Cardiogenic Shock Presentation: Data from a Multicenter Registry. <i>Yonsei Medical Journal</i> , 2020, 61, 851.   | 2.2 | 6         |
| 92  | Anti-Inflammatory Effect for Atherosclerosis Progression by Sodium-Glucose Cotransporter 2 (SGLT-2) Inhibitor in a Normoglycemic Rabbit Model. <i>Korean Circulation Journal</i> , 2020, 50, 443.                     | 1.9 | 40        |
| 93  | Effect of FIXed-dose combination of ARb and statin on adherence and risk factor control: The randomized FIXAR study. <i>Cardiology Journal</i> , 2020, , .  | 1.2 | 6         |
| 94  | Migrated remnant bioresorbable scaffolds in a left main bifurcation lesion: Insights from optical coherence tomography. <i>Cardiology Journal</i> , 2020, 27, 208-209.  | 1.2 | 0         |
| 95  | Silent plaque rupture in the left main stem assessed by optical coherence tomography. <i>Cardiology Journal</i> , 2020, 27, 316-317.  | 1.2 | 1         |
| 96  | Optimal Duration for Dual Antiplatelet Therapy After Left Main Coronary Artery Stenting. <i>Circulation Journal</i> , 2020, 85, 59-68.  | 1.6 | 5         |
| 97  | Lipid-Lowering Efficacy and Safety of a New Generic Rosuvastatin in Koreans: an 8-Week Randomized Comparative Study with a Proprietary Rosuvastatin. <i>Journal of Lipid and Atherosclerosis</i> , 2020, 9, 283.      | 3.5 | 2         |
| 98  | Long-term Clinical Outcomes of Drug-Eluting Stent Malapposition. <i>Korean Circulation Journal</i> , 2020, 50, 880.   | 1.9 | 4         |
| 99  | Successful Culotte Stenting for Unprotected Left Main Trifurcation Disease: Insights from Optical Coherence Tomography. <i>Korean Circulation Journal</i> , 2020, 50, 740.  | 1.9 | 0         |
| 100 | Neointima characteristics as a prognostic marker for drug-coated balloon angioplasty in patients with in-stent restenosis: an optical coherence tomography study. <i>Coronary Artery Disease</i> , 2020, 31, 694-702. | 0.7 | 3         |
| 101 | Outcomes of Adjunctive Drug-Coated Versus Uncoated Balloon after Atherectomy in Femoropopliteal Artery Disease. <i>Annals of Vascular Surgery</i> , 2020, 68, 391-399.  | 0.9 | 5         |
| 102 | Risk Factors for Restenosis after Drug-coated Balloon Angioplasty for Complex Femoropopliteal Arterial Occlusive Disease. <i>Annals of Vascular Surgery</i> , 2019, 55, 45-54.  | 0.9 | 15        |
| 103 | Impact of late stent malapposition after drug-eluting stent implantation on long-term clinical outcomes. <i>Atherosclerosis</i> , 2019, 288, 118-123.   | 0.8 | 8         |
| 104 | Severe Acute Stent Malapposition After Drug-Eluting Stent Implantation: Effects on Long-Term Clinical Outcomes. <i>Journal of the American Heart Association</i> , 2019, 8, e012800.                                  | 3.7 | 11        |
| 105 | Editor's Choice " Impact of Endovascular Pedal Artery Revascularisation on Wound Healing in Patients With Critical Limb Ischaemia. <i>European Journal of Vascular and Endovascular Surgery</i> , 2019, 58, 854-863.  | 1.5 | 25        |
| 106 | Relation of Preprocedural Hemoglobin Level to Outcomes After Percutaneous Coronary Intervention. <i>American Journal of Cardiology</i> , 2019, 124, 1319-1326.  | 1.6 | 8         |
| 107 | A comparison between statin with ACE inhibitor or ARB therapy in STEMI patients who underwent successful PCI with drug-eluting stents. <i>Atherosclerosis</i> , 2019, 289, 109-117.                                   | 0.8 | 9         |
| 108 | PRavastatin Versus FLUVastatin After Statin Intolerance: The PRUV-Intolerance Study With Propensity Score Matching. <i>American Journal of Medicine</i> , 2019, 132, 1320-1326.e1.                                    | 1.5 | 4         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Synergistic protective effects of a statin and an angiotensin receptor blocker for initiation and progression of atherosclerosis. <i>PLoS ONE</i> , 2019, 14, e0215604.  | 2.5 | 12        |
| 110 | Comparison of clinical outcomes of two different types of paclitaxel-coated balloons for treatment of patients with coronary in-stent restenosis. <i>Heart and Vessels</i> , 2019, 34, 1420-1428.  | 1.2 | 4         |
| 111 | One-year clinical outcomes between biodegradable-polymer-coated biolimus-eluting stent and durable-polymer-coated drug-eluting stents in STEMI patients with multivessel coronary artery disease undergoing culprit-only or multivessel PCI. <i>Atherosclerosis</i> , 2019, 284, 102-109.  | 0.8 | 15        |
| 112 | Statin and clinical outcomes of primary prevention in individuals aged >75 years: The SCOPE-75 study. <i>Atherosclerosis</i> , 2019, 284, 31-36.   | 0.8 | 27        |
| 113 | Randomized evaluation of ticagrelor monotherapy after 3-month dual-antiplatelet therapy in patients with acute coronary syndrome treated with new-generation sirolimus-eluting stents: TICO trial rationale and design. <i>American Heart Journal</i> , 2019, 212, 45-52.  | 2.7 | 26        |
| 114 | Long-Term Clinical Outcomes of Late Stent Malapposition Detected by Optical Coherence Tomography After Drug-Eluting Stent Implantation. <i>Journal of the American Heart Association</i> , 2019, 8, e011817.   | 3.7 | 15        |
| 115 | Clinical Outcomes at 2 Years Between Beta-Blockade with ACE Inhibitors or ARBs in Patients with AMI Who Underwent Successful PCI with DES: A Retrospective Analysis of 23,978 Patients in the Korea AMI Registry. <i>American Journal of Cardiovascular Drugs</i> , 2019, 19, 403-414.   | 2.2 | 4         |
| 116 | Effect of Perioperative Antiplatelet Therapy on Outcomes in Patients With Drug-Eluting Stents Undergoing Elective Noncardiac Surgery. <i>American Journal of Cardiology</i> , 2019, 123, 1414-1421.  | 1.6 | 10        |
| 117 | One-year clinical outcomes of ticagrelor compared with clopidogrel after percutaneous coronary intervention in patients with acute myocardial infarction: From Korean Health Insurance Review and Assessment Data. <i>Journal of Cardiology</i> , 2019, 73, 191-197.   | 1.9 | 8         |
| 118 | Optimal Strategy for Antiplatelet Therapy After Endovascular Revascularization for Lower Extremity Peripheral Artery Disease. <i>JACC: Cardiovascular Interventions</i> , 2019, 12, 2359-2370.   | 2.9 | 27        |
| 119 | A comparison of the impact of current smoking on 2-year major clinical outcomes of first- and second-generation drug-eluting stents in acute myocardial infarction. <i>Medicine (United States)</i> , 2019, 98, e14797.  | 1.0 | 8         |
| 120 | Two-year clinical outcomes of zotarolimus- and everolimus-eluting durable-polymer-coated stents versus biolimus-eluting biodegradable-polymer-coated stent in patients with acute myocardial infarction with dyslipidemia after percutaneous coronary intervention: data from the KAMIR. <i>Heart and Vessels</i> , 2019, 34, 237-250.                                     | 1.2 | 5         |
| 121 | Two-year outcomes of statin therapy in patients with acute myocardial infarction with or without dyslipidemia after percutaneous coronary intervention in the era of new-generation drug-eluting stents within Korean population: Data from the Korea Acute Myocardial Infarction Registry. <i>Catheterization and Cardiovascular Interventions</i> , 2019, 93, 1264-1275. | 1.7 | 12        |
| 122 | Comparison Between Beta-Blockers with Angiotensin-Converting Enzyme Inhibitors and Beta-Blockers with Angiotensin II Type I Receptor Blockers in ST-Segment Elevation Myocardial Infarction After Successful Percutaneous Coronary Intervention with Drug-Eluting Stents. <i>Cardiovascular Drugs and Therapy</i> , 2019, 33, 55-67.                                       | 2.6 | 18        |
| 123 | Impact of renin-angiotensin system inhibitors on long-term clinical outcomes in patients with acute myocardial infarction treated with successful percutaneous coronary intervention with drug-eluting stents: Comparison between STEMI and NSTEMI. <i>Atherosclerosis</i> , 2019, 280, 166-173.   | 0.8 | 34        |
| 124 | Favorable neurological outcome after ischemic cerebrovascular events in patients treated with percutaneous left atrial appendage occlusion compared with warfarin. <i>Catheterization and Cardiovascular Interventions</i> , 2019, 94, E23-E29.  | 1.7 | 7         |
| 125 | Consecutive Jailed- and Kissing-Corsair Technique: Side Branch Protection and Dilation during Stent Implantation. <i>Yonsei Medical Journal</i> , 2019, 60, 1108.  | 2.2 | 3         |
| 126 | Comparison of clinical outcomes between ACE inhibitor and ARB in AMI patients with dyslipidemia after successful stent implantation. <i>Anatolian Journal of Cardiology</i> , 2019, 23, 86-98.   | 0.9 | 6         |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | Impact of peripheral artery disease on early and late outcomes of transcatheter aortic valve implantation in patients with severe aortic valve stenosis. <i>International Journal of Cardiology</i> , 2018, 255, 206-211.  | 1.7 | 16        |
| 128 | Determinants and Long-Term Outcomes of Percutaneous Coronary Interventions vs. Surgery for Multivessel Disease According to Clinical Presentation. <i>Circulation Journal</i> , 2018, 82, 1092-1100.   | 1.6 | 5         |
| 129 | Short-Term Versus Long-Term Dual Antiplatelet Therapy After Drug-Eluting Stent Implantation in Elderly Patients. <i>JACC: Cardiovascular Interventions</i> , 2018, 11, 435-443.  | 2.9 | 54        |
| 130 | Early Strut Coverage in Patients Receiving Drug-Eluting Stents and its Implications for Dual Antiplatelet Therapy. <i>JACC: Cardiovascular Imaging</i> , 2018, 11, 1810-1819.  | 5.3 | 38        |
| 131 | Incidence, predicting factors, and clinical outcomes of periprocedural myocardial infarction after percutaneous coronary intervention for chronic total occlusion in the era of new-generation drug-eluting stents. <i>Catheterization and Cardiovascular Interventions</i> , 2018, 92, 477-485. | 1.7 | 3         |
| 132 | High-intensity Statin Treatments in Clinically Stable Patients on Aspirin Monotherapy 12 Months After Drug-eluting Stent Implantation: A Randomized Study. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2018, 71, 423-431.  | 0.6 | 8         |
| 133 | Immediate and late outcomes of endovascular therapy for lower extremity arteries in Buerger disease. <i>Journal of Vascular Surgery</i> , 2018, 67, 1769-1777.   | 1.1 | 18        |
| 134 | Optimal duration of DAPT after second-generation drug-eluting stent in acute coronary syndrome. <i>PLoS ONE</i> , 2018, 13, e0207386.  | 2.5 | 14        |
| 135 | Treat or Not to Treat Non-culprit Coronary Artery with Significant Stenosis during Primary Percutaneous Coronary Intervention. <i>Korean Circulation Journal</i> , 2018, 48, 1000.   | 1.9 | 0         |
| 136 | Early Follow-Up Optical Coherence Tomographic Findings of Significant Drug-Eluting Stent Malapposition. <i>Circulation: Cardiovascular Interventions</i> , 2018, 11, e007192.  | 3.9 | 8         |
| 137 | Impact of current smoking on 2-year clinical outcomes between durable-polymer-coated stents and biodegradable-polymer-coated stents in acute myocardial infarction after successful percutaneous coronary intervention: Data from the KAMIR. <i>PLoS ONE</i> , 2018, 13, e0205046.               | 2.5 | 8         |
| 138 | Effect of fenofibrate in 1113 patients at low-density lipoprotein cholesterol goal but high triglyceride levels: Real-world results and factors associated with triglyceride reduction. <i>PLoS ONE</i> , 2018, 13, e0205006.  | 2.5 | 7         |
| 139 | Association between body mass index and clinical outcomes after new-generation drug-eluting stent implantation: Korean multi-center registry data. <i>Atherosclerosis</i> , 2018, 277, 155-162.  | 0.8 | 11        |
| 140 | Patient-Centered Decision-Making of Revascularization Strategy for Left Main or Multivessel Coronary Artery Disease. <i>American Journal of Cardiology</i> , 2018, 122, 2005-2013.   | 1.6 | 7         |
| 141 | Different Neointimal Pattern in Early vs. Late In-Stent Restenosis and Clinical Outcomes After Drug-Coated Balloon Angioplasty: An Optical Coherence Tomography Study. <i>Circulation Journal</i> , 2018, 82, 2745-2752.   | 1.6 | 13        |
| 142 | Long-Term Clinical Outcomes and Optimal Stent Strategy in Left Main Coronary Bifurcation Stenting. <i>JACC: Cardiovascular Interventions</i> , 2018, 11, 1247-1258.  | 2.9 | 34        |
| 143 | Peripheral artery disease is associated with poor clinical outcome in patients with abdominal aortic aneurysm after endovascular aneurysm repair. <i>International Journal of Cardiology</i> , 2018, 268, 208-213.   | 1.7 | 8         |
| 144 | Randomized Comparison of Strut Coverage between Ticagrelor and Clopidogrel in Acute Myocardial Infarction at 3-Month Optical Coherence Tomography. <i>Yonsei Medical Journal</i> , 2018, 59, 624.  | 2.2 | 8         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Intravascular Ultrasound Predictors of Major Adverse Cardiovascular Events After Implantation of Everolimus-eluting Stents for Long Coronary Lesions. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2017, 70, 88-95.   | 0.6 | 6         |
| 146 | Three, six, or twelve months of dual antiplatelet therapy after DES implantation in patients with or without acute coronary syndromes: an individual patient data pairwise and network meta-analysis of six randomized trials and 11,473 patients. <i>European Heart Journal</i> , 2017, 38, ehw627. | 2.2 | 138       |
| 147 | Association of air pollution with increased incidence of ventricular tachyarrhythmias recorded by implantable cardioverter defibrillators: Vulnerable patients to air pollution. <i>International Journal of Cardiology</i> , 2017, 240, 214-220.  | 1.7 | 14        |
| 148 | Bleeding-Related Deaths in Relation to the Duration of Dual-Antiplatelet Therapy After Coronary Stenting. <i>Journal of the American College of Cardiology</i> , 2017, 69, 2011-2022.  | 2.8 | 109       |
| 149 | Case of Refractory Hypertension Controlled by Repeated Renal Denervation and Celiac Plexus Block. <i>Hypertension</i> , 2017, 69, 978-984.   | 2.7 | 4         |
| 150 | Characteristics of Earlier Versus Delayed Presentation of Very Late Drug-Eluting Stent Thrombosis: An Optical Coherence Tomographic Study. <i>Journal of the American Heart Association</i> , 2017, 6, .   | 3.7 | 20        |
| 151 | Impact of National Health Checkup Service on Hard Atherosclerotic Cardiovascular Disease Events and All-Cause Mortality in the General Population. <i>American Journal of Cardiology</i> , 2017, 120, 1804-1812.   | 1.6 | 14        |
| 152 | Short-versus long-term Dual Antiplatelet therapy after drug-eluting stent implantation in women versus men: A sex-specific patient-level pooled analysis of six randomized trials. <i>Catheterization and Cardiovascular Interventions</i> , 2017, 89, 178-189.                                      | 1.7 | 18        |
| 153 | Clinical outcomes of dual antiplatelet therapy after implantation of drug-eluting stents in patients with different cardiovascular risk factors. <i>Clinical Research in Cardiology</i> , 2017, 106, 165-173.  | 3.3 | 14        |
| 154 | Effect of Adjunct Balloon Dilation after Long Everolimus-eluting Stent Deployment on Major Adverse Cardiac Events. <i>Korean Circulation Journal</i> , 2017, 47, 694.  | 1.9 | 6         |
| 155 | Successful Treatment of Unprotected Left Main Coronary Bifurcation Lesion Using Minimum Contrast Volume with Intravascular Ultrasound Guidance. <i>Yonsei Medical Journal</i> , 2017, 58, 1066.  | 2.2 | 0         |
| 156 | Impact of Vessel Diameter Measured by Preprocedural Computed Tomography Angiography on Immediate and Late Outcomes of Endovascular Therapy for Iliac Artery Diseases. <i>Circulation Journal</i> , 2017, 81, 675-681.  | 1.6 | 3         |
| 157 | Early Effects of Intensive Lipid-Lowering Treatment on Plaque Characteristics Assessed by Virtual Histology Intravascular Ultrasound. <i>Yonsei Medical Journal</i> , 2016, 57, 1087.  | 2.2 | 8         |
| 158 | The Beneficial Effect of Renin-Angiotensin-Aldosterone System Blockade in Marfan Syndrome Patients after Aortic Root Replacement. <i>Yonsei Medical Journal</i> , 2016, 57, 81.  | 2.2 | 5         |
| 159 | Long-Term Clinical Outcomes of a Biodegradable Polymer-Based Biolimus-Eluting Stent. <i>Journal of Interventional Cardiology</i> , 2016, 29, 162-167.  | 1.2 | 2         |
| 160 | Efficacy and Safety of Dual Antiplatelet Therapy After Complex PCI. <i>Journal of the American College of Cardiology</i> , 2016, 68, 1851-1864.  | 2.8 | 319       |
| 161 | Assessing Computational Fractional Flow Reserve From Optical Coherence Tomography in Patients With Intermediate Coronary Stenosis in the Left Anterior Descending Artery. <i>Circulation: Cardiovascular Interventions</i> , 2016, 9, .  | 3.9 | 43        |
| 162 | Association Between Duration of Dual Antiplatelet Therapy and Angiographic Multivessel Disease on Outcomes in Patients Treated With Newer-Generation Drug-Eluting Stents. <i>Circulation: Cardiovascular Interventions</i> , 2016, 9, .  | 3.9 | 12        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 163 | Prospective randomized comparison of clinical and angiographic outcomes between everolimus-eluting vs. zotarolimus-eluting stents for treatment of coronary restenosis in drug-eluting stents: intravascular ultrasound volumetric analysis (RESENT-ISR trial). <i>European Heart Journal</i> , 2016, 37, 3409-3418. | 2.2 | 18        |
| 164 | Effects of Intravascular Ultrasound-Guided Versus Angiography-Guided New-Generation Drug-Eluting Stent Implantation. <i>JACC: Cardiovascular Interventions</i> , 2016, 9, 2232-2239.   | 2.9 | 82        |
| 165 | Short term versus long term dual antiplatelet therapy after implantation of drug eluting stent in patients with or without diabetes: systematic review and meta-analysis of individual participant data from randomised trials. <i>BMJ, The</i> , 2016, 355, i5483.  | 6.0 | 48        |
| 166 | The safety and efficacy of vitamin K antagonist in atrial fibrillation patients with previous ulcer bleeding. <i>Medicine (United States)</i> , 2016, 95, e5467.   | 1.0 | 10        |
| 167 | Usefulness of Intraprocedural Coronary Computed Tomographic Angiography During Intervention for Chronic Total Coronary Occlusion. <i>American Journal of Cardiology</i> , 2016, 117, 1868-1876.  | 1.6 | 20        |
| 168 | 6-Month Versus 12-Month Dual-Antiplatelet Therapy Following Long Everolimus-Eluting Stent Implantation. <i>JACC: Cardiovascular Interventions</i> , 2016, 9, 1438-1446.  | 2.9 | 108       |
| 169 | Attainment of low-density lipoprotein cholesterol goal after endovascular treatment is associated with reduced cardiovascular events in patients with peripheral arterial disease. <i>Journal of Vascular Surgery</i> , 2016, 63, 756-763.   | 1.1 | 12        |
| 170 | Association between fractional flow reserve and coronary plaque characteristics assessed by optical coherence tomography. <i>Journal of Cardiology</i> , 2016, 68, 342-345.  | 1.9 | 8         |
| 171 | Three-Dimensional Optical Coherence Tomographic Analysis of Eccentric Morphology of the Jailed Side-Branch Ostium in Coronary Bifurcation Lesions. <i>Canadian Journal of Cardiology</i> , 2016, 32, 234-239.  | 1.7 | 8         |
| 172 | Comparison between drug-coated balloon angioplasty and second-generation drug-eluting stent placement for the treatment of in-stent restenosis after drug-eluting stent implantation. <i>Heart and Vessels</i> , 2016, 31, 1405-1411.  | 1.2 | 9         |
| 173 | Statin Intensity and Clinical Outcome in Patients with Stable Coronary Artery Disease and Very Low LDL-Cholesterol. <i>PLoS ONE</i> , 2016, 11, e0166246.  | 2.5 | 9         |
| 174 | Role of intraprocedural coronary computed tomographic angiography in percutaneous coronary intervention of chronic total occlusion. <i>EuroIntervention</i> , 2016, 11, 1400-1400.   | 3.2 | 3         |
| 175 | Femoropopliteal Artery Stent Fracture with Recurrent In-Stent Reocclusion and Aneurysm Formation: Successful Treatment with Self-Expandable Viabahn Endoprosthesis. <i>Korean Circulation Journal</i> , 2015, 45, 522.   | 1.9 | 5         |
| 176 | Impact of Coronary Plaque Characteristics on Late Stent Malapposition after Drug-Eluting Stent Implantation. <i>Yonsei Medical Journal</i> , 2015, 56, 1538.   | 2.2 | 2         |
| 177 | Impact of Statin Treatment on Strut Coverage after Drug-Eluting Stent Implantation. <i>Yonsei Medical Journal</i> , 2015, 56, 45.  | 2.2 | 15        |
| 178 | Association between Fibrinogen and Carotid Atherosclerosis According to Smoking Status in a Korean Male Population. <i>Yonsei Medical Journal</i> , 2015, 56, 921.   | 2.2 | 14        |
| 179 | Limitations of coronary computed tomographic angiography for delineating the lumen and vessel contours of coronary arteries in patients with stable angina. <i>European Heart Journal Cardiovascular Imaging</i> , 2015, 16, 1358-1365.  | 1.2 | 11        |
| 180 | Optical Coherence Tomographic Observation of In-Stent Neointimal Area Stenosis in Lesions With More Than 50% Neointimal Area Stenosis After Second-Generation Drug-Eluting Stent Implantation. <i>Circulation: Cardiovascular Interventions</i> , 2015, 8, e001878.  | 3.9 | 72        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 181 | Eccentric morphology of jailed side-branch ostium after stent crossover in coronary bifurcation lesions: A three-dimensional optical coherence tomographic analysis. <i>Journal of Cardiology</i> , 2015, 65, 305-310.                                 | 1.9  | 13        |
| 182 | Elevated serum cystatin C level is an independent predictor of contrast-induced nephropathy and adverse outcomes in patients with peripheral artery disease undergoing endovascular therapy. <i>Journal of Vascular Surgery</i> , 2015, 61, 1223-1230. | 1.1  | 22        |
| 183 | Randomized comparison of acute stent malapposition between platinum-chromium versus cobalt-chromium everolimus-eluting stents. <i>International Journal of Cardiovascular Imaging</i> , 2015, 31, 269-277.   | 1.5  | 12        |
| 184 | Randomized Comparison of Stent Strut Coverage Following Angiography- or Optical Coherence Tomography-guided Percutaneous Coronary Intervention. <i>Revista Espanola De Cardiologia (English Ed)</i> Tj ETQq0 0 0.rgBT /Overlock 10 T                   |      |           |
| 185 | In Vivo Demonstration of Frail Neointimal Tissue Embolization After Angioplasty With a Drug-Coated Balloon Confirmed by Optical Coherence Tomography and Histology. <i>Circulation</i> , 2015, 132, 144-145.   | 1.6  | 0         |
| 186 | Outcomes of the single-stent versus kissing-stents technique in asymmetric complex aortoiliac bifurcation lesions. <i>Journal of Vascular Surgery</i> , 2015, 62, 68-74.   | 1.1  | 10        |
| 187 | Incidence, clinical presentation, and predictors of early neoatherosclerosis after drug-eluting stent implantation. <i>American Heart Journal</i> , 2015, 170, 591-597.  | 2.7  | 28        |
| 188 | Outcomes of Spot Stenting Versus Long Stenting After Intentional Subintimal Approach for Long Chronic Total Occlusions of the Femoropopliteal Artery. <i>JACC: Cardiovascular Interventions</i> , 2015, 8, 472-480.                                    | 2.9  | 46        |
| 189 | Mortality in patients treated with extended duration dual antiplatelet therapy after drug-eluting stent implantation: a pairwise and Bayesian network meta-analysis of randomised trials. <i>Lancet, The</i> , 2015, 385, 2371-2382.                   | 13.7 | 345       |
| 190 | Short- Versus Long-Term Dual Antiplatelet Therapy After Drug-Eluting Stent Implantation. <i>Journal of the American College of Cardiology</i> , 2015, 65, 1092-1102.   | 2.8  | 163       |
| 191 | Clinical Impact of Intravascular Ultrasound-Guided Chronic Total Occlusion Intervention With Zotarolimus-Eluting Versus Biolimus-Eluting Stent Implantation. <i>Circulation: Cardiovascular Interventions</i> , 2015, 8, e002592.                      | 3.9  | 218       |
| 192 | Effect of High-Dose Statin Therapy on Drug-Eluting Stent Strut Coverage. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2015, 35, 2460-2467.  | 2.4  | 13        |
| 193 | Favorable effect of optimal lipid-lowering therapy on neointimal tissue characteristics after drug-eluting stent implantation: Qualitative optical coherence tomographic analysis. <i>Atherosclerosis</i> , 2015, 242, 553-559.                        | 0.8  | 32        |
| 194 | Serial Randomized Comparison of Strut Coverage of Everolimus- and First-Generation Sirolimus-Eluting Stents. <i>Canadian Journal of Cardiology</i> , 2015, 31, 723-730.  | 1.7  | 16        |
| 195 | Effect of Intravascular Ultrasound-Guided vs Angiography-Guided Everolimus-Eluting Stent Implantation. <i>JAMA - Journal of the American Medical Association</i> , 2015, 314, 2155.  | 7.4  | 418       |
| 196 | The safety and efficacy of vitamin K antagonist in patients with atrial fibrillation and liver cirrhosis. <i>International Journal of Cardiology</i> , 2015, 180, 185-191.   | 1.7  | 37        |
| 197 | Rationale and design: Impact of intravascular ultrasound guidance on long-term clinical outcomes of everolimus-eluting stents in long coronary lesions. <i>Contemporary Clinical Trials</i> , 2015, 40, 90-94.   | 1.8  | 7         |
| 198 | Comparison of Full Lesion Coverage versus Spot Drug-Eluting Stent Implantation for Coronary Artery Stenoses. <i>Yonsei Medical Journal</i> , 2014, 55, 584.  | 2.2  | 2         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 199 | Prospective and Systematic Analysis of Unexpected Requests for Non-Cardiac Surgery or Other Invasive Procedures during the First Year after Drug-Eluting Stent Implantation. <i>Yonsei Medical Journal</i> , 2014, 55, 345.                    | 2.2 | 11        |
| 200 | Optical Coherence Tomographic Observation of Morphological Features of Neointimal Tissue after Drug-Eluting Stent Implantation. <i>Yonsei Medical Journal</i> , 2014, 55, 944.   | 2.2 | 7         |
| 201 | Serial Changes of Neointimal Tissue after Everolimus-Eluting Stent Implantation in Porcine Coronary Artery: An Optical Coherence Tomography Analysis. <i>BioMed Research International</i> , 2014, 2014, 1-8.                                  | 1.9 | 6         |
| 202 | Incidences, Predictors, and Clinical Outcomes of Acute and Late Stent Malapposition Detected by Optical Coherence Tomography After Drug-Eluting Stent Implantation. <i>Circulation: Cardiovascular Interventions</i> , 2014, 7, 88-96.         | 3.9 | 128       |
| 203 | The Relationship Between Post-Stent Strut Apposition and Follow-Up Strut Coverage Assessed by a Contour Plot Optical Coherence Tomography Analysis. <i>JACC: Cardiovascular Interventions</i> , 2014, 7, 641-651.                              | 2.9 | 31        |
| 204 | Efficacy of Early Intensive Rosuvastatin Therapy in Patients With ST-Segment Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention (ROSEMARY Study). <i>American Journal of Cardiology</i> , 2014, 114, 29-35. | 1.6 | 16        |
| 205 | Mechanisms of Postintervention and Nine-Month Luminal Enlargement After Treatment of Drug-Eluting In-Stent Restenosis With a Drug-Eluting Balloon. <i>American Journal of Cardiology</i> , 2014, 113, 1468-1473.                               | 1.6 | 11        |
| 206 | Long-Term Outcomes of Neointimal Hyperplasia Without Neoatherosclerosis After Drug-Eluting Stent Implantation. <i>JACC: Cardiovascular Imaging</i> , 2014, 7, 788-795.   | 5.3 | 46        |
| 207 | Usefulness of Intravascular Ultrasound Guidance in Percutaneous Coronary Intervention With Second-Generation Drug-Eluting Stents for Chronic Total Occlusions (from the Multicenter) <i>Tj ETQq1 1 0.784314 rpgBT /Overback 10 T</i>           |     |           |
| 208 | Randomised comparison of strut coverage between Nobori biolimus-eluting and sirolimus-eluting stents: an optical coherence tomography analysis. <i>EuroIntervention</i> , 2014, 9, 1389-1397.  | 3.2 | 21        |
| 209 | Clinical outcome of successful percutaneous coronary intervention for chronic total occlusion: results from the multicenter Korean Chronic Total Occlusion (K-CTO) registry. <i>Journal of Invasive Cardiology</i> , 2014, 26, 255-9.          | 0.4 | 13        |
| 210 | Optical coherence tomography derived cut-off value of uncovered stent struts to predict adverse clinical outcomes after drug-eluting stent implantation. <i>International Journal of Cardiovascular Imaging</i> , 2013, 29, 1255-1263.         | 1.5 | 55        |
| 211 | Optical coherence tomography analysis of strut coverage in biolimus- and sirolimus-eluting stents: 3-Month and 12-month serial follow-up. <i>International Journal of Cardiology</i> , 2013, 168, 4617-4623.                                   | 1.7 | 32        |
| 212 | Ventricular Tachyarrhythmias in a Patient with Andersen-Tawil Syndrome. <i>Korean Circulation Journal</i> , 2013, 43, 62.  | 1.9 | 2         |
| 213 | Arterial Ageing. <i>Korean Circulation Journal</i> , 2013, 43, 73.   | 1.9 | 42        |
| 214 | A Case of Kommerell's Diverticulum Initially Detected by Transesophageal Echocardiography. <i>Journal of Cardiovascular Imaging</i> , 2013, 21, 30.  | 0.8 | 1         |
| 215 | A New Strategy for Discontinuation of Dual Antiplatelet Therapy. <i>Journal of the American College of Cardiology</i> , 2012, 60, 1340-1348.   | 2.8 | 592       |
| 216 | Correlation of angiographic late loss with neointimal coverage of drug-eluting stent struts on follow-up optical coherence tomography. <i>International Journal of Cardiovascular Imaging</i> , 2012, 28, 1289-1297.                           | 1.5 | 3         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 217 | Optical coherence tomography-based evaluation of malapposed strut coverage after drug-eluting stent implantation. <i>International Journal of Cardiovascular Imaging</i> , 2012, 28, 1887-1894.                                    | 1.5 | 15        |
| 218 | Bleeding Risk and Major Adverse Events in Patients With Previous Ulcer on Oral Anticoagulation Therapy. <i>American Journal of Cardiology</i> , 2012, 110, 373-377.  | 1.6 | 12        |
| 219 | Comparison of Optical Coherence Tomographic Assessment between First- and Second-Generation Drug-Eluting Stents. <i>Yonsei Medical Journal</i> , 2012, 53, 524.  | 2.2 | 31        |
| 220 | The First Korean Patient With Severe Aortic Stenosis and Bilateral Iliofemoral Artery Disease Treated With Transcatheter Aortic Valve Implantation by Transsubclavian Approach. <i>Korean Circulation Journal</i> , 2012, 42, 796. | 1.9 | 1         |
| 221 | Major determinants for the uncovered stent struts on optical coherence tomography after drug-eluting stent implantation. <i>International Journal of Cardiovascular Imaging</i> , 2012, 28, 705-714.                               | 1.5 | 14        |
| 222 | Optical coherence tomography evaluation of in-stent restenotic lesions with visible microvessels. <i>Journal of Invasive Cardiology</i> , 2012, 24, 116-20.  | 0.4 | 7         |
| 223 | Impact of Preprocedural High-Sensitivity C-Reactive Protein Levels on Uncovered Stent Struts: An Optical Coherence Tomography Study After Drug-Eluting Stent Implantation. <i>Clinical Cardiology</i> , 2011, 34, 97-101.          | 1.8 | 2         |
| 224 | Optical Coherence Tomography in Assessing Plaque Characteristics. <i>Current Cardiovascular Imaging Reports</i> , 2010, 3, 197-206.  | 0.6 | 1         |
| 225 | Successful Endovascular Management of Anastomotic Stenosis of the Left Pulmonary Artery After Double Lung Transplantation. , 0, 1, .   |     | 0         |