

Limin Chai

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6801107/publications.pdf>

Version: 2024-02-01

23
papers

361
citations

933447

10
h-index

839539

18
g-index

23
all docs

23
docs citations

23
times ranked

482
citing authors

#	ARTICLE	IF	CITATIONS
1	Chlorogenic acid induces apoptosis to inhibit inflammatory proliferation of IL-6-induced fibroblast-like synoviocytes through modulating the activation of JAK/STAT and NF- κ B signaling pathways. <i>Experimental and Therapeutic Medicine</i> , 2016, 11, 2054-2060.	1.8	69
2	Panax notoginseng saponins provide neuroprotection by regulating NgR1/RhoA/ROCK2 pathway expression, in vitro and in vivo. <i>Journal of Ethnopharmacology</i> , 2016, 190, 301-312.	4.1	57
3	Chlorogenic acid and luteolin synergistically inhibit the proliferation of interleukin-1 β -induced fibroblast-like synoviocytes through regulating the activation of NF- κ B and JAK/STAT-signaling pathways. <i>Immunopharmacology and Immunotoxicology</i> , 2015, 37, 499-507.	2.4	46
4	Panax notoginseng saponins administration modulates pro- /anti-inflammatory factor expression and improves neurologic outcome following permanent MCAO in rats. <i>Metabolic Brain Disease</i> , 2017, 32, 221-233.	2.9	33
5	Chinese Herbal Formula, Modified Danggui Buxue Tang, Attenuates Apoptosis of Hematopoietic Stem Cells in Immune-Mediated Aplastic Anemia Mouse Model. <i>Journal of Immunology Research</i> , 2017, 2017, 1-12.	2.2	20
6	Herbal formula Xian-Fang-Huo-Ming-Yin regulates differentiation of lymphocytes and production of pro-inflammatory cytokines in collagen-induced arthritis mice. <i>BMC Complementary and Alternative Medicine</i> , 2017, 17, 12.	3.7	19
7	Effect of Wenxin Granule on Ventricular Remodeling and Myocardial Apoptosis in Rats with Myocardial Infarction. <i>Evidence-based Complementary and Alternative Medicine</i> , 2013, 2013, 1-10.	1.2	17
8	miRNA Expression Profile and Effect of Wenxin Granule in Rats with Ligation-Induced Myocardial Infarction. <i>International Journal of Genomics</i> , 2017, 2017, 1-10.	1.6	15
9	The herbal decoction modified Danggui Buxue Tang attenuates immune-mediated bone marrow failure by regulating the differentiation of T lymphocytes in an immune-induced aplastic anemia mouse model. <i>PLoS ONE</i> , 2017, 12, e0180417.	2.5	15
10	Effect of Wenxin Granules on Gap Junction and MiR-1 in Rats with Myocardial Infarction. <i>BioMed Research International</i> , 2017, 2017, 1-12.	1.9	13
11	The combination of Radix Astragali and Radix Angelicae Sinensis attenuates the IFN- γ -induced immune destruction of hematopoiesis in bone marrow cells. <i>BMC Complementary and Alternative Medicine</i> , 2019, 19, 356.	3.7	13
12	Chinese Herbal Formula, Huayu Tongbi Fang, Attenuates Inflammatory Proliferation of Rat Synoviocytes Induced by IL-1 β by Regulating Proliferation and Differentiation of T Lymphocytes. <i>Evidence-based Complementary and Alternative Medicine</i> , 2020, 2020, 1-18.	1.2	10
13	Xianfanghuomingyin, a Chinese Compound Medicine, Modulates the Proliferation and Differentiation of T Lymphocyte in a Collagen-Induced Arthritis Mouse Model. <i>Evidence-based Complementary and Alternative Medicine</i> , 2016, 2016, 1-14.	1.2	9
14	In Vitro Evaluation of the Neuroprotective Effect of Panax notoginseng Saponins by Activating the EGFR/PI3K/AKT Pathway. <i>Evidence-based Complementary and Alternative Medicine</i> , 2020, 2020, 1-11.	1.2	8
15	Lipoxin A4-Mediated p38 MAPK Signaling Pathway Protects Mice Against Collagen-Induced Arthritis. <i>Biochemical Genetics</i> , 2021, 59, 346-365.	1.7	7
16	Coptidis alkaloids extracted from <i>Coptis chinensis</i> Franch attenuate IFN- γ -induced destruction of bone marrow cells. <i>PLoS ONE</i> , 2020, 15, e0236433.	2.5	5
17	Glycosides of <i>Caulis Loniceræ</i> inhibits the inflammatory proliferation of IL-1 β -mediated fibroblast-like synovial cells cocultured with lymphocytes. <i>Phytotherapy Research</i> , 2021, 35, 2807-2823.	5.8	2
18	Herbal Formula Longteng Decoction Promotes the Regression of Synovial Inflammation in Collagen-Induced Arthritis Mice by Regulating Type 2 Innate Lymphocytes. <i>Frontiers in Pharmacology</i> , 2021, 12, 778845.	3.5	2

#	ARTICLE	IF	CITATIONS
19	The Herbal Combination of Radix astragali, Radix angelicae sinensis, and Caulis Ionicerae Regulates the Functions of Type 2 Innate Lymphocytes and Macrophages Contributing to the Resolution of Collagen-Induced Arthritis. <i>Frontiers in Pharmacology</i> , 0, 13, .	3.5	1
20	Title is missing!., 2020, 15, e0236433.		0
21	Title is missing!., 2020, 15, e0236433.		0
22	Title is missing!., 2020, 15, e0236433.		0
23	Title is missing!., 2020, 15, e0236433.		0