Paolo Castellucci

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6805221/publications.pdf

Version: 2024-02-01

89 papers 4,168 citations

32 h-index 64 g-index

91 all docs

docs citations

91

times ranked

91

3221 citing authors

#	Article	IF	CITATIONS
1	Comparison between 68Ga-DOTA-NOC and 18F-DOPA PET for the detection of gastro-entero-pancreatic and lung neuro-endocrine tumours. European Journal of Nuclear Medicine and Molecular Imaging, 2008, 35, 1431-1438.	6.4	254
2	68Ga-PSMA PET/CT for restaging recurrent prostate cancer: which factors are associated with PET/CT detection rate?. European Journal of Nuclear Medicine and Molecular Imaging, 2015, 42, 1284-1294.	6.4	234
3	11C-Choline Positron Emission Tomography/Computerized Tomography for Preoperative Lymph-Node Staging in Intermediate-Risk and High-Risk Prostate Cancer: Comparison with Clinical Staging Nomograms. European Urology, 2008, 54, 392-401.	1.9	232
4	Influence of Trigger PSA and PSA Kinetics on $\langle \sup \rangle 11 \langle \sup \rangle C$ -Choline PET/CT Detection Rate in Patients with Biochemical Relapse After Radical Prostatectomy. Journal of Nuclear Medicine, 2009, 50, 1394-1400.	5.0	230
5	⁶⁸ Ga-DOTANOC PET/CT Clinical Impact in Patients with Neuroendocrine Tumors. Journal of Nuclear Medicine, 2010, 51, 669-673.	5.0	227
6	PET/CT with 11C -choline for evaluation of prostate cancer patients with biochemical recurrence: meta-analysis and critical review of available data. European Journal of Nuclear Medicine and Molecular Imaging, 2016, 43, 55-69.	6.4	200
7	Prostate Cancer: Sextant Localization with MR Imaging, MR Spectroscopy, and ^{11 < /sup>C-Choline PET/CT. Radiology, 2007, 244, 797-806.}	7.3	193
8	Detection and localization of prostate cancer: correlation of (11)C-choline PET/CT with histopathologic step-section analysis. Journal of Nuclear Medicine, 2005, 46, 1642-9.	5.0	178
9	Is there a role for 11C -choline PET/CT in the early detection of metastatic disease in surgically treated prostate cancer patients with a mild PSA increase $<1.5 \text{\^Ang/ml?}$. European Journal of Nuclear Medicine and Molecular Imaging, 2011 , 38 , $55-63$.	6.4	166
10	Early Biochemical Relapse After Radical Prostatectomy: Which Prostate Cancer Patients May Benefit from a Restaging $<$ sup $<$ 11 $<$ 1sup $<$ C-Choline PET/CT Scan Before Salvage Radiation Therapy?. Journal of Nuclear Medicine, 2014, 55, 1424-1429.	5.0	118
11	68Ga-DOTA-NOC PET/CT in comparison with CT for the detection of bone metastasis in patients with neuroendocrine tumours. European Journal of Nuclear Medicine and Molecular Imaging, 2010, 37, 722-727.	6.4	107
12	Role of 11C-choline PET/CT in the re-staging of prostate cancer patients with biochemical relapse and negative results at bone scintigraphy. European Journal of Radiology, 2012, 81, e893-e896.	2.6	106
13	68Ga-PSMA-11 PET/CT in prostate cancer patients with biochemical recurrence after radical prostatectomy and PSA <0.5Âng/ml. Efficacy and impact on treatment strategy. European Journal of Nuclear Medicine and Molecular Imaging, 2019, 46, 11-19.	6.4	96
14	Development of standardized image interpretation for 68Ga-PSMA PET/CT to detect prostate cancer recurrent lesions. European Journal of Nuclear Medicine and Molecular Imaging, 2017, 44, 1622-1635.	6.4	91
15	Impact of 11C-choline PET/CT on clinical decision making in recurrent prostate cancer: results from a retrospective two-centre trial. European Journal of Nuclear Medicine and Molecular Imaging, 2014, 41, 2222-2231.	6.4	86
16	11C-Choline PET/CT for restaging prostate cancer. Results from 4,426 scans in a single-centre patient series. European Journal of Nuclear Medicine and Molecular Imaging, 2016, 43, 1971-1979.	6.4	79
17	Current and Emerging Clinical Applications of PSMA PET Diagnostic Imaging for Prostate Cancer. Journal of Nuclear Medicine, 2021, 62, 596-604.	5.0	79
18	11C-Choline PET/CT in castration-resistant prostate cancer patients treated with docetaxel. European Journal of Nuclear Medicine and Molecular Imaging, 2016, 43, 84-91.	6.4	77

#	Article	IF	CITATIONS
19	68Ga-PSMA-11 PET/CT in recurrent prostate cancer: efficacy in different clinical stages of PSA failure after radical therapy. European Journal of Nuclear Medicine and Molecular Imaging, 2019, 46, 31-39.	6.4	74
20	Role of 18F-Choline PET/CT in Biochemically Relapsed Prostate Cancer After Radical Prostatectomy. Clinical Nuclear Medicine, 2013, 38, e26-e32.	1.3	72
21	Role of 11C-choline PET/CT in the restaging of prostate cancer patients showing a single lesion on bone scintigraphy. Annals of Nuclear Medicine, 2010, 24, 485-492.	2.2	70
22	Androgen deprivation therapy influences the uptake of 11C-choline in patients with recurrent prostate cancer: the preliminary results of a sequential PET/CT study. European Journal of Nuclear Medicine and Molecular Imaging, 2011, 38, 1985-1989.	6.4	67
23	The Role of 11C-Choline PET Imaging in the Early Detection of Recurrence in Surgically Treated Prostate Cancer Patients With Very Low PSA Level <0.5 ng/mL. Clinical Nuclear Medicine, 2013, 38, e342-e345.	1.3	63
24	Incidence of Increased ⁶⁸ Ga-DOTANOC Uptake in the Pancreatic Head in a Large Series of Extrapancreatic NET Patients Studied with Sequential PET/CT. Journal of Nuclear Medicine, 2011, 52, 886-890.	5.0	57
25	Prediction nomogram for 68Ga-PSMA-11 PET/CT in different clinical settings of PSA failure after radical treatment for prostate cancer. European Journal of Nuclear Medicine and Molecular Imaging, 2020, 47, 136-146.	6.4	56
26	Choline PET/CT for prostate cancer: Main clinical applications. European Journal of Radiology, 2011, 80, e50-e56.	2.6	55
27	11C-Choline PET/CT detects the site of relapse in the majority of prostate cancer patients showing biochemical recurrence after EBRT. European Journal of Nuclear Medicine and Molecular Imaging, 2014, 41, 878-886.	6.4	54
28	11C-Choline PET/CT in patients with hormone-resistant prostate cancer showing biochemical relapse after radical prostatectomy. European Journal of Nuclear Medicine and Molecular Imaging, 2013, 40, 149-155.	6.4	49
29	Role of 18F-dopa PET/CT imaging in the management of patients with 111In-pentetreotide negative GEP tumours. Nuclear Medicine Communications, 2007, 28, 473-477.	1.1	45
30	11C-Choline PET/CT and PSA kinetics. European Journal of Nuclear Medicine and Molecular Imaging, 2013, 40, 36-40.	6.4	42
31	¹¹ C- or ¹⁸ F-Choline PET/CT for Imaging Evaluation of Biochemical Recurrence of Prostate Cancer. Journal of Nuclear Medicine, 2016, 57, 43S-48S.	5.0	42
32	11C-Choline PET/CT Identifies Osteoblastic and Osteolytic Lesions in Patients with Metastatic Prostate Cancer. Clinical Nuclear Medicine, 2015, 40, e265-e270.	1.3	39
33	The role of 18F-FDG PET/CT in the detection of osteosarcoma recurrence. European Journal of Nuclear Medicine and Molecular Imaging, 2017, 44, 1712-1720.	6.4	31
34	Therapy assessment in prostate cancer using choline and PSMA PET/CT. European Journal of Nuclear Medicine and Molecular Imaging, 2017, 44, 78-83.	6.4	31
35	11C-Acetate PET for Early Prediction of Sunitinib Response in Metastatic Renal Cell Carcinoma. Tumori, 2009, 95, 382-384.	1.1	28
36	Clinical Indications of 11C-Choline PET/CT in Prostate Cancer Patients with Biochemical Relapse. Theranostics, 2012, 2, 313-317.	10.0	27

3

#	Article	IF	CITATIONS
37	Evaluation of Prostate Cancer with ¹¹ C-Choline PET/CT for Treatment Planning, Response Assessment, and Prognosis. Journal of Nuclear Medicine, 2016, 57, 49S-54S.	5.0	25
38	Synthesis of oncological [11C]radiopharmaceuticals for clinical PET. Nuclear Medicine and Biology, 2012, 39, 447-460.	0.6	24
39	11C-Choline PET/CT for Restaging of Bladder Cancer. Clinical Nuclear Medicine, 2015, 40, e1-e5.	1.3	23
40	Comparison between the diagnostic accuracies of 18F-fluorodeoxyglucose positron emission tomography/computed tomography and conventional imaging in recurrent urothelial carcinomas: a retrospective, multicenter study. Abdominal Radiology, 2018, 43, 2391-2399.	2.1	23
41	18F-FDG PET/CT and Urothelial Carcinoma: Impact on Management and Prognosis—A Multicenter Retrospective Study. Cancers, 2019, 11, 700.	3.7	23
42	New aspects of molecular imaging in prostate cancer. Methods, 2017, 130, 36-41.	3.8	21
43	How does ⁶⁸ Gaâ€prostateâ€specific membrane antigen positron emission tomography/computed tomography impact the management of patients with prostate cancer recurrence after surgery?. International Journal of Urology, 2019, 26, 804-811.	1.0	21
44	Evaluation of an Automated Module Synthesis and a Sterile Cold Kit–Based Preparation of ⁶⁸ Ga-PSMA-11 in Patients with Prostate Cancer. Journal of Nuclear Medicine, 2020, 61, 716-722.	5.0	20
45	Predictive accuracy and clinical benefit of a nomogram aimed to predict 68Ga-PSMA PET/CT positivity in patients with prostate cancer recurrence and PSA < 1Âng/ml external validation on a single institution database. European Journal of Nuclear Medicine and Molecular Imaging, 2020, 47, 2100-2105.	6.4	20
46	Preoperative Staging With 11C-Choline PET/CT Is Adequately Accurate in Patients With Very High-Risk Prostate Cancer. Clinical Genitourinary Cancer, 2018, 16, 305-312.e1.	1.9	19
47	Current application and future perspectives of prostate specific membrane antigen PET imaging in prostate cancer. Quarterly Journal of Nuclear Medicine and Molecular Imaging, 2019, 63, 7-18.	0.7	19
48	Oligorecurrent prostate cancer limited to lymph nodes: getting our ducks in a row. World Journal of Urology, 2019, 37, 2607-2613.	2.2	18
49	Stateâ€ofâ€theâ€art imaging techniques in the management of preoperative staging and reâ€staging of prostate cancer. International Journal of Urology, 2019, 26, 18-30.	1.0	16
50	Identification of PCWG3 Target Populations Is More Accurate and Reproducible with PSMA PET Than with Conventional Imaging: A Multicenter Retrospective Study. Journal of Nuclear Medicine, 2021, 62, 675-678.	5.0	16
51	68Ga-PSMA-PET/CT-Guided Salvage Retroperitoneal Lymph Node Dissection for Disease Relapse After Radical Prostatectomy for Prostate Cancer. Clinical Genitourinary Cancer, 2015, 13, e415-e417.	1.9	15
52	11C-Choline PET/CT Scan in Patients With Prostate Cancer Treated With Intermittent ADT. Clinical Nuclear Medicine, 2013, 38, e279-e282.	1.3	14
53	State of the art of PET/CT with 11-choline and 18F-fluorocholine in the diagnosis and follow-up of localized and locally advanced prostate cancer. Archivos Espanoles De Urologia, 2015, 68, 354-70.	0.2	14
54	Imaging with non-FDG PET tracers: outlook for current clinical applications. Insights Into Imaging, 2010, 1, 373-385.	3.4	13

#	Article	IF	CITATIONS
55	Imaging of Prostate Cancer Using 11 C-Choline PET/Computed Tomography. Urologic Clinics of North America, 2018, 45, 481-487.	1.8	12
56	Alternative and New Radiopharmaceutical Agents for Lung Cancer. Current Radiopharmaceuticals, 2020, 13, 185-194.	0.8	11
57	Re: Nicolas Mottet, Joaquim Bellmunt, Michel Bolla, et al. EAU Guidelines on Prostate Cancer. Part II: Treatment of Advanced, Relapsing, and Castration-Resistant Prostate Cancer. Eur Urol 2011;59:572–83. European Urology, 2011, 60, e37-e38.	1.9	10
58	Potential Prognostic Role of 18F-FDG PET/CT in Invasive Epithelial Ovarian Cancer Relapse. A Preliminary Study. Cancers, 2019, 11, 713.	3.7	10
59	Identifying sites of recurrence with choline-PET–CT imaging. Nature Reviews Urology, 2015, 12, 134-135.	3.8	9
60	Molecular Imaging and Precision Medicine in Prostate Cancer. PET Clinics, 2017, 12, 83-92.	3.0	9
61	Male Breast Cancer Detected by 68Ga-PSMA-11 PET/CT in a Patient With Prostate Cancer With Pelvic Lymph Node Metastasis. Clinical Genitourinary Cancer, 2019, 17, 154-156.	1.9	9
62	High dose brachytherapy with non sealed 188Re (rhenium) resin in patients with non-melanoma skin cancers (NMSCs): single center preliminary results European Journal of Nuclear Medicine and Molecular Imaging, 2021, 48, 1511-1521.	6.4	9
63	Prospective Comparison of F-18 Choline PET/CT Scan Versus Axial MRI for Detecting Bone Metastasis in Biochemically Relapsed Prostate Cancer Patients. Diagnostics, 2017, 7, 56.	2.6	8
64	18F-Fdg-PET-guided Planning and Re-Planning (Adaptive) Radiotherapy in Head and Neck Cancer: Current State of Art. Anticancer Research, 2017, 37, 6523-6532.	1.1	8
65	Prostate-specific antigen kinetics and choline PET/CT in patients with biochemical relapse after primary treatment for prostate cancer. Nuclear Medicine Communications, 2011, 32, 475-478.	1.1	7
66	PET/CT imaging for evaluating response to therapy in castration-resistant prostate cancer. European Journal of Nuclear Medicine and Molecular Imaging, 2016, 43, 2103-2104.	6.4	7
67	Future Perspective of the Application of Positron Emission Tomography-Computed Tomography-MR Imaging in Musculoskeletal Disorders. PET Clinics, 2019, 14, 183-191.	3.0	6
68	PET/Computed Tomography in the Individualization of Treatment of Prostate Cancer. PET Clinics, 2015, 10, 487-494.	3.0	5
69	Molecular modelling evaluation of exon 18 His845_Asn848delinsPro PDGFRα mutation in a metastatic GIST patient responding to imatinib. Scientific Reports, 2019, 9, 2172.	3.3	5
70	Clinical application of Fluciclovine PET, choline PET and gastrin-releasing polypeptide receptor (bombesin) targeting PET in prostate cancer. Current Opinion in Urology, 2020, Publish Ahead of Print, 641-648.	1.8	5
71	Androgen deprivation therapy and its modulation of PSMA expression in prostate cancer: mini review and case series of patients studied with sequential [68Ga]-Ga-PSMA-11 PET/CT. Clinical and Translational Imaging, 2021, 9, 215-220.	2.1	5
72	Reply: Influence of Trigger PSA and PSA Kinetics on ¹¹ C-Choline PET/CT Detection Rate in Patients with Biochemical Relapse After Radical Prostatectomy. Journal of Nuclear Medicine, 2010, 51, 499-500.	5.0	4

#	Article	IF	Citations
73	Single Subcutaneous Prostate Cancer Metastasis Detected by 68Ga-PSMA PET/CT During Early Biochemical Relapse: A Case Report. Clinical Genitourinary Cancer, 2019, 17, e356-e359.	1.9	4
74	Imaging with 11Carbon labelled PET tracers. Nuclear Medicine Communications, 2010, 31, 613-616.	1.1	3
75	A Rare Case of Epididymal Metastasis After Radical Prostatectomy Detected by 68Ga-PSMA PET/CT. Clinical Genitourinary Cancer, 2017, 15, e525-e527.	1.9	3
76	Incidental Detection of Basaloid Thymic Carcinoma With 68Ga-PSMA-11 PET/CT in a Patient With Recurrent Prostate Cancer. Clinical Genitourinary Cancer, 2018, 16, e497-e499.	1.9	3
77	Pictorial essay: normal variants, lesions, and pitfalls in 68Ga-PSMA PET imaging of prostate cancer. Clinical and Translational Imaging, 2018, 6, 239-247.	2.1	3
78	Theragnostics in prostate cancer. Quarterly Journal of Nuclear Medicine and Molecular Imaging, 2022, 65, 333-341.	0.7	3
79	PET/CT in Neuroendocrine Tumors. PET Clinics, 2008, 3, 197-205.	3.0	2
80	Imaging of Prostate Cancer Using 11 C-Choline PET/Computed Tomography. PET Clinics, 2017, 12, 137-143.	3.0	2
81	¹⁸ F-FDG Pet-Guided External Beam Radiotherapy in Iodine-Refractory Differentiated Thyroid Cancer: A Pilot Study. Journal of Thyroid Research, 2017, 2017, 1-9.	1.3	2
82	Invited Commentary: Changing Landscape of Imaging in Recurrent Prostate Cancer. Radiographics, 2020, 40, 727-730.	3.3	2
83	PET imaging in prostate cancer, state of the art: a review of 18F-choline and 11C-choline PET/CT applications. Clinical and Translational Imaging, 2016, 4, 449-456.	2.1	1
84	Management of Patients with Gastrointestinal Stromal Tumor in Clinical Practice in Italy: A Critical "Event Tree Model―Analysis of Decision-Making Processes and Outcomes. Tumori, 2010, 96, 219-228.	1.1	0
85	11C-Choline PET/CT and PSA kinetics. Archive of Oncology, 2012, 20, 81-83.	0.2	O
86	The influence of PSA flare in mCRPC patients treated with alpha-emitting radiopharmaceuticals. European Journal of Nuclear Medicine and Molecular Imaging, 2018, 45, 2253-2255.	6.4	0
87	Invited Commentary: Prostate-specific Membrane Antigen PET Response Assessment—Has the Time Come?. Radiographics, 2020, 40, 1431-1433.	3.3	0
88	Role of 18f-FDG PET/CT in the Management of Multiple Myeloma Blood, 2005, 106, 3492-3492.	1.4	0
89	Negative 11C-choline PET/computed tomography imaging in restaging of patients with prostate cancer with serum prostate-specific antigen values >20 ng/mL. Nuclear Medicine Communications, 2020, 41, 1178-1182.	1.1	0