

Celia Oreja-Guevara

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6807962/publications.pdf>

Version: 2024-02-01

144
papers

7,071
citations

71102

41
h-index

66911

78
g-index

167
all docs

167
docs citations

167
times ranked

7216
citing authors

#	ARTICLE	IF	CITATIONS
1	Siponimod versus placebo in secondary progressive multiple sclerosis (EXPAND): a double-blind, randomised, phase 3 study. <i>Lancet</i> , The, 2018, 391, 1263-1273.	13.7	684
2	Retinal layer segmentation in multiple sclerosis: a systematic review and meta-analysis. <i>Lancet Neurology</i> , The, 2017, 16, 797-812.	10.2	397
3	Defining secondary progressive multiple sclerosis. <i>Brain</i> , 2016, 139, 2395-2405.	7.6	281
4	Retinal thickness measured with optical coherence tomography and risk of disability worsening in multiple sclerosis: a cohort study. <i>Lancet Neurology</i> , The, 2016, 15, 574-584.	10.2	266
5	Clinical Relevance of Brain Volume Measures in Multiple Sclerosis. <i>CNS Drugs</i> , 2014, 28, 147-156.	5.9	254
6	Effect of natalizumab on disease progression in secondary progressive multiple sclerosis (ASCEND): a phase 3, randomised, double-blind, placebo-controlled trial with an open-label extension. <i>Lancet Neurology</i> , The, 2018, 17, 405-415.	10.2	238
7	Geographical Variations in Sex Ratio Trends over Time in Multiple Sclerosis. <i>PLoS ONE</i> , 2012, 7, e48078.	2.5	166
8	Defining reliable disability outcomes in multiple sclerosis. <i>Brain</i> , 2015, 138, 3287-3298.	7.6	162
9	Predictors and dynamics of postpartum relapses in women with multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2014, 20, 739-746.	3.0	148
10	Switch to natalizumab versus fingolimod in active relapsing-remitting multiple sclerosis. <i>Annals of Neurology</i> , 2015, 77, 425-435.	5.3	143
11	Sex as a determinant of relapse incidence and progressive course of multiple sclerosis. <i>Brain</i> , 2013, 136, 3609-3617.	7.6	140
12	Neuromyelitis optica spectrum disorders. <i>Neurology: Neuroimmunology and NeuroInflammation</i> , 2016, 3, e225.	6.0	134
13	Male Sex Is Independently Associated with Faster Disability Accumulation in Relapse-Onset MS but Not in Primary Progressive MS. <i>PLoS ONE</i> , 2015, 10, e0122686.	2.5	122
14	Immune tolerance in multiple sclerosis and neuromyelitis optica with peptide-loaded tolerogenic dendritic cells in a phase 1b trial. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 8463-8470.	7.1	112
15	TH1/TH2 Cytokine profile in relapsing-remitting multiple sclerosis patients treated with Glatiramer acetate or Natalizumab. <i>BMC Neurology</i> , 2012, 12, 95.	1.8	108
16	Progressive Gray Matter Damage in Patients With Relapsing-Remitting Multiple Sclerosis. <i>Archives of Neurology</i> , 2005, 62, 578.	4.5	103
17	Environmental modifiable risk factors for multiple sclerosis: Report from the 2016ECTRIMS focused workshop. <i>Multiple Sclerosis Journal</i> , 2018, 24, 590-603.	3.0	101
18	Unmet needs, burden of treatment, and patient engagement in multiple sclerosis: A combined perspective from the MS in the 21st Century Steering Group. <i>Multiple Sclerosis and Related Disorders</i> , 2018, 19, 153-160.	2.0	101

#	ARTICLE	IF	CITATIONS
19	Comparison of Switch to Fingolimod or Interferon Beta/Glatiramer Acetate in Active Multiple Sclerosis. <i>JAMA Neurology</i> , 2015, 72, 405.	9.0	100
20	Towards personalized therapy for multiple sclerosis: prediction of individual treatment response. <i>Brain</i> , 2017, 140, 2426-2443.	7.6	94
21	The international European Academy of Neurology survey on neurological symptoms in patients with COVID-19 infection. <i>European Journal of Neurology</i> , 2020, 27, 1727-1737.	3.3	90
22	Biomarkers in Multiple Sclerosis. <i>Cold Spring Harbor Perspectives in Medicine</i> , 2019, 9, a029058.	6.2	88
23	Achieving patient engagement in multiple sclerosis: A perspective from the multiple sclerosis in the 21st Century Steering Group. <i>Multiple Sclerosis and Related Disorders</i> , 2015, 4, 202-218.	2.0	85
24	Burden and health-related quality of life of Spanish caregivers of persons with multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2009, 15, 1347-1355.	3.0	81
25	Therapeutic Decisions in Multiple Sclerosis. <i>JAMA Neurology</i> , 2013, 70, 1315-24.	9.0	80
26	Symptomatic therapy in multiple sclerosis: a review for a multimodal approach in clinical practice. <i>Therapeutic Advances in Neurological Disorders</i> , 2011, 4, 139-168.	3.5	76
27	Spasticity in multiple sclerosis: results of a patient survey. <i>International Journal of Neuroscience</i> , 2013, 123, 400-408.	1.6	75
28	Risk of relapse phenotype recurrence in multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2014, 20, 1511-1522.	3.0	73
29	Cognitive Dysfunctions and Assessments in Multiple Sclerosis. <i>Frontiers in Neurology</i> , 2019, 10, 581.	2.4	70
30	Seasonal variation of relapse rate in multiple sclerosis is latitude dependent. <i>Annals of Neurology</i> , 2014, 76, 880-890.	5.3	67
31	Higher latitude is significantly associated with an earlier age of disease onset in multiple sclerosis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2016, 87, 1343-1349.	1.9	63
32	Amyloid PET imaging in multiple sclerosis: an 18F-florbetaben study. <i>BMC Neurology</i> , 2015, 15, 243.	1.8	58
33	Comparative efficacy of switching to natalizumab in active multiple sclerosis. <i>Annals of Clinical and Translational Neurology</i> , 2015, 2, 373-387.	3.7	57
34	Alemtuzumab Use in Clinical Practice: Recommendations from European Multiple Sclerosis Experts. <i>CNS Drugs</i> , 2017, 31, 33-50.	5.9	57
35	The frequency of CSF oligoclonal banding in multiple sclerosis increases with latitude. <i>Multiple Sclerosis Journal</i> , 2012, 18, 974-982.	3.0	56
36	Long-Term Safety and Efficacy of Eculizumab in Aquaporin-4 IgG-Positive NMOSD. <i>Annals of Neurology</i> , 2021, 89, 1088-1098.	5.3	55

#	ARTICLE	IF	CITATIONS
37	Highly active immunomodulatory therapy ameliorates accumulation of disability in moderately advanced and advanced multiple sclerosis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2017, 88, 196-203.	1.9	49
38	Disease-modifying therapies and SARS-CoV-2 vaccination in multiple sclerosis: an expert consensus. <i>Journal of Neurology</i> , 2021, 268, 3961-3968.	3.6	47
39	Natalizumab use in pediatric patients with relapsing-remitting multiple sclerosis. <i>European Journal of Paediatric Neurology</i> , 2013, 17, 50-54.	1.6	45
40	Treatment with Natalizumab in Relapsing-Remitting Multiple Sclerosis Patients Induces Changes in Inflammatory Mechanism. <i>Journal of Clinical Immunology</i> , 2011, 31, 623-631.	3.8	44
41	Amyloid Proteins and Their Role in Multiple Sclerosis. Considerations in the Use of Amyloid-PET Imaging. <i>Frontiers in Neurology</i> , 2016, 7, 53.	2.4	44
42	Predictors of disability worsening in clinically isolated syndrome. <i>Annals of Clinical and Translational Neurology</i> , 2015, 2, 479-491.	3.7	43
43	Natalizumab treatment of multiple sclerosis in Spain: results of an extensive observational study. <i>Journal of Neurology</i> , 2012, 259, 1814-1823.	3.6	42
44	Natalizumab, Fingolimod, and Dimethyl Fumarate Use and Pregnancy-Related Relapse and Disability in Women With Multiple Sclerosis. <i>Neurology</i> , 2021, 96, .	1.1	41
45	Functional Components of Cognitive Impairment in Multiple Sclerosis: A Cross-Sectional Investigation. <i>Frontiers in Neurology</i> , 2017, 8, 643.	2.4	40
46	Optical Coherence Tomography in Multiple Sclerosis and Neuromyelitis Optica: An Update. <i>Multiple Sclerosis International</i> , 2011, 2011, 1-11.	0.8	39
47	Advances in the management of multiple sclerosis spasticity: multiple sclerosis spasticity guidelines. <i>Expert Review of Neurotherapeutics</i> , 2013, 13, 55-59.	2.8	39
48	Anti-inflammatory disease-modifying treatment and short-term disability progression in SPMS. <i>Neurology</i> , 2017, 89, 1050-1059.	1.1	38
49	The Kurtzke EDSS rank stability increases 4â€¦years after the onset of multiple sclerosis: results from the MSBase Registry. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2012, 83, 305-310.	1.9	37
50	New insights into the burden and costs of multiple sclerosis in Europe: Results for Spain. <i>Multiple Sclerosis Journal</i> , 2017, 23, 166-178.	3.0	37
51	Long-term disability trajectories in primary progressive MS patients: A latent class growth analysis. <i>Multiple Sclerosis Journal</i> , 2018, 24, 642-652.	3.0	37
52	Management strategies for female patients of reproductive potential with multiple sclerosis: An evidence-based review. <i>Multiple Sclerosis and Related Disorders</i> , 2019, 32, 54-63.	2.0	37
53	Comparative effectiveness of glatiramer acetate and interferon beta formulations in relapsing-remitting multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2015, 21, 1159-1171.	3.0	36
54	Increasing age at disability milestones among MS patients in the MSBase Registry. <i>Journal of the Neurological Sciences</i> , 2012, 318, 94-99.	0.6	35

#	ARTICLE	IF	CITATIONS
55	Visual and statistical analysis of 18F-FDG PET in primary progressive aphasia. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2015, 42, 916-927.	6.4	35
56	Incidence of pregnancy and disease-modifying therapy exposure trends in women with multiple sclerosis: A contemporary cohort study. <i>Multiple Sclerosis and Related Disorders</i> , 2019, 28, 235-243.	2.0	35
57	Country, Sex, EDSS Change and Therapy Choice Independently Predict Treatment Discontinuation in Multiple Sclerosis and Clinically Isolated Syndrome. <i>PLoS ONE</i> , 2012, 7, e38661.	2.5	35
58	The effect of oral immunomodulatory therapy on treatment uptake and persistence in multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2016, 22, 520-532.	3.0	34
59	Magnetization Transfer Magnetic Resonance Imaging and Clinical Changes in Patients With Relapsing-Remitting Multiple Sclerosis. <i>Archives of Neurology</i> , 2006, 63, 736.	4.5	33
60	<scp>BREMSO</scp>: a simple score to predict early the natural course of multiple sclerosis. <i>European Journal of Neurology</i> , 2015, 22, 981-989.	3.3	32
61	Catastrophic outcome of patients with a rebound after Natalizumab treatment discontinuation. <i>Brain and Behavior</i> , 2017, 7, e00671.	2.2	32
62	Eculizumab monotherapy for NMOSD: Data from PREVENT and its open-label extension. <i>Multiple Sclerosis Journal</i> , 2022, 28, 480-486.	3.0	32
63	Analysis of lymphocyte subpopulations in cerebrospinal fluid and peripheral blood in patients with multiple sclerosis and inflammatory diseases of the nervous system. <i>Acta Neurologica Scandinavica</i> , 1998, 98, 310-313.	2.1	30
64	Contribution of different relapse phenotypes to disability in multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2017, 23, 266-276.	3.0	30
65	The role of V5 (hMT+) in visually guided hand movements: an fMRI study. <i>European Journal of Neuroscience</i> , 2004, 19, 3113-3120.	2.6	29
66	Clinical and therapeutic predictors of disease outcomes in AQP4-IgG+ neuromyelitis optica spectrum disorder. <i>Multiple Sclerosis and Related Disorders</i> , 2020, 38, 101868.	2.0	29
67	Future MS care: a consensus statement of the MS in the 21st Century Steering Group. <i>Journal of Neurology</i> , 2013, 260, 462-469.	3.6	27
68	EAN consensus statement for management of patients with neurological diseases during the COVID-19 pandemic. <i>European Journal of Neurology</i> , 2021, 28, 7-14.	3.3	27
69	Persistence on Therapy and Propensity Matched Outcome Comparison of Two Subcutaneous Interferon Beta 1a Dosages for Multiple Sclerosis. <i>PLoS ONE</i> , 2013, 8, e63480.	2.5	26
70	Vitamina D y remielinización en la esclerosis múltiple. <i>Neurología</i> , 2018, 33, 177-186.	0.7	26
71	Three-Tesla MRI does not improve the diagnosis of multiple sclerosis. <i>Neurology</i> , 2018, 91, e249-e257.	1.1	26
72	Benefits of eculizumab in AQP4+ neuromyelitis optica spectrum disorder: Subgroup analyses of the randomized controlled phase 3 PREVENT trial. <i>Multiple Sclerosis and Related Disorders</i> , 2021, 47, 102641.	2.0	26

#	ARTICLE	IF	CITATIONS
73	Risk and outcomes of COVID-19 in patients with multiple sclerosis. <i>European Journal of Neurology</i> , 2021, 28, 3712-3721.	3.3	26
74	Utility of oligoclonal IgG band detection for MS diagnosis in daily clinical practice. <i>Journal of Immunological Methods</i> , 2011, 371, 170-173.	1.4	25
75	Plasticity of cortical hand muscle representation in patients with hemifacial spasm. <i>Neuroscience Letters</i> , 1999, 272, 33-36.	2.1	24
76	Clinical efficacy and effectiveness of Sativex [®] , a combined cannabinoid medicine, in multiple sclerosis-related spasticity. <i>Expert Review of Neurotherapeutics</i> , 2012, 12, 3-8.	2.8	24
77	Delay from treatment start to full effect of immunotherapies for multiple sclerosis. <i>Brain</i> , 2020, 143, 2742-2756.	7.6	24
78	A longitudinal study of circulating lymphocyte subsets in the peripheral blood during the acute stage of Guillain-Barré syndrome. <i>Journal of the Neurological Sciences</i> , 1997, 151, 29-34.	0.6	23
79	Impact of 3 Tesla MRI on interobserver agreement in clinically isolated syndrome: A MAGNIMS multicentre study. <i>Multiple Sclerosis Journal</i> , 2019, 25, 352-360.	3.0	22
80	A call for a global COVID-19 Neuro Research Coalition. <i>Lancet Neurology</i> , The, 2020, 19, 482-484.	10.2	22
81	Tolerability and safety of dimethyl fumarate in relapsing multiple sclerosis: a prospective observational multicenter study in a real-life Spanish population. <i>Journal of Neurology</i> , 2020, 267, 2362-2371.	3.6	21
82	Longitudinal machine learning modeling of MS patient trajectories improves predictions of disability progression. <i>Computer Methods and Programs in Biomedicine</i> , 2021, 208, 106180.	4.7	21
83	Clinically Isolated Syndromes Suggestive of Multiple Sclerosis: An Optical Coherence Tomography Study. <i>PLoS ONE</i> , 2012, 7, e33907.	2.5	20
84	Estimate of the cost of multiple sclerosis in Spain by literature review. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2017, 17, 321-333.	1.4	20
85	Joint Healthcare Professional and Patient Development of Communication Tools to Improve the Standard of MS Care. <i>Advances in Therapy</i> , 2019, 36, 3238-3252.	2.9	20
86	Improving patient–physician dialog: commentary on the results of the MS Choices survey. <i>Patient Preference and Adherence</i> , 2012, 6, 143.	1.8	19
87	Documento del Grupo de Consenso de la Sociedad Española de Neurología sobre el uso de medicamentos en esclerosis múltiple. <i>Neurología</i> , 2013, 28, 375-378.	0.7	18
88	Quantifying risk of early relapse in patients with first demyelinating events: Prediction in clinical practice. <i>Multiple Sclerosis Journal</i> , 2017, 23, 1346-1357.	3.0	18
89	Antiphospholipid Antibodies Overlapping in Isolated Neurological Syndrome and Multiple Sclerosis: Neurobiological Insights and Diagnostic Challenges. <i>Frontiers in Cellular Neuroscience</i> , 2019, 13, 107.	3.7	18
90	Overview of magnetic resonance imaging for management of relapsing–remitting multiple sclerosis in everyday practice. <i>European Journal of Neurology</i> , 2015, 22, 22-27.	3.3	17

#	ARTICLE	IF	CITATIONS
91	Best Practices for Long-Term Monitoring and Follow-Up of Alemtuzumab-Treated MS Patients in Real-World Clinical Settings. <i>Frontiers in Neurology</i> , 2019, 10, 253.	2.4	17
92	Prolonged-release fampridine in multiple sclerosis: clinical data and real-world experience. Report of an expert meeting. <i>Therapeutic Advances in Neurological Disorders</i> , 2018, 11, 175628641880324.	3.5	16
93	The risk of infections for multiple sclerosis and neuromyelitis optica spectrum disorder disease-modifying treatments: Eighth European Committee for Treatment and Research in Multiple Sclerosis Focused Workshop Review. April 2021. <i>Multiple Sclerosis Journal</i> , 2022, 28, 1424-1456.	3.0	16
94	Efficacy and safety of ocrelizumab in patients with relapsing-remitting multiple sclerosis with suboptimal response to prior disease-modifying therapies: A primary analysis from the phase 3b CASTING single-arm, open-label trial. <i>European Journal of Neurology</i> , 2022, 29, 790-801.	3.3	15
95	A plea for equitable global access to COVID-19 diagnostics, vaccination and therapy: The NeuroCOVID-19 Task Force of the European Academy of Neurology. <i>European Journal of Neurology</i> , 2021, 28, 3849-3855.	3.3	14
96	Consenso español actualizado sobre el uso del natalizumab (Tysabri®)-2013. <i>Neurología</i> , 2015, 30, 302-314.	0.7	13
97	Primary prevention of COVID-19: Advocacy for vaccination from a neurological perspective. <i>European Journal of Neurology</i> , 2021, 28, 3226-3229.	3.3	13
98	Autoimmunity and long-term safety and efficacy of alemtuzumab for multiple sclerosis: Benefit/risk following review of trial and post-marketing data. <i>Multiple Sclerosis Journal</i> , 2022, 28, 842-846.	3.0	13
99	Vitamin D and remyelination in multiple sclerosis. <i>Neurología (English Edition)</i> , 2018, 33, 177-186.	0.4	12
100	Familial multiple sclerosis and association with other autoimmune diseases. <i>Brain and Behavior</i> , 2018, 8, e00899.	2.2	11
101	Neuritis óptica asociada o no a esclerosis múltiple: estudio estructural y funcional. <i>Neurología</i> , 2010, 25, 78-82.	0.7	10
102	Intervenciones psicoterapéuticas y psicosociales para el manejo del estrés en esclerosis múltiple: aportación de intervenciones basadas en mindfulness. <i>Neurología</i> , 2016, 31, 113-120.	0.7	10
103	Single-arm study to assess comprehensive infusion guidance for the prevention and management of the infusion associated reactions (IARs) in relapsing-remitting multiple sclerosis (RRMS) patients treated with alemtuzumab (EMERALD). <i>Multiple Sclerosis and Related Disorders</i> , 2019, 29, 7-14.	2.0	10
104	Single-subject structural cortical networks in clinically isolated syndrome. <i>Multiple Sclerosis Journal</i> , 2020, 26, 1392-1401.	3.0	10
105	Outcome of patients with amyotrophic lateral sclerosis attending in a multidisciplinary care unit. <i>Neurología (English Edition)</i> , 2011, 26, 455-460.	0.4	9
106	Historical changes of seasonal differences in the frequency of multiple sclerosis clinical attacks: a multicenter study. <i>Journal of Neurology</i> , 2013, 260, 1258-1262.	3.6	9
107	Specific aspects of modern life for people with multiple sclerosis: considerations for the practitioner. <i>Therapeutic Advances in Neurological Disorders</i> , 2014, 7, 137-149.	3.5	9
108	Analysis of the Relationship between the Month of Birth and Risk of Multiple Sclerosis in a Spanish Population. <i>European Neurology</i> , 2016, 76, 202-209.	1.4	9

#	ARTICLE	IF	CITATIONS
109	Multimarker risk stratification approach at multiple sclerosis onset. <i>Clinical Immunology</i> , 2017, 181, 43-50.	3.2	9
110	Spanish real-world experience with fingolimod in relapsing-remitting multiple sclerosis patients: MS NEXT study. <i>PLoS ONE</i> , 2020, 15, e0230846.	2.5	9
111	Expert opinion on COVID-19 vaccination and the use of cladribine tablets in clinical practice. <i>Therapeutic Advances in Neurological Disorders</i> , 2021, 14, 175628642110582.	3.5	9
112	Consensus statement on medication use in multiple sclerosis by the Spanish Society of Neurology's study group for demyelinating diseases. <i>Neurología (English Edition)</i> , 2013, 28, 375-378.	0.4	8
113	Effects of diazoxide in multiple sclerosis. <i>Neurology: Neuroimmunology and NeuroInflammation</i> , 2015, 2, e147.	6.0	8
114	Inhibition of neurogenesis in a case of Marburg variant multiple sclerosis. <i>Multiple Sclerosis and Related Disorders</i> , 2017, 18, 71-76.	2.0	8
115	Teriflunomide vs injectable disease modifying therapies for relapsing forms of MS. <i>Multiple Sclerosis and Related Disorders</i> , 2020, 43, 102158.	2.0	8
116	Multiple Sclerosis Progression Discussion Tool Usability and Usefulness in Clinical Practice: Cross-sectional, Web-Based Survey. <i>Journal of Medical Internet Research</i> , 2021, 23, e29558.	4.3	8
117	Consenso español sobre la utilización de natalizumab (Tysabri®) - 2011. <i>Neurología</i> , 2012, 27, 432-441.	0.7	7
118	Pittsburgh compound B and other amyloid positron emission tomography tracers for the study of white matter and multiple sclerosis. <i>Annals of Neurology</i> , 2016, 80, 166-166.	5.3	7
119	Amyloid PET in pseudotumoral multiple sclerosis. <i>Multiple Sclerosis and Related Disorders</i> , 2017, 15, 15-17.	2.0	7
120	Varicella zoster virus and influenza vaccine antibody titres in patients from MAGNIFY-MS who were treated with cladribine tablets for highly active relapsing multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2022, 28, 2151-2153.	3.0	7
121	Spanish consensus on the use of natalizumab (Tysabri®)-2013. <i>Neurología (English Edition)</i> , 2015, 30, 302-314.	0.4	6
122	Psychotherapeutic and psychosocial interventions for managing stress in multiple sclerosis: The contribution of mindfulness-based interventions. <i>Neurología (English Edition)</i> , 2016, 31, 113-120.	0.4	6
123	Treatment response score to glatiramer acetate or interferon beta-1a. <i>Neurology</i> , 2020, 96, 10.1212/WNL.0000000000010991.	1.1	6
124	Clinical pathways for the care of multiple sclerosis patients. <i>Neurología (English Edition)</i> , 2010, 25, 156-162.	0.4	5
125	Multiple sclerosis in Latin America: A different disease course severity? A collaborative study from the MSBase Registry. <i>Multiple Sclerosis Journal - Experimental, Translational and Clinical</i> , 2015, 1, 205521731560019.	1.0	5
126	Four-year safety and effectiveness data from patients with multiple sclerosis treated with fingolimod: The Spanish GILENYA registry. <i>PLoS ONE</i> , 2021, 16, e0258437.	2.5	5

#	ARTICLE	IF	CITATIONS
127	Clinical case reviews in multiple sclerosis spasticity: experiences from around Europe. Expert Review of Neurotherapeutics, 2013, 13, 61-66.	2.8	4
128	Early predictive risk factors for dimethyl fumarate-associated lymphopenia in patients with multiple sclerosis. Multiple Sclerosis and Related Disorders, 2022, 59, 103669.	2.0	4
129	Diseño de una clínica para la atención a los pacientes con esclerosis múltiple. Neurología, 2010, 25, 156-162.	0.7	3
130	Optic neuritis, multiple sclerosis-related or not: Structural and functional study. Neurología (English Edition), 2010, 25, 78-82.	0.4	3
131	Spanish consensus on the use of natalizumab (Tysabri®) - 2011. Neurología (English Edition), 2012, 27, 432-441.	0.4	3
132	Consenso de expertos sobre el uso de alemtuzumab en la práctica clínica diaria en España. Neurología, 2022, 37, 615-630.	0.7	3
133	Consensus statement on the use of alemtuzumab in daily clinical practice in Spain. Neurología (English Edition), 2022, 37, 615-630.	0.4	3
134	Comparative Effectiveness and Cost-Effectiveness of Natalizumab and Fingolimod in Patients with Inadequate Response to Disease-Modifying Therapies in Relapsing-Remitting Multiple Sclerosis in the United Kingdom. Pharmacoeconomics, 2022, 40, 323-339.	3.3	3
135	EXPOSURE TO INTERFERON- β THERAPY IN EARLY PREGNANCY: A LITERATURE REVIEW OF PREGNANCY OUTCOMES IN WOMEN WITH MULTIPLE SCLEROSIS. Journal of Neurology, Neurosurgery and Psychiatry, 2012, 83, A17.2-A17.	1.9	2
136	Revisión sistemática sobre la eficacia y seguridad de los neuroestimuladores periféricos del ganglio esfenopalatino para el tratamiento de la cefalea crónica en racimos refractaria. Neurología, 2018, 36, 440-440.	0.7	2
137	Highlights from the 2019 European Congress on Treatment and Research in Multiple Sclerosis (ECTRIMS 2019). Multiple Sclerosis Journal, 2020, 26, 859-868.	3.0	2
138	Family planning is the second most relevant factor for treatment decisions after disease activity - No. Multiple Sclerosis Journal, 2020, 26, 642-643.	3.0	2
139	Review of the novelties from the 31st ECTRIMS Congress, 2015, presented at the 8th Post-ECTRIMS meeting. Revista De Neurología, 2016, 62, 559-69.	7.8	2
140	Monitoring neuromyelitis optica activity. Expert Review of Neurotherapeutics, 2013, 13, 989-999.	2.8	1
141	PND65 Spanish Neurology Therapeutic Society Guidelines for the Treatment of Relapsing Remitting MS: Are They Followed by Spanish Neurologists?. Value in Health, 2012, 15, A557.	0.3	0
142	004...Pregnancy-related relapse in natalizumab, fingolimod and dimethyl fumarate-treated women with multiple sclerosis. , 2021, , .		0
143	Natural history and optic neuritis in multiple sclerosis. Anales De Pediatría (English Edition), 2022, 96, 66-68.	0.2	0
144	038... Pregnancy outcomes in patients treated with ocrelizumab. Journal of Neurology, Neurosurgery and Psychiatry, 2022, 93, A25.2-A25.	1.9	0