

Thomas Bechtold

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6808624/publications.pdf>

Version: 2024-02-01

199
papers

4,419
citations

117453

34
h-index

161609

54
g-index

211
all docs

211
docs citations

211
times ranked

3783
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Natural dyes in modern textile dyehouses – how to combine experiences of two centuries to meet the demands of the future?. <i>Journal of Cleaner Production</i> , 2003, 11, 499-509. | 4.6 | 228 |
| 2 | Attenuated total reflectance Fourier-transform Infrared spectroscopy analysis of crystallinity changes in lyocell following continuous treatment with sodium hydroxide. <i>Cellulose</i> , 2010, 17, 103-115. | 2.4 | 214 |
| 3 | A kinetic study of moisture sorption and desorption on lyocell fibers. <i>Carbohydrate Polymers</i> , 2004, 58, 293-299. | 5.1 | 133 |
| 4 | Extraction of natural dyes for textile dyeing from coloured plant wastes released from the food and beverage industry. <i>Journal of the Science of Food and Agriculture</i> , 2006, 86, 233-242. | 1.7 | 122 |
| 5 | Cotton fabrics with UV blocking properties through metal salts deposition. <i>Applied Surface Science</i> , 2015, 357, 1878-1889. | 3.1 | 103 |
| 6 | The development of indigo reduction methods and pre-reduced indigo products. <i>Coloration Technology</i> , 2009, 125, 193-207. | 0.7 | 92 |
| 7 | Treatments to impart antimicrobial activity to clothing and household cellulosic-textiles – why – Nano-silver?. <i>Journal of Cleaner Production</i> , 2013, 39, 17-23. | 4.6 | 90 |
| 8 | Effect of fibre orientation on the mechanical properties of polypropylene-lyocell composites. <i>Cellulose</i> , 2018, 25, 7197-7210. | 2.4 | 88 |
| 9 | Copper(I)oxide surface modified cellulose fibers – Synthesis, characterization and antimicrobial properties. <i>Surface and Coatings Technology</i> , 2014, 254, 344-351. | 2.2 | 82 |
| 10 | In-situ deposition of Cu ₂ O micro-needles for biologically active textiles and their release properties. <i>Carbohydrate Polymers</i> , 2017, 165, 255-265. | 5.1 | 81 |
| 11 | Natural dyeing of wool and hair with indigo carmine (C.I. Natural Blue 2), a renewable resource based blue dye. <i>Journal of Cleaner Production</i> , 2009, 17, 1487-1493. | 4.6 | 77 |
| 12 | Mechanistic insights into the electrochemical oxidation of dopamine by cyclic voltammetry. <i>Journal of Electroanalytical Chemistry</i> , 2019, 836, 94-101. | 1.9 | 72 |
| 13 | Cathodic decolourisation of textile waste water containing reactive dyes using a multi-cathode electrolyser. <i>Journal of Chemical Technology and Biotechnology</i> , 2001, 76, 303-311. | 1.6 | 71 |
| 14 | Green reducing agents for indigo dyeing on cotton fabrics. <i>Journal of Cleaner Production</i> , 2018, 197, 106-113. | 4.6 | 68 |
| 15 | Changes in the intra- and inter-fibrillar structure of lyocell (TENCEL®) fibers caused by NaOH treatment. <i>Cellulose</i> , 2009, 16, 37-52. | 2.4 | 62 |
| 16 | Process balance and product quality in the production of natural indigo from <i>Polygonum tinctorium</i> Ait. applying low-technology methods. <i>Bioresource Technology</i> , 2002, 81, 171-177. | 4.8 | 59 |
| 17 | Anthocyanin dyes extracted from grape pomace for the purpose of textile dyeing. <i>Journal of the Science of Food and Agriculture</i> , 2007, 87, 2589-2595. | 1.7 | 57 |
| 18 | Fibrillation Tendency of Cellulosic Fibers. Part 1: Effects of Swelling. <i>Cellulose</i> , 2005, 12, 267-273. | 2.4 | 56 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Metal mordanting in dyeing with natural colourants. <i>Coloration Technology</i> , 2016, 132, 107-113. | 0.7 | 56 |
| 20 | Characterization of cellulosic fibers and fabrics by sorption/desorption. <i>Carbohydrate Research</i> , 2008, 343, 2194-2199. | 1.1 | 55 |
| 21 | Alkali treatment of cellulose II fibres and effect on dye sorption. <i>Carbohydrate Polymers</i> , 2011, 84, 299-307. | 5.1 | 52 |
| 22 | Anthraquinones as mediators for the indirect cathodic reduction of dispersed organic dyestuffs. <i>Journal of Electroanalytical Chemistry</i> , 1999, 465, 80-87. | 1.9 | 50 |
| 23 | Reuse of ash-tree (<i>Fraxinus excelsior</i> L.) bark as natural dyes for textile dyeing: process conditions and process stability. <i>Coloration Technology</i> , 2007, 123, 271-279. | 0.7 | 50 |
| 24 | Electrochemical reduction in vat dyeing: greener chemistry replaces traditional processes. <i>Journal of Cleaner Production</i> , 2009, 17, 1669-1679. | 4.6 | 48 |
| 25 | Ca ²⁺ -Fe ³⁺ -D-gluconate-complexes in alkaline solution. Complex stabilities and electrochemical properties. <i>Dalton Transactions RSC</i> , 2002, , 2683-2688. | 2.3 | 46 |
| 26 | Moisture sorption/desorption behavior of various manmade cellulosic fibers. <i>Journal of Applied Polymer Science</i> , 2005, 97, 1621-1625. | 1.3 | 46 |
| 27 | Production of a concentrated natural dye from Canadian Goldenrod (<i>Solidago canadensis</i>) extracts. <i>Dyes and Pigments</i> , 2012, 93, 1416-1421. | 2.0 | 46 |
| 28 | Alkali-stable iron complexes as mediators for the electrochemical reduction of dispersed organic dyestuffs. <i>Journal of the Chemical Society, Faraday Transactions</i> , 1993, 89, 2451. | 1.7 | 44 |
| 29 | Modification of cellulose fiber with silk sericin. <i>Journal of Applied Polymer Science</i> , 2005, 96, 1421-1428. | 1.3 | 44 |
| 30 | Indirect Electrochemical Reduction of Dispersed Indigo Dyestuff. <i>Journal of the Electrochemical Society</i> , 1996, 143, 2411-2416. | 1.3 | 43 |
| 31 | Aluminium based dye lakes from plant extracts for textile coloration. <i>Dyes and Pigments</i> , 2012, 94, 533-540. | 2.0 | 42 |
| 32 | Fiber Friction in Yarn—A Fundamental Property of Fibers. <i>Textile Research Journal</i> , 2003, 73, 721-726. | 1.1 | 39 |
| 33 | pH Dependent redox behaviour of Alizarin Red S (1,2-dihydroxy-9,10-anthraquinone-3-sulfonate) — Cyclic voltammetry in presence of dispersed vat dye. <i>Dyes and Pigments</i> , 2011, 91, 324-331. | 2.0 | 39 |
| 34 | Conductive layers through electroless deposition of copper on woven cellulose lyocell fabrics. <i>Surface and Coatings Technology</i> , 2018, 348, 13-21. | 2.2 | 38 |
| 35 | The complexation of Fe(III)-ions in cellulose fibres: a fundamental property. <i>Carbohydrate Polymers</i> , 2004, 56, 47-53. | 5.1 | 37 |
| 36 | A new method to visualize and characterize the pore structure of TENCEL [®] (Lyocell) and other man-made cellulosic fibres using a fluorescent dye molecular probe. <i>Journal of Applied Polymer Science</i> , 2007, 106, 2083-2091. | 1.3 | 37 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Cathodic decolourisation of reactive dyes in model effluents released from textile dyeing. <i>Journal of Cleaner Production</i> , 2017, 142, 1397-1405. | 4.6 | 36 |
| 38 | Multivalent Ions as Reactive Crosslinkers for Biopolymers – A Review. <i>Molecules</i> , 2020, 25, 1840. | 1.7 | 34 |
| 39 | Electrochemical decolourisation of dispersed indigo on boron-doped diamond anodes. <i>Diamond and Related Materials</i> , 2006, 15, 1513-1519. | 1.8 | 33 |
| 40 | Copper inclusion in cellulose using sodium d-gluconate complexes. <i>Carbohydrate Polymers</i> , 2012, 90, 1345-1352. | 5.1 | 31 |
| 41 | Fibrillation tendency of cellulosic fibers – Part 4. Effects of alkali pretreatment of various cellulosic fibers. <i>Carbohydrate Polymers</i> , 2005, 61, 427-433. | 5.1 | 30 |
| 42 | Functionalisation of cellulosic substrates by a facile solventless method of introducing carbamate groups. <i>Carbohydrate Polymers</i> , 2010, 82, 1191-1197. | 5.1 | 30 |
| 43 | Ion-interactions as driving force in polysaccharide assembly. <i>Carbohydrate Polymers</i> , 2013, 93, 316-323. | 5.1 | 30 |
| 44 | Water Accessibilities of Man-made Cellulosic Fibers – Effects of Fiber Characteristics. <i>Cellulose</i> , 2005, 12, 403-410. | 2.4 | 25 |
| 45 | Cathodic decolorization of textile dyebaths: Tests with full scale plant. <i>Journal of Applied Electrochemistry</i> , 2002, 32, 943-950. | 1.5 | 24 |
| 46 | Iron-complexes of bis(2-hydroxyethyl)-amino-compounds as mediators for the indirect reduction of dispersed vat dyes – Cyclic voltammetry and spectroelectrochemical experiments. <i>Journal of Electroanalytical Chemistry</i> , 2006, 591, 118-126. | 1.9 | 24 |
| 47 | Electrochemical characteristics and dyeing properties of selected 9,10-anthraquinones as mediators for the indirect cathodic reduction of dyes. <i>Dyes and Pigments</i> , 2010, 87, 194-203. | 2.0 | 24 |
| 48 | Splitting tendency of cellulosic fibers – Part 1. The effect of shear force on mechanical stability of swollen lyocell fibers. <i>Cellulose</i> , 2006, 13, 393-402. | 2.4 | 23 |
| 49 | Analysis of crystallinity changes in cellulose II polymers using carbohydrate-binding modules. <i>Carbohydrate Polymers</i> , 2012, 89, 213-221. | 5.1 | 23 |
| 50 | Flexible Textile Strain Sensor Based on Copper-Coated Lyocell Type Cellulose Fabric. <i>Polymers</i> , 2019, 11, 784. | 2.0 | 23 |
| 51 | Fe ³⁺ -gluconate and Ca ²⁺ -Fe ³⁺ -gluconate complexes as mediators for indirect cathodic reduction of vat dyes ? Cyclic voltammetry and batch electrolysis experiments. <i>Journal of Applied Electrochemistry</i> , 2004, 34, 1221-1227. | 1.5 | 21 |
| 52 | Textile-Integrated Thermocouples for Temperature Measurement. <i>Materials</i> , 2020, 13, 626. | 1.3 | 21 |
| 53 | Spun-dyed lyocell. <i>Dyes and Pigments</i> , 2007, 74, 519-524. | 2.0 | 20 |
| 54 | Treatment in Swelling Solutions Modifying Cellulose Fiber Reactivity – Part 1: Accessibility and Sorption. <i>Macromolecular Symposia</i> , 2008, 262, 39-49. | 0.4 | 20 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Application of ATR-FT-IR Single-Fiber Analysis for the Identification of a Foreign Polymer in Textile Matrix. <i>International Journal of Polymer Analysis and Characterization</i> , 2011, 16, 259-268. | 0.9 | 20 |
| 56 | A novel silver-containing absorbent wound dressing based on spacer fabric. <i>Journal of Materials Chemistry B</i> , 2017, 5, 6786-6793. | 2.9 | 20 |
| 57 | Surface Activation of High Performance Polymer Fibers: A Review. <i>Polymer Reviews</i> , 2022, 62, 757-788. | 5.3 | 20 |
| 58 | Fibrillation Tendency of Cellulosic Fibers. Part 2: Effects of Temperature. <i>Cellulose</i> , 2005, 12, 275-279. | 2.4 | 19 |
| 59 | Treatment in Swelling Solutions Modifying Cellulose Fiber Reactivity – Part 2: Accessibility and Reactivity. <i>Macromolecular Symposia</i> , 2008, 262, 50-64. | 0.4 | 19 |
| 60 | Reduction of Dispersed Indigo Dye by Indirect Electrolysis. <i>Angewandte Chemie International Edition in English</i> , 1992, 31, 1068-1069. | 4.4 | 18 |
| 61 | Sodium metabisulfite in blue jeans: an unexpected cause of textile contact dermatitis. <i>Contact Dermatitis</i> , 2014, 70, 190-192. | 0.8 | 18 |
| 62 | Microclimate in ski boots – Temperature, relative humidity, and water absorption. <i>Applied Ergonomics</i> , 2014, 45, 515-520. | 1.7 | 18 |
| 63 | Copper(II)oxide microparticles – synthesis and antimicrobial finishing of textiles. <i>Journal of Materials Chemistry B</i> , 2015, 3, 5886-5892. | 2.9 | 18 |
| 64 | Controlled Surface Modification of Polyamide 6.6 Fibres Using CaCl ₂ /H ₂ O/EtOH Solutions. <i>Polymers</i> , 2018, 10, 207. | 2.0 | 18 |
| 65 | Water-based slurries for high-energy LiFePO ₄ batteries using embroidered current collectors. <i>Scientific Reports</i> , 2020, 10, 5565. | 1.6 | 18 |
| 66 | Optimization of Multi-Cathode Membrane Electrolysers for the Indirect Electrochemical Reduction of Indigo. <i>Chemical Engineering and Technology</i> , 1998, 21, 877-880. | 0.9 | 17 |
| 67 | Splitting tendency of cellulosic fibers. Part 2: Effects of fiber swelling in alkali solutions. <i>Cellulose</i> , 2006, 13, 403-409. | 2.4 | 17 |
| 68 | Sorption studies on regenerated cellulosic fibers in salt-alkali mixtures. <i>Cellulose</i> , 2006, 13, 647-654. | 2.4 | 17 |
| 69 | On-site formation of hypochlorite for indigo oxidation – Scale-up and full scale operation of an electrolyser for denim bleach processes. <i>Journal of Applied Electrochemistry</i> , 2006, 36, 287-293. | 1.5 | 17 |
| 70 | Efficient processing of raw material defines the ecological position of natural dyes in textile production. <i>International Journal of Environment and Waste Management</i> , 2008, 2, 215. | 0.2 | 17 |
| 71 | The reduction of dispersed indigo by cathodically formed 1,2,4-trihydroxynaphthalene. <i>Dyes and Pigments</i> , 2009, 83, 21-30. | 2.0 | 17 |
| 72 | Extraction of polyphenolic substances from bark as natural colorants for wool dyeing. <i>Coloration Technology</i> , 2019, 135, 32-39. | 0.7 | 17 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Thermal stability of natural dye lakes from Canadian Goldenrod and onion peel as sustainable pigments. <i>Journal of Cleaner Production</i> , 2021, 315, 128195. | 4.6 | 17 |
| 74 | Reduktion von dispergiertem Indigo durch indirekte Elektrolyse. <i>Angewandte Chemie</i> , 1992, 104, 1046-1047. | 1.6 | 16 |
| 75 | Development of a Fast and Reliable Method for the Assessment of Microbial Colonization and Growth on Textiles by DNA Quantification. <i>Journal of Molecular Microbiology and Biotechnology</i> , 2008, 14, 193-200. | 1.0 | 16 |
| 76 | Sorption of alkaline earth metal ions Ca ²⁺ and Mg ²⁺ on lyocell fibres. <i>Carbohydrate Polymers</i> , 2009, 76, 123-128. | 5.1 | 16 |
| 77 | Washâ€‘dry cycle induced changes in lowâ€‘ordered parts of regenerated cellulosic fibers. <i>Journal of Applied Polymer Science</i> , 2012, 126, E397. | 1.3 | 16 |
| 78 | Viscose as an alternative to aramid in workwear: Influence on endurance performance, cooling, and comfort. <i>Textile Reseach Journal</i> , 2013, 83, 2085-2092. | 1.1 | 16 |
| 79 | Multi-Point Flexible Temperature Sensor Array and Thermoelectric Generator Made from Copper-Coated Textiles. <i>Sensors</i> , 2021, 21, 3742. | 2.1 | 16 |
| 80 | In-fibre formation of Fe(OH) ₃ â€‘a new approach to pigment coloration of cellulose fibres. <i>Dyes and Pigments</i> , 2004, 60, 137-142. | 2.0 | 15 |
| 81 | The influence of alkali pretreatments in lyocell resin finishingâ€‘Resin distribution and mechanical properties. <i>Journal of Applied Polymer Science</i> , 2006, 100, 3596-3601. | 1.3 | 15 |
| 82 | Splitting tendency of cellulosic fibers. Part 3: splitting tendency of viscose and modal fibers. <i>Cellulose</i> , 2008, 15, 101-109. | 2.4 | 15 |
| 83 | Electrochemistry of Iron(II/III)â€‘N,N'-â€‘ethyleneâ€‘bisâ€‘(oâ€‘hydroxyphenylglycine) Complexes in Aqueous Solution Indicates Potential for Use in Redox Flow Batteries. <i>ChemElectroChem</i> , 2019, 6, 3311-3318. | 1.7 | 15 |
| 84 | Structural elucidation of mixed carrageenan gels using rheometry. <i>Food Hydrocolloids</i> , 2019, 95, 533-539. | 5.6 | 15 |
| 85 | Modelling of phase separation of alginate-carrageenan gels based on rheology. <i>Food Hydrocolloids</i> , 2019, 89, 765-772. | 5.6 | 15 |
| 86 | Towards the Functional Ageing of Electrically Conductive and Sensing Textiles: A Review. <i>Sensors</i> , 2021, 21, 5944. | 2.1 | 15 |
| 87 | Alkali Uptake and Swelling Behavior of Lyocell Fiber and their Effects on Crosslinking Reaction. <i>Cellulose</i> , 2005, 12, 459-467. | 2.4 | 14 |
| 88 | Influence of ligand type and solution pH on heavy metal ion complexation in cellulosic fibre: model calculations and experimental results. <i>Cellulose</i> , 2009, 16, 53-63. | 2.4 | 14 |
| 89 | Swelling and dissolution mechanism of regenerated cellulosic fibers in aqueous alkaline solution containing ferric tartaric acid complex: Part I. Viscose fibers. <i>Carbohydrate Polymers</i> , 2010, 82, 761-767. | 5.1 | 14 |
| 90 | Surface activation of dyed fabric for cellulase treatment. <i>Biotechnology Journal</i> , 2011, 6, 1280-1285. | 1.8 | 14 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Ca ²⁺ sorption on regenerated cellulose fibres. Carbohydrate Polymers, 2012, 90, 937-942. | 5.1 | 14 |
| 92 | Spatial Structure Investigation of Porous Shell Layer Formed by Swelling of PA66 Fibers in CaCl ₂ /H ₂ O/EtOH Mixtures. Langmuir, 2019, 35, 4902-4908. | 1.6 | 14 |
| 93 | Calcium-iron-D-gluconate complexes for the indirect cathodic reduction of indigo in denim dyeing: A greener alternative to non-regenerable chemicals. Journal of Cleaner Production, 2020, 266, 121753. | 4.6 | 14 |
| 94 | Unprecedented conformational modulation of the efficiency of luminescence in Ru(II) bipyridyl complexes containing a bis(bidentate) phosphine. Inorganic Chemistry Communication, 2005, 8, 319-322. | 1.8 | 13 |
| 95 | Pilling in cellulosic fabrics, Part 2: A study on kinetics of pilling in alkali-treated lyocell fabrics. Journal of Applied Polymer Science, 2008, 109, 3696-3703. | 1.3 | 13 |
| 96 | Effect of alkali pre-treatment on hydrolysis of regenerated cellulose fibers (part 1: viscose) by cellulases. Cellulose, 2009, 16, 1057-1068. | 2.4 | 13 |
| 97 | Influence of steam and dry heat pretreatment on fibre properties and cellulase degradation of cellulosic fibres. Biocatalysis and Biotransformation, 2004, 22, 383-389. | 1.1 | 12 |
| 98 | Dyeing behaviour of hydrogenated indigo in electrochemically reduced dyebaths. Coloration Technology, 2008, 124, 324-330. | 0.7 | 12 |
| 99 | Alkali treatments of lyocell in continuous processes. I. Effects of temperature and alkali concentration on the treatments of plain woven fabrics. Journal of Applied Polymer Science, 2009, 113, 3646-3655. | 1.3 | 12 |
| 100 | CI Reactive Black 5 dye as a visible crosslinker to improve physical properties of lyocell fabrics. Cellulose, 2009, 16, 27-35. | 2.4 | 12 |
| 101 | Changes in the Inter- and Intra-Fibrillar Structure of Lyocell (TENCEL [®]) Fibers after KOH Treatment. Macromolecular Symposia, 2010, 294, 24-37. | 0.4 | 12 |
| 102 | Moisture management properties of ski-boot liner materials. Textile Research Journal, 2012, 82, 99-107. | 1.1 | 12 |
| 103 | Sorption of anionic polysaccharides by cellulose. Carbohydrate Polymers, 2012, 87, 695-700. | 5.1 | 12 |
| 104 | Bleaching of indigo-dyed denim fabric by electrochemical formation of hypohalogenites in situ. Coloration Technology, 2005, 121, 64-68. | 0.7 | 11 |
| 105 | Advantages of a two-step enzymatic process for cotton-polyester blends. Biotechnology Letters, 2008, 30, 455-459. | 1.1 | 11 |
| 106 | Swelling and dissolution mechanism of lyocell fiber in aqueous alkaline solution containing ferric tartaric acid complex. Cellulose, 2010, 17, 521-532. | 2.4 | 11 |
| 107 | Production scale plasma modification of polypropylene baselayer for improved water management properties. Journal of Applied Polymer Science, 2015, 132, . | 1.3 | 11 |
| 108 | Surface modification of textile material through deposition of regenerated silk fibroin. Journal of Applied Polymer Science, 2017, 134, 45098. | 1.3 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Piezo-Sensitive Fabrics from Carbon Black Containing Conductive Cellulose Fibres for Flexible Pressure Sensors. <i>Materials</i> , 2020, 13, 5150. | 1.3 | 11 |
| 110 | Tunable colors and conductivity by electroless growth of Cu/Cu ₂ O particles on sol-gel modified cellulose. <i>Nano Research</i> , 2020, 13, 2658-2664. | 5.8 | 11 |
| 111 | Determination of reaction rate between cathodically formed FeII-triethanolamine-complex and FeIII-hepta-d-gluconate complex by cyclic voltammetry. <i>Journal of Electroanalytical Chemistry</i> , 2005, 580, 173-178. | 1.9 | 10 |
| 112 | Electrochemical reduction of CI sulphur black 1" correlation between electrochemical parameters and colour depth in exhaust dyeing. <i>Journal of Applied Electrochemistry</i> , 2007, 38, 25-30. | 1.5 | 10 |
| 113 | Nonalkali swelling solutions for regenerated cellulose. <i>Cellulose</i> , 2010, 17, 913-922. | 2.4 | 10 |
| 114 | Assessment of moisture management performance of multilayer compression bandages. <i>Textile Reseach Journal</i> , 2013, 83, 871-880. | 1.1 | 10 |
| 115 | The role of electrode orientation to enhance mass transport in redox flow batteries. <i>Electrochemistry Communications</i> , 2020, 111, 106650. | 2.3 | 10 |
| 116 | Investigation of the decomplexation of polyamide/ <sc>CaCl₂</sc> complex toward a green, nondestructive recovery of polyamide from textile waste. <i>Journal of Applied Polymer Science</i> , 2021, 138, 51170. | 1.3 | 10 |
| 117 | Distinguishing liquid ammonia from sodium hydroxide mercerization in cotton textiles. <i>Cellulose</i> , 2022, 29, 4183-4202. | 2.4 | 10 |
| 118 | Fibrillation tendency of cellulosic fibers. VII. Combined effects of treatments with an alkali, crosslinking agent, and reactive dye. <i>Journal of Applied Polymer Science</i> , 2006, 100, 1176-1183. | 1.3 | 9 |
| 119 | Temperature, relative humidity and water absorption in ski boots. <i>Procedia Engineering</i> , 2011, 13, 44-50. | 1.2 | 9 |
| 120 | The influence of alkali pretreatments in lyocell resin finishing" Changes in fiber accessibility to crosslinker and catalyst. <i>Carbohydrate Polymers</i> , 2011, 86, 612-620. | 5.1 | 9 |
| 121 | Aqueous thiocyanate"urea solution as a powerful non-alkaline swelling agent for cellulose fibres. <i>Carbohydrate Polymers</i> , 2015, 116, 124-130. | 5.1 | 9 |
| 122 | Analysis of moisture sorption in lyocell-polypropylene composites. <i>Cellulose</i> , 2017, 24, 1837-1847. | 2.4 | 9 |
| 123 | New Three-Dimensional Porous Electrode Concept: Vertically-Aligned Carbon Nanotubes Directly Grown on Embroidered Copper Structures. <i>Nanomaterials</i> , 2017, 7, 438. | 1.9 | 9 |
| 124 | A second life for low"grade wool through formation of all"keratin composites in cystine reducing calcium chloride"water"ethanol solution. <i>Journal of Chemical Technology and Biotechnology</i> , 2019, 94, 3384-3392. | 1.6 | 9 |
| 125 | Fibrillation tendency of cellulosic fibers, part 6: Effects of treatments with additive polymers. <i>Journal of Applied Polymer Science</i> , 2006, 101, 4140-4147. | 1.3 | 8 |
| 126 | A study on the dyeing characteristics and electrochemical behaviour of lawsone"indigo mixtures. <i>Coloration Technology</i> , 2011, 127, 153-158. | 0.7 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Indirect cathodic reduction of dispersed indigo by 1,2-dihydroxy-9,10-anthraquinone-3-sulphonate (Alizarin Red S). Journal of Solid State Electrochemistry, 2011, 15, 1875-1884. | 1.2 | 8 |
| 128 | Indirect cathodic reduction of dispersed CI Vat Blue 1 (indigo) by dihydroxy-9,10-anthraquinones in cyclic voltammetry experiments. Journal of Electroanalytical Chemistry, 2011, 654, 29-37. | 1.9 | 8 |
| 129 | Sorption of iron(III)â€“alginate complexes on cellulose fibres. Cellulose, 2013, 20, 2481-2490. | 2.4 | 8 |
| 130 | One-sided surface modification of cellulose fabric by printing a modified TEMPO-mediated oxidant. Carbohydrate Polymers, 2014, 106, 142-147. | 5.1 | 8 |
| 131 | Performance limitation and the role of core temperature when wearing light-weight workwear under moderate thermal conditions. Journal of Thermal Biology, 2015, 47, 83-90. | 1.1 | 8 |
| 132 | X-ray micro tomography of three-dimensional embroidered current collectors for lithium-ion batteries. Journal of Power Sources, 2016, 306, 826-831. | 4.0 | 8 |
| 133 | Alkali pretreatments and crosslinking of lyocell fabrics. Cellulose, 2017, 24, 3991-4002. | 2.4 | 8 |
| 134 | Salt sorption on regenerated cellulosic fibers: electrokinetic measurements. Cellulose, 2018, 25, 3307-3314. | 2.4 | 8 |
| 135 | Monitoring the State-of-Charge in All-Iron Aqueous Redox Flow Batteries. Journal of the Electrochemical Society, 2018, 165, A3164-A3168. | 1.3 | 8 |
| 136 | Drying Rates in Resin Treatment of Lyocell Fabrics. Textile Research Journal, 2005, 75, 258-264. | 1.1 | 7 |
| 137 | Tannins and Tannin Agents. , 0, , 201-219. | | 7 |
| 138 | Swelling and dissolution mechanism of regenerated cellulosic fibers in aqueous alkaline solution containing ferricâ€“tartaric acid complexâ€“Part II: Modal fibers. Carbohydrate Polymers, 2010, 82, 1068-1073. | 5.1 | 7 |
| 139 | Steam Processing of Regenerated Cellulose Fabric in Concentrated LiCl/Urea Solutions. Macromolecular Materials and Engineering, 2012, 297, 540-549. | 1.7 | 7 |
| 140 | Multi-chamber electroosmosis using textile reinforced agar membranes â€“ A promising concept for the future of hemodialysis. Carbohydrate Polymers, 2016, 136, 81-86. | 5.1 | 7 |
| 141 | Tailored fibre placement of carbon fibre rovings for reinforced polypropylene composite part 1: PP infusion of carbon reinforcement. Composites Part B: Engineering, 2019, 162, 703-711. | 5.9 | 7 |
| 142 | Surface coated cellulose fibres as a biobased alternative to functional synthetic fibres. Journal of Cleaner Production, 2020, 275, 123857. | 4.6 | 7 |
| 143 | Quantification of aniline and N-methylaniline in indigo. Scientific Reports, 2021, 11, 21135. | 1.6 | 7 |
| 144 | Complexation-mediated surface modification of polyamide-66 textile to enhance electroless copper deposition. Materials Chemistry and Physics, 2022, 288, 126383. | 2.0 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Natural Colorants in Hair Dyeing. , 0, , 339-350. | | 6 |
| 146 | High current density 3D electrodes manufactured by technical embroidery. Journal of Solid State Electrochemistry, 2013, 17, 2303-2309. | 1.2 | 6 |
| 147 | All-cellulose composites from woven fabrics. Composites Science and Technology, 2013, 78, 30-40. | 3.8 | 6 |
| 148 | Flotation of Particles Suspended in Lye by the Decomposition of Hydrogen Peroxide. Separation Science and Technology, 1989, 24, 441-451. | 1.3 | 5 |
| 149 | Alkaline treatment of cotton in different reagent mixtures with reduced water content. I. Influence of alkali type and additives. Journal of Applied Polymer Science, 2006, 99, 2848-2855. | 1.3 | 5 |
| 150 | Pilling in man-made cellulosic fabrics, part 1: Assessment of pilling formation methods. Journal of Applied Polymer Science, 2008, 110, 531-538. | 1.3 | 5 |
| 151 | Model calculations to optimise multi-cathode flow through electrolyzers: direct cathodic reduction of C.I. Sulphur Black 1. Journal of Applied Electrochemistry, 2009, 39, 1963-1973. | 1.5 | 5 |
| 152 | NaOH/urea aqueous solutions improving properties of regenerated cellulosic fabrics. Journal of Applied Polymer Science, 2010, 115, 2865-2874. | 1.3 | 5 |
| 153 | Alkali pretreatment and resin finishing of lyocell: Effect of sodium hydroxide pretreatments. Journal of Applied Polymer Science, 2010, 115, 2898-2910. | 1.3 | 5 |
| 154 | Investigation of the spinnability of cellulose/alkaline ferric tartrate solutions. Carbohydrate Polymers, 2012, 87, 195-201. | 5.1 | 5 |
| 155 | Direct carbamation of cellulose fiber sheets. Cellulose, 2014, 21, 627-640. | 2.4 | 5 |
| 156 | Characterisation of embroidered 3D electrodes by use of anthraquinone-1,5-disulfonic acid as probe system. Journal of Power Sources, 2014, 254, 224-231. | 4.0 | 5 |
| 157 | Printing of reactive silicones for surface modification of textile material. Journal of Applied Polymer Science, 2015, 132, . | 1.3 | 5 |
| 158 | 2-Azidoimidazolium Ions Captured by N-Heterocyclic Carbenes: Azole-Substituted Triazatrimethine Cyanines. Crystals, 2016, 6, 40. | 1.0 | 5 |
| 159 | Quantification of triethanolamine through measurement of catalytic current in alkaline iron-d-gluconate solution. Journal of Electroanalytical Chemistry, 2018, 830-831, 50-55. | 1.9 | 5 |
| 160 | Treatment of polyamide 66 fabric for increased ultraviolet protection. Textile Research Journal, 2020, 90, 1881-1888. | 1.1 | 5 |
| 161 | Anodic Coating of 1.4622 Stainless Steel with Polydopamine by Repetitive Cyclic Voltammetry and Galvanostatic Deposition. Industrial & Engineering Chemistry Research, 2020, 59, 236-244. | 1.8 | 5 |
| 162 | Analysis of the Fibroin Solution State in Calcium Chloride/Water/Ethanol for Improved Understanding of the Regeneration Process. Fibres and Textiles in Eastern Europe, 2018, 26, 43-50. | 0.2 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Characterisation of reduction state of cystine linkages on wool fibre surface under heterogeneous reaction conditions. <i>Polymer Testing</i> , 2022, 106, 107438. | 2.3 | 5 |
| 164 | Localised Catalyst Printing for Flexible Conductive Lines by Electroless Copper Deposition on Textiles. , 2022, , . | | 5 |
| 165 | Pilot-scale electrolyser for the cathodic reduction of oxidised C.I. Sulphur Black 1. <i>Dyes and Pigments</i> , 2008, 77, 502-509. | 2.0 | 4 |
| 166 | What Does LiOH Treatment Offer for Lyocell Fibers? Investigation of Structural Changes. <i>Industrial & Engineering Chemistry Research</i> , 2011, 50, 9087-9094. | 1.8 | 4 |
| 167 | Sorption behavior of reactive dyed labelled fibroin on fibrous substrates. <i>Journal of Applied Polymer Science</i> , 2016, 133, . | 1.3 | 4 |
| 168 | Effects of two different battings (sheep wool versus polyester microfiber) in an outdoor jacket on the heat and moisture management and comfort sensation in the cold. <i>Textile Research Journal</i> , 2016, 86, 191-201. | 1.1 | 4 |
| 169 | Activation of carbon tow electrodes for use in iron aqueous redox systems for electrochemical applications. <i>Journal of Materials Chemistry C</i> , 2020, 8, 7755-7764. | 2.7 | 4 |
| 170 | Alkaline treatment of cotton in different reagent mixtures with reduced water content. II. Influence of finishing procedure. <i>Journal of Applied Polymer Science</i> , 2006, 101, 1194-1201. | 1.3 | 3 |
| 171 | Caregiver's vision of bedding textiles for elderly. <i>Fashion and Textiles</i> , 2015, 2, . | 1.3 | 3 |
| 172 | Modification of polypropylene fibres with cationic polypropylene dispersion for improved dyeability. <i>Coloration Technology</i> , 2018, 134, 400-407. | 0.7 | 3 |
| 173 | The effect of different water vapor permeable jackets on moisture management, subjective perceptions and physiological parameters during submaximal exercise in a cool environment. <i>Textile Research Journal</i> , 2019, 89, 528-540. | 1.1 | 3 |
| 174 | Investigation of Interfacial Diffusion in PA/PP-MAH Laminates Using Nanoscale Infrared Spectroscopy. <i>Langmuir</i> , 2020, 36, 9886-9893. | 1.6 | 3 |
| 175 | Treatment of Textile Wastes. , 2004, , 379-380. | | 3 |
| 176 | Nachwachsend = nachhaltig? Eine Analyse am Beispiel pflanzlicher Textilfärbung. <i>Gaia</i> , 2006, 15, 44-53. | 0.3 | 3 |
| 177 | Characterisation of enzyme catalysed hydrolysis stage of poly(lactic acid) fibre surface by nanoscale thermal analysis: New mechanistic insight. <i>Materials and Design</i> , 2022, 219, 110810. | 3.3 | 3 |
| 178 | Environmental Aspects and Sustainability. , 0, , 351-366. | | 2 |
| 179 | Economic Aspects of Natural Dyes. , 0, , 367-384. | | 2 |
| 180 | Sex-related differences in clothing-microclimate and subjective perceptions while wearing two outdoor jackets during submaximal exercise in a cool environment. <i>Journal of the Textile Institute</i> , 2019, 110, 1343-1351. | 1.0 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 181 | Special Issue "Textile-Based Advanced Materials: Construction, Properties and Applications", Materials, 2020, 13, 5766. | 1.3 | 2 |
| 182 | Grafting of wool fibers through disulfide bonds: An advanced application of S-protected thiolated starch. International Journal of Biological Macromolecules, 2020, 147, 473-481. | 3.6 | 2 |
| 183 | Investigation on the Behavior of Carrageenan Hydrogels for Compressive Intra-Vessel Disintegration. Macromolecular Bioscience, 2021, 21, 2000348. | 2.1 | 2 |
| 184 | Swelling of kappa carrageenan hydrogels in simulated body fluid for hypothetical vessel occlusion applications. Journal of Biomaterials Applications, 2022, 37, 588-599. | 1.2 | 2 |
| 185 | Effects of functional shirts with different fiber compositions on thermoregulation in well-trained runners. Proceedings of the Institution of Mechanical Engineers, Part P: Journal of Sports Engineering and Technology, 2017, 231, 75-82. | 0.4 | 1 |
| 186 | 1. Textiles. , 2019, , 1-16. | | 1 |
| 187 | Polymer Interface Reactions. , 2020, , 55-96. | | 1 |
| 188 | Polysaccharide Fibres in Textiles. , 2012, , 187-214. | | 0 |
| 189 | Development and Characterization of Fiber-Based Pressure Sensors. Proceedings (mdpi), 2018, 2, . | 0.2 | 0 |
| 190 | Conductive textiles via electroless deposition for flexible electronics. , 2019, , . | | 0 |
| 191 | 2. Textile fibres. , 2019, , 17-92. | | 0 |
| 192 | 14. Surfactants, detergents and laundry. , 2019, , 419-438. | | 0 |
| 193 | 4. Basic interactions between fibre polymers and sorptives. , 2019, , 115-138. | | 0 |
| 194 | 5. Thermodynamics and kinetics in fibre chemistry. , 2019, , 139-166. | | 0 |
| 195 | 11. Pre-treatment. , 2019, , 329-352. | | 0 |
| 196 | 12. Finishing. , 2019, , 353-396. | | 0 |
| 197 | 15. Environmental aspects of textiles. , 2019, , 439-458. | | 0 |
| 198 | Reactive Modification of Fiber Polymer Materials for Textile Applications. , 2020, , 21-41. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|----|-----------|
| 199 | Treatment of Textile Wastes. , 2005, , 363-398. | | 0 |