Ugo CorrÃ

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6811678/publications.pdf

Version: 2024-02-01

169 21,535 55 144 g-index

178 178 178 23042

times ranked

citing authors

docs citations

all docs

#	Article	IF	Citations
1	2016 European Guidelines on cardiovascular disease prevention in clinical practice. European Heart Journal, 2016, 37, 2315-2381.	2.2	5,370
2	ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure 2008: The Task Force for the Diagnosis and Treatment of Acute and Chronic Heart Failure 2008 of the European Society of Cardiology. Developed in collaboration with the Heart Failure Association of the ESC (HFA) and endorsed by the European Society of Intensive Care Medicine (ESICM). European Heart Journal, 2008, 29, 2388-2442.	2,2	2,656
3	ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure 2008‡. European Journal of Heart Failure, 2008, 10, 933-989.	7.1	1,893
4	2016 European Guidelines on cardiovascular disease prevention in clinical practice. European Journal of Preventive Cardiology, 2016, 23, NP1-NP96.	1.8	683
5	Secondary prevention through cardiac rehabilitation: from knowledge to implementation. A position paper from the Cardiac Rehabilitation Section of the European Association of Cardiovascular Prevention and Rehabilitation. European Journal of Cardiovascular Prevention and Rehabilitation, 2010. 17. 1-17.	2.8	629
6	Exercise training in heart failure: from theory to practice. A consensus document of the Heart Failure Association and the European Association for Cardiovascular Prevention and Rehabilitation. European Journal of Heart Failure, 2011, 13, 347-357.	7.1	580
7	Secondary prevention in the clinical management of patients with cardiovascular diseases. Core components, standards and outcome measures for referral and delivery. European Journal of Preventive Cardiology, 2014, 21, 664-681.	1.8	486
8	2016 European Guidelines on cardiovascular disease prevention in clinical practice. Atherosclerosis, 2016, 252, 207-274.	0.8	415
9	Secondary prevention through comprehensive cardiovascular rehabilitation: From knowledge to implementation. 2020 update. A position paper from the Secondary Prevention and Rehabilitation Section of the European Association of Preventive Cardiology. European Journal of Preventive Cardiology. 2021. 28. 460-495.	1.8	388
10	Methodological approach to the first and second lactate threshold in incremental cardiopulmonary exercise testing. European Journal of Cardiovascular Prevention and Rehabilitation, 2008, 15, 726-734.	2.8	319
11	Standards for the use of cardiopulmonary exercise testing for the functional evaluation of cardiac patients: a report from the Exercise Physiology Section of the European Association for Cardiovascular Prevention and Rehabilitation. European Journal of Cardiovascular Prevention and Rehabilitation, 2009, 16, 249-267.	2.8	308
12	Secondary prevention through cardiac rehabilitation: physical activity counselling and exercise training: Key components of the position paper from the Cardiac Rehabilitation Section of the European Association of Cardiovascular Prevention and Rehabilitation. European Heart Journal, 2010, 31, 1967-1974.	2.2	306
13	Antiremodeling Effect of Long-Term Exercise Training in Patients With Stable Chronic Heart Failure. Circulation, 2003, 108, 554-559.	1.6	297
14	Central Sleep Apnea in Left Ventricular Dysfunction. Circulation, 2003, 107, 727-732.	1.6	282
15	Independent and incremental prognostic value of doppler-derived mitral deceleration time of early filling in both symptomatic and asymptomatic patients with left ventricular dysfunction. Journal of the American College of Cardiology, 1996, 28, 383-390.	2.8	242
16	Sleep and Exertional Periodic Breathing in Chronic Heart Failure. Circulation, 2006, 113, 44-50.	1.6	237
17	Independent and Incremental Prognostic Value of Doppler-Derived Mitral Deceleration Time of Early Filling in Both Symptomatic and Asymptomatic Patients With Left Ventricular Dysfunction. Journal of the American College of Cardiology, 1996, 28, 383-390.	2.8	209
18	Multicenter randomised trial on home-based telemanagement to prevent hospital readmission of patients with chronic heart failure. International Journal of Cardiology, 2009, 131, 192-199.	1.7	196

#	Article	IF	CITATIONS
19	Metabolic exercise test data combined with cardiac and kidney indexes, the MECKI score: A multiparametric approach to heart failure prognosis. International Journal of Cardiology, 2013, 167, 2710-2718.	1.7	183
20	Pre-participation cardiovascular evaluation for athletic participants to prevent sudden death: Position paper from the EHRA and the EACPR, branches of the ESC. Endorsed by APHRS, HRS, and SOLAECE. European Journal of Preventive Cardiology, 2017, 24, 41-69.	1.8	181
21	Ventilatory response to exercise improves risk stratification in patients with chronic heart failure and intermediate functional capacity. American Heart Journal, 2002, 143, 418-426.	2.7	168
22	Oscillatory Ventilation During Exercise in Patients With Chronic Heart Failure. Chest, 2002, 121, 1572-1580.	0.8	164
23	Frailty and cardiac rehabilitation: A call to action from the EAPC Cardiac Rehabilitation Section. European Journal of Preventive Cardiology, 2017, 24, 577-590.	1.8	161
24	Attenuation of Unfavorable Remodeling by Exercise Training in Postinfarction Patients With Left Ventricular Dysfunction. Circulation, 1997, 96, 1790-1797.	1.6	161
25	Long-term physical training and left ventricular remodelling after anterior myocardial infraction: Results of the excercise in anterior myocardial infraction (EAMI) trial. Journal of the American College of Cardiology, 1993, 22, 1821-1829.	2.8	159
26	Role of cardiopulmonary exercise testing in clinical stratification in heart failure. A position paper from the Committee on Exercise Physiology and Training of the Heart Failure Association of the European Society of Cardiology. European Journal of Heart Failure, 2018, 20, 3-15.	7.1	157
27	Update on cardiovascular prevention in clinical practice: A position paper of the European Association of Preventive Cardiology of the European Society of Cardiology. European Journal of Preventive Cardiology, 2020, 27, 181-205.	1.8	148
28	The European Association of Preventive Cardiology Exercise Prescription in Everyday Practice and Rehabilitative Training (EXPERT) tool: A digital training and decision support system for optimized exercise prescription in cardiovascular disease. Concept, definitions and construction methodology. European Journal of Preventive Cardiology, 2017, 24, 1017-1031.	1.8	141
29	Exercise Prescription in Patients with Different Combinations of Cardiovascular Disease Risk Factors: A Consensus Statement from the EXPERT Working Group. Sports Medicine, 2018, 48, 1781-1797.	6.5	126
30	Reversible Restrictive Left Ventricular Diastolic Filling With Optimized Oral Therapy Predicts a More Favorable Prognosis in Patients With Chronic Heart Failure. Journal of the American College of Cardiology, 1998, 31, 1591-1597.	2.8	123
31	Echocardiography of Right Ventriculoarterial Coupling Combined With Cardiopulmonary Exercise Testing to Predict Outcome in Heart Failure. Chest, 2015, 148, 226-234.	0.8	123
32	Healthy lifestyle interventions to combat noncommunicable disease—a novel nonhierarchical connectivity model for key stakeholders: a policy statement from the American Heart Association, European Society of Cardiology, European Association for Cardiovascular Prevention and Rehabilitation, and American College of Preventive Medicine. European Heart Journal, 2015, 36,	2.2	117
33	2097-2109. Challenges in secondary prevention after acute myocardial infarction: A call for action. European Journal of Preventive Cardiology, 2016, 23, 1994-2006.	1.8	117
34	Cardiopulmonary Exercise Testing and Prognosis in Chronic Heart Failure*. Chest, 2004, 126, 942-950.	0.8	111
35	Exercise intolerance in chronic heart failure: mechanisms and therapies. Part I. European Journal of Cardiovascular Prevention and Rehabilitation, 2010, 17, 637-642.	2.8	107
36	Accurate noninvasive estimation of pulmonary vascular resistance by Doppler echocardiography in patients with chronic heart failure. Journal of the American College of Cardiology, 2001, 37, 1813-1819.	2.8	100

#	Article	IF	CITATIONS
37	Contribution of peak respiratory exchange ratio to peak VO2 prognostic reliability in patients with chronic heart failure and severely reduced exercise capacity. American Heart Journal, 2003, 145, 1102-1107.	2.7	94
38	Statement on cardiopulmonary exercise testing in chronic heart failure due to left ventricular dysfunction: recommendations for performance and interpretation Part I: Definition of cardiopulmonary exercise testing parameters for appropriate use in chronic heart failure. European Journal of Cardiovascular Prevention and Rehabilitation, 2006, 13, 150-164.	2.8	92
39	Gait speed has comparable prognostic capability to six-minute walk distance in older patients with cardiovascular disease. European Journal of Preventive Cardiology, 2018, 25, 212-219.	1.8	92
40	Estimation of pulmonary wedge pressure by transmitral Doppler in patients with chronic heart failure and atrial fibrillation. American Journal of Cardiology, 1999, 83, 724-727.	1.6	90
41	Pre-participation cardiovascular evaluation for athletic participants to prevent sudden death: Position paper from the EHRA and the EACPR, branches of the ESC. Endorsed by APHRS, HRS, and SOLAECE. Europace, 2017, 19, euw243.	1.7	86
42	2016 European Guidelines on cardiovascular disease prevention in clinical practice. International Journal of Behavioral Medicine, 2017, 24, 321-419.	1.7	84
43	Multiparametric prognostic scores in chronic heart failure with reduced ejection fraction: a longâ€ŧerm comparison. European Journal of Heart Failure, 2018, 20, 700-710.	7.1	84
44	Exercise training in patients with ventricular assist devices: a review of the evidence and practical advice. A position paper from the Committee on Exercise Physiology and Training and the Committee of Advanced Heart Failure of the Heart Failure Association of the European Society of Cardiology. European Journal of Heart Failure, 2019, 21, 3-13.	7.1	84
45	Cardiopulmonary exercise testing in systolic heart failure in 2014: the evolving prognostic role. European Journal of Heart Failure, 2014, 16, 929-941.	7.1	83
46	European Heart Rhythm Association (EHRA)/European Association of Cardiovascular Prevention and Rehabilitation (EACPR) position paper on how to prevent atrial fibrillation endorsed by the Heart Rhythm Society (HRS) and Asia Pacific Heart Rhythm Society (APHRS). European Journal of Preventive Cardiology 2017, 24, 4-40	1.8	83
47	Cardiology, 2017, 24, 4.40. Healthy Brestyle Interventions to Combat Noncommunicable Diseasea A Novel Nonhierarchical Connectivity Model for Key Stakeholders: A Policy Statement From the American Heart Association, European Society of Cardiology, European Association for Cardiovascular Prevention and Rehabilitation, and American College of Preventive Medicine. Mayo Clinic Proceedings, 2015, 90,	3.0	77
48	Permanent atrial fibrillation affects exercise capacity in chronic heart failure patients. European Heart Journal, 2008, 29, 2367-2372.	2.2	73
49	Telerehabilitation in heart failure patients: The evidence and the pitfalls. International Journal of Cardiology, 2016, 220, 408-413.	1.7	73
50	<scp>ExtraHF</scp> survey: the first European survey on implementation of exercise training in heart failure patients. European Journal of Heart Failure, 2015, 17, 631-638.	7.1	69
51	European Heart Rhythm Association (EHRA)/European Association of Cardiovascular Prevention and Rehabilitation (EACPR) position paper on how to prevent atrial fibrillation endorsed by the Heart Rhythm Society (HRS) and Asia Pacific Heart Rhythm Society (APHRS). Europace, 2017, 19, euw242.	1.7	67
52	Executive summary of the Position Paper of the Working Group on Cardiac Rehabilitation and Exercise Physiology of the European Society of Cardiology (ESC): core components of cardiac rehabilitation in chronic heart failure. European Journal of Cardiovascular Prevention and Rehabilitation, 2005, 12, 321-325.	2.8	66
53	Exercise tolerance can explain the obesity paradox in patients with systolic heart failure: data from the <scp>MECKI</scp> Score Research Group. European Journal of Heart Failure, 2016, 18, 545-553.	7.1	64
54	Prognostic Value of Indeterminable Anaerobic Threshold in Heart Failure. Circulation: Heart Failure, 2013, 6, 977-987.	3.9	60

#	Article	IF	CITATIONS
55	Heart failure prognosis over time: how the prognostic role of oxygen consumption and ventilatory efficiency during exercise has changed in the last 20 years. European Journal of Heart Failure, 2019, 21, 208-217.	7.1	60
56	Speeding of pulmonary VO2 on-kinetics by light-to-moderate-intensity aerobic exercise training in chronic heart failure: Clinical and pathophysiological correlates. International Journal of Cardiology, 2013, 167, 2189-2195.	1.7	51
57	Prognostic Impact of Diabetes and Prediabetes on Survival Outcomes in Patients With Chronic Heart Failure: A Postâ€Hoc Analysis of the GISSIâ€HF (Gruppo Italiano per lo Studio della Sopravvivenza nella) Tj ETQq1	1:077843	14agBT/Ove
58	Exercise intolerance in chronic heart failure: mechanisms and therapies. Part II. European Journal of Cardiovascular Prevention and Rehabilitation, 2010, 17, 643-648.	2.8	49
59	Long-Term Effectiveness of Cardiac Resynchronization Therapy in Heart Failure Patients With Unfavorable Cardiac Veins Anatomy. Journal of the American College of Cardiology, 2011, 58, 483-490.	2.8	47
60	Role of gender, age and BMI in prognosis of heart failure. European Journal of Preventive Cardiology, 2020, 27, 46-51.	1.8	47
61	Cardiopulmonary exercise testing and prognosis in heart failure due to systolic left ventricular dysfunction: a validation study of the European Society of Cardiology Guidelines and Recommendations (2008) and further developments. European Journal of Preventive Cardiology, 2012, 19, 32-40.	1.8	44
62	Cardiovascular mortality and chronotropic incompetence in systolic heart failure: the importance of a reappraisal of current cutâ€off criteria. European Journal of Heart Failure, 2014, 16, 201-209.	7.1	44
63	Challenges in secondary prevention of cardiovascular diseases. International Journal of Cardiology, 2015, 180, 114-119.	1.7	43
64	Exercise haemodynamic variables rather than ventilatory efficiency indexes contribute to risk assessment in chronic heart failure patients treated with carvedilol. European Heart Journal, 2009, 30, 3000-3006.	2.2	42
65	Exercise training reverses exertional oscillatory ventilation in heart failure patients. European Respiratory Journal, 2012, 40, 1238-1244.	6.7	42
66	Prognostic value of time-related changes of cardiopulmonary exercise testing indices in stable chronic heart failure: a pragmatic and operative scheme. European Journal of Cardiovascular Prevention and Rehabilitation, 2006, 13, 186-192.	2.8	40
67	Central adaptations to exercise training in patients with chronic heart failure. Heart Failure Reviews, 2008, 13, 13-20.	3.9	40
68	Upper Intensity Limit for Prolonged Aerobic Exercise in Chronic Heart Failure. Medicine and Science in Sports and Exercise, 2010, 42, 633-639.	0.4	36
69	The metabolic exercise test data combined with Cardiac And Kidney Indexes (MECKI) score and prognosis in heart failure. A validation study. International Journal of Cardiology, 2016, 203, 1067-1072.	1.7	36
70	Main messages for primary care from the 2016 European Guidelines on cardiovascular disease prevention in clinical practice. European Journal of General Practice, 2018, 24, 51-56.	2.0	36
71	Role of comorbidities in heart failure prognosis Part 2: Chronic kidney disease, elevated serum uric acid. European Journal of Preventive Cardiology, 2020, 27, 35-45.	1.8	34
72	Limited predictive value of cardiopulmonary exercise indices in patients with moderate chronic heart failure treated with carvedilol. American Heart Journal, 2004, 147, 553-560.	2.7	33

#	Article	IF	Citations
73	Heart failure and anemia: Effects on prognostic variables. European Journal of Internal Medicine, 2017, 37, 56-63.	2.2	33
74	Habitual Activities and Peak Aerobic Capacity in Patients With Asymptomatic and Symptomatic Left Ventricular Dysfunction. Chest, 2000, 117, 1291-1299.	0.8	32
75	Time Course of Effects of Cardiac Resynchronization Therapy in Chronic Heart Failure: Benefits in Patients with Preserved Exercise Capacity. PACE - Pacing and Clinical Electrophysiology, 2008, 31, 701-708.	1.2	32
76	Deceptive meaning of oxygen uptake measured at the anaerobic threshold in patients with systolic heart failure and atrial fibrillation. European Journal of Preventive Cardiology, 2015, 22, 1046-1055.	1.8	32
77	Exercise programs for LVAD supported patients: A snapshot from the ESC affiliated countries. International Journal of Cardiology, 2015, 201, 215-219.	1.7	32
78	Unreliability of the %VO2 reserve versus %heart rate reserve relationship for aerobic effort relative intensity assessment in chronic heart failure patients on or off beta-blocking therapy. European Journal of Cardiovascular Prevention and Rehabilitation, 2007, 14, 92-98.	2.8	30
79	Age-related prolongation of phase I of V̇ <scp>o</scp> ₂ on-kinetics in healthy humans. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2010, 299, R968-R976.	1.8	29
80	Renal Function and Peak Exercise Oxygen Consumption in Chronic Heart Failure With Reduced Left Ventricular Ejection Fraction. Circulation Journal, 2015, 79, 583-591.	1.6	29
81	Prognostic value of angiopoietin-2 in patients with chronic heart failure. International Journal of Cardiology, 2016, 212, 364-368.	1.7	28
82	Prognostic role of βâ€blocker selectivity and dosage regimens in heart failure patients. Insights from the <scp>MECKI</scp> score database. European Journal of Heart Failure, 2017, 19, 904-914.	7.1	28
83	The importance of return to work: How to achieve optimal reintegration in ACS patients. European Journal of Preventive Cardiology, 2019, 26, 1358-1369.	1.8	27
84	Peak oxygen consumption and prognosis in heart failure. International Journal of Cardiology, 2013, 167, 157-161.	1.7	26
85	Regular Wine Consumption in Chronic Heart Failure. Circulation: Heart Failure, 2015, 8, 428-437.	3.9	26
86	Severe heart failure prognosis evaluation for transplant selection in the era of beta-blockers: Role of peak oxygen consumption. International Journal of Cardiology, 2013, 168, 5078-5081.	1.7	25
87	Challenges in secondary prevention after acute myocardial infarction: A call for action. European Heart Journal: Acute Cardiovascular Care, 2017, 6, 299-310.	1.0	25
88	Exercise oscillatory ventilation and prognosis in heart failure patients with reduced and midâ€range ejection fraction. European Journal of Heart Failure, 2019, 21, 1586-1595.	7.1	24
89	Gender and age normalization and ventilation efficiency during exercise in heart failure with reduced ejection fraction. ESC Heart Failure, 2020, 7, 368-377.	3.1	23
90	Exercise oscillatory ventilation in heart failure. International Journal of Cardiology, 2016, 206, S13-S15.	1.7	22

#	Article	IF	CITATIONS
91	Anaerobic Threshold and Respiratory Compensation Point Identification During Cardiopulmonary Exercise Tests in Chronic Heart Failure. Chest, 2019, 156, 338-347.	0.8	22
92	Residual exertional ischemia and unfavorable left ventricular remodeling in patients with systolic dysfunction after anterior myocardial infarction. Journal of the American College of Cardiology, 1995, 25, 1539-1546.	2.8	21
93	Cardiovascular prevention and rehabilitation for patients with ventricular assist device From exercise therapy to long-term therapy Part I: exercise therapy. Monaldi Archives for Chest Disease, 2011, 76, 27-32.	0.6	21
94	Exercise Performance Is a Prognostic Indicator in Elderly Patients With Chronic Heart Failure – Application of Metabolic Exercise Cardiac Kidney Indexes Score –. Circulation Journal, 2015, 79, 2608-2615.	1.6	21
95	Periodic Breathing during Incremental Exercise. Annals of the American Thoracic Society, 2017, 14, S116-S122.	3.2	20
96	Sex Profile and Risk Assessment With Cardiopulmonary Exercise Testing in Heart Failure: Propensity Score Matching for Sex Selection Bias. Canadian Journal of Cardiology, 2016, 32, 754-759.	1.7	19
97	Chronic mitral regurgitation and doppler estimation of left ventricular filling pressures in patients with heart failure. Journal of the American Society of Echocardiography, 2001, 14, 1094-1099.	2.8	18
98	Challenges in secondary prevention after acute myocardial infarction: A call for action. European Journal of Cardiovascular Nursing, 2017, 16, 369-380.	0.9	18
99	Functional capacity assessment and Minimal Clinically Important Difference in post-acute cardiac patients: the role of Short Physical Performance Battery. European Journal of Preventive Cardiology, 2022, 29, 1008-1014.	1.8	18
100	Systemic perfusion at peak incremental exercise in left ventricular assist device recipients: Partitioning pump and native left ventricle relative contribution. International Journal of Cardiology Heart & Vessels, 2014, 4, 40-45.	0.5	17
101	Cardiac Prevention and Rehabilitation "3.0†From acute to chronic phase. Position Paper of the Italian Association for Cardiovascular Prevention and Rehabilitation (GICR-IACPR). Monaldi Archives for Chest Disease, 2018, 88, 1004.	0.6	17
102	Prognostic role of atrial fibrillation in patients affected by chronic heart failure. Data from the MECKI score research group. European Journal of Internal Medicine, 2015, 26, 515-520.	2.2	16
103	Cardiopulmonary Exercise Testing in Patients with Heart Failure with Specific Comorbidities. Annals of the American Thoracic Society, 2017, 14, S110-S115.	3.2	15
104	Increased serum uric acid level predicts poor prognosis in mildly severe chronic heart failure with reduced ejection fraction. An analysis from the MECKI score research group. European Journal of Internal Medicine, 2020, 72, 47-52.	2.2	15
105	Exercise Prescriptions for Training and Rehabilitation in Patients with Heart and Lung Disease. Annals of the American Thoracic Society, 2017, 14, S59-S66.	3.2	14
106	Characteristics of structured physical training currently provided in cardiac patients: insights from the Exercise Training in Cardiac Rehabilitation (ETCR) Italian survey. Monaldi Archives for Chest Disease, 2017, 87, 778.	0.6	14
107	Regional differences in exercise training implementation in heart failure: findings from the Exercise Training in Heart Failure (ExTraHF) survey. European Journal of Heart Failure, 2019, 21, 1142-1148.	7.1	14
108	Choosing among β-blockers in heart failure patients according to β-receptors' location and functions in the cardiopulmonary system. Pharmacological Research, 2020, 156, 104785.	7.1	14

#	Article	IF	CITATIONS
109	The Future of Exercise-Based Cardiac Rehabilitation for Patients With Heart Failure. Frontiers in Cardiovascular Medicine, 2021, 8, 709898.	2.4	14
110	Doppler-Derived Acceleration Rate of Right Ventricular Early Filling as a Measurement of Right Atrial Pressure in Chronic Heart Failure Secondary to Ischemic or Idiopathic Dilated Cardiomyopathy. American Journal of Cardiology, 1998, 81, 513-515.	1.6	13
111	Mineralocorticoid receptor antagonists for heart failure: a realâ€life observational study. ESC Heart Failure, 2018, 5, 267-274.	3.1	13
112	Exercise gas exchange in continuous-flow left ventricular assist device recipients. PLoS ONE, 2018, 13, e0187112.	2.5	13
113	Dose-dependent efficacy of \hat{l}^2 -blocker in patients with chronic heart failure and atrial fibrillation. International Journal of Cardiology, 2018, 273, 141-146.	1.7	13
114	Long-term prognostic role of diabetes mellitus and glycemic control in heart failure patients with reduced ejection fraction. International Journal of Cardiology, 2020, 317, 103-110.	1.7	13
115	Chronic heart failure–related myopathy and exercise training: a developing therapy for heart failure symptoms. Current Problems in Cardiology, 2003, 28, 521-547.	2.4	12
116	Isocapnic buffering period: From physiology to clinics. European Journal of Preventive Cardiology, 2019, 26, 1107-1114.	1.8	12
117	Cardiovascular prevention and rehabilitation for patients with ventricular assist device From exercise therapy to long-term therapy Part II: Long-term therapy. Monaldi Archives for Chest Disease, 2011, 76, 136-45.	0.6	11
118	Reduced exercise capacity in early-stage amyotrophic lateral sclerosis: Role of skeletal muscle. Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders, 2012, 13, 87-94.	2.1	11
119	Secondary prevention: Where we are. European Journal of Preventive Cardiology, 2017, 24, 14-21.	1.8	11
120	Old and new equations for maximal heart rate prediction in patients with heart failure and reduced ejection fraction on beta-blockers treatment: results from the MECKI score data set. European Journal of Preventive Cardiology, 2022, 29, 1680-1688.	1.8	11
121	EAMI—Exercise Training in Anterior Myocardial Infarction: An Ongoing Multicenter Randomized Study*. Chest, 1992, 101, 315S-321S.	0.8	10
122	Maximal Accumulated Oxygen Deficit in Patients with Chronic Heart Failure. Medicine and Science in Sports and Exercise, 2006, 38, 424-432.	0.4	10
123	Metabolic exercise data combined with cardiac and kidney indexes: MECKI score. Predictive role in cardiopulmonary exercise testing with low respiratory exchange ratio in heart failure. International Journal of Cardiology, 2015, 184, 299-301.	1.7	10
124	Comparison among different multiparametric scores for risk stratification in heart failure patients with reduced ejection fraction. European Journal of Preventive Cardiology, 2020, 27, 12-18.	1.8	10
125	Chronic heart failure–related myopathy and exercise training: A developing therapy for heart failure symptoms. Progress in Cardiovascular Diseases, 2002, 45, 157-172.	3.1	9
126	Ventricular assist device patients on the horizon of cardiovascular prevention and rehabilitation. Can we convert challenges into opportunities?. European Journal of Preventive Cardiology, 2012, 19, 490-493.	1.8	9

#	Article	IF	CITATIONS
127	A new cardiopulmonary exercise testing prognosticating algorithm for heart failure patients treated with beta-blockers. European Journal of Preventive Cardiology, 2012, 19, 185-191.	1.8	8
128	How to face emergencies in heart failure patients with ventricular assist device. International Journal of Cardiology, 2013, 168, 5143-5148.	1.7	8
129	Different Determinants of Ventilatory Inefficiency at Different Stages of Reduced Ejection Fraction Chronic Heart Failure Natural History. Journal of the American Heart Association, 2017, 6, .	3.7	8
130	Prevalence of exertional oscillatory ventilation in continuous-flow left ventricular assist device recipients. European Journal of Preventive Cardiology, 2018, 25, 1838-1842.	1.8	8
131	Comprehensive multicomponent cardiac rehabilitation in cardiac implantable electronic devices recipients: a consensus document from the European Association of Preventive Cardiology (EAPC;) Tj ETQq1 1 (European lournal of Preventive Cardiology, 2021, 28, 1736-1752.).784314 i 1.8	rgBŢ /Overlo
132	Cardiovascular Death Risk in Recovered Mid-Range Ejection Fraction Heart Failure: Insights From Cardiopulmonary Exercise Test. Journal of Cardiac Failure, 2020, 26, 932-943.	1.7	8
133	Role of cardiopulmonary exercise testing in today's cardiovascular prevention and rehabilitation. European Journal of Cardiovascular Prevention and Rehabilitation, 2006, 13, 473-474.	2.8	7
134	Perioperative and postoperative predictors of outcome in patients with low ejection fraction early after coronary artery bypass grafting: the additional value of left ventricular remodeling. European Journal of Cardiovascular Prevention and Rehabilitation, 2008, 15, 441-447.	2.8	7
135	Modes of death and prognostic outliers in chronic heart failure. American Heart Journal, 2019, 208, 100-109.	2.7	7
136	Future perspectives in cardiac rehabilitation: a new European Association for Cardiovascular Prevention and Rehabilitation Position Paper on †secondary prevention through cardiac rehabilitation'. European Journal of Cardiovascular Prevention and Rehabilitation, 2007, 14, 723-725.	2.8	6
137	Attenuation of Unfavorable Sympathetic Hyperactivity Induced by Long-Term Physical Training in Postinfarction Patients: Fact or Speculation?. Circulation, 1998, 98, 1042-1043.	1.6	5
138	Greater functional improvement in patients with diabetes after rehabilitation following cardiac surgery. Diabetic Medicine, 2016, 33, 1067-1075.	2.3	5
139	Comprehensive multicomponent cardiac rehabilitation in cardiac implantable electronic devices recipients: a consensus document from the European Association of Preventive Cardiology (EAPC;) Tj ETQq1 1 (Europace, 2021, 23, 1336-1337o.).784314 i 1.7	rgBŢ /Overlo
140	The Impact of Cardiac Rehabilitation on Activities of Daily Life in Elderly Patients With Heart Failure. Frontiers in Physiology, 2021, 12, 785501.	2.8	5
141	Statement on cardiopulmonary exercise testing in chronic heart failure due to left ventricular dysfunction. Recommendations for performance and interpretation. European Journal of Cardiovascular Prevention and Rehabilitation, 2006, 13, 10-12.	2.8	4
142	Anaerobic and aerobic relative contribution to total energy release during supramaximal effort in patients with left ventricular dysfunction. Journal of Applied Physiology, 2008, 104, 97-102.	2.5	4
143	Prognostic significance of peak oxygen consumption≇0ml/kg/min in heart failure: Context vs. criteria. International Journal of Cardiology, 2013, 168, 3419-3423.	1.7	4
144	Simple noninvasive laser diode oxymeter for measurements on human tissues., 1994, 2131, 475.		3

#	Article	IF	Citations
145	Statement on cardiopulmonary exercise testing in chronic heart failure due to left ventricular dysfunction: recommendations for performance and interpretation Part II: How to perform cardiopulmonary exercise testing in chronic heart failure. European Journal of Cardiovascular Prevention and Rehabilitation, 2006, 13, 300-311.	2.8	3
146	Response to Letter Regarding Article "Sleep and Exertional Periodic Breathing in Chronic Heart Failure: Prognostic Importance and Interdependence― Circulation, 2006, 114, .	1.6	3
147	Early mobilization in LVAD recipients: An obligatory step towards recovery. Monaldi Archives for Chest Disease, 2019, 89, .	0.6	3
148	The EXPERT vision of exercise training in cardiovascular disease patients: A routine, practical and reasonable technique. European Journal of Preventive Cardiology, 2018, 25, 679-681.	1.8	2
149	Cardiopulmonary exercise testing in chronic heart failure patients treated with beta-blockers: Still a valid prognostic tool. International Journal of Cardiology, 2020, 317, 128-132.	1.7	2
150	CARDIOPULMONARY EXERCISE TESTING IN PATIENTS WITH ASYMPTOMATIC LEFT VENTRICULAR DYSFUNCTION: LACK OF PROGNOSTIC PREDICTIVE POWER OF VENTILATORY VARIABLES. European Journal of Preventive Cardiology, 2022, , .	1.8	2
151	The Anaerobic Index: Uses and Limitations in the Assessment of Heart Failure. Cardiology, 1989, 76, 357-367.	1.4	1
152	<title>Clinical use of NIR laser reflectometry</title> ., 1996,,.		1
153	Moving towards non-moving training in chronic heart failure: is electrical stimulation a surrogate for exercise in reversing skeletal muscle abnormalities?. European Journal of Cardiovascular Prevention and Rehabilitation, 2005, 12, 234-235.	2.8	1
154	Low plasma levels of brain natriuretic peptide in severe acute heart failure: Merely a case?. International Journal of Cardiology, 2007, 122, e18-e20.	1.7	1
155	Obituary – Pantaleo Giannuzzi. European Journal of Preventive Cardiology, 2016, 23, 1802-1803.	1.8	1
156	Exertional Oscillatory Ventilation and Central Sleep Apnea in Heart Failure: Siblings, Cousins, or What Else?., 2017,, 183-202.		1
157	The MECKI score initiative: a successful and ongoing story. European Journal of Preventive Cardiology, 2020, 27, 3-4.	1.8	1
158	Difference in prevalence of exertional oscillatory ventilation between healthy subjects and patients with cardiovascular disease. Monaldi Archives for Chest Disease, 2020, 90, .	0.6	1
159	Exercise Dynamic of Patients with Chronic Heart Failure and Reduced Ejection Fraction. Current Cardiology Reports, 2021, 23, 92.	2.9	1
160	Cardiovascular disease patients and predictors of length of stay of residential of cardiac rehabilitation. A specific rehabilitation is mandatory in very old patients?. Monaldi Archives for Chest Disease, 2022, , .	0.6	1
161	Prognostic value of 6-min walk test compared to cardiopulmonary exercise test in patients with severe heart failure. Journal of Cardiovascular Medicine, 2022, 23, 379-386.	1.5	1
162	Cardiopulmonary exercise testing in systolic heart failure: from basic to advanced practice. Monaldi Archives for Chest Disease, 2016, 86, 757.	0.6	0

Ugo CorrÃ

#	Article	lF	CITATIONS
163	Exertional oscillatory ventilation in patients supported with continuous-flow left ventricular assist device: Not so exceptional as supposed. European Journal of Preventive Cardiology, 2018, 25, 1836-1837.	1.8	0
164	Exercise capacity in left ventricular assistance device recipients: exercise tolerance to be fit. Journal of Cardiovascular Medicine, 2020, 21, 481-482.	1.5	0
165	Alternative aerobic training session in coronary artery disease patients in cardiac rehabilitation. A new stone thrown in the pond. European Journal of Preventive Cardiology, 2020, 27, 1688-1690.	1.8	0
166	Exertional and nocturnal periodic breathing after successful cardiac transplantation. A case report. Monaldi Archives for Chest Disease, 2021, 91, .	0.6	0
167	Exercise intensity assessment and prescription in cardiovascular rehabilitation: never ending story. European Journal of Preventive Cardiology, 2021, , .	1.8	O
168	Cardiac Rehabilitation in Chronic Heart Failure. , 2007, , 393-406.		0
169	Sex difference and outcome in healthy individuals with biomarkers Many steps remain to move! European Journal of Preventive Cardiology, 0, , .	1.8	O