

Yung-Ming Chen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6817316/publications.pdf>

Version: 2024-02-01

143
papers

6,122
citations

76326

40
h-index

76900

74
g-index

144
all docs

144
docs citations

144
times ranked

6315
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of Pentoxifylline in Addition to Losartan on Proteinuria and GFR in CKD: A 12-Month Randomized Trial. <i>American Journal of Kidney Diseases</i> , 2008, 52, 464-474.	1.9	325
2	Renoprotective effect of combining pentoxifylline with angiotensin-converting enzyme inhibitor or angiotensin II receptor blocker in advanced chronic kidney disease. <i>Journal of the Formosan Medical Association</i> , 2014, 113, 219-226.	1.7	283
3	Platelet-derived growth factor receptor signaling activates pericyteâ€“myofibroblast transition in obstructive and post-ischemic kidney fibrosis. <i>Kidney International</i> , 2011, 80, 1170-1181.	5.2	273
4	Pentoxifylline Attenuates Proteinuria in Anti-Thy1 Glomerulonephritis via Downregulation of Nuclear Factor- κ B and Smad2/3 Signaling. <i>Molecular Medicine</i> , 2015, 21, 276-284.	4.4	272
5	Long-Term Risk of Coronary Events after AKI. <i>Journal of the American Society of Nephrology: JASN</i> , 2014, 25, 595-605.	6.1	262
6	Targeting Endothelium-Pericyte Cross Talk by Inhibiting VEGF Receptor Signaling Attenuates Kidney Microvascular Rarefaction and Fibrosis. <i>American Journal of Pathology</i> , 2011, 178, 911-923.	3.8	224
7	Transforming Growth Factor β 1 Stimulates Profibrotic Epithelial Signaling to Activate Pericyte-Myofibroblast Transition in Obstructive Kidney Fibrosis. <i>American Journal of Pathology</i> , 2013, 182, 118-131.	3.8	206
8	Acute-on-chronic kidney injury at hospital discharge is associated with long-term dialysis and mortality. <i>Kidney International</i> , 2011, 80, 1222-1230.	5.2	163
9	Late initiation of renal replacement therapy is associated with worse outcomes in acute kidney injury after major abdominal surgery. <i>Critical Care</i> , 2009, 13, R171.	5.8	151
10	Pentoxifylline Attenuates Tubulointerstitial Fibrosis by Blocking Smad3/4-Activated Transcription and Profibrogenic Effects of Connective Tissue Growth Factor. <i>Journal of the American Society of Nephrology: JASN</i> , 2005, 16, 2702-2713.	6.1	142
11	Preoperative Proteinuria Predicts Adverse Renal Outcomes after Coronary Artery Bypass Grafting. <i>Journal of the American Society of Nephrology: JASN</i> , 2011, 22, 156-163.	6.1	142
12	Risk factors of early redialysis after weaning from postoperative acute renal replacement therapy. <i>Intensive Care Medicine</i> , 2008, 34, 101-108.	8.2	124
13	Rate of decline of residual renal function is associated with all-cause mortality and technique failure in patients on long-term peritoneal dialysis. <i>Nephrology Dialysis Transplantation</i> , 2009, 24, 2909-2914.	0.7	122
14	Lineage Tracing Reveals Distinctive Fates for Mesothelial Cells and Submesothelial Fibroblasts during Peritoneal Injury. <i>Journal of the American Society of Nephrology: JASN</i> , 2014, 25, 2847-2858.	6.1	117
15	Pentoxifylline Attenuated the Renal Disease Progression in Rats with Remnant Kidney. <i>Journal of the American Society of Nephrology: JASN</i> , 2002, 13, 2916-2929.	6.1	106
16	Comparison of residual renal function in patients undergoing twiceâ€“weekly versus threeâ€“timesâ€“weekly haemodialysis. <i>Nephrology</i> , 2009, 14, 59-64.	1.6	105
17	Associations between Long-Term Particulate Matter Exposure and Adult Renal Function in the Taipei Metropolis. <i>Environmental Health Perspectives</i> , 2017, 125, 602-607.	6.0	105
18	Association of Kidney Function With Residual Hypertension After Treatment of Aldosterone-Producing Adenoma. <i>American Journal of Kidney Diseases</i> , 2009, 54, 665-673.	1.9	93

#	ARTICLE	IF	CITATIONS
19	Impact of timing of renal replacement therapy initiation on outcome of septic acute kidney injury. <i>Critical Care</i> , 2011, 15, R134.	5.8	87
20	Primary aldosteronism. <i>Journal of Hypertension</i> , 2011, 29, 1778-1786.	0.5	81
21	The Impact of Acute Kidney Injury With Temporary Dialysis on the Risk of Fracture. <i>Journal of Bone and Mineral Research</i> , 2014, 29, 676-684.	2.8	79
22	The 90-day mortality and the subsequent renal recovery in critically ill surgical patients requiring acute renal replacement therapy. <i>American Journal of Surgery</i> , 2009, 198, 325-332.	1.8	78
23	In acute kidney injury, indoxyl sulfate impairs human endothelial progenitor cells: modulation by statin. <i>Angiogenesis</i> , 2013, 16, 609-624.	7.2	78
24	Pentoxifylline attenuates experimental mesangial proliferative glomerulonephritis. <i>Kidney International</i> , 1999, 56, 932-943.	5.2	74
25	Primary Aldosteronism: Diagnostic Accuracy of the Losartan and Captopril Tests. <i>American Journal of Hypertension</i> , 2009, 22, 821-827.	2.0	74
26	DNA methyltransferase inhibition restores erythropoietin production in fibrotic murine kidneys. <i>Journal of Clinical Investigation</i> , 2016, 126, 721-731.	8.2	68
27	Serum myostatin levels and grip strength in normal subjects and patients on maintenance haemodialysis. <i>Clinical Endocrinology</i> , 2011, 75, 857-863.	2.4	64
28	Dual Regulation of Tumor Necrosis Factor- α -Induced CCL2/Monocyte Chemoattractant Protein-1 Expression in Vascular Smooth Muscle Cells by Nuclear Factor- κ B and Activator Protein-1: Modulation by Type III Phosphodiesterase Inhibition. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2004, 309, 978-986.	2.5	62
29	Predictors of Faster Decline of Residual Renal Function in Taiwanese Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2008, 28, 191-195.	2.3	62
30	Clinical Outcomes and Predictors for ESRD and Mortality in Primary GN. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2012, 7, 1401-1408.	4.5	61
31	Outcomes of Stage 3–5 Chronic Kidney Disease before End-Stage Renal Disease at a Single Center in Taiwan. <i>Nephron Clinical Practice</i> , 2008, 109, c109-c118.	2.3	58
32	Vasodilator Agents Modulate Rat Glomerular Mesangial Cell Growth and Collagen Synthesis. <i>Nephron</i> , 1995, 70, 91-99.	1.8	52
33	Pentoxifylline Inhibits PDGF-induced Proliferation of and TGF- β -stimulated Collagen Synthesis by Vascular Smooth Muscle Cells. <i>Journal of Molecular and Cellular Cardiology</i> , 1999, 31, 773-783.	1.9	52
34	Pentoxifylline suppresses renal tumour necrosis factor- α and ameliorates experimental crescentic glomerulonephritis in rats. <i>Nephrology Dialysis Transplantation</i> , 2004, 19, 1106-1115.	0.7	51
35	Sustained low-efficiency dialysis versus continuous veno-venous hemofiltration for postsurgical acute renal failure. <i>American Journal of Surgery</i> , 2010, 199, 466-476.	1.8	51
36	Modification of Diet in Renal Disease (MDRD) Study and CKD Epidemiology Collaboration (CKD-EPI) Equations for Taiwanese Adults. <i>PLoS ONE</i> , 2014, 9, e99645.	2.5	47

#	ARTICLE	IF	CITATIONS
37	Inhibition by pentoxifylline of TNF α -stimulated fractalkine production in vascular smooth muscle cells: evidence for mediation by NF κ B down-regulation. <i>British Journal of Pharmacology</i> , 2003, 138, 950-958.	5.4	45
38	Pentoxifylline inhibits human peritoneal mesothelial cell growth and collagen synthesis: Effects on TGF- β . <i>Kidney International</i> , 2000, 57, 2626-2633.	5.2	44
39	Early activation of bradykinin B2 receptor aggravates reactive oxygen species generation and renal damage in ischemia/reperfusion injury. <i>Free Radical Biology and Medicine</i> , 2006, 41, 1304-1314.	2.9	43
40	Angiotensin-2-Induced Arterial Stiffness in CKD. <i>Journal of the American Society of Nephrology: JASN</i> , 2014, 25, 1198-1209.	6.1	42
41	Safety Issues of Long-Term Glucose Load in Patients on Peritoneal Dialysis—A 7-Year Cohort Study. <i>PLoS ONE</i> , 2012, 7, e30337.	2.5	42
42	Angiotensin-2 Is Associated with Albuminuria and Microinflammation in Chronic Kidney Disease. <i>PLoS ONE</i> , 2013, 8, e54668.	2.5	42
43	Down-Regulation of D2 Dopamine Receptor and Increased Protein Kinase C γ Phosphorylation in Aldosterone-Producing Adenoma Play Roles in Aldosterone Overproduction. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 1863-1870.	3.6	41
44	Xanthogranulomatous pyelonephritis: critical analysis of 30 patients. <i>International Urology and Nephrology</i> , 2011, 43, 15-22.	1.4	41
45	U-Curve Association between Timing of Renal Replacement Therapy Initiation and In-Hospital Mortality in Postoperative Acute Kidney Injury. <i>PLoS ONE</i> , 2012, 7, e42952.	2.5	40
46	Pentoxifylline Inhibits Transforming Growth Factor-Beta Signaling and Renal Fibrosis in Experimental Crescentic Glomerulonephritis in Rats. <i>American Journal of Nephrology</i> , 2009, 29, 43-53.	3.1	37
47	Inflammatory macrophages switch to CCL17-expressing phenotype and promote peritoneal fibrosis. <i>Journal of Pathology</i> , 2020, 250, 55-66.	4.5	37
48	Expression and Localization of Human Dopamine D2 and D4 Receptor mRNA in the Adrenal Gland, Aldosterone-Producing Adenoma, and Pheochromocytoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001, 86, 4460-4467.	3.6	36
49	Pentoxifylline Inhibits Platelet-Derived Growth Factor-Stimulated Cyclin D1 Expression in Mesangial Cells by Blocking Akt Membrane Translocation. <i>Molecular Pharmacology</i> , 2003, 64, 811-822.	2.3	34
50	Blockade of cysteine-rich protein 61 attenuates renal inflammation and fibrosis after ischemic kidney injury. <i>American Journal of Physiology - Renal Physiology</i> , 2014, 307, F581-F592.	2.7	34
51	Poor Renal Outcome of Antineutrophil Cytoplasmic Antibody Negative Pauci-immune Glomerulonephritis in Taiwanese. <i>Journal of the Formosan Medical Association</i> , 2006, 105, 804-812.	1.7	33
52	Early Initiation of Dialysis and Late Implantation of Catheters Adversely Affect Outcomes of Patients on Chronic Peritoneal Dialysis. <i>Peritoneal Dialysis International</i> , 2008, 28, 73-81.	2.3	33
53	Associations of metabolic syndrome and its components with cardiovascular outcomes among non-diabetic patients undergoing maintenance peritoneal dialysis. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 4047-4054.	0.7	33
54	Trends in the incidence and prevalence of end-stage kidney disease requiring dialysis in Taiwan: 2010–2018. <i>Journal of the Formosan Medical Association</i> , 2022, 121, S5-S11.	1.7	33

#	ARTICLE	IF	CITATIONS
55	Pentoxifylline: A potential therapy for chronic kidney disease. <i>Nephrology</i> , 2004, 9, 198-204.	1.6	32
56	Methylation in pericytes after acute injury promotes chronic kidney disease. <i>Journal of Clinical Investigation</i> , 2020, 130, 4845-4857.	8.2	32
57	Initial Glucose Load Predicts Technique Survival in Patients on Chronic Peritoneal Dialysis. <i>American Journal of Nephrology</i> , 2008, 28, 765-771.	3.1	31
58	Tumor necrosis factor- α stimulates fractalkine production by mesangial cells and regulates monocyte transmigration: Down-regulation by cAMP. <i>Kidney International</i> , 2003, 63, 474-486.	5.2	29
59	Agging and Renal Disease: Old Questions for New Challenges. , 2021, 12, 515.		28
60	Preoperative Proteinuria Is Associated with Long-Term Progression to Chronic Dialysis and Mortality after Coronary Artery Bypass Grafting Surgery. <i>PLoS ONE</i> , 2012, 7, e27687.	2.5	27
61	Cysteine-Rich Protein 61 Plays a Proinflammatory Role in Obstructive Kidney Fibrosis. <i>PLoS ONE</i> , 2013, 8, e56481.	2.5	27
62	Acute renal failure in SARS patients: more than rhabdomyolysis. <i>Nephrology Dialysis Transplantation</i> , 2004, 19, 3180-3182.	0.7	26
63	Long-term mortality and cardiovascular events in patients with unilateral primary aldosteronism after targeted treatments. <i>European Journal of Endocrinology</i> , 2022, 186, 195-205.	3.7	25
64	Expression of CX3CL1/fractalkine by mesangial cells in vitro and in acute anti-Thy1 glomerulonephritis in rats. <i>Nephrology Dialysis Transplantation</i> , 2003, 18, 2505-2514.	0.7	24
65	Accelerated versus standard initiation of renal replacement therapy for critically ill patients with acute kidney injury: a systematic review and meta-analysis of RCT studies. <i>Critical Care</i> , 2021, 25, 5.	5.8	24
66	A Modified Sequential Organ Failure Assessment Score to Predict Hospital Mortality of Postoperative Acute Renal Failure Patients Requiring Renal Replacement Therapy. <i>Blood Purification</i> , 2008, 26, 547-554.	1.8	23
67	Patterns of Dialysis Initiation Affect Outcomes of Incident Hemodialysis Patients. <i>Nephron</i> , 2016, 132, 33-42.	1.8	23
68	SAPS 3 at dialysis commencement is predictive of hospital mortality in patients supported by extracorporeal membrane oxygenation and acute dialysis†. <i>European Journal of Cardio-thoracic Surgery</i> , 2008, 34, 1158-1164.	1.4	22
69	Therapeutic efficacy of pentoxifylline on proteinuria and renal progression: an update. <i>Journal of Biomedical Science</i> , 2017, 24, 84.	7.0	22
70	Comparison of outcomes between emergent-start and planned-start peritoneal dialysis in incident ESRD patients: a prospective observational study. <i>BMC Nephrology</i> , 2017, 18, 359.	1.8	21
71	Alternative Complement Pathway Is Activated and Associated with Galactose-Deficient IgA1 Antibody in IgA Nephropathy Patients. <i>Frontiers in Immunology</i> , 2021, 12, 638309.	4.8	20
72	The Renoprotective Potential of Pentoxifylline in Chronic Kidney Disease. <i>Journal of the Chinese Medical Association</i> , 2005, 68, 99-105.	1.4	19

#	ARTICLE	IF	CITATIONS
73	Diltiazem suppresses collagen synthesis and IL-1 β -induced TGF- β 1 production on human peritoneal mesothelial cells. <i>Nephrology Dialysis Transplantation</i> , 2006, 21, 1340-1347.	0.7	19
74	Patients Supported by Extracorporeal Membrane Oxygenation and Acute Dialysis: Acute Physiology and Chronic Health Evaluation Score in Predicting Hospital Mortality. <i>Artificial Organs</i> , 2010, 34, 828-835.	1.9	19
75	Risk Factors for High Dialysate Glucose use in PD Patients—A Retrospective 5-Year Cohort Study. <i>Peritoneal Dialysis International</i> , 2010, 30, 448-455.	2.3	19
76	Pleiotropic Effects of Sevelamer Beyond Phosphate Binding in End-Stage Renal Disease Patients. <i>Clinical Drug Investigation</i> , 2011, 31, 257-267.	2.2	19
77	Role of D2 dopamine receptor in adrenal cortical cell proliferation and aldosterone-producing adenoma tumorigenesis. <i>Journal of Molecular Endocrinology</i> , 2014, 52, 87-96.	2.5	19
78	Kidney pericyte hypoxia-inducible factor regulates erythropoiesis but not kidney fibrosis. <i>Kidney International</i> , 2021, 99, 1354-1368.	5.2	19
79	A low-salt diet increases the expression of renal sirtuin 1 through activation of the ghrelin receptor in rats. <i>Scientific Reports</i> , 2016, 6, 32787.	3.3	18
80	Nephrologist Follow-Up Care of Patients With Acute Kidney Disease Improves Outcomes: Taiwan Experience. <i>Value in Health</i> , 2020, 23, 1225-1234.	0.3	18
81	YC-1-inhibited proliferation of rat mesangial cells through suppression of cyclin D1—Independent of cGMP pathway and partially reversed by p38 MAPK inhibitor. <i>European Journal of Pharmacology</i> , 2005, 517, 1-10.	3.5	17
82	Angiotensin 1 influences ischemic reperfusion renal injury via modulating endothelium survival and regeneration. <i>Molecular Medicine</i> , 2019, 25, 5.	4.4	17
83	Differential expression of type 1 angiotensin II receptor mRNA and aldosterone responsiveness to angiotensin in aldosterone-producing adenoma. <i>Molecular and Cellular Endocrinology</i> , 1999, 152, 47-55.	3.2	16
84	D4 dopamine receptor enhances angiotensin II-stimulated aldosterone secretion through PKC- μ and calcium signaling. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2008, 294, E622-E629.	3.5	15
85	Risk factors for nasal carriage of methicillin-resistant <i>Staphylococcus aureus</i> among patients with end-stage renal disease in Taiwan. <i>Journal of the Formosan Medical Association</i> , 2012, 111, 14-18.	1.7	15
86	The role of brain natriuretic peptide in predicting renal outcome and fluid management in critically ill patients. <i>Journal of the Formosan Medical Association</i> , 2015, 114, 1187-1196.	1.7	14
87	Downregulation of angiotensin type 1 receptor and nuclear factor- κ B by sirtuin 1 contributes to renoprotection in unilateral ureteral obstruction. <i>Scientific Reports</i> , 2016, 6, 33705.	3.3	14
88	Rejuvenation: Turning back the clock of aging kidney. <i>Journal of the Formosan Medical Association</i> , 2020, 119, 898-906.	1.7	14
89	Thoracic kidney and contralateral ureteral duplication—a case report and review of the literature. <i>Nephrology Dialysis Transplantation</i> , 2006, 21, 799-801.	0.7	13
90	Pentoxifylline: Evidence strong enough for renal protection?. <i>Journal of the Formosan Medical Association</i> , 2016, 115, 591-592.	1.7	13

#	ARTICLE	IF	CITATIONS
91	Arterial Stiffness Is Associated with Clinical Outcome and Cardiorenal Injury in Lateralized Primary Aldosteronism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, e3950-e3960.	3.6	12
92	Expression and Localization of Human Dopamine D2 and D4 Receptor mRNA in the Adrenal Gland, Aldosterone-Producing Adenoma, and Pheochromocytoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001, 86, 4460-4467.	3.6	12
93	Disintegrin Modulates Rat Glomerular Mesangial Cell Behavior. <i>Nephron</i> , 1995, 70, 83-90.	1.8	11
94	Bradykinin enhances reactive oxygen species generation, mitochondrial injury, and cell death induced by ATP depletion—A role of the phospholipase C α 2+ pathway. <i>Free Radical Biology and Medicine</i> , 2007, 43, 702-710.	2.9	11
95	Benefits of Sevelamer on Markers of Bone Turnover in Taiwanese Hemodialysis Patients. <i>Journal of the Formosan Medical Association</i> , 2010, 109, 663-672.	1.7	11
96	Does Chinese Herb Nephropathy Account for the High Incidence of End-Stage Renal Disease in Taiwan?. <i>Nephron</i> , 2012, 120, c215-c222.	1.8	11
97	Nasal Carriage of Methicillin-Resistant <i>Staphylococcus aureus</i> Among Patients With End-Stage Renal Disease. <i>Infection Control and Hospital Epidemiology</i> , 2009, 30, 93-94.	1.8	10
98	Uremic frost. <i>Cmaj</i> , 2010, 182, E800-E800.	2.0	10
99	The journey from erythropoietin to 2019 Nobel Prize: Focus on hypoxia-inducible factors in the kidney. <i>Journal of the Formosan Medical Association</i> , 2021, 120, 60-67.	1.7	10
100	The value of losartan suppression test in the confirmatory diagnosis of primary aldosteronism in patients over 50 years old. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2015, 16, 587-598.	1.7	9
101	Urinary Biomarkers Can Predict Weaning From Acute Dialysis Therapy in Critically Ill Patients. <i>Archives of Pathology and Laboratory Medicine</i> , 2022, 146, 1353-1363.	2.5	9
102	Dopaminergic modulation of aldosterone secretions on changes of sodium intake in aldosterone-producing adenoma. <i>American Journal of Hypertension</i> , 2002, 15, 609-614.	2.0	8
103	Timely initiation of dialysis for chronic kidney disease: Perspective from four Asian countries. <i>Nephrology</i> , 2010, 15, 61-65.	1.6	8
104	The administration of deferasirox in an iron-overloaded dialysis patient. <i>Hemodialysis International</i> , 2013, 17, 131-133.	0.9	8
105	Emergency department utilization and resuscitation rate among patients receiving maintenance hemodialysis. <i>Journal of the Formosan Medical Association</i> , 2019, 118, 1652-1660.	1.7	8
106	Clinical outcomes in patients with biopsy-proved diabetic nephropathy compared to isolated lupus or crescentic glomerulonephritis. <i>Diabetes Research and Clinical Practice</i> , 2019, 148, 144-151.	2.8	8
107	Improvement in Mortality and End-Stage Renal Disease in Patients With Type 2 Diabetes After Acute Kidney Injury Who Are Prescribed Dipeptidyl Peptidase-4 Inhibitors. <i>Mayo Clinic Proceedings</i> , 2018, 93, 1760-1774.	3.0	7
108	Association between regional economic status and renal recovery of dialysis-requiring acute kidney injury among critically ill patients. <i>Scientific Reports</i> , 2020, 10, 14573.	3.3	7

#	ARTICLE	IF	CITATIONS
109	Subtypes of Histopathologically Classical Aldosterone-Producing Adenomas Yield Various Transcriptomic Signaling and Outcomes. <i>Hypertension</i> , 2021, 78, 1791-1800.	2.7	7
110	Transient Reciprocal Change of Renal Hepatocyte Growth Factor and Transforming Growth Factor- β 1 May Relate to Renal Hypertrophy in Rats with Liver Injury or Unilateral Nephrectomy. <i>Pediatric Research</i> , 2006, 59, 494-499.	2.3	6
111	Residual Urine Output and Postoperative Mortality in Maintenance Hemodialysis Patients. <i>American Journal of Critical Care</i> , 2009, 18, 446-455.	1.6	6
112	Primary renal lymphoma. <i>British Journal of Haematology</i> , 2009, 144, 628-628.	2.5	6
113	Restricted Use of Erythropoiesis-Stimulating Agent is Safe and Associated with Deferred Dialysis Initiation in Stage 5 Chronic Kidney Disease. <i>Scientific Reports</i> , 2017, 7, 44013.	3.3	6
114	Pathophysiological and Pharmacological Characteristics of KCNJ5 157-159del/TE Somatic Mutation in Aldosterone-Producing Adenomas. <i>Biomedicines</i> , 2021, 9, 1026.	3.2	6
115	Outcomes following Dialysis for Acute Kidney Injury among Different Stages of Chronic Kidney Disease. <i>American Journal of Nephrology</i> , 2011, 34, 95-103.	3.1	5
116	Old age is a positive modifier of renal outcome in Taiwanese patients with stages 3-5 chronic kidney disease. <i>Aging Clinical and Experimental Research</i> , 2019, 31, 1651-1659.	2.9	5
117	The impact of baseline glomerular filtration rate on subsequent changes of glomerular filtration rate in patients with chronic kidney disease. <i>Scientific Reports</i> , 2021, 11, 7894.	3.3	5
118	Angiotensin-2 is associated with metabolic syndrome in chronic kidney disease. <i>Journal of the Formosan Medical Association</i> , 2021, 120, 2113-2119.	1.7	5
119	Transforming growth factor- β 1 decreases erythropoietin production through repressing hypoxia-inducible factor 2 α in erythropoietin-producing cells. <i>Journal of Biomedical Science</i> , 2021, 28, 73.	7.0	5
120	Predialysis serum lactate levels could predict dialysis withdrawal in Type 1 cardiorenal syndrome patients. <i>EClinicalMedicine</i> , 2022, 44, 101232.	7.1	5
121	Antineutrophil cytoplasmic antibody-associated glomerulonephritis in Taiwanese. <i>Nephrology</i> , 2004, 9, 297-303.	1.6	4
122	Urinary kallikrein excretion is related to renal function change and inflammatory status in chronic kidney disease patients receiving angiotensin II receptor blocker treatment. <i>Nephrology</i> , 2008, 13, 198-203.	1.6	4
123	Maintenance haemodialysis and delayed administration of appropriate antibiotics increase 30-day mortality among patients with non-hospital-acquired methicillin-resistant <i>Staphylococcus aureus</i> bacteraemia. <i>International Journal of Antimicrobial Agents</i> , 2010, 35, 511-512.	2.5	4
124	A rare cause of chylous ascites. <i>CKJ: Clinical Kidney Journal</i> , 2014, 7, 71-72.	2.9	4
125	In rat renal fibroblasts, mycophenolic acid inhibits proliferation and production of the chemokine CCL2, stimulated by tumour necrosis factor- α . <i>British Journal of Pharmacology</i> , 2010, 160, 1611-1620.	5.4	3
126	Recurrence of primary aldosteronism after percutaneous ethanol injection. <i>Journal of the Formosan Medical Association</i> , 2012, 111, 176-178.	1.7	3

#	ARTICLE	IF	CITATIONS
127	10-Year Renal Function Trajectories in Community-Dwelling Older Adults: Exploring the Risk Factors for Different Patterns. <i>Journal of Clinical Medicine</i> , 2018, 7, 373.	2.4	3
128	Angiotensin II Receptor Blocker Associated With Less Outcome Risk in Patients With Acute Kidney Disease. <i>Frontiers in Pharmacology</i> , 2022, 13, 714658.	3.5	3
129	Distinct Subtyping of Successful Weaning from Acute Kidney Injury Requiring Renal Replacement Therapy by Consensus Clustering in Critically Ill Patients. <i>Biomedicines</i> , 2022, 10, 1628.	3.2	3
130	Exaggerated Natriuresis in Salt-Sensitive Essential Hypertension. <i>Clinical and Experimental Hypertension</i> , 1990, 12, 1395-1403.	0.3	2
131	Quantitative analysis of messenger ribonucleic acid encoding natriuretic peptide receptors in aldosterone-producing adenoma. <i>Molecular and Cellular Endocrinology</i> , 1995, 111, 139-146.	3.2	2
132	Risk factors for methicillin-resistant <i>Staphylococcus aureus</i> colonization among elderly patients with end-stage renal disease in Taiwan. <i>American Journal of Infection Control</i> , 2010, 38, 499-500.	2.3	2
133	Too much salt inflames our body: Fact or artifact?. <i>Journal of the Formosan Medical Association</i> , 2014, 113, 671-672.	1.7	2
134	Long-term outcomes following vehicle trauma related acute kidney injury requiring renal replacement therapy: a nationwide population study. <i>Scientific Reports</i> , 2020, 10, 20572.	3.3	2
135	Impact of Weaning from Acute Dialytic Therapy on Outcomes of Chronic Kidney Disease following Urgent-Start Dialysis. <i>PLoS ONE</i> , 2015, 10, e0123386.	2.5	2
136	Restoration of dysnatremia and acute kidney injury benefits outcomes of acute geriatric inpatients. <i>Scientific Reports</i> , 2021, 11, 20097.	3.3	2
137	More than shingles. <i>CKJ: Clinical Kidney Journal</i> , 2012, 5, 173-173.	2.9	1
138	Characterization of a mutated <i>KCNJ5</i> gene, G387R, in unilateral primary aldosteronism. <i>Journal of Molecular Endocrinology</i> , 2021, 67, 203-215.	2.5	1
139	Associations between urinary cysteine-rich protein 61 excretion and kidney function decline in outpatients with chronic kidney disease: a prospective cohort study in Taiwan. <i>BMJ Open</i> , 2021, 11, e051165.	1.9	1
140	SP300ANGIOPOIETIN-1 ATTENUATES INFLAMMATION AND FIBROSIS THROUGH ACTIVATED ENDOTHELIUM. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, .	0.7	0
141	FP214THE IMPACT OF HIGH-SALT INTAKE ON KIDNEY IMMUNITY. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, .	0.7	0
142	Spectrum of cancer patients receiving renal biopsy. <i>Journal of the Formosan Medical Association</i> , 2021, 121, 152-152.	1.7	0
143	Quantification of Abdominal Muscle Mass and Diagnosis of Sarcopenia with Cross-Sectional Imaging in Patients with Polycystic Kidney Disease: Correlation with Total Kidney Volume. <i>Diagnostics</i> , 2022, 12, 755.	2.6	0