

# Hiroyasu Iso

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6817594/publications.pdf>

Version: 2024-02-01

592  
papers

23,849  
citations

6606

79  
h-index

15716

125  
g-index

609  
all docs

609  
docs citations

609  
times ranked

22473  
citing authors

#	ARTICLE	IF	CITATIONS
1	Association Between Interpregnancy Interval and Risk of Preterm Birth and Its Modification by Folate Intake: The Japan Environment and Children's Study. <i>Journal of Epidemiology</i> , 2023, 33, 113-119.	1.1	1
2	Long-term Response of <i>Helicobacter pylori</i> Antibody Titer After Eradication Treatment in Middle-aged Japanese: JPHC-NEXT Study. <i>Journal of Epidemiology</i> , 2023, 33, 1-7.	1.1	3
3	Breastfeeding in Infancy in Relation to Subsequent Physical Size: A 20-year Follow-up of the Ibaraki Children's Cohort Study (IBACHIL). <i>Journal of Epidemiology</i> , 2023, 33, 63-67.	1.1	3
4	Work and Family Conflicts, Depression, and $\alpha$ -klotho: A Mediation Analysis in a Cross-cultural Study Between Japanese and Egyptian Civil Workers. <i>Journal of Epidemiology</i> , 2023, 33, 360-366.	1.1	7
5	Dietary fiber intake and risk of incident disabling dementia: the Circulatory Risk in Communities Study. <i>Nutritional Neuroscience</i> , 2023, 26, 148-155.	1.5	13
6	Brief self-exercise education for adults with chronic knee pain: A randomized controlled trial. <i>Modern Rheumatology</i> , 2023, 33, 408-415.	0.9	1
7	Associations of dietary intakes of vitamins B <sub>1</sub> and B <sub>3</sub> with risk of mortality from CVD among Japanese men and women: the Japan Collaborative Cohort study. <i>British Journal of Nutrition</i> , 2023, 129, 1213-1220.	1.2	1
8	Hobby Engagement and Risk of Disabling Dementia. <i>Journal of Epidemiology</i> , 2023, 33, 456-463.	1.1	5
9	Smoking Cessation and Mortality from Aortic Dissection and Aneurysm: Findings from the Japan Collaborative Cohort (JACC) Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2023, 30, 348-363.	0.9	3
10	Association Between Birth Weight and Risk of Pregnancy-Induced Hypertension and Gestational Diabetes in Japanese Women: JPHC-NEXT Study. <i>Journal of Epidemiology</i> , 2022, 32, 168-173.	1.1	6
11	Impact of Major Cardiovascular Risk Factors on the Incidence of Cardiovascular Disease among Overweight and Non-Overweight Individuals: The Circulatory Risk in Communities Study (CIRCS). <i>Journal of Atherosclerosis and Thrombosis</i> , 2022, 29, 422-437.	0.9	6
12	Risk of Herpes Zoster in Relation to Body Mass Index Among Residents Aged $\geq$ 50 Years: The Shozu Herpes Zoster Study. <i>Journal of Epidemiology</i> , 2022, 32, 370-375.	1.1	4
13	Leukocyte Count and Risks of Stroke and Coronary Heart Disease: The Circulatory Risk in Communities Study (CIRCS). <i>Journal of Atherosclerosis and Thrombosis</i> , 2022, 29, 527-535.	0.9	4
14	Smoking cessation, weight gain and risk of cardiovascular disease. <i>Heart</i> , 2022, 108, 375-381.	1.2	7
15	Association of Maternal Total Cholesterol With SGA or LGA Birth at Term: the Japan Environment and Children's Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, e118-e129.	1.8	8
16	Associations Between Occupational Status, Support at Work, and Salivary Cortisol Levels. <i>International Journal of Behavioral Medicine</i> , 2022, 29, 299-307.	0.8	3
17	Association between Serum Uric Acid and Impaired Endothelial Function: The Circulatory Risk in Communities Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2022, 29, 1534-1546.	0.9	3
18	Dairy intake and the risk of pancreatic cancer: the Japan Collaborative Cohort Study (JACC Study) and meta-analysis of prospective cohort studies. <i>British Journal of Nutrition</i> , 2022, 128, 1147-1155.	1.2	7

#	ARTICLE	IF	CITATIONS
19	Relations of mold, stove, and fragrance products on childhood wheezing and asthma: A prospective cohort study from the Japan Environment and Children's Study. <i>Indoor Air</i> , 2022, 32, .	2.0	7
20	Association of B Vitamins and Methionine Intake with the Risk of Gastric Cancer: The Japan Public Health Center-based Prospective Study. <i>Cancer Prevention Research</i> , 2022, 15, 101-110.	0.7	3
21	Impact of Body Mass Index on Obesity-Related Cancer and Cardiovascular Disease Mortality; The Japan Collaborative Cohort Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2022, 29, 1547-1562.	0.9	11
22	Association between Dietary Manganese Intake and Mortality from Cardiovascular Disease in Japanese Population: The Japan Collaborative Cohort Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2022, 29, 1432-1447.	0.9	9
23	Retrospective survey for clinical course and aggravating factors of adolescent atopic dermatitis in two years' cohort study on first-year university students. <i>Journal of Cutaneous Immunology and Allergy</i> , 2022, 5, 47-55.	0.2	1
24	Retinal microvascular abnormalities and risks of incident stroke and its subtypes: The Circulatory Risk in Communities Study. <i>Journal of Hypertension</i> , 2022, 40, 732-740.	0.3	4
25	Walking time, sports activity, job type, and body posture during work in relation to incident colorectal cancer: the JACC prospective cohort study. <i>Cancer Causes and Control</i> , 2022, 33, 473-481.	0.8	1
26	Dairy intake and the risk of esophageal cancer: the JACC Study. <i>Journal of Epidemiology</i> , 2022, , .	1.1	1
27	Impact of modifiable healthy lifestyle adoption on lifetime gain from middle to older age. <i>Age and Ageing</i> , 2022, 51, .	0.7	15
28	Long-term weight loss as a predictor of mortality in haemodialysis patients. <i>Journal of Epidemiology</i> , 2022, , .	1.1	2
29	Occasions for laughter and dementia risk: Findings from a six-year cohort study. <i>Geriatrics and Gerontology International</i> , 2022, 22, 392-398.	0.7	3
30	Long-term exposure to fine particle matter and all-cause mortality and cause-specific mortality in Japan: the JPHC Study. <i>BMC Public Health</i> , 2022, 22, 466.	1.2	10
31	The number of leisure-time activities and risk of functional disability among Japanese older population: the JAGES cohort. <i>Preventive Medicine Reports</i> , 2022, 26, 101741.	0.8	0
32	The association between midlife living arrangement and psychiatrist-diagnosed depression in later life: who among your family members reduces the risk of depression?. <i>Translational Psychiatry</i> , 2022, 12, 156.	2.4	2
33	Effects of a laughter program on body weight and mental health among Japanese people with metabolic syndrome risk factors: a randomized controlled trial. <i>BMC Geriatrics</i> , 2022, 22, 361.	1.1	3
34	The Associations between Evacuation Status and Lifestyle-Related Diseases in Fukushima after the Great East Japan Earthquake: The Fukushima Health Management Survey. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 5661.	1.2	1
35	Serum High-Sensitivity Cardiac Troponin T as an Independent Predictor for Incident Coronary Heart Disease in the Japanese General Population: The Circulatory Risk in Communities Study (CIRCS). <i>Journal of Atherosclerosis and Thrombosis</i> , 2022, , .	0.9	0
36	The association of family history of herpes zoster and the risk of incident herpes zoster: the SHEZ Study. <i>Environmental Health and Preventive Medicine</i> , 2022, 27, 22-22.	1.4	0

#	ARTICLE	IF	CITATIONS
37	Relationship between Health Counselor Characteristics and Counseling Impact on Individuals at High-Risk for Lifestyle-Related Disease: Sub-Analysis of the J-HARP Cluster-Randomized Controlled Trial. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 6375.	1.2	2
38	Positive psychological factors and the risk of pneumonia-associated mortality: Japan Collaborative Cohort Study. <i>Journal of Psychosomatic Research</i> , 2022, , 110971.	1.2	0
39	Validity of the Food Frequency Questionnaireâ€™Estimated Intakes of Sodium, Potassium, and Sodium-to-Potassium Ratio for Screening at a Point of Absolute Intake among Middle-Aged and Older Japanese Adults. <i>Nutrients</i> , 2022, 14, 2594.	1.7	6
40	Association of Physical Activity with Aortic Disease in Japanese Men and Women: The Japan Collaborative Cohort Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2022, , .	0.9	0
41	Alcohol Consumption and Long-Term Mortality in Men with or without a History of Myocardial Infarction. <i>Journal of Atherosclerosis and Thrombosis</i> , 2022, , .	0.9	0
42	Secondhand smoke and the risk of incident cardiovascular disease among never-smoking women. <i>Preventive Medicine</i> , 2022, 162, 107145.	1.6	8
43	Effects of brief self-exercise education on the management of chronic low back pain: A community-based, randomized, parallel-group pragmatic trial. <i>Modern Rheumatology</i> , 2021, 31, 890-898.	0.9	13
44	Weight Change and Mortality from Cardiovascular Diseases: The Japan Collaborative Cohort Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2021, 28, 25-33.	0.9	10
45	The Association Between Habitual Sleep Duration and Mortality According to Sex and Age: The Japan Public Health Center-based Prospective Study. <i>Journal of Epidemiology</i> , 2021, 31, 109-118.	1.1	9
46	Alcohol Consumption and Risk of Gastric Cancer: The Japan Collaborative Cohort Study. <i>Journal of Epidemiology</i> , 2021, 31, 30-36.	1.1	18
47	Longitudinal Trends in Blood Pressure Associated With the Frequency of Laughter: The Circulatory Risk in Communities Study (CIRCS), a Longitudinal Study of the Japanese General Population. <i>Journal of Epidemiology</i> , 2021, 31, 125-131.	1.1	6
48	Risk of postpartum depression and very early child mistreatment among mothers reporting higher autistic traits: Evidence from the Japan Environment and Children's Study. <i>Journal of Affective Disorders</i> , 2021, 280, 11-16.	2.0	3
49	Social support, social cohesion and pain during pregnancy: The Japan Environment and Childrenâ€™s Study. <i>European Journal of Pain</i> , 2021, 25, 872-885.	1.4	4
50	Manganese intake from foods and beverages is associated with a reduced risk of type 2 diabetes. <i>Maturitas</i> , 2021, 143, 127-131.	1.0	13
51	Intake of fish and long-chain n-3 polyunsaturated fatty acids and risk of diseases in a Japanese population: a narrative review. <i>European Journal of Clinical Nutrition</i> , 2021, 75, 902-920.	1.3	9
52	Fermented soy products intake and risk of cardiovascular disease and total cancer incidence: The Japan Public Health Center-based Prospective study. <i>European Journal of Clinical Nutrition</i> , 2021, 75, 954-968.	1.3	19
53	Impact of seaweed intake on health. <i>European Journal of Clinical Nutrition</i> , 2021, 75, 877-889.	1.3	40
54	Tobacco Price Increase and Successful Smoking Cessation for Two or More Years in Japan. <i>Nicotine and Tobacco Research</i> , 2021, 23, 716-723.	1.4	7

#	ARTICLE	IF	CITATIONS
55	Salt taste perception and blood pressure levels in population-based samples: the Circulatory Risk in Communities Study (CIRCS). <i>British Journal of Nutrition</i> , 2021, 125, 203-211.	1.2	2
56	Determinants of alcohol consumption and marijuana use among young adults in the Republic of Palau. <i>Environmental Health and Preventive Medicine</i> , 2021, 26, 12.	1.4	4
57	Modifiable Risk Factors for Cardiovascular Disease in Korea and Japan. <i>Korean Circulation Journal</i> , 2021, 51, 643.	0.7	27
58	Impact of Perceived Social Support on the Association Between Anger Expression and the Risk of Stroke: The Circulatory Risk in Communities Study (CIRCS). <i>Journal of Epidemiology</i> , 2021, , .	1.1	2
59	Diabetes Mellitus Modifies the Association of Serum Triglycerides with Ischemic Cardiovascular Disease Mortality: The Ibaraki Prefectural Health Study (IPHS). <i>Journal of Atherosclerosis and Thrombosis</i> , 2021, , .	0.9	1
60	Cardiovascular disease, a major global burden: Epidemiology of stroke and ischemic heart disease in Japan. <i>Global Health &amp; Medicine</i> , 2021, 3, 358-364.	0.6	21
61	Association between mode of delivery and postpartum depression: The Japan Environment and Children's Study (JECS): a prospective cohort study. <i>Journal of Epidemiology</i> , 2021, , .	1.1	8
62	Physical Activity and Risk of Mortality from Heart Failure among Japanese Population. <i>Journal of Atherosclerosis and Thrombosis</i> , 2021, , .	0.9	0
63	Low BMI and weight loss aggravate COPD mortality in men, findings from a large prospective cohort: the JACC study. <i>Scientific Reports</i> , 2021, 11, 1531.	1.6	26
64	Association between maternal employment status during pregnancy and risk of depressive symptomatology 1 month after childbirth: the Japan Environment and Children's Study. <i>Journal of Epidemiology and Community Health</i> , 2021, 75, 531-539.	2.0	4
65	Working cancer survivors's physical and mental characteristics compared to cancer-free workers in Japan: a nationwide general population-based study. <i>Journal of Cancer Survivorship</i> , 2021, 15, 912-921.	1.5	9
66	Serum High-Sensitivity C-Reactive Protein Levels and the Risk of Atrial Fibrillation in Japanese Population: the Circulatory Risk in Communities Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2021, 28, 194-202.	0.9	11
67	Risk of stroke in cancer survivors using a propensity score-matched cohort analysis. <i>Scientific Reports</i> , 2021, 11, 5599.	1.6	2
68	Circulating miR-21, miR-29a, and miR-126 are associated with premature death risk due to cancer and cardiovascular disease: the JACC Study. <i>Scientific Reports</i> , 2021, 11, 5298.	1.6	19
69	Green Tea and Coffee Consumption and All-Cause Mortality Among Persons With and Without Stroke or Myocardial Infarction. <i>Stroke</i> , 2021, 52, 957-965.	1.0	14
70	Myopia, corneal endothelial cell density and morphology in a Japanese population-based cross-sectional study: the JPHC-NEXT Eye Study. <i>Scientific Reports</i> , 2021, 11, 6366.	1.6	7
71	Engaging in musical activities and the risk of dementia in older adults: A longitudinal study from the Japan gerontological evaluation study. <i>Geriatrics and Gerontology International</i> , 2021, 21, 451-457.	0.7	6
72	Weight change during middle age and risk of stroke and coronary heart disease: The Japan Public Health Center-based Prospective Study. <i>Atherosclerosis</i> , 2021, 322, 67-73.	0.4	14

#	ARTICLE	IF	CITATIONS
73	Body Mass Index and Mortality From Aortic Aneurysm and Dissection. <i>Journal of Atherosclerosis and Thrombosis</i> , 2021, 28, 338-348.	0.9	17
74	Television Viewing Time and the Risk of Colorectal Cancer Mortality among Japanese Population: The JACC Study. <i>Cancer Research and Treatment</i> , 2021, 53, 497-505.	1.3	6
75	Relationship between Endothelial Dysfunction and Prevalence of Chronic Kidney Disease: The Circulatory Risk in Communities Study (CIRCS). <i>Journal of Atherosclerosis and Thrombosis</i> , 2021, 28, 622-629.	0.9	8
76	Serum anti-DIDO1, anti-CPSF2, and anti-FOXJ2 antibodies as predictive risk markers for acute ischemic stroke. <i>BMC Medicine</i> , 2021, 19, 131.	2.3	13
77	Serum anti-AP3D1 antibodies are risk factors for acute ischemic stroke related with atherosclerosis. <i>Scientific Reports</i> , 2021, 11, 13450.	1.6	14
78	Validity of dietary isothiocyanate intake estimates from a food frequency questionnaire using 24-h urinary isothiocyanate excretion as an objective biomarker: the JPHC-NEXT protocol area. <i>European Journal of Clinical Nutrition</i> , 2021, , .	1.3	1
79	Relationship between unhealthy sleep status and dry eye symptoms in a Japanese population: The JPHC-NEXT study. <i>Ocular Surface</i> , 2021, 21, 306-312.	2.2	14
80	Relation Between Body Mass Index and Dry Eye Disease: The Japan Public Health Center-based Prospective Study for the Next Generation. <i>Eye and Contact Lens</i> , 2021, 47, 449-455.	0.8	8
81	Non-alcoholic beverages intake and risk of cardiovascular disease among Japanese men and women: the JPHC study. <i>British Journal of Nutrition</i> , 2021, , 1-20.	1.2	0
82	Association of serum levels of antibodies against ALDOA and FH4 with transient ischemic attack and cerebral infarction. <i>BMC Neurology</i> , 2021, 21, 274.	0.8	4
83	Association of sugary drink consumption with all-cause and cause-specific mortality: the Japan Public Health Center-based Prospective Study. <i>Preventive Medicine</i> , 2021, 148, 106561.	1.6	5
84	The apparent inverse association between dietary carotene intake and risk of cardiovascular mortality disappeared after adjustment for other cardioprotective dietary intakes: The Japan collaborative cohort study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 3064-3075.	1.1	1
85	Estimation of 10-Year Risk of Death from Coronary Heart Disease, Stroke, and Cardiovascular Disease in a Pooled Analysis of Japanese Cohorts: EPOCH-JAPAN. <i>Journal of Atherosclerosis and Thrombosis</i> , 2021, 28, 816-825.	0.9	10
86	Dietary intake of tocopherols and risk of incident disabling dementia. <i>Scientific Reports</i> , 2021, 11, 16429.	1.6	3
87	990Seaweed intake and risk of cardiovascular disease: the Japan Public Health Center-based Prospective (JPHC) Study. <i>International Journal of Epidemiology</i> , 2021, 50, ,	0.9	0
88	Association of dietary intakes of vitamin B12, vitamin B6, folate, and methionine with the risk of esophageal cancer: the Japan Public Health Center-based (JPHC) prospective study. <i>BMC Cancer</i> , 2021, 21, 982.	1.1	8
89	Supper Timing and Cardiovascular Mortality: The Japan Collaborative Cohort Study. <i>Nutrients</i> , 2021, 13, 3389.	1.7	0
90	Combined patterns of participation in cervical, breast, and colorectal cancer screenings and factors for non-participation in each screening among women in Japan. <i>Preventive Medicine</i> , 2021, 150, 106627.	1.6	6

#	ARTICLE	IF	CITATIONS
91	Right bundle branch block and risk of cardiovascular mortality: the Ibaraki Prefectural Health Study. <i>Heart and Vessels</i> , 2021, , 1.	0.5	4
92	Peanut Consumption and Risk of Stroke and Ischemic Heart Disease in Japanese Men and Women: The JPHC Study. <i>Stroke</i> , 2021, 52, 3543-3550.	1.0	5
93	Having hobbies and the risk of cardiovascular disease incidence: A Japan public health center-based study. <i>Atherosclerosis</i> , 2021, 335, 1-7.	0.4	1
94	Unfinished business: lessons for future G20 meetings on a more inclusive understanding of universal health coverage. <i>GHM Open</i> , 2021, , .	0.1	0
95	Seaweed Intake and Risk of Cardiovascular Disease: The Circulatory Risk in Communities Study (CIRCS). <i>Journal of Atherosclerosis and Thrombosis</i> , 2021, 28, 1298-1306.	0.9	11
96	Associations of Body Mass Index, Weight Change, Physical Activity, and Sedentary Behavior With Endometrial Cancer Risk Among Japanese Women: The Japan Collaborative Cohort Study. <i>Journal of Epidemiology</i> , 2021, 31, 621-627.	1.1	7
97	Night Work, Rotating Shift Work, and the Risk of Cancer in Japanese Men and Women: The JACC Study. <i>Journal of Epidemiology</i> , 2021, 31, 585-592.	1.1	14
98	Global landscape of the COVID-19 vaccination policy: Ensuring equitable access to quality-assured vaccines. <i>GHM Open</i> , 2021, , .	0.1	0
99	Defining foreign patients into "visitors" and "residents" in Japanese medical facilities: difficulties in the collection of adequate data. <i>Journal of Epidemiology</i> , 2021, , .	1.1	12
100	Prediction of Lifetime Risk of Cardiovascular Disease Deaths Stratified by Sex in the Japanese Population. <i>Journal of the American Heart Association</i> , 2021, 10, e021753.	1.6	4
101	Risk Classification for Metabolic Syndrome and the Incidence of Cardiovascular Disease in Japan With Low Prevalence of Obesity: A Pooled Analysis of 10 Prospective Cohort Studies. <i>Journal of the American Heart Association</i> , 2021, 10, e020760.	1.6	13
102	Soy Intake and Risk of Type 2 Diabetes Among Japanese Men and Women: JACC Study. <i>Frontiers in Nutrition</i> , 2021, 8, 813742.	1.6	4
103	Factors associated with prolonged duration of viral clearance in non-severe SARS-CoV-2 patients in Osaka, Japan. <i>Environmental Health and Preventive Medicine</i> , 2021, 26, 115.	1.4	3
104	Secondhand Smoke Exposure During Childhood and Cancer Mortality in Adulthood Among Never Smokers. <i>American Journal of Epidemiology</i> , 2021, , .	1.6	6
105	Impact of intention and feeling toward being pregnant on postpartum depression: the Japan Environment and Children's Study (JECS). <i>Archives of Women's Mental Health</i> , 2020, 23, 131-137.	1.2	9
106	The Japan Public Health Center-based Prospective Study for the Next Generation (JPHC-NEXT): Study Design and Participants. <i>Journal of Epidemiology</i> , 2020, 30, 46-54.	1.1	30
107	Association of Vegetable, Fruit, and Okinawan Vegetable Consumption With Incident Stroke and Coronary Heart Disease. <i>Journal of Epidemiology</i> , 2020, 30, 37-45.	1.1	11
108	Glycated haemoglobin (HbA1c) as a reliable option for detecting diabetes among the urban poor population in Bangladesh. <i>European Journal of Public Health</i> , 2020, 30, 839-841.	0.1	1

#	ARTICLE	IF	CITATIONS
109	Non-High-Density Lipoprotein Cholesterol and Risk of Stroke Subtypes and Coronary Heart Disease: The Japan Public Health Center-Based Prospective (JPHC) Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2020, 27, 363-374.	0.9	30
110	Cross-Sectional Association Between Employment Status and Self-Rated Health Among Middle-Aged Japanese Women: The Influence of Socioeconomic Conditions and Work-Life Conflict. <i>Journal of Epidemiology</i> , 2020, 30, 396-403.	1.1	11
111	Factors Associated With Family Member's Spanking of 3.5-year-old Children in Japan. <i>Journal of Epidemiology</i> , 2020, 30, 464-473.	1.1	8
112	Prenatal tobacco smoking is associated with postpartum depression in Japanese pregnant women: The Japan environment and children's study. <i>Journal of Affective Disorders</i> , 2020, 264, 76-81.	2.0	20
113	Relationships Between Reproductive History and Mortality From Cardiovascular Diseases Among Japanese Women: The Japan Collaborative Cohort Study for Evaluation of Cancer Risk (JACC) Study. <i>Journal of Epidemiology</i> , 2020, 30, 509-515.	1.1	8
114	Anger Expression and the Risk of Cardiovascular Disease Among Urban and Rural Japanese Residents: The Circulatory Risk in Communities Study. <i>Psychosomatic Medicine</i> , 2020, 82, 215-223.	1.3	10
115	Associations of Carotid Intima-Media Thickness and Plaque Heterogeneity With the Risks of Stroke Subtypes and Coronary Artery Disease in the Japanese General Population: The Circulatory Risk in Communities Study. <i>Journal of the American Heart Association</i> , 2020, 9, e017020.	1.6	18
116	Study protocol for the PURSUIT-HFpEF study: a Prospective, Multicenter, Observational Study of Patients with Heart Failure with Preserved Ejection Fraction. <i>BMJ Open</i> , 2020, 10, e038294.	0.8	32
117	Association of tea consumption and the risk of gastric cancer in Japanese adults: the Japan Collaborative Cohort Study. <i>BMJ Open</i> , 2020, 10, e038243.	0.8	2
118	Association of job category and occupational activity with breast cancer incidence in Japanese female workers: the JACC study. <i>BMC Public Health</i> , 2020, 20, 1106.	1.2	6
119	Response to eLetter. <i>Heart</i> , 2020, 106, 1365.2-1366.	1.2	0
120	Reader response: Low-density lipoprotein cholesterol and risk of intracerebral hemorrhage: A prospective study. <i>Neurology</i> , 2020, 95, 98.2-99.	1.5	0
121	Milk Intake and Stroke Mortality in the Japan Collaborative Cohort Study—A Bayesian Survival Analysis. <i>Nutrients</i> , 2020, 12, 2743.	1.7	6
122	Maternal total energy, macronutrient and vitamin intakes during pregnancy associated with the offspring's birth size in the Japan Environment and Children's Study. <i>British Journal of Nutrition</i> , 2020, 124, 558-566.	1.2	17
123	Joint impact of muscle mass and waist circumference on type 2 diabetes in Japanese middle-aged adults: The Circulatory Risk in Communities Study (CIRCS). <i>Journal of Diabetes</i> , 2020, 12, 677-685.	0.8	5
124	Body mass index and mortality among middle-aged Japanese individuals with diagnosed diabetes: The Japan Public Health Center-based prospective study (JPHC study). <i>Diabetes Research and Clinical Practice</i> , 2020, 164, 108198.	1.1	0
125	A method for measuring glycerol-blanked triglyceride concentrations by using gas chromatography-isotope dilution mass spectrometry. <i>Annals of Clinical Biochemistry</i> , 2020, 57, 253-261.	0.8	2
126	Urinary 8-Hydroxy-2'-Deoxyguanosine Levels and Cardiovascular Disease Incidence in Japan. <i>Journal of Atherosclerosis and Thrombosis</i> , 2020, 27, 1086-1096.	0.9	4

#	ARTICLE	IF	CITATIONS
127	Frequency of Seaweed Intake and Its Association with Cardiovascular Disease Mortality: The JACC Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2020, 27, 1340-1347.	0.9	25
128	Alcohol consumption and risks of hypertension and cardiovascular disease in Japanese men and women. <i>Hypertension Research</i> , 2020, 43, 477-481.	1.5	25
129	Relationships of diabetes and hyperglycaemia with intraocular pressure in a Japanese population: the JPHC-NEXT Eye Study. <i>Scientific Reports</i> , 2020, 10, 5355.	1.6	12
130	Impact of hypertension stratified by diabetes on the lifetime risk of cardiovascular disease mortality in Japan: a pooled analysis of data from the Evidence for Cardiovascular Prevention from Observational Cohorts in Japan study. <i>Hypertension Research</i> , 2020, 43, 1437-1444.	1.5	7
131	Cardiovascular reactivity to acute stress associated with sickness absence among Japanese men and women: A prospective study. <i>Brain and Behavior</i> , 2020, 10, e01541.	1.0	3
132	Diabetes and Mortality From Respiratory Diseases: The Japan Collaborative Cohort Study. <i>Journal of Epidemiology</i> , 2020, 30, 457-463.	1.1	8
133	Time course of metabolic status in pregnant women: The Japan Environment and Children's Study. <i>Journal of Diabetes Investigation</i> , 2020, 11, 1318-1325.	1.1	11
134	Variations in the estimated intake of acrylamide from food in the Japanese population. <i>Nutrition Journal</i> , 2020, 19, 17.	1.5	14
135	Oxalates, urinary stones and risk of cardiovascular diseases. <i>Medical Hypotheses</i> , 2020, 137, 109570.	0.8	19
136	Relationship between nerve fiber layer defect and the presence of epiretinal membrane in a Japanese population: The JPHC-NEXT Eye Study. <i>Scientific Reports</i> , 2020, 10, 779.	1.6	3
137	Association of soy and fermented soy product intake with total and cause specific mortality: prospective cohort study. <i>BMJ, The</i> , 2020, 368, m34.	3.0	45
138	Dietary fiber intake and total and cause-specific mortality: the Japan Public Health Center-based prospective study. <i>American Journal of Clinical Nutrition</i> , 2020, 111, 1027-1035.	2.2	38
139	The association of conventionally medicated systolic and diastolic blood pressure level and mortality from cardiovascular disease: is the lower the better in high stroke population?. <i>Clinical Research in Cardiology</i> , 2020, 109, 944-948.	1.5	2
140	Serum uric acid and risk of stroke and its types: the Circulatory Risk in Communities Study (CIRCS). <i>Hypertension Research</i> , 2020, 43, 313-321.	1.5	30
141	Moderate Levels of N-Terminal Pro-B-Type Natriuretic Peptide is Associated with Increased Risks of Total and Ischemic Strokes among Japanese: The Circulatory Risk in Communities Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2020, 27, 751-760.	0.9	3
142	Habitual tub bathing and risks of incident coronary heart disease and stroke. <i>Heart</i> , 2020, 106, 732-737.	1.2	18
143	Association between meat intake and mortality due to all-cause and major causes of death in a Japanese population. <i>PLoS ONE</i> , 2020, 15, e0244007.	1.1	10
144	Association between dietary inflammatory index and serum C-reactive protein concentrations in the Japan Collaborative Cohort Study. <i>Nagoya Journal of Medical Science</i> , 2020, 82, 237-249.	0.6	9

#	ARTICLE	IF	CITATIONS
145	Japan Trial in High-Risk Individuals to Enhance Their Referral to Physicians (J-HARP)â€”A Nurse-Led, Community-Based Prevention Program of Lifestyle-Related Disease. <i>Journal of Epidemiology</i> , 2020, 30, 194-199.	1.1	11
146	Overweight and Hypertension in Relation to Chronic Musculoskeletal Pain Among Community-Dwelling Adults: The Circulatory Risk in Communities Study (CIRCS). <i>Journal of Epidemiology</i> , 2020, 31, 566-572.	1.1	4
147	Depressive Tendency and the Risk of Death from Pneumonia: The JACC Study. <i>Internal Medicine</i> , 2020, 59, 3123-3130.	0.3	1
148	Job stress factors measured by Brief Job Stress Questionnaire and sickness absence among Japanese workers: A longitudinal study. <i>Fukushima Journal of Medical Sciences</i> , 2020, 66, 88-96.	0.1	5
149	Urinary Stones and Risk of Coronary Heart Disease and Stroke: the Japan Public Health Center-Based Prospective Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2020, 27, 1208-1215.	0.9	2
150	Dietary Intake of Energy and Nutrients from Breakfast and Risk of Stroke in The Japanese Population: The Circulatory Risk in Communities Study (CIRCS). <i>Journal of Atherosclerosis and Thrombosis</i> , 2019, 26, 145-153.	0.9	7
151	Fish intake and risk of mortality due to aortic dissection and aneurysm: A pooled analysis of the Japan cohort consortium. <i>Clinical Nutrition</i> , 2019, 38, 1678-1683.	2.3	10
152	Green tea consumption and risk of hematologic neoplasms: the Japan Collaborative Cohort Study for Evaluation of Cancer Risk (JACC Study). <i>Cancer Causes and Control</i> , 2019, 30, 1223-1230.	0.8	7
153	Seaweed intake and risk of cardiovascular disease: the Japan Public Health Centerâ€”based Prospective (JPHC) Study. <i>American Journal of Clinical Nutrition</i> , 2019, 110, 1449-1455.	2.2	39
154	Sleep Shortage Is Associated With Postherpetic Neuralgia Development Through Hyperesthesia and Acute Pain Intensity: A Communityâ€”Based Prospective Cohort Study. <i>Pain Practice</i> , 2019, 19, 476-483.	0.9	13
155	Self-Reported Eczema in Relation with Mortality from Cardiovascular Disease in Japanese: the Japan Collaborative Cohort Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2019, 26, 775-782.	0.9	6
156	Dietary Inflammatory Index Is Associated with Risk of All-Cause and Cardiovascular Disease Mortality but Not with Cancer Mortality in Middle-Aged and Older Japanese Adults. <i>Journal of Nutrition</i> , 2019, 149, 1451-1459.	1.3	32
157	Among the water-soluble vitamins, dietary intakes of vitamins C, B<sub>2</sub> and folate are associated with the reduced risk of diabetes in Japanese women but not men. <i>British Journal of Nutrition</i> , 2019, 121, 1357-1364.	1.2	26
158	Working Hours and Risk of Acute Myocardial Infarction and Stroke Among Middle-Aged Japanese Menâ€”The Japan Public Health Center-Based Prospective Study Cohort II â€”. <i>Circulation Journal</i> , 2019, 83, 1072-1079.	0.7	28
159	The Association of Having a Late Dinner or Bedtime Snack and Skipping Breakfast with Overweight in Japanese Women. <i>Journal of Obesity</i> , 2019, 2019, 1-5.	1.1	53
160	High Myopia and Its Associated Factors in JPHC-NEXT Eye Study: A Cross-Sectional Observational Study. <i>Journal of Clinical Medicine</i> , 2019, 8, 1788.	1.0	9
161	Effects of Low-Dose Therapist-Led Self-Exercise Education on the Management of Chronic Low Back Pain: Protocol for a Community-Based, Randomized, 6-Month Parallel-Group Study. <i>Spine Surgery and Related Research</i> , 2019, 3, 377-384.	0.4	7
162	Blood pressure levels and risk of cardiovascular disease mortality among Japanese men and women. <i>Journal of Hypertension</i> , 2019, 37, 1366-1371.	0.3	12

#	ARTICLE	IF	CITATIONS
163	The Circulatory Risk in Communities Study (CIRCS): A Long-Term Epidemiological Study for Lifestyle-Related Disease Among Japanese Men and Women Living in Communities. <i>Journal of Epidemiology</i> , 2019, 29, 83-91.	1.1	47
164	Body Mass Index and Risks of Incident Ischemic Stroke Subtypes: The Japan Public Health Center-Based Prospective (JPHC) Study. <i>Journal of Epidemiology</i> , 2019, 29, 325-333.	1.1	23
165	Effects of Coffee and Tea Consumption on Glucose Metabolism: A Systematic Review and Network Meta-Analysis. <i>Nutrients</i> , 2019, 11, 48.	1.7	32
166	Television viewing time, walking time, and risk of type 2 diabetes in Japanese men and women: The Japan Collaborative Cohort Study. <i>Preventive Medicine</i> , 2019, 118, 220-225.	1.6	8
167	Lifetime Risk of Stroke and Coronary Heart Disease Deaths According to Blood Pressure Level. <i>Hypertension</i> , 2019, 73, 52-59.	1.3	30
168	Sleep duration and risk of breast cancer: The JACC Study. <i>Breast Cancer Research and Treatment</i> , 2019, 174, 219-225.	1.1	20
169	Fat-soluble vitamins from diet in relation to risk of type 2 diabetes mellitus in Japanese population. <i>British Journal of Nutrition</i> , 2019, 121, 647-653.	1.2	17
170	Successful Reduction of Blood Pressure and Stroke Risk in Japan. , 2019, , 47-55.		1
171	Prevalence and Correlates of Dyslipidemia Among Men and Women in Palau: Findings of the Palau STEPS Survey 2011â€“2013. <i>Journal of Epidemiology</i> , 2019, 29, 97-103.	1.1	3
172	The Prospective Association Between Plasma Concentrations of Cellular Growth Factors and Risk of Heart Failure Mortality in Japanese Population. <i>Journal of Epidemiology</i> , 2019, 29, 104-109.	1.1	2
173	Associations of Daily Walking Time With Pneumonia Mortality Among Elderly Individuals With or Without a Medical History of Myocardial Infarction or Stroke: Findings From the Japan Collaborative Cohort Study. <i>Journal of Epidemiology</i> , 2019, 29, 233-237.	1.1	13
174	Cruciferous vegetable intake and mortality in middle-aged adults: A prospective cohort study. <i>Clinical Nutrition</i> , 2019, 38, 631-643.	2.3	18
175	Television Viewing Time and Breast Cancer Incidence for Japanese Premenopausal and Postmenopausal Women: The JACC Study. <i>Cancer Research and Treatment</i> , 2019, 51, 1509-1517.	1.3	8
176	Food frequency questionnaire reproducibility for middle-aged and elderly Japanese. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2019, 28, 362-370.	0.3	6
177	Associations between copper and zinc intakes from diet and mortality from cardiovascular disease in a large population-based prospective cohort study. <i>Journal of Nutritional Biochemistry</i> , 2018, 56, 126-132.	1.9	62
178	Dietary magnesium intake and risk of incident coronary heart disease in men: A prospective cohort study. <i>Clinical Nutrition</i> , 2018, 37, 1602-1608.	2.3	35
179	Serum creatinine levels and risk of incident type 2 diabetes mellitus or dysglycemia in middle-aged Japanese men: a retrospective cohort study. <i>BMJ Open Diabetes Research and Care</i> , 2018, 6, e000492.	1.2	16
180	Association of extremely high levels of high-density lipoprotein cholesterol with cardiovascular mortality in a pooled analysis of 9 cohort studies including 43,407 individuals: The EPOCHâ€“JAPAN study. <i>Journal of Clinical Lipidology</i> , 2018, 12, 674-684.e5.	0.6	101

#	ARTICLE	IF	CITATIONS
181	Association between average daily television viewing time and the incidence of ovarian cancer: findings from the Japan Collaborative Cohort Study. <i>Cancer Causes and Control</i> , 2018, 29, 213-219.	0.8	10
182	Plasma levels of n-3 fatty acids and risk of coronary heart disease among Japanese: The Japan Public Health Center-based (JPHC) study. <i>Atherosclerosis</i> , 2018, 272, 226-232.	0.4	18
183	Relationship Between Dietary Vitamin D and Deaths From Stroke and Coronary Heart Disease. <i>Stroke</i> , 2018, 49, 454-457.	1.0	29
184	Associations of Perceived Mental Stress, Sense of Purpose in Life, and Negative Life Events With the Risk of Incident Herpes Zoster and Postherpetic Neuralgia. <i>American Journal of Epidemiology</i> , 2018, 187, 251-259.	1.6	21
185	Identification of dementia using standard clinical assessments by primary care physicians in Japan. <i>Geriatrics and Gerontology International</i> , 2018, 18, 738-744.	0.7	51
186	Impact of Alcohol Intake and Drinking Patterns on Mortality From All Causes and Major Causes of Death in a Japanese Population. <i>Journal of Epidemiology</i> , 2018, 28, 140-148.	1.1	39
187	“œkigai” Subjective Wellbeing, as a Modifier of the Parity-Cardiovascular Mortality Association”œœ. The Japan Collaborative Cohort Study ”œœ. <i>Circulation Journal</i> , 2018, 82, 1302-1308.	0.7	10
188	Associations between dietary intakes of iron, copper and zinc with risk of type 2 diabetes mellitus: A large population-based prospective cohort study. <i>Clinical Nutrition</i> , 2018, 37, 667-674.	2.3	83
189	Dietary intakes of fat soluble vitamins as predictors of mortality from heart failure in a large prospective cohort study. <i>Nutrition</i> , 2018, 47, 50-55.	1.1	17
190	Evaluating the Effect on Mortality of a No-Tranexamic acid (TXA) Policy for Cardiovascular Surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2018, 32, 1627-1634.	0.6	5
191	Tobacco Control Measures to Reduce Socioeconomic Inequality in Smoking: The Necessity, Time-Course Perspective, and Future Implications. <i>Journal of Epidemiology</i> , 2018, 28, 170-175.	1.1	13
192	Associations of disaster-related and psychosocial factors with changes in smoking status after a disaster: a cross-sectional survey after the Great East Japan Earthquake. <i>BMJ Open</i> , 2018, 8, e018943.	0.8	14
193	New Policy of the Journal of Epidemiology Regarding the Relationship With the Tobacco Industry. <i>Journal of Epidemiology</i> , 2018, 28, 1-2.	1.1	1
194	Nonfasting Glucose and Incident Stroke and Its Types”œœ. The Circulatory Risk in Communities Study (CIRCS) ”œœ. <i>Circulation Journal</i> , 2018, 82, 1598-1604.	0.7	8
195	Association of cigarette smoking with radial augmentation index: the Circulatory Risk in Communities Study (CIRCS). <i>Hypertension Research</i> , 2018, 41, 1054-1062.	1.5	8
196	Serum Fatty Acid and Risk of Coronary Artery Disease”œœ. Circulatory Risk in Communities Study (CIRCS) ”œœ. <i>Circulation Journal</i> , 2018, 82, 3013-3020.	0.7	26
197	Adult height and all-cause and cause-specific mortality in the Japan Public Health Center-based Prospective Study (JPHC). <i>PLoS ONE</i> , 2018, 13, e0197164.	1.1	15
198	Yellow Tongue Coating is Associated With Diabetes Mellitus Among Japanese Non-smoking Men and Women: The Toon Health Study. <i>Journal of Epidemiology</i> , 2018, 28, 287-291.	1.1	19

#	ARTICLE	IF	CITATIONS
199	Cardiovascular disease mortality in relation to physical activity during adolescence and adulthood in Japan: Does school-based sport club participation matter?. Preventive Medicine, 2018, 113, 102-108.	1.6	10
200	Dietary Antioxidant Micronutrients and All-Cause Mortality: The Japan Collaborative Cohort Study for Evaluation of Cancer Risk. Journal of Epidemiology, 2018, 28, 388-396.	1.1	12
201	Fish Intake and Death From Pulmonary Embolisms Among Japanese Men and Women—The Japan Collaborative Cohort (JACC) Study. Circulation Journal, 2018, 82, 2063-2070.	0.7	7
202	Non-communicable disease risk factor profile among public employees in a regional city in northern Ethiopia. Scientific Reports, 2018, 8, 9298.	1.6	37
203	Water intake from foods and beverages and risk of mortality from CVD: the Japan Collaborative Cohort (JACC) Study. Public Health Nutrition, 2018, 21, 3011-3017.	1.1	11
204	The Japanese food score and risk of all-cause, CVD and cancer mortality: the Japan Collaborative Cohort Study. British Journal of Nutrition, 2018, 120, 464-471.	1.2	43
205	Dietary patterns and breast cancer risk in a prospective Japanese study. Breast Cancer, 2017, 24, 152-160.	1.3	31
206	Serum $\alpha$ -linolenic and other $\omega$ -3 fatty acids, and risk of disabling dementia: Community-based nested case-control study. Clinical Nutrition, 2017, 36, 793-797.	2.3	30
207	No modifying effect of education level on the association between lifestyle behaviors and cardiovascular mortality: the Japan Collaborative Cohort Study. Scientific Reports, 2017, 7, 39820.	1.6	15
208	Passive smoking and chronic obstructive pulmonary disease mortality: findings from the Japan collaborative cohort study. International Journal of Public Health, 2017, 62, 489-494.	1.0	17
209	Changes in ischaemic ECG abnormalities and subsequent risk of cardiovascular disease. Heart Asia, 2017, 9, 36-43.	1.1	10
210	Impact and attribute of each obesity-related cardiovascular risk factor in combination with abdominal obesity on total health expenditures in adult Japanese National Health insurance beneficiaries: The Ibaraki Prefectural health study. Journal of Epidemiology, 2017, 27, 354-359.	1.1	4
211	Recurrent Pregnancy Loss and Cardiovascular Disease Mortality in Japanese Women: A Population-Based, Prospective Cohort Study. Journal of Stroke and Cerebrovascular Diseases, 2017, 26, 1047-1054.	0.7	15
212	Daily Total Physical Activity and Incident Cardiovascular Disease in Japanese Men and Women. Circulation, 2017, 135, 1471-1473.	1.6	15
213	Descriptive Epidemiology of Hypertension and Its Association With Obesity: Based on the WHO STEPwise Approach to Surveillance in Palau. Asia-Pacific Journal of Public Health, 2017, 29, 278-287.	0.4	3
214	Daily Total Physical Activity and Incident Stroke. Stroke, 2017, 48, 1730-1736.	1.0	55
215	Passive smoking and mortality from aortic dissection or aneurysm. Atherosclerosis, 2017, 263, 145-150.	0.4	25
216	Blood soluble Fas levels and mortality from cardiovascular disease in middle-aged Japanese: The JACC study. Atherosclerosis, 2017, 260, 97-101.	0.4	5

#	ARTICLE	IF	CITATIONS
217	Comparison of weighed food record procedures for the reference methods in two validation studies of food frequency questionnaires. <i>Journal of Epidemiology</i> , 2017, 27, 331-337.	1.1	7
218	Changes in the Employment Status and Risk of Stroke and Stroke Types. <i>Stroke</i> , 2017, 48, 1176-1182.	1.0	31
219	Validity and reliability of a self-administered food frequency questionnaire for the JPHC study: The assessment of amino acid intake. <i>Journal of Epidemiology</i> , 2017, 27, 242-247.	1.1	5
220	Similarities and differences between coronary heart disease and stroke in the associations with cardiovascular risk factors: The Japan Collaborative Cohort Study. <i>Atherosclerosis</i> , 2017, 261, 124-130.	0.4	21
221	Genetic Predisposition to Ischemic Stroke. <i>Stroke</i> , 2017, 48, 253-258.	1.0	64
222	Alcohol consumption and mortality from aortic disease among Japanese men: The Japan Collaborative Cohort study. <i>Atherosclerosis</i> , 2017, 266, 64-68.	0.4	11
223	Association of high-density lipoprotein cholesterol concentration with different types of stroke and coronary heart disease: The Japan Public Health Center-based prospective (JPHC) study. <i>Atherosclerosis</i> , 2017, 265, 147-154.	0.4	43
224	Fermented Soy Product Intake Is Inversely Associated with the Development of High Blood Pressure: The Japan Public Health Center-Based Prospective Study. <i>Journal of Nutrition</i> , 2017, 147, 1749-1756.	1.3	51
225	Prevalence of non-communicable disease risk factors among poor shantytown residents in Dhaka, Bangladesh: a community-based cross-sectional survey. <i>BMJ Open</i> , 2017, 7, e014710.	0.8	46
226	Association between markers of arterial stiffness and atrial fibrillation in the Circulatory Risk in Communities Study (CIRCS). <i>Atherosclerosis</i> , 2017, 263, 244-248.	0.4	14
227	Population profile and residential environment of an urban poor community in Dhaka, Bangladesh. <i>Environmental Health and Preventive Medicine</i> , 2017, 22, 1.	1.4	49
228	A pooled analysis of the association of isolated low levels of high-density lipoprotein cholesterol with cardiovascular mortality in Japan. <i>European Journal of Epidemiology</i> , 2017, 32, 547-557.	2.5	20
229	Relationship between cell-mediated immunity to Varicella-Zoster virus and aging in subjects from the community-based Shozu Herpes Zoster study. <i>Journal of Medical Virology</i> , 2017, 89, 313-317.	2.5	10
230	Changes in the living arrangement and risk of stroke in Japan; does it matter who lives in the household? Who among the family matters?. <i>PLoS ONE</i> , 2017, 12, e0173860.	1.1	3
231	Impact of Hypertension and Subclinical Organ Damage on the Incidence of Cardiovascular Disease Among Japanese Residents at the Population and Individual Levels. The Circulatory Risk in Communities Study (CIRCS). <i>Circulation Journal</i> , 2017, 81, 1022-1028.	0.7	26
232	Blood pressure-lowering effect of Shinrin-yoku (Forest bathing): a systematic review and meta-analysis. <i>BMC Complementary and Alternative Medicine</i> , 2017, 17, 409.	3.7	104
233	Fifty-year Time Trends in Blood Pressures, Body Mass Index and their Relations in a Japanese Community: The Circulatory Risk in Communities Study (CIRCS). <i>Journal of Atherosclerosis and Thrombosis</i> , 2017, 24, 518-529.	0.9	15
234	Retinal Vascular Changes and Prospective Risk of Disabling Dementia: the Circulatory Risk in Communities Study (CIRCS). <i>Journal of Atherosclerosis and Thrombosis</i> , 2017, 24, 687-695.	0.9	14

#	ARTICLE	IF	CITATIONS
235	The criteria for metabolic syndrome and the national health screening and education system in Japan. <i>Epidemiology and Health</i> , 2017, 39, e2017003.	0.8	96
236	Work-family conflict and self-rated health among Japanese workers: How household income modifies associations. <i>PLoS ONE</i> , 2017, 12, e0169903.	1.1	22
237	Dietary patterns and all-cause, cancer, and cardiovascular disease mortality in Japanese men and women: The Japan public health center-based prospective study. <i>PLoS ONE</i> , 2017, 12, e0174848.	1.1	96
238	Disparity in metabolic risk factors of non-communicable diseases between Palauans and Filipinos living in Palau. <i>Nagoya Journal of Medical Science</i> , 2017, 79, 157-165.	0.6	0
239	Serum Albumin and High-Sensitivity C-reactive Protein are Independent Risk Factors of Chronic Kidney Disease in Middle-Aged Japanese Individuals: the Circulatory Risk in Communities Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2016, 23, 1089-1098.	0.9	26
240	Prospective study of seaweed consumption and thyroid cancer incidence in women. <i>European Journal of Cancer Prevention</i> , 2016, 25, 239-245.	0.6	20
241	Dietary Patterns and Risk of Esophageal Cancer Mortality: The Japan Collaborative Cohort Study. <i>Nutrition and Cancer</i> , 2016, 68, 1001-1009.	0.9	2
242	Response by Shirakawa and Iso to Letter Regarding Article, "Watching Television and Risk of Mortality From Pulmonary Embolism Among Japanese Men and Women: The JACC Study (Japan Collaborative) Tj ETQq0 0 0 rgt /Overlock 10 Tf 5	0.8	1
243	Trends in the proportions of stroke subtypes and coronary heart disease in the Japanese men and women from 1995 to 2009. <i>Atherosclerosis</i> , 2016, 248, 219-223.	0.4	16
244	Occupational status and job stress in relation to cardiovascular stress reactivity in Japanese workers. <i>Preventive Medicine Reports</i> , 2016, 4, 61-67.	0.8	19
245	Dehydroepiandrosterone-sulfate is associated with cardiovascular reactivity to stress in women. <i>Psychoneuroendocrinology</i> , 2016, 69, 116-122.	1.3	9
246	Association between mortality and incidence rates of coronary heart disease and stroke: The Japan Public Health Center-based prospective (JPHC) study. <i>International Journal of Cardiology</i> , 2016, 222, 281-286.	0.8	47
247	Obstructive sleep apnea and incident type 2 diabetes. <i>Sleep Medicine</i> , 2016, 25, 156-161.	0.8	125
248	Long-term Prognosis of Brugada-type ECG and ECG With Atypical ST-segment Elevation in the Right Precordial Leads Over 20 Years: Results From the Circulatory Risk in Communities Study (CIRCS). <i>Journal of the American Heart Association</i> , 2016, 5, .	1.6	9
249	Clinical and immunologic features of recurrent herpes zoster (HZ). <i>Journal of the American Academy of Dermatology</i> , 2016, 75, 950-956.e1.	0.6	19
250	Educational Levels and Risk of Suicide in Japan: The Japan Public Health Center Study (JPHC) Cohort I. <i>Journal of Epidemiology</i> , 2016, 26, 315-321.	1.1	22
251	Bowel Movement Frequency, Laxative Use, and Mortality From Coronary Heart Disease and Stroke Among Japanese Men and Women: The Japan Collaborative Cohort (JACC) Study. <i>Journal of Epidemiology</i> , 2016, 26, 242-248.	1.1	39
252	Non-Fatal Injury in Thailand From 2005 to 2013: Incidence Trends and Links to Alcohol Consumption Patterns in the Thai Cohort Study. <i>Journal of Epidemiology</i> , 2016, 26, 471-480.	1.1	1

#	ARTICLE	IF	CITATIONS
253	Development of a Risk Equation for the Incidence of Coronary Artery Disease and Ischemic Stroke for Middle-Aged Japanese—Japan Public Health Center-Based Prospective Study—. <i>Circulation Journal</i> , 2016, 80, 1386-1395.	0.7	37
254	Salty Food Preference and Intake and Risk of Gastric Cancer: The JACC Study. <i>Journal of Epidemiology</i> , 2016, 26, 92-97.	1.1	25
255	Diabetes Trend and Impact on Risk of Cardiovascular Disease in Middle-Aged Japanese People—The CIRCS Study—. <i>Circulation Journal</i> , 2016, 80, 2343-2348.	0.7	15
256	Watching Television and Risk of Mortality From Pulmonary Embolism Among Japanese Men and Women. <i>Circulation</i> , 2016, 134, 355-357.	1.6	32
257	Comparison between the triglycerides standardization of routine methods used in Japan and the chromotropic acid reference measurement procedure used by the CDC Lipid Standardization Programme. <i>Annals of Clinical Biochemistry</i> , 2016, 53, 632-639.	0.8	22
258	Occupational physical activity in relation to risk of cardiovascular mortality: The Japan Collaborative Cohort Study for Evaluation for Cancer Risk (JACC Study). <i>Preventive Medicine</i> , 2016, 89, 286-291.	1.6	13
259	The relationship between sodium concentrations in spot urine and blood pressure increases: a prospective study of Japanese general population: the Circulatory Risk in Communities Study (CIRCS). <i>BMC Cardiovascular Disorders</i> , 2016, 16, 55.	0.7	10
260	Marital Transition and Risk of Stroke. <i>Stroke</i> , 2016, 47, 991-998.	1.0	20
261	Association of Breakfast Intake With Incident Stroke and Coronary Heart Disease. <i>Stroke</i> , 2016, 47, 477-481.	1.0	69
262	Coping strategies and risk of cardiovascular disease incidence and mortality: the Japan Public Health Center-based prospective Study. <i>European Heart Journal</i> , 2016, 37, 890-899.	1.0	45
263	Prevalence and predictors of prediabetes and diabetes among adults in Palau: population-based national STEPS survey. <i>Nagoya Journal of Medical Science</i> , 2016, 78, 475-483.	0.6	10
264	Effects of Local Cooperation between Healthcare Facilities for Infection Control after Introduction of Additional Charge for Infection Control. <i>Japanese Journal of Environmental Infections</i> , 2016, 31, 24-31.	0.1	2
265	Facilitators and barriers of adopting healthy lifestyle in rural China: a qualitative analysis through social capital perspectives. <i>Nagoya Journal of Medical Science</i> , 2016, 78, 163-73.	0.6	16
266	Hemoglobin A1c Levels and the Risk of Cardiovascular Disease in People Without Known Diabetes. <i>Medicine (United States)</i> , 2015, 94, e785.	0.4	27
267	Impact of Neighborhood Socioeconomic Conditions on the Risk of Stroke in Japan. <i>Journal of Epidemiology</i> , 2015, 25, 254-260.	1.1	40
268	Television Viewing Time and Mortality From Stroke and Coronary Artery Disease Among Japanese Men and Women—The Japan Collaborative Cohort Study—. <i>Circulation Journal</i> , 2015, 79, 2389-2395.	0.7	18
269	Impact of Caregiver Type for 3-Year-Old Children on Subsequent Between-Meal Eating Habits and Being Overweight From Childhood to Adulthood: A 20-Year Follow-up of the Ibaraki Children's Cohort (IBACHIL) Study. <i>Journal of Epidemiology</i> , 2015, 25, 600-607.	1.1	20
270	Milk Drinking and Mortality: Findings From the Japan Collaborative Cohort Study. <i>Journal of Epidemiology</i> , 2015, 25, 66-73.	1.1	38

#	ARTICLE	IF	CITATIONS
271	Health Disparities in Ischaemic Heart Disease Mortality in Hungary From 1970 to 2010: An Age-Period-Cohort Analysis. <i>Journal of Epidemiology</i> , 2015, 25, 399-406.	1.1	5
272	Profile of Non-communicable Disease Risk Factors Among Young People in Palau. <i>Journal of Epidemiology</i> , 2015, 25, 392-397.	1.1	12
273	Association Between Average Daily Television Viewing Time and Chronic Obstructive Pulmonary Disease-Related Mortality: Findings From the Japan Collaborative Cohort Study. <i>Journal of Epidemiology</i> , 2015, 25, 431-436.	1.1	18
274	Incidences of Herpes Zoster and Postherpetic Neuralgia in Japanese Adults Aged 50 Years and Older From a Community-based Prospective Cohort Study: The SHEZ Study. <i>Journal of Epidemiology</i> , 2015, 25, 617-625.	1.1	51
275	Association of Body Mass Index and Mortality in Japanese Diabetic Men and Women Based on Self-Reports: The Japan Collaborative Cohort (JACC) Study. <i>Journal of Epidemiology</i> , 2015, 25, 553-558.	1.1	17
276	Alcohol consumption patterns in Thailand and their relationship with non-communicable disease. <i>BMC Public Health</i> , 2015, 15, 1297.	1.2	39
277	Saturated Fat Intake and Cardiovascular Disease in Japanese Population. <i>Journal of Atherosclerosis and Thrombosis</i> , 2015, 22, 435-439.	0.9	11
278	Disease history and risk of comorbidity in women's life course: a comprehensive analysis of the Japan Nurses' Health Study baseline survey. <i>BMJ Open</i> , 2015, 5, e006360-e006360.	0.8	27
279	Diagnosed diabetes and premature death among middle-aged Japanese: results from a large-scale population-based cohort study in Japan (JPHC study). <i>BMJ Open</i> , 2015, 5, e007736-e007736.	0.8	28
280	Employment situation and risk of death among middle-aged Japanese women. <i>Journal of Epidemiology and Community Health</i> , 2015, 69, 1012-1017.	2.0	10
281	The reasonable reliability of a self-administered food frequency questionnaire for an urban, Japanese, middle-aged population: the Suita study. <i>Nutrition Research</i> , 2015, 35, 14-22.	1.3	18
282	Combined Effect of Blood Pressure and Total Cholesterol Levels on Long-Term Risks of Subtypes of Cardiovascular Death. <i>Hypertension</i> , 2015, 65, 517-524.	1.3	44
283	Anemia and Reduced Kidney Function as Risk Factors for New Onset of Atrial Fibrillation (from the Tj ETQq1 1 0.784314 rgBT /Overl 0,7 51		
284	Association of measles and mumps with cardiovascular disease: The Japan Collaborative Cohort (JACC) study. <i>Atherosclerosis</i> , 2015, 241, 682-686.	0.4	7
285	Age trajectories of glycaemic traits in non-diabetic South Asian and white individuals: the Whitehall II cohort study. <i>Diabetologia</i> , 2015, 58, 534-542.	2.9	29
286	Effects of a traditional herbal medicine on peripheral blood flow in women experiencing peripheral coldness: a randomized controlled trial. <i>BMC Complementary and Alternative Medicine</i> , 2015, 15, 105.	3.7	23
287	Association of coffee intake with total and cause-specific mortality in a Japanese population: the Japan Public Health Center-based Prospective Study. <i>American Journal of Clinical Nutrition</i> , 2015, 101, 1029-1037.	2.2	58
288	Association of green tea consumption with mortality due to all causes and major causes of death in a Japanese population: the Japan Public Health Center-based Prospective Study (JPHC Study). <i>Annals of Epidemiology</i> , 2015, 25, 512-518.e3.	0.9	66

#	ARTICLE	IF	CITATIONS
289	Total cholesterol performance of Abellâ€“Levyâ€“Brodieâ€“Kendall reference measurement procedure: Certification of Japanese in-vitro diagnostic assay manufacturers through CDC's Cholesterol Reference Method Laboratory Network. <i>Clinica Chimica Acta</i> , 2015, 445, 127-132.	0.5	21
290	Multivitamin Use and Risk of Stroke Mortality. <i>Stroke</i> , 2015, 46, 1167-1172.	1.0	10
291	Relationship between sleep duration and cause-specific mortality in diabetic men and women based on self-reports. <i>Sleep and Biological Rhythms</i> , 2015, 13, 85-93.	0.5	4
292	Alcohol and Sleep-Disordered Breathing. , 2015, , 349-352.		0
293	VZV skin-test reaction, but not antibody, is an important predictive factor for postherpetic neuralgia. <i>Journal of Dermatological Science</i> , 2015, 79, 235-240.	1.0	22
294	Prognostic impact of supraventricular premature complexes in community-based health checkups: The Ibaraki Prefectural Health Study. <i>European Heart Journal</i> , 2015, 36, 170-178.	1.0	54
295	Neighborhood contextual factors for smoking among middle-aged Japanese: A multilevel analysis. <i>Health and Place</i> , 2015, 31, 17-23.	1.5	15
296	HDL cholesterol performance using an ultracentrifugation reference measurement procedure and the designated comparison method. <i>Clinica Chimica Acta</i> , 2015, 439, 185-190.	0.5	13
297	Lifestyles and biomarkers as risk and beneficial factors of stroke in the Circulatory Risk in Communities Study. <i>Nosotchu</i> , 2015, 37, 367-373.	0.0	0
298	Profile of non-communicable disease risk factors among adults in the Republic of Palau: findings of a national STEPS survey. <i>Nagoya Journal of Medical Science</i> , 2015, 77, 609-19.	0.6	11
299	Relationship between the Ankle-Brachial Index and the Risk of Coronary Heart Disease and Stroke: The Circulatory Risk in Communities Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2014, 21, 1283-1289.	0.9	14
300	Utility of the Triglyceride Level for Predicting Incident Diabetes Mellitus According to the Fasting Status and Body Mass Index Category: The Ibaraki Prefectural Health Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2014, 21, 1152-1169.	0.9	16
301	Response to Letter Regarding Article, â€œSocioeconomic Status Inconsistency and Risk of Stroke Among Japanese Middle-Aged Womenâ€“, <i>Stroke</i> , 2014, 45, e307.	1.0	0
302	Overview of the Role of Antioxidant Vitamins as Protection Against Cardiovascular Disease. , 2014, , 213-224.		2
303	C-reactive protein levels and risk of disabling dementia with and without stroke in Japanese: The Circulatory Risk in Communities Study (CIRCS). <i>Atherosclerosis</i> , 2014, 236, 438-443.	0.4	11
304	Death by Suicide and Other Externally Caused Injuries After Stroke in Japan (1990â€“2010). <i>Psychosomatic Medicine</i> , 2014, 76, 452-459.	1.3	28
305	Social Network, Social Support, and Risk of Incident Stroke. <i>Stroke</i> , 2014, 45, 2868-2873.	1.0	62
306	Socioeconomic Status Inconsistency and Risk of Stroke Among Japanese Middle-Aged Women. <i>Stroke</i> , 2014, 45, 2592-2598.	1.0	22

#	ARTICLE	IF	CITATIONS
307	Menopausal Status in Relation to Cardiovascular Stress Reactivity in Healthy Japanese Participants. <i>Psychosomatic Medicine</i> , 2014, 76, 701-708.	1.3	11
308	An association between central aortic pressure and subclinical organ damage of the heart among a general Japanese cohort: Circulatory Risk in Communities Study (CIRCS). <i>Atherosclerosis</i> , 2014, 232, 94-98.	0.4	9
309	Is the association between healthy lifestyle behaviors and cardiovascular mortality modified by overweight status? The Japan Collaborative Cohort Study. <i>Preventive Medicine</i> , 2014, 62, 142-147.	1.6	7
310	Association between <i>Chlamydomphila pneumoniae</i> infection and risk of coronary heart disease for Japanese: The JPHC study. <i>Atherosclerosis</i> , 2014, 233, 338-342.	0.4	23
311	LDL cholesterol performance of beta quantification reference measurement procedure. <i>Clinica Chimica Acta</i> , 2014, 431, 288-293.	0.5	19
312	Adult Height and Body Mass Index in Relation to Risk of Total Stroke and its Subtypes: The Circulatory Risk in Communities Study. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2014, 23, 667-674.	0.7	29
313	Serum coenzyme Q10 and risk of disabling dementia: The Circulatory Risk in Communities Study (CIRCS). <i>Atherosclerosis</i> , 2014, 237, 400-403.	0.4	34
314	Fasting and non-fasting triglycerides and risk of ischemic cardiovascular disease in Japanese men and women: The Circulatory Risk in Communities Study (CIRCS). <i>Atherosclerosis</i> , 2014, 237, 361-368.	0.4	83
315	Rice consumption is not associated with risk of cardiovascular disease morbidity or mortality in Japanese men and women: a large population-based, prospective cohort study. <i>American Journal of Clinical Nutrition</i> , 2014, 100, 199-207.	2.2	40
316	Influence of Municipal- and Individual-level Socioeconomic Conditions on Mortality in Japan. <i>International Journal of Behavioral Medicine</i> , 2014, 21, 737-749.	0.8	13
317	Dietary intakes of fat and total mortality among Japanese populations with a low fat intake: the Japan Collaborative Cohort (JACC) Study. <i>Nutrition and Metabolism</i> , 2014, 11, 12.	1.3	29
318	The Dose-Response Relationship Between Body Mass Index and the Risk of Incident Stage $\geq 3$ Chronic Kidney Disease in a General Japanese Population: The Ibaraki Prefectural Health Study (IPHS). <i>Journal of Epidemiology</i> , 2014, 24, 444-451.	1.1	62
319	Cohort Profile: The Fangshan Cohort Study of Cardiovascular Epidemiology in Beijing, China. <i>Journal of Epidemiology</i> , 2014, 24, 84-93.	1.1	9
320	Descriptive Epidemiology of Diabetes Prevalence and HbA1c Distributions Based on a Self-Reported Questionnaire and a Health Checkup in the JPHC Diabetes Study. <i>Journal of Epidemiology</i> , 2014, 24, 460-468.	1.1	14
321	Association Between Weight Change Since 20 Years of Age With Mortality From Myocardial Infarction and Chronic Heart Failure in the Japan Collaborative Cohort (JACC) Study. <i>Circulation Journal</i> , 2014, 78, 649-655.	0.7	13
322	Heavy Alcohol Consumption and Risk of Atrial Fibrillation. <i>Circulation Journal</i> , 2014, 78, 955-961.	0.7	39
323	Associations of All-Cause Mortality with Census-Based Neighbourhood Deprivation and Population Density in Japan: A Multilevel Survival Analysis. <i>PLoS ONE</i> , 2014, 9, e97802.	1.1	65
324	Effects of a laughter and exercise program on physiological and psychological health among community-dwelling elderly in Japan: Randomized controlled trial. <i>Geriatrics and Gerontology International</i> , 2013, 13, 152-160.	0.7	50

#	ARTICLE	IF	CITATIONS
325	Prospective cohort study on television viewing time and incidence of lung cancer: findings from the Japan Collaborative Cohort Study. <i>Cancer Causes and Control</i> , 2013, 24, 1547-1553.	0.8	14
326	Alkaline Phosphatase and Risk of Stroke Among Japanese: The Circulatory Risk in Communities Study (CIRCS). <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2013, 22, 1046-1055.	0.7	36
327	An inverse correlation of VZV skin-test reaction, but not antibody, with severity of herpes zoster skin symptoms and zoster-associated pain. <i>Journal of Dermatological Science</i> , 2013, 69, 243-249.	1.0	38
328	Duration of cigarette smoking is a risk factor for oropharyngeal cancer mortality among Japanese men and women: the Ibaraki Prefectural Health Study (IPHS). <i>Annals of Epidemiology</i> , 2013, 23, 546-550.	0.9	5
329	Total and high molecular weight adiponectin levels and risk of cardiovascular disease in individuals with high blood glucose levels. <i>Atherosclerosis</i> , 2013, 229, 222-227.	0.4	21
330	Soft drink, 100% fruit juice, and vegetable juice intakes and risk of diabetes mellitus. <i>Clinical Nutrition</i> , 2013, 32, 300-308.	2.3	98
331	The combination of <i>Helicobacter pylori</i> - and cytotoxin-associated gene-A seropositivity in relation to the risk of myocardial infarction in middle-aged Japanese: The Japan Public Health Center-based study. <i>Atherosclerosis</i> , 2013, 230, 67-72.	0.4	33
332	Social support and cancer incidence and mortality: the JPHC study cohort II. <i>Cancer Causes and Control</i> , 2013, 24, 847-860.	0.8	68
333	Impact of specialization in gynecology and obstetrics departments on pregnant women's choice of maternity institutions. <i>Health Economics Review</i> , 2013, 3, 31.	0.8	0
334	The Impact of Green Tea and Coffee Consumption on the Reduced Risk of Stroke Incidence in Japanese Population. <i>Stroke</i> , 2013, 44, 1369-1374.	1.0	123
335	Development of a Point-based Prediction Model for the Incidence of Total Stroke. <i>Stroke</i> , 2013, 44, 1295-1302.	1.0	44
336	High-density Lipoprotein Subclasses and Risk of Stroke and its Subtypes in Japanese Population. <i>Stroke</i> , 2013, 44, 327-333.	1.0	47
337	Dietary intake of saturated fatty acids and incident stroke and coronary heart disease in Japanese communities: the JPHC Study. <i>European Heart Journal</i> , 2013, 34, 1225-1232.	1.0	66
338	Association between dietary behavior and risk of hypertension among Japanese male workers. <i>Hypertension Research</i> , 2013, 36, 374-380.	1.5	16
339	Relationship Between Cold Temperature and Cardiovascular Mortality, With Assessment of Effect Modification by Individual Characteristics. <i>Circulation Journal</i> , 2013, 77, 1854-1861.	0.7	43
340	Cardiovascular Disease Epidemiology in Asia. <i>Circulation Journal</i> , 2013, 77, 1646-1652.	0.7	217
341	Low Serum LDL Cholesterol Levels Are Associated with Elevated Mortality from Liver Cancer in Japan: the Ibaraki Prefectural Health Study. <i>Tohoku Journal of Experimental Medicine</i> , 2013, 229, 203-211.	0.5	23
342	Cohort Profile of the Japan Collaborative Cohort Study at Final Follow-up. <i>Journal of Epidemiology</i> , 2013, 23, 227-232.	1.1	134

#	ARTICLE	IF	CITATIONS
343	Body Mass Index and Weight Change During Adulthood Are Associated With Increased Mortality From Liver Cancer: The JACC Study. <i>Journal of Epidemiology</i> , 2013, 23, 219-226.	1.1	13
344	Long-Term Exposure to Particulate Matter in Relation to Mortality and Incidence of Cardiovascular Disease: The JPHC Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2013, 20, 296-309.	0.9	29
345	Relation Between Serum Total Cholesterol Level and Cardiovascular Disease Stratified by Sex and Age Group: A Pooled Analysis of 65,594 Individuals From 10 Cohort Studies in Japan. <i>Journal of the American Heart Association</i> , 2012, 1, e001974.	1.6	84
346	Adult Mortality Attributable to Preventable Risk Factors for Non-Communicable Diseases and Injuries in Japan: A Comparative Risk Assessment. <i>PLoS Medicine</i> , 2012, 9, e1001160.	3.9	196
347	Healthy lifestyle behaviours and cardiovascular mortality among Japanese men and women: the Japan collaborative cohort study. <i>European Heart Journal</i> , 2012, 33, 467-477.	1.0	88
348	Cost-effectiveness and budget impact analyses of a long-term hypertension detection and control program for stroke prevention. <i>Journal of Hypertension</i> , 2012, 30, 1874-1879.	0.3	15
349	Associations of Anger, Anxiety, and Depressive Symptoms With Carotid Arterial Wall Thickness. <i>Psychosomatic Medicine</i> , 2012, 74, 517-525.	1.3	30
350	Impact of obesity on incident hypertension independent of weight gain among nonhypertensive Japanese. <i>Journal of Hypertension</i> , 2012, 30, 1122-1128.	0.3	29
351	Self-Reported Snoring Frequency and Incidence of Cardiovascular Disease: The Circulatory Risk in Communities Study (CIRCS). <i>Journal of Epidemiology</i> , 2012, 22, 295-301.	1.1	27
352	Effectiveness of the Combined Approach for Assessing Social Gradients in Stroke Risk Among Married Women in Japan. <i>Journal of Epidemiology</i> , 2012, 22, 324-330.	1.1	6
353	The Shozu Herpes Zoster (SHEZ) Study: Rationale, Design, and Description of a Prospective Cohort Study. <i>Journal of Epidemiology</i> , 2012, 22, 167-174.	1.1	21
354	Message from the New Editor-in-Chief. <i>Journal of Epidemiology</i> , 2012, 22, 1.	1.1	0
355	Parental History and Lifestyle Behaviors in Relation to Mortality From Stroke Among Japanese Men and Women: The Japan Collaborative Cohort Study. <i>Journal of Epidemiology</i> , 2012, 22, 331-339.	1.1	13
356	Relation of Serum $\alpha$ - and $\gamma$ -Tocopherol Levels to Cardiovascular Disease-Related Mortality Among Japanese Men and Women. <i>Journal of Epidemiology</i> , 2012, 22, 402-410.	1.1	31
357	Associations of Dietary Iron Intake With Mortality From Cardiovascular Disease: The JACC Study. <i>Journal of Epidemiology</i> , 2012, 22, 484-493.	1.1	37
358	Social Epidemiology and Eastern Wisdom. <i>Journal of Epidemiology</i> , 2012, 22, 291-294.	1.1	5
359	Dietary Reference Intakes for Japanese 2010: Fat. <i>Journal of Nutritional Science and Vitaminology</i> , 2012, 59, S44-S52.	0.2	4
360	Soft drink intake in relation to incident ischemic heart disease, stroke, and stroke subtypes in Japanese men and women: the Japan Public Health Centre-based study cohort I. <i>American Journal of Clinical Nutrition</i> , 2012, 96, 1390-1397.	2.2	88

#	ARTICLE	IF	CITATIONS
361	Non-fasting blood glucose and risk of incident coronary heart disease in middle-aged general population: The Circulatory Risk in Communities Study (CIRCS). Preventive Medicine, 2012, 55, 603-607.	1.6	22
362	High serum total cholesterol levels is a risk factor of ischemic stroke for general Japanese population: The JPHC study. Atherosclerosis, 2012, 221, 565-569.	0.4	58
363	Associations of dietary magnesium intake with mortality from cardiovascular disease: The JACC study. Atherosclerosis, 2012, 221, 587-595.	0.4	129
364	Cellular growth factors in relation to mortality from cardiovascular disease in middle-aged Japanese: The JACC study. Atherosclerosis, 2012, 224, 154-160.	0.4	13
365	Smoking cessation and COPD mortality among Japanese men and women: The JACC study. Preventive Medicine, 2012, 55, 639-643.	1.6	16
366	A community-based survey of varicella-zoster virus-specific immune responses in the elderly. Journal of Clinical Virology, 2012, 55, 46-50.	1.6	33
367	Prediagnostic Plasma Antibody Levels to Periodontopathic Bacteria and Risk of Coronary Heart Disease. International Heart Journal, 2012, 53, 209-214.	0.5	26
368	The Impact of C-Reactive Protein on Risk of Stroke, Stroke Subtypes, and Ischemic Heart Disease in Middle-Aged Japanese: the Japan Public Health Center-Based Study. Journal of Atherosclerosis and Thrombosis, 2012, 19, .	0.9	27
369	Geographically-based discrimination is a social determinant of mental health in a deprived or stigmatized area in Japan: A cross-sectional study. Social Science and Medicine, 2012, 75, 1015-1021.	1.8	26
370	Salt preference and mortality from stroke and coronary heart disease for Japanese men and women: The JACC study. Preventive Medicine, 2012, 54, 32-37.	1.6	26
371	CHAPTER 42. Function and Effects of Pyridoxine (Vitamin B6): An Epidemiological Review of Evidence. Food and Nutritional Components in Focus, 2012, , 699-715.	0.1	0
372	Usefulness of Skinfold Thickness Measurements for Determining Body Fat Distribution and Disease Risk for Japanese Men and Women. , 2012, , 2667-2678.		2
373	The impact of C-reactive protein on risk of stroke, stroke subtypes, and ischemic heart disease in middle-aged Japanese: the Japan public health center-based study. Journal of Atherosclerosis and Thrombosis, 2012, 19, 756-66.	0.9	33
374	Diabetes Mellitus and Risk of Stroke and Its Subtypes Among Japanese. Stroke, 2011, 42, 2611-2614.	1.0	72
375	Interest in health screening as a predictor of long-term overall mortality: Multilevel analysis of a Japanese national cohort study. Preventive Medicine, 2011, 52, 78-83.	1.6	3
376	Low-density lipoprotein cholesterol and risk of coronary heart disease among Japanese men and women: The Circulatory Risk in Communities Study (CIRCS). Preventive Medicine, 2011, 52, 381-386.	1.6	79
377	Associations between alcohol consumption and sleep-disordered breathing among Japanese women. Respiratory Medicine, 2011, 105, 796-800.	1.3	9
378	Diabetes and the risk of coronary heart disease in the general Japanese population: The Japan Public Health Center-based prospective (JPHC) study. Atherosclerosis, 2011, 216, 187-191.	0.4	32

#	ARTICLE	IF	CITATIONS
379	C-reactive protein levels and risk of stroke and its subtype in Japanese: The Circulatory Risk in Communities Study (CIRCS). <i>Atherosclerosis</i> , 2011, 217, 187-193.	0.4	35
380	What has made the population of Japan healthy?. <i>Lancet</i> , The, 2011, 378, 1094-1105.	6.3	381
381	Associations of Psychological Distress with Metabolic Syndrome Among Japanese Urban Residents. <i>Journal of Atherosclerosis and Thrombosis</i> , 2011, 18, 396-402.	0.9	30
382	Lifestyle and Cardiovascular Disease in Japan. <i>Journal of Atherosclerosis and Thrombosis</i> , 2011, 18, 83-88.	0.9	131
383	Association between Non-High-Density Lipoprotein Cholesterol Levels and the Incidence of Coronary Heart Disease among Japanese: The Circulatory Risk in Communities Study (CIRCS). <i>Journal of Atherosclerosis and Thrombosis</i> , 2011, 18, 454-463.	0.9	46
384	Pulse pressure is an independent risk factor for stroke among middle-aged Japanese with normal systolic blood pressure: the JPHC study. <i>Journal of Hypertension</i> , 2011, 29, 319-324.	0.3	34
385	Carotid Artery Wall Thickness and Risk of Stroke Subtypes. <i>Stroke</i> , 2011, 42, 397-403.	1.0	44
386	Message from the New Editor-in-Chief. <i>Journal of Epidemiology</i> , 2011, 21, 1.	1.1	3
387	Adult height and the risk of cardiovascular disease among middle aged men and women in Japan. <i>European Journal of Epidemiology</i> , 2011, 26, 13-21.	2.5	48
388	Effect of coffee consumption on all-cause and total cancer mortality: findings from the JACC study. <i>European Journal of Epidemiology</i> , 2011, 26, 285-293.	2.5	55
389	Risk factors for snoring among Japanese men and women: a community-based cross-sectional study. <i>Sleep and Breathing</i> , 2011, 15, 63-69.	0.9	33
390	A Japanese health success story: trends in cardiovascular diseases, their risk factors, and the contribution of public health and personalized approaches. <i>EPMA Journal</i> , 2011, 2, 49-57.	3.3	34
391	Adiposity and risk of cardiovascular diseases in Japan: secular trend, individual level associations and causal pathway – implications for the prevention of cardiovascular diseases in societies with rapid economic development. <i>EPMA Journal</i> , 2011, 2, 65-73.	3.3	15
392	Promoting predictive, preventive and personalized medicine in treatment of cardiovascular diseases. <i>EPMA Journal</i> , 2011, 2, 1-4.	3.3	8
393	Tuberculosis infection among homeless persons and caregivers in a high-tuberculosis-prevalence area in Japan: a cross-sectional study. <i>BMC Infectious Diseases</i> , 2011, 11, 22.	1.3	26
394	A prospective cohort study of neighborhood stress and ischemic heart disease in Japan: a multilevel analysis using the JACC study data. <i>BMC Public Health</i> , 2011, 11, 398.	1.2	9
395	Rice Intake Is Associated with Reduced Risk of Mortality from Cardiovascular Disease in Japanese Men but Not Women <sup>1&amp;#x2013;3</sup> . <i>Journal of Nutrition</i> , 2011, 141, 595-602.	1.3	58
396	Mild Retinopathy Is a Risk Factor for Cardiovascular Mortality in Japanese With and Without Hypertension. <i>Circulation</i> , 2011, 124, 2502-2511.	1.6	89

#	ARTICLE	IF	CITATIONS
397	Chronic Kidney Disease and Drinking Status in Relation to Risks of Stroke and Its Subtypes. <i>Stroke</i> , 2011, 42, 2531-2537.	1.0	53
398	Dietary Intakes of Antioxidant Vitamins and Mortality From Cardiovascular Disease. <i>Stroke</i> , 2011, 42, 1665-1672.	1.0	70
399	Reply to Dr. Rouhani et al.. <i>Journal of Nutrition</i> , 2011, 141, 1919.	1.3	2
400	Long-term exposure to elevated blood pressure and mortality from cardiovascular disease in a Japanese population: the Ibaraki Prefectural Health Study. <i>Hypertension Research</i> , 2011, 34, 139-144.	1.5	15
401	Coffee, green tea, black tea and oolong tea consumption and risk of mortality from cardiovascular disease in Japanese men and women. <i>Journal of Epidemiology and Community Health</i> , 2011, 65, 230-240.	2.0	186
402	Risk Stratification Based on Metabolic Syndrome as well as Non- Metabolic Risk Factors in the Assessment of Carotid Atherosclerosis. <i>Journal of Atherosclerosis and Thrombosis</i> , 2011, 18, 504-512.	0.9	6
403	The Prevalence and over 20 Years Long Term Prognosis of the Brugada-Type Electrocardiogram: From the Circulatory Risk in Communities Study (CIRCS). <i>Journal of Arrhythmia</i> , 2011, 27, OP67_3.	0.5	0
404	Serum Total and Non-High-Density Lipoprotein Cholesterol and the Risk Prediction of Cardiovascular Events - The JALS-ECC -. <i>Circulation Journal</i> , 2010, 74, 1346-1356.	0.7	85
405	Reproducibility of 24-hour dietary recall for vitamin intakes by middle-aged Japanese men and women. <i>Journal of Nutrition, Health and Aging</i> , 2010, 14, 196-200.	1.5	5
406	Incidence and survival trends for childhood cancer in Osaka, Japan, 1973â€“2001. <i>Cancer Science</i> , 2010, 101, 787-792.	1.7	25
407	Ten-year evaluation of homogeneous low-density lipoprotein cholesterol methods developed by Japanese manufacturers. <i>Journal of Atherosclerosis and Thrombosis</i> , 2010, 17, 1275-1281.	0.9	9
408	Nocturnal Intermittent Hypoxia and Metabolic Syndrome; the Effect of being Overweight: the CIRCS Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2010, 17, 369-377.	0.9	25
409	Association between Non-High-Density Lipoprotein Cholesterol Concentrations and Mortality from Coronary Heart Disease Among Japanese Men and Women: The Ibaraki Prefectural Health Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2010, 17, 30-36.	0.9	29
410	Prediction of Myocardial Infarction Using Coronary Risk Scores Among Japanese Male Workers: 3M Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2010, 17, 452-459.	0.9	8
411	Magnesium Intake and Risk of Self-Reported Type 2 Diabetes among Japanese. <i>Journal of the American College of Nutrition</i> , 2010, 29, 99-106.	1.1	43
412	Dietary Fiber Intake Is Associated with Reduced Risk of Mortality from Cardiovascular Disease among Japanese Men and Women , ,. <i>Journal of Nutrition</i> , 2010, 140, 1445-1453.	1.3	119
413	Dietary intake of saturated fatty acids and mortality from cardiovascular disease in Japanese: the Japan Collaborative Cohort Study for Evaluation of Cancer Risk (JACC) Study. <i>American Journal of Clinical Nutrition</i> , 2010, 92, 759-765.	2.2	87
414	Body Mass Index and Risk of Stroke and Myocardial Infarction in a Relatively Lean Population. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2010, 3, 498-505.	0.9	62

#	ARTICLE	IF	CITATIONS
415	Consumption of sodium and salted foods in relation to cancer and cardiovascular disease: the Japan Public Health Center-based Prospective Study. <i>American Journal of Clinical Nutrition</i> , 2010, 91, 456-464.	2.2	100
416	Dietary Folate and Vitamin B <sub>6</sub> and B <sub>12</sub> Intake in Relation to Mortality From Cardiovascular Diseases. <i>Stroke</i> , 2010, 41, 1285-1289.	1.0	102
417	The effects of smoking and smoking cessation on mortality from cardiovascular disease among Japanese: pooled analysis of three large-scale cohort studies in Japan. <i>Tobacco Control</i> , 2010, 19, 50-57.	1.8	76
418	Smoking Cessation: Predictive Factors Among Middle-Aged Japanese. <i>Nicotine and Tobacco Research</i> , 2010, 12, 1050-1054.	1.4	35
419	Î³-Glutamyltranspeptidase and Incident Stroke Among Japanese Men and Women. <i>Stroke</i> , 2010, 41, 385-388.	1.0	40
420	Physician-Pharmacist Cooperation Program for Blood Pressure Control in Patients With Hypertension: A Randomized-Controlled Trial. <i>American Journal of Hypertension</i> , 2010, 23, 1144-1152.	1.0	44
421	Relationship Between Obesity and Incident Diabetes in Middle-Aged and Older Japanese Adults: The Ibaraki Prefectural Health Study. <i>Mayo Clinic Proceedings</i> , 2010, 85, 36-40.	1.4	31
422	Incidence of metabolic syndrome according to combinations of lifestyle factors among middle-aged Japanese male workers. <i>Preventive Medicine</i> , 2010, 51, 118-122.	1.6	35
423	Serum vitamin C concentration and hs-CRP level in middle-aged Japanese men and women. <i>Atherosclerosis</i> , 2010, 208, 496-500.	0.4	27
424	Validity of brief food frequency questionnaire for estimation of dietary intakes of folate, vitamins B6 and B12, and their associations with plasma homocysteine concentrations. <i>International Journal of Food Sciences and Nutrition</i> , 2010, 61, 61-67.	1.3	12
425	<i>Chlamydia pneumoniae</i> Infection was Associated with Risk of Mortality from Coronary Heart Disease in Japanese Women but not Men: the JACC Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2010, 17, 510-516.	0.9	6
426	The Association between Concentrations of Green Tea and Blood Glucose Levels. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2009, 44, 41-45.	0.6	25
427	Fruit, vegetable and bean intake and mortality from cardiovascular disease among Japanese men and women: the JACC Study. <i>British Journal of Nutrition</i> , 2009, 102, 285-292.	1.2	132
428	Effects of Habitual Alcohol Intake on Ambulatory Blood Pressure, Heart Rate, and Its Variability Among Japanese Men. <i>Hypertension</i> , 2009, 53, 13-19.	1.3	97
429	Blood Pressure and the Risk of Stroke, Cardiovascular Disease, and All-Cause Mortality Among Japanese: The JPHC Study. <i>American Journal of Hypertension</i> , 2009, 22, 273-280.	1.0	105
430	Serum and Dietary Magnesium and Risk of Ischemic Stroke: The Atherosclerosis Risk in Communities Study. <i>American Journal of Epidemiology</i> , 2009, 169, 1437-1444.	1.6	118
431	Perceived Level of Life Enjoyment and Risks of Cardiovascular Disease Incidence and Mortality. <i>Circulation</i> , 2009, 120, 956-963.	1.6	72
432	Letter by Noda and Iso Regarding Article, "Low-Density Lipoprotein Cholesterol Concentrations and Death Due to Intraparenchymal Hemorrhage: The Ibaraki Prefectural Health Study". <i>Circulation</i> , 2009, 120, e280; author reply e281.	1.6	1

#	ARTICLE	IF	CITATIONS
433	Influenza (H1N1) 2009 Outbreak and School Closure, Osaka Prefecture, Japan. <i>Emerging Infectious Diseases</i> , 2009, 15, 1685-1685.	2.0	46
434	The impact of the metabolic syndrome and its components on the incidence of ischemic heart disease and stroke: the Japan public health center-based study. <i>Hypertension Research</i> , 2009, 32, 289-298.	1.5	100
435	Relations between protein intake and blood pressure in Japanese men and women: the Circulatory Risk in Communities Study (CIRCS). <i>American Journal of Clinical Nutrition</i> , 2009, 90, 377-384.	2.2	52
436	Serum cholesterol levels in relation to the incidence of cancer: The JPHC study cohorts. <i>International Journal of Cancer</i> , 2009, 125, 2679-2686.	2.3	118
437	Alcohol Consumption, Social Support, and Risk of Stroke and Coronary Heart Disease Among Japanese Men: The JPHC Study. <i>Alcoholism: Clinical and Experimental Research</i> , 2009, 33, 1025-1032.	1.4	35
438	Projecting the probability of survival free from cancer and cardiovascular incidence through lifestyle modification in Japan. <i>Preventive Medicine</i> , 2009, 48, 128-133.	1.6	8
439	Self-reported stroke and myocardial infarction had adequate sensitivity in a population-based prospective study JPHC (Japan Public Health Center)-based Prospective Study. <i>Journal of Clinical Epidemiology</i> , 2009, 62, 667-673.	2.4	47
440	Low-Density Lipoprotein Cholesterol Concentrations and Death Due to Intraparenchymal Hemorrhage. <i>Circulation</i> , 2009, 119, 2136-2145.	1.6	144
441	The reproducibility of 24-h dietary recall for estimating mineral intakes and their food sources among middle-aged Japanese men and women. <i>International Journal of Food Sciences and Nutrition</i> , 2009, 60, 30-40.	1.3	2
442	Prognostic value of plasma high-sensitivity C-reactive protein levels in Japanese patients with stable coronary artery disease: The Japan NCVC-Collaborative Inflammation Cohort (JNIC) Study. <i>Atherosclerosis</i> , 2009, 207, 272-276.	0.4	51
443	C-reactive protein levels and risk of mortality from cardiovascular disease in Japanese: The JACC Study. <i>Atherosclerosis</i> , 2009, 207, 291-297.	0.4	63
444	Impact of metabolic factors on subsequent cancer risk: results from a large-scale population-based cohort study in Japan. <i>European Journal of Cancer Prevention</i> , 2009, 18, 240-247.	0.6	131
445	Trends for Blood Pressure and Its Contribution to Stroke Incidence in the Middle-Aged Japanese Population. <i>Stroke</i> , 2009, 40, 1571-1577.	1.0	104
446	Metabolic Syndrome and All-Cause and Cardiovascular Disease Mortality Japan Public Health Center-Based Prospective (JPHC) Study. <i>Circulation Journal</i> , 2009, 73, 878-884.	0.7	75
447	Associations Between Metabolic Syndrome and Mortality From Cardiovascular Disease in Japanese General Population, Findings on Overweight and Non-Overweight Individuals Ibaraki Prefectural Health Study. <i>Circulation Journal</i> , 2009, 73, 1635-1642.	0.7	39
448	Association of Sleep Duration with Mortality from Cardiovascular Disease and Other Causes for Japanese Men and Women: the JACC Study. <i>Sleep</i> , 2009, 32, 295-301.	0.6	311
449	Body Mass Index and Serum Î³-glutamyltransferase Level as Risk Factors for Injuries Related to Professional Horse Racing: A Prospective Study. <i>Journal of Occupational Health</i> , 2009, 51, 323-331.	1.0	4
450	Measurement Performance of Reagent Manufacturers by Centers for Disease Control and Prevention/Cholesterol Reference Method Laboratory Network Lipid Standardization Specified for Metabolic Syndrome-Focused Health Checkups Program in Japan. <i>Journal of Atherosclerosis and Thrombosis</i> , 2009, 16, 756-763.	0.9	15

#	ARTICLE	IF	CITATIONS
451	Relationship of Urinary cGMP Excretion with Aging and Menopausal Status in a General Population. <i>Journal of Atherosclerosis and Thrombosis</i> , 2009, 16, 457-462.	0.9	8
452	Relationships of Soluble E-Selectin and High-Sensitivity C-Reactive Protein with Carotid Atherosclerosis in Japanese Men. <i>Journal of Atherosclerosis and Thrombosis</i> , 2009, 16, 339-345.	0.9	13
453	Serum total homocysteine concentrations and risk of mortality from stroke and coronary heart disease in Japanese: The JACC study. <i>Atherosclerosis</i> , 2008, 198, 412-418.	0.4	50
454	Age- and Gender-specific BMI in Terms of the Lowest Mortality in Japanese General Population. <i>Obesity</i> , 2008, 16, 2348-2355.	1.5	47
455	Trends in the Incidence of Coronary Heart Disease and Stroke and Their Risk Factors in Japan, 1964 to 2003. <i>Journal of the American College of Cardiology</i> , 2008, 52, 71-79.	1.2	152
456	Fish, $\omega$ -3 Polyunsaturated Fatty Acids, and Mortality From Cardiovascular Diseases in a Nationwide Community-Based Cohort of Japanese Men and Women. <i>Journal of the American College of Cardiology</i> , 2008, 52, 988-996.	1.2	251
457	Daily Total Physical Activity Level and Premature Death in Men and Women: Results From a Large-Scale Population-Based Cohort Study in Japan (JPHC Study). <i>Annals of Epidemiology</i> , 2008, 18, 522-530.	0.9	147
458	Cigarette Smoking and Risk of Disabling Dementia in a Japanese Rural Community: A Nested Case-Control Study. <i>Cerebrovascular Diseases</i> , 2008, 25, 324-331.	0.8	53
459	Intake of Folate, Vitamin B <sub>6</sub> and Vitamin B <sub>12</sub> and the Risk of CHD: The Japan Public Health Center-Based Prospective Study Cohort I. <i>Journal of the American College of Nutrition</i> , 2008, 27, 127-136.	1.1	53
460	Social Support and Stroke and Coronary Heart Disease. <i>Stroke</i> , 2008, 39, 768-775.	1.0	73
461	Alcohol Consumption and Mortality From Stroke and Coronary Heart Disease Among Japanese Men and Women. <i>Stroke</i> , 2008, 39, 2936-2942.	1.0	112
462	Type A behaviour and risk of coronary heart disease: The JPHC Study. <i>International Journal of Epidemiology</i> , 2008, 37, 1395-1405.	0.9	40
463	Caregiver Burden for Impaired Elderly Japanese with Prevalent Stroke and Dementia under Long-Term Care Insurance System. <i>Cerebrovascular Diseases</i> , 2008, 25, 234-240.	0.8	30
464	Underweight as a Predictor of Diabetes in Older Adults. <i>Diabetes Care</i> , 2008, 31, 583-584.	4.3	68
465	Changes in Coronary Heart Disease Risk Among Japanese. <i>Circulation</i> , 2008, 118, 2725-2729.	1.6	89
466	Metabolic Syndrome and the Risk of Ischemic Heart Disease and Stroke among Middle-Aged Japanese. <i>Hypertension Research</i> , 2008, 31, 1887-1894.	1.5	42
467	Associations of Sleep-Disordered Breathing with Excessive Daytime Sleepiness and Blood Pressure in Japanese Women. <i>Hypertension Research</i> , 2008, 31, 501-506.	1.5	28
468	Body Fat Distribution and the Risk of Hypertension and Diabetes among Japanese Men and Women. <i>Hypertension Research</i> , 2008, 31, 851-857.	1.5	47

#	ARTICLE	IF	CITATIONS
469	Dietary Calcium Intake and Risks of Stroke, Its Subtypes, and Coronary Heart Disease in Japanese. <i>Stroke</i> , 2008, 39, 2449-2456.	1.0	103
470	Education, Social Roles, and the Risk of Cardiovascular Disease Among Middle-Aged Japanese Women. <i>Stroke</i> , 2008, 39, 2886-2890.	1.0	32
471	Education in relation to incidence of and mortality from cancer and cardiovascular disease in Japan. <i>European Journal of Public Health</i> , 2008, 18, 466-472.	0.1	29
472	Age-Period-Cohort Analysis of Mortality due to Ischemic Heart Disease in Japan, 1955 to 2000. <i>Circulation Journal</i> , 2008, 72, 966-972.	0.7	28
473	The joint impact on being overweight of self reported behaviours of eating quickly and eating until full : cross sectional survey. <i>BMJ: British Medical Journal</i> , 2008, 337, a2002-a2002.	2.4	196
474	Relations between dietary sodium and potassium intakes and mortality from cardiovascular disease: the Japan Collaborative Cohort Study for Evaluation of Cancer Risks. <i>American Journal of Clinical Nutrition</i> , 2008, 88, 195-202.	2.2	162
475	Associations between Cardiovascular Risk Factors and Carotid Atherosclerosis in Middle-aged Japanese Men with Multiple Risk Factors. <i>Industrial Health</i> , 2008, 46, 607-612.	0.4	0
476	Association of Dietary Intake of Soy, Beans, and Isoflavones With Risk of Cerebral and Myocardial Infarctions in Japanese Populations. <i>Circulation</i> , 2007, 116, 2553-2562.	1.6	247
477	Metabolic Syndrome and the Risk of Ischemic Heart Disease and Stroke Among Japanese Men and Women. <i>Stroke</i> , 2007, 38, 1744-1751.	1.0	184
478	Aldosterone Synthase Gene T-344C Polymorphism, Sodium and Blood Pressure in a Free-Living Population: A Community-Based Study. <i>Hypertension Research</i> , 2007, 30, 497-502.	1.5	5
479	Risk and Protective Factors Related to Mortality from Pneumonia among Middleaged and Elderly Community Residents: The JACC Study. <i>Journal of Epidemiology</i> , 2007, 17, 194-202.	1.1	86
480	A Prospective Cohort Study of Perceived Noise Exposure at Work and Cerebrovascular Diseases among Male Workers in Japan. <i>Journal of Occupational Health</i> , 2007, 49, 382-388.	1.0	17
481	High Sodium Intake Strengthens the Association of ACE I/D Polymorphism with Blood Pressure in a Community. <i>American Journal of Hypertension</i> , 2007, 20, 751-757.	1.0	8
482	Stratified Age-Period-Cohort Analysis of Stroke Mortality in Japan, 1960 to 2000. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2007, 16, 91-102.	0.7	19
483	Metabolic syndrome and urinary cGMP excretion in general population. <i>Atherosclerosis</i> , 2007, 190, 423-428.	0.4	25
484	A low level of C-reactive protein in Japanese adults and its association with cardiovascular risk factors: The Japan NCVC-Collaborative Inflammation Cohort (JNIC) Study. <i>Atherosclerosis</i> , 2007, 194, 238-244.	0.4	51
485	Serum total cholesterol levels and risk of mortality from stroke and coronary heart disease in Japanese: The JACC study. <i>Atherosclerosis</i> , 2007, 194, 415-420.	0.4	86
486	Leukocyte count is an independent predictor for risk of acute myocardial infarction in middle-aged Japanese men. <i>Atherosclerosis</i> , 2007, 195, 147-152.	0.4	24

#	ARTICLE	IF	CITATIONS
487	Alcohol consumption, alcohol-induced flushing and incidence of acute myocardial infarction among middle-aged men in Japan—Japan Public Health Center-based prospective study. <i>Atherosclerosis</i> , 2007, 194, 512-516.	0.4	5
488	Fruit and Vegetable Intake and Risk of Total Cancer and Cardiovascular Disease: Japan Public Health Center-based Prospective Study. <i>American Journal of Epidemiology</i> , 2007, 167, 59-70.	1.6	145
489	Prehospital score for acute disease: a community-based observational study in Japan. <i>BMC Emergency Medicine</i> , 2007, 7, 17.	0.7	3
490	Alcohol Consumption Before Sleep Is Associated With Severity of Sleep-Disordered Breathing Among Professional Japanese Truck Drivers. <i>Alcoholism: Clinical and Experimental Research</i> , 2007, 31, 2053-2058.	1.4	17
491	Estimation of glomerular filtration rate by the MDRD study equation modified for Japanese patients with chronic kidney disease. <i>Clinical and Experimental Nephrology</i> , 2007, 11, 41-50.	0.7	488
492	Nutrition and disease in the Japan Collaborative Cohort Study for Evaluation of Cancer (JACC). <i>Asian Pacific Journal of Cancer Prevention</i> , 2007, 8 Suppl, 35-80.	0.5	43
493	Intake of Fish and n3 Fatty Acids and Risk of Coronary Heart Disease Among Japanese. <i>Circulation</i> , 2006, 113, 195-202.	1.6	496
494	Ankle-arm blood pressure index as a correlate of preclinical carotid atherosclerosis in elderly Japanese men. <i>Atherosclerosis</i> , 2006, 184, 420-424.	0.4	11
495	Sleep-Disordered Breathing and Blood Pressure Levels Among Shift and Day Workers. <i>American Journal of Hypertension</i> , 2006, 19, 346-351.	1.0	14
496	Proportions of Stroke Subtypes Among Men and Women ≥40 Years of Age in an Urban Japanese City in 1992, 1997, and 2002. <i>Stroke</i> , 2006, 37, 1374-1378.	1.0	65
497	Impact of the revision of a nutrient database on the validity of a self-administered food frequency questionnaire (FFQ). <i>Journal of Epidemiology</i> , 2006, 16, 107-116.	1.1	92
498	Relationships of Age at Menarche and Menopause, and Reproductive Year with Mortality from Cardiovascular Disease in Japanese Postmenopausal Women: The JACC Study. <i>Journal of Epidemiology</i> , 2006, 16, 177-184.	1.1	104
499	Egg consumption, serum total cholesterol concentrations and coronary heart disease incidence: Japan Public Health Center-based prospective study. <i>British Journal of Nutrition</i> , 2006, 96, 921-928.	1.2	102
500	The Relationship between Green Tea and Total Caffeine Intake and Risk for Self-Reported Type 2 Diabetes among Japanese Adults. <i>Annals of Internal Medicine</i> , 2006, 144, 554.	2.0	389
501	Relationships between Sleep-Disordered Breathing and Blood Pressure and Excessive Daytime Sleepiness among Truck Drivers. <i>Hypertension Research</i> , 2006, 29, 605-610.	1.5	35
502	Plasma Fibrinogen Concentrations and Risk of Stroke and Its Subtypes Among Japanese Men and Women. <i>Stroke</i> , 2006, 37, 2488-2492.	1.0	19
503	Dietary Intake of Calcium in Relation to Mortality From Cardiovascular Disease. <i>Stroke</i> , 2006, 37, 20-26.	1.0	125
504	Relationship of smoking and smoking cessation with ankle-to-arm blood pressure index in elderly Japanese men. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2006, 13, 243-248.	3.1	22

#	ARTICLE	IF	CITATIONS
505	Cigarette smoking and risk of coronary heart disease incidence among middle-aged Japanese men and women: the JPHC Study Cohort I. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2006, 13, 207-213.	3.1	63
506	A Prospective Cohort Study of Shift Work and Risk of Ischemic Heart Disease in Japanese Male Workers. <i>American Journal of Epidemiology</i> , 2006, 164, 128-135.	1.6	168
507	Green Tea, Coffee, and Diabetes. <i>Annals of Internal Medicine</i> , 2006, 145, 634.	2.0	2
508	Title is missing!. <i>Japanese Journal of Electrocardiology</i> , 2006, 26, 31-38.	0.0	0
509	Randomized Controlled Trial for an Effect of Green Tea Consumption on Insulin Resistance and Inflammation Markers. <i>Journal of Nutritional Science and Vitaminology</i> , 2005, 51, 335-342.	0.2	148
510	Frequency of Food Intake and Estimated Nutrient Intake among Men and Women: The JACC Study.. <i>Journal of Epidemiology</i> , 2005, 15, S24-S42.	1.1	50
511	Trends in Dietary Intake of Folate, Vitamins B6, and B12 among Japanese Adults in Two Rural Communities from 1974 through 2001. <i>Journal of Epidemiology</i> , 2005, 15, 29-37.	1.1	29
512	Profile of the JACC Study. <i>Journal of Epidemiology</i> , 2005, 15, S4-S8.	1.1	137
513	Possible effects of diets on serum lipids, fatty acids and blood pressure levels in male and female Japanese university students. <i>Environmental Health and Preventive Medicine</i> , 2005, 10, 42-47.	1.4	5
514	Age-Specific Relationship between Blood Pressure and the Risk of Total and Cardiovascular Mortality in Japanese Men and Women. <i>Hypertension Research</i> , 2005, 28, 901-909.	1.5	42
515	A Prospective Cohort Study of Employment Status and Mortality from Circulatory Disorders among Japanese Workers. <i>Journal of Occupational Health</i> , 2005, 47, 510-517.	1.0	17
516	Screening for Sleep-Disordered Breathing at Workplaces. <i>Industrial Health</i> , 2005, 43, 53-57.	0.4	19
517	Vascular Dysfunction in Patients with Chronic Arsenosis Can Be Reversed by Reduction of Arsenic Exposure. <i>Environmental Health Perspectives</i> , 2005, 113, 339-341.	2.8	28
518	Smoking Cessation and Mortality from Cardiovascular Disease among Japanese Men and Women: The JACC Study. <i>American Journal of Epidemiology</i> , 2005, 161, 170-179.	1.6	138
519	Body Mass Index and Mortality From Cardiovascular Disease Among Japanese Men and Women. <i>Stroke</i> , 2005, 36, 1377-1382.	1.0	123
520	History of Blood Transfusion before 1990 Is a Risk Factor for Stroke and Cardiovascular Diseases: The Japan Collaborative Cohort Study (JACC Study). <i>Cerebrovascular Diseases</i> , 2005, 20, 164-171.	0.8	13
521	Relationship between urinary cGMP excretion and serum total cholesterol levels in a general population. <i>Atherosclerosis</i> , 2005, 179, 379-386.	0.4	12
522	The relationships between interest for and participation in health screening and risk of mortality: The Japan Collaborative Cohort Study. <i>Preventive Medicine</i> , 2005, 41, 767-771.	1.6	21

#	ARTICLE	IF	CITATIONS
523	Alcohol Consumption and Mortality among Middle-aged and Elderly Japanese Men and Women. <i>Annals of Epidemiology</i> , 2005, 15, 590-597.	0.9	87
524	Validity of a self-administered food frequency questionnaire (FFQ) and its generalizability to the estimation of dietary folate intake in Japan. <i>Nutrition Journal</i> , 2005, 4, 26.	1.5	14
525	Walking and Sports Participation and Mortality From Coronary Heart Disease and Stroke. <i>Journal of the American College of Cardiology</i> , 2005, 46, 1761-1767.	1.2	139
526	Relationship between Sleep-Disordered Breathing and Blood Pressure Levels in Community-Based Samples of Japanese Men. <i>Hypertension Research</i> , 2004, 27, 479-484.	1.5	59
527	High Sodium Intake Strengthens the Association between Angiotensinogen T174M Polymorphism and Blood Pressure Levels among Lean Men and Women: a Community-Based Study. <i>Hypertension Research</i> , 2004, 27, 53-60.	1.5	23
528	Alcohol Consumption and Risk of Stroke Among Middle-Aged Men: The JPHC Study Cohort I. <i>Stroke</i> , 2004, 35, 1124-1129.	1.0	175
529	Carotid Intima-Media Thickness and Plaque Characteristics as a Risk Factor for Stroke in Japanese Elderly Men. <i>Stroke</i> , 2004, 35, 2788-2794.	1.0	262
530	Usual Alcohol Consumption and Arterial Oxygen Desaturation During Sleep. <i>JAMA - Journal of the American Medical Association</i> , 2004, 292, 923-925.	3.8	64
531	Cigarette Smoking and Risk of Stroke and its Subtypes Among Middle-Aged Japanese Men and Women. <i>Stroke</i> , 2004, 35, 1248-1253.	1.0	129
532	Serum Total Homocysteine Concentrations and Risk of Stroke and Its Subtypes in Japanese. <i>Circulation</i> , 2004, 109, 2766-2772.	1.6	133
533	Relationships of Craniofacial Morphology and Body Mass Index with Sleep-Disordered Breathing in Japanese Men. <i>Laryngoscope</i> , 2004, 114, 1838-1842.	1.1	13
534	Nonfasting serum triglycerides and risk of ischemic heart disease among Japanese men and women. <i>International Congress Series</i> , 2004, 1262, 200-202.	0.2	0
535	Alpha-adducin G460W polymorphism, urinary sodium excretion, and blood pressure in community-based samples. <i>American Journal of Hypertension</i> , 2004, 17, 385-390.	1.0	21
536	Urinary cyclic GMP excretion and blood pressure levels in a general population. <i>Atherosclerosis</i> , 2004, 172, 161-166.	0.4	9
537	Prevalence and correlates of carotid atherosclerosis among elderly Japanese men. <i>Atherosclerosis</i> , 2004, 172, 353-359.	0.4	30
538	Association of lymphocyte sub-populations with clustered features of metabolic syndrome in middle-aged Japanese men. <i>Atherosclerosis</i> , 2004, 173, 295-300.	0.4	30
539	Relationships of Differential Leukocyte and Lymphocyte Subpopulations with Carotid Atherosclerosis in Elderly Men. <i>Journal of Clinical Immunology</i> , 2003, 23, 469-476.	2.0	28
540	Fat and Protein Intakes and Risk of Intraparenchymal Hemorrhage among Middle-aged Japanese. <i>American Journal of Epidemiology</i> , 2003, 157, 32-39.	1.6	101

#	ARTICLE	IF	CITATIONS
541	Prospective Study of Major and Minor ST-T Abnormalities and Risk of Stroke Among Japanese. <i>Stroke</i> , 2003, 34, e250-3.	1.0	29
542	Risk Factors for Fatal Subarachnoid Hemorrhage. <i>Stroke</i> , 2003, 34, 2781-2787.	1.0	64
543	Validity of the Self-administered Food Frequency Questionnaire Used in the 5-year Follow-up Survey for the JPHC Study to Assess Folate, Vitamin B6 and B12 Intake: Comparison with Dietary Records and Blood Level. <i>Journal of Epidemiology</i> , 2003, 13, 98-101.	1.1	28
544	Ankle-Arm Blood Pressure Index and Cardiovascular Risk Factors in Elderly Japanese Men. <i>Hypertension Research</i> , 2003, 26, 377-382.	1.5	33
545	Smoking Raises the Risk of Total and Ischemic Strokes in Hypertensive Men.. <i>Hypertension Research</i> , 2003, 26, 209-217.	1.5	61
546	Perceived Mental Stress and Mortality From Cardiovascular Disease Among Japanese Men and Women. <i>Circulation</i> , 2002, 106, 1229-1236.	1.6	237
547	The relation of anger expression with blood pressure levels and hypertension in rural and urban Japanese communities. <i>Journal of Hypertension</i> , 2002, 20, 21-27.	0.3	32
548	Linoleic Acid, Other Fatty Acids, and the Risk of Stroke. <i>Stroke</i> , 2002, 33, 2086-2093.	1.0	205
549	Trends in the incidence of coronary heart disease and stroke and the prevalence of cardiovascular risk factors among Japanese men from 1963 to 1994. <i>American Journal of Medicine</i> , 2002, 112, 104-109.	0.6	100
550	One-year community-based education program for hypercholesterolemia in middle-aged Japanese: a long-term outcome at 8-year follow-up. <i>Atherosclerosis</i> , 2002, 164, 195-202.	0.4	19
551	Effects of serum B vitamins on elevated plasma homocysteine levels associated with the mutation of methylenetetrahydrofolate reductase gene in Japanese. <i>Atherosclerosis</i> , 2002, 164, 321-328.	0.4	48
552	Determinants of platelet aggregation in 50-70-year-old men from three Japanese communities. <i>Atherosclerosis</i> , 2002, 165, 327-334.	0.4	8
553	Association of Low Job Control with a Decrease in Memory(CD4+CD45RO+) T Lymphocytes in Japanese Middle-Aged Male Workers in an Electric Power Plant.. <i>Industrial Health</i> , 2002, 40, 142-148.	0.4	16
554	Prospective Study of Depressive Symptoms and Risk of Stroke Among Japanese. <i>Stroke</i> , 2001, 32, 903-908.	1.0	133
555	Differences in dietary habits, serum fatty acid compositions and other coronary risk characteristics between freshmen and fourth-year male university students. <i>Environmental Health and Preventive Medicine</i> , 2001, 6, 143-148.	1.4	3
556	Prospective Study of Fat and Protein Intake and Risk of Intraparenchymal Hemorrhage in Women. <i>Circulation</i> , 2001, 103, 856-863.	1.6	153
557	Serum Triglycerides and Risk of Coronary Heart Disease among Japanese Men and Women. <i>American Journal of Epidemiology</i> , 2001, 153, 490-499.	1.6	294
558	Intake of Fish and Omega-3 Fatty Acids and Risk of Stroke in Women. <i>JAMA - Journal of the American Medical Association</i> , 2001, 285, 304.	3.8	408

#	ARTICLE	IF	CITATIONS
559	Angiotensinogen T174M and M235T variants, sodium intake and hypertension among non-drinking, lean Japanese men and women. <i>Journal of Hypertension</i> , 2000, 18, 1197-1206.	0.3	41
560	Prospective Study on Alcohol Intake and Risk of Subarachnoid Hemorrhage Among Japanese Men and Women. <i>Alcoholism: Clinical and Experimental Research</i> , 2000, 24, 386-389.	1.4	32
561	Application of Computer Tomography-Oriented Criteria for Stroke Subtype Classification in a Prospective Study. <i>Annals of Epidemiology</i> , 2000, 10, 81-87.	0.9	84
562	Effects of Intake of Fish Rich in n-3 Polyunsaturated Fatty Acid on Serum Lipids, Serum Fatty Acid Component and Hemostatic Factors.. <i>Nihon EiyÅ•ShokuryÅ•Gakkai Shi = Nippon EiyÅ•ShokuryÅ•Gakkaishi = Journal of Japanese Society of Nutrition and Food Science</i> , 2000, 53, 1-9.	0.2	3
563	Prospective Study of Calcium, Potassium, and Magnesium Intake and Risk of Stroke in Women. <i>Stroke</i> , 1999, 30, 1772-1779.	1.0	293
564	Trends of Cardiovascular Risk Factors and Diseases in Japan: Implications for Primordial Prevention. <i>Preventive Medicine</i> , 1999, 29, S102-S105.	1.6	22
565	A Low Prevalence of Coronary Heart Disease among Subjects with Increased High-Density Lipoprotein Cholesterol Levels, Including Those with Plasma Cholesteryl Ester Transfer Protein Deficiency. <i>Preventive Medicine</i> , 1998, 27, 659-667.	1.6	163
566	Effects of a Long-term Hypertension Control Program on Stroke Incidence and Prevalence in a Rural Community in Northeastern Japan. <i>Stroke</i> , 1998, 29, 1510-1518.	1.0	64
567	Polymorphism of the apolipoprotein B gene and blood lipid concentrations in Japanese and Caucasian population samples. <i>Atherosclerosis</i> , 1996, 126, 233-241.	0.4	11
568	Lipoprotein(a) and its correlates in Japanese and U.S. population samples. <i>Annals of Epidemiology</i> , 1996, 6, 324-330.	0.9	8
569	Trends for Cardiovascular Risk Factors and Diseases in Japan. <i>Journal of Epidemiology</i> , 1996, 6, 183-188.	1.1	5
570	A Case-Reference Study on Plasma Fibrinogen Concentrations and Coronary Atherosclerosis in Japanese. <i>Journal of Epidemiology</i> , 1996, 6, 81-86.	1.1	17
571	Cardiovascular Disease Epidemiology of Cerebrovascular Disease : Stroke Epidemic in Japan. <i>Journal of Epidemiology</i> , 1996, 6, 43-47.	1.1	42
572	Plasma Fibrinogen and its Correlates in Urban Japanese Men. <i>International Journal of Epidemiology</i> , 1996, 25, 521-527.	0.9	17
573	Community-Based Education Classes for Hypertension Control. <i>Hypertension</i> , 1996, 27, 968-974.	1.3	61
574	Polymorphisms of the Beta Fibrinogen Gene and Plasma Fibrinogen Concentration in Caucasian and Japanese Population Samples. <i>Thrombosis and Haemostasis</i> , 1995, 73, 106-111.	1.8	34
575	Alcohol Intake and the Risk of Cardiovascular Disease in Middle-Aged Japanese Men. <i>Stroke</i> , 1995, 26, 767-773.	1.0	124
576	Serum total cholesterol and mortality in a Japanese population. <i>Journal of Clinical Epidemiology</i> , 1994, 47, 961-969.	2.4	59

#	ARTICLE	IF	CITATIONS
577	Can Blood Pressure in the Elderly be Reduced? Findings From a Long-term Population Survey in Japan. The American Journal of Geriatric Cardiology, 1994, 3, 42-50.	0.7	2
578	Trends of Blood Pressure Distributions in a Northeast Rural Japanese Population. Journal of Epidemiology, 1993, 3, 63-70.	1.1	5
579	Antigens of Tissue Plasminogen Activator and Plasminogen Activator Inhibitor 1: Correlates in Nonsmoking Japanese and Caucasian Men and Women. Thrombosis and Haemostasis, 1993, 70, 475-480.	1.8	38
580	Pedometer Measured Walking Habits and Serum HDL-cholesterol Level. The Journal of Japan Atherosclerosis Society, 1993, 21, 585-589.	0.0	0
581	Trends in the Incidence of Cardiovascular Diseases and their Risk Factors in a Rural Japanese Population. Journal of Epidemiology, 1992, 2, 123-135.	1.1	3
582	Pathologic Characteristics of Stroke and Myocardial Infarction in Japan. Journal of Epidemiology, 1992, 2, 137-147.	1.1	4
583	Calcium Intake and Blood Pressure in Seven Japanese Populations. American Journal of Epidemiology, 1991, 133, 776-783.	1.6	35
584	The Relation of Body Fat Distribution and Body Mass with Haemoglobin A1c, Blood Pressure and Blood Lipids in Urban Japanese Men. International Journal of Epidemiology, 1991, 20, 88-94.	0.9	34
585	ACCURACY OF DEATH CERTIFICATE DIAGNOSIS OF INTRACRANIAL HEMORRHAGE AND NONHEMORRHAGIC STROKE. American Journal of Epidemiology, 1990, 132, 993-998.	1.6	86
586	Trends for coronary heart disease and its risk factors in Japan: Epidemiologic and pathologic studies.. Japanese Circulation Journal, 1990, 54, 428-435.	1.0	41
587	HEMOSTATIC VARIABLES IN JAPANESE AND CAUCASIAN MEN. American Journal of Epidemiology, 1990, 132, 41-46.	1.6	15
588	Serum Cholesterol Levels and Six-Year Mortality from Stroke in 350,977 Men Screened for the Multiple Risk Factor Intervention Trial. New England Journal of Medicine, 1989, 320, 904-910.	13.9	1,043
589	Serum Fatty Acids and Fish Intake in Rural Japanese, Urban Japanese, Japanese American and Caucasian American Men. International Journal of Epidemiology, 1989, 18, 374-381.	0.9	118
590	Use of aspirin for prevention of cardiovascular diseaseâ€”1981â€”1982 to 1985â€”1986: The Minnesota Heart Survey. American Heart Journal, 1988, 116, 827-830.	1.2	8
591	The trend of coronary heart disease and its risk factors based on epidemiological investigations.. Japanese Circulation Journal, 1987, 51, 319-324.	1.0	40
592	Validity of claims data for identifying cancer incidence in the Japan Public Health Centerâ€”based Prospective Study for the Next Generation ( <sc>JPHCâ€”NEXT</sc> ). Pharmacoepidemiology and Drug Safety, 0, , .	0.9	3