

Joseph Ventura

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6818097/publications.pdf>

Version: 2024-02-01

104
papers

9,106
citations

61984

43
h-index

40979

93
g-index

104
all docs

104
docs citations

104
times ranked

7786
citing authors

#	ARTICLE	IF	CITATIONS
1	Prodromal Assessment With the Structured Interview for Prodromal Syndromes and the Scale of Prodromal Symptoms: Predictive Validity, Interrater Reliability, and Training to Reliability. <i>Schizophrenia Bulletin</i> , 2003, 29, 703-715.	4.3	1,492
2	Training and quality assurance with the structured clinical interview for DSM-IV (SCID-I/P). <i>Psychiatry Research</i> , 1998, 79, 163-173.	3.3	520
3	Symptoms as mediators of the relationship between neurocognition and functional outcome in schizophrenia: A meta-analysis. <i>Schizophrenia Research</i> , 2009, 113, 189-199.	2.0	462
4	Developmental Processes in Schizophrenic Disorders: Longitudinal Studies of Vulnerability and Stress. <i>Schizophrenia Bulletin</i> , 1992, 18, 387-425.	4.3	460
5	Operational criteria and factors related to recovery from schizophrenia. <i>International Review of Psychiatry</i> , 2002, 14, 256-272.	2.8	362
6	Social Cognition in Schizophrenia, Part 1: Performance Across Phase of Illness. <i>Schizophrenia Bulletin</i> , 2012, 38, 854-864.	4.3	354
7	Symptom dimensions in recent-onset schizophrenia and mania: a principal components analysis of the 24-item Brief Psychiatric Rating Scale. <i>Psychiatry Research</i> , 2000, 97, 129-135.	3.3	315
8	Neurocognitive Predictors of Work Outcome in Recent-Onset Schizophrenia. <i>Schizophrenia Bulletin</i> , 2011, 37, S33-S40.	4.3	256
9	Neurocognitive function in clinically stable men with bipolar I disorder or schizophrenia and normal control subjects. <i>Biological Psychiatry</i> , 2004, 56, 560-569.	1.3	253
10	Social Cognition in Schizophrenia, Part 2: 12-Month Stability and Prediction of Functional Outcome in First-Episode Patients. <i>Schizophrenia Bulletin</i> , 2012, 38, 865-872.	4.3	248
11	Clinical Outcome Following Neuroleptic Discontinuation in Patients With Remitted Recent-Onset Schizophrenia. <i>American Journal of Psychiatry</i> , 2001, 158, 1835-1842.	7.2	215
12	Increased Anterior Cingulate/Medial Prefrontal Cortical Glutamate and Creatine in Bipolar Depression. <i>Neuropsychopharmacology</i> , 2007, 32, 2490-2499.	5.4	208
13	Long-Acting Injectable Risperidone for Relapse Prevention and Control of Breakthrough Symptoms After a Recent First Episode of Schizophrenia. <i>JAMA Psychiatry</i> , 2015, 72, 822.	11.0	205
14	Individual placement and support for individuals with recent-onset schizophrenia: Integrating supported education and supported employment.. <i>Psychiatric Rehabilitation Journal</i> , 2008, 31, 340-349.	1.1	188
15	Symptom Domains and Neurocognitive Functioning Can Help Differentiate Social Cognitive Processes in Schizophrenia: A Meta-Analysis. <i>Schizophrenia Bulletin</i> , 2013, 39, 102-111.	4.3	187
16	Consistency of Brief Psychiatric Rating Scale Factor Structure across a Broad Spectrum of Schizophrenia Patients. <i>Psychopathology</i> , 2008, 41, 77-84.	1.5	172
17	A prospective study of stressful life events and schizophrenic relapse.. <i>Journal of Abnormal Psychology</i> , 1989, 98, 407-411.	1.9	168
18	The clinical characterization of the patient with primary psychosis aimed at personalization of management. <i>World Psychiatry</i> , 2021, 20, 4-33.	10.4	153

#	ARTICLE	IF	CITATIONS
19	Disorganization and reality distortion in schizophrenia: A meta-analysis of the relationship between positive symptoms and neurocognitive deficits. <i>Schizophrenia Research</i> , 2010, 121, 1-14.	2.0	143
20	Negative symptoms and functioning during the first year after a recent onset of schizophrenia and 8years later. <i>Schizophrenia Research</i> , 2015, 161, 407-413.	2.0	121
21	The Psychosis Prodrome in Adolescent Patients Viewed Through the Lens of DSM-IV. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2005, 15, 434-451.	1.3	115
22	Risperidone Nonadherence and Return of Positive Symptoms in the Early Course of Schizophrenia. <i>American Journal of Psychiatry</i> , 2011, 168, 286-292.	7.2	106
23	A novel, online social cognitive training program for young adults with schizophrenia: A pilot study. <i>Schizophrenia Research: Cognition</i> , 2014, 1, e11-e19.	1.3	93
24	Neurocognition and symptoms identify links between facial recognition and emotion processing in schizophrenia: Meta-analytic findings. <i>Schizophrenia Research</i> , 2013, 151, 78-84.	2.0	89
25	Remission and recovery during the first outpatient year of the early course of schizophrenia. <i>Schizophrenia Research</i> , 2011, 132, 18-23.	2.0	88
26	The Cognitive Assessment Interview (CAI): Development and validation of an empirically derived, brief interview-based measure of cognition. <i>Schizophrenia Research</i> , 2010, 121, 24-31.	2.0	76
27	Psychological Distress in Solitary Confinement: Symptoms, Severity, and Prevalence in the United States, 2017â€“2018. <i>American Journal of Public Health</i> , 2020, 110, S56-S62.	2.7	76
28	Clinical global impression of cognition in schizophrenia (CGI-CogS): Reliability and validity of a co-primary measure of cognition. <i>Schizophrenia Research</i> , 2008, 106, 59-69.	2.0	75
29	Enhancing Cognitive Training Through Aerobic Exercise After a First Schizophrenia Episode: Theoretical Conception and Pilot Study. <i>Schizophrenia Bulletin</i> , 2016, 42, S44-S52.	4.3	72
30	Stress and coping responses to a natural disaster in people with schizophrenia. <i>Psychiatry Research</i> , 2007, 151, 77-86.	3.3	70
31	Impact on intracortical myelination trajectory of long acting injection versus oral risperidone in first-episode schizophrenia. <i>Schizophrenia Research</i> , 2012, 140, 122-128.	2.0	70
32	Self-efficacy and neurocognition may be related to coping responses in recent-onset schizophrenia. <i>Schizophrenia Research</i> , 2004, 69, 343-352.	2.0	67
33	The Brief Psychiatric Rating Scale (version 4.0) factorial structure and its sensitivity in the treatment of outpatients with unipolar depression. <i>Psychiatry Research</i> , 2013, 210, 626-633.	3.3	60
34	The Relationship of Attitudinal Beliefs to Negative Symptoms, Neurocognition, and Daily Functioning in Recent-Onset Schizophrenia. <i>Schizophrenia Bulletin</i> , 2014, 40, 1308-1318.	4.3	60
35	Neurocognitive and social cognitive correlates of formal thought disorder in schizophrenia patients. <i>Schizophrenia Research</i> , 2006, 85, 84-95.	2.0	58
36	Life Events and Schizophrenic Relapse after Withdrawal of Medication. <i>British Journal of Psychiatry</i> , 1992, 161, 615-620.	2.8	56

#	ARTICLE	IF	CITATIONS
37	Electrodermal predictors of functional outcome and negative symptoms in schizophrenia. <i>Psychophysiology</i> , 2005, 42, 483-492.	2.4	56
38	Clinical and Cognitive Significance of Auditory Sensory Processing Deficits in Schizophrenia. <i>American Journal of Psychiatry</i> , 2018, 175, 275-283.	7.2	56
39	Apathy, poor verbal memory and male gender predict lower psychosocial functioning one year after the first treatment of psychosis. <i>Psychiatry Research</i> , 2013, 210, 55-61.	3.3	52
40	The Cognitive Assessment Interview (CAI): Reliability and Validity of a Brief Interview-Based Measure of Cognition. <i>Schizophrenia Bulletin</i> , 2013, 39, 583-591.	4.3	50
41	Longitudinal stability of social cognition in schizophrenia: A 5-year follow-up of social perception and emotion processing. <i>Schizophrenia Research</i> , 2016, 176, 467-472.	2.0	48
42	Life events can trigger depressive exacerbation in the early course of schizophrenia.. <i>Journal of Abnormal Psychology</i> , 2000, 109, 139-144.	1.9	47
43	Developing a Cognitive Training Strategy for First-Episode Schizophrenia: Integrating Bottom-Up and Top-Down Approaches. <i>American Journal of Psychiatric Rehabilitation</i> , 2014, 17, 225-253.	0.7	46
44	Classifying episodes in schizophrenia and bipolar disorder: Criteria for relapse and remission applied to recent-onset samples. <i>Psychiatry Research</i> , 2006, 144, 153-166.	3.3	45
45	Bifactor and item response theory analyses of interviewer report scales of cognitive impairment in schizophrenia.. <i>Psychological Assessment</i> , 2011, 23, 245-261.	1.5	45
46	Cognitive remediation can improve negative symptoms and social functioning in first-episode schizophrenia: A randomized controlled trial. <i>Schizophrenia Research</i> , 2019, 203, 24-31.	2.0	45
47	Enhancing return to work or school after a first episode of schizophrenia: the UCLA RCT of Individual Placement and Support and Workplace Fundamentals Module training. <i>Psychological Medicine</i> , 2020, 50, 20-28.	4.5	42
48	The validity of using patient self-report to assess psychotic symptoms in schizophrenia. <i>Schizophrenia Research</i> , 2007, 90, 245-250.	2.0	40
49	Neural activation during response inhibition in adult attention-deficit/hyperactivity disorder: Preliminary findings on the effects of medication and symptom severity. <i>Psychiatry Research - Neuroimaging</i> , 2014, 222, 17-28.	1.8	39
50	Factor structure of the Brief Psychiatric Rating Scale "Expanded" (BPRS-E) in a large hospitalized sample. <i>Journal of Psychiatric Research</i> , 2017, 93, 79-86.	3.1	37
51	Prefrontal Structural and Functional Deficits in Schizotypal Personality Disorder. <i>Schizophrenia Bulletin</i> , 2002, 28, 501-513.	4.3	36
52	The temporal stability of electrodermal variables over a one-year period in patients with recent-onset schizophrenia and in normal subjects. <i>Psychophysiology</i> , 2002, 39, 124-132.	2.4	35
53	The puzzle of schizophrenia: Tracking the core role of cognitive deficits. <i>Development and Psychopathology</i> , 2012, 24, 529-536.	2.3	35
54	A social path to functioning in schizophrenia: From social self-efficacy through negative symptoms to social functional capacity. <i>Psychiatry Research</i> , 2015, 228, 803-807.	3.3	34

#	ARTICLE	IF	CITATIONS
55	Integrity of emotional and motivational states during the prodromal, first-episode, and chronic phases of schizophrenia.. Journal of Abnormal Psychology, 2010, 119, 71-82.	1.9	33
56	Patient-Environment Relationships in Schizophrenia. British Journal of Psychiatry, 1989, 155, 84-89.	2.8	33
57	Online Social Cognition Training in Schizophrenia: A Double-Blind, Randomized, Controlled Multi-Site Clinical Trial. Schizophrenia Bulletin, 2021, 47, 108-117.	4.3	31
58	Prediction of the deficit syndrome from initial deficit symptoms in the early course of schizophrenia. Psychiatry Research, 1998, 80, 53-59.	3.3	29
59	Prefrontal and Hippocampal Brain Volume Deficits: Role of Low Physical Activity on Brain Plasticity in First-Episode Schizophrenia Patients. Journal of the International Neuropsychological Society, 2015, 21, 868-879.	1.8	27
60	Randomized controlled trial of computer-based treatment of social cognition in schizophrenia: the TRuSST trial protocol. BMC Psychiatry, 2015, 15, 142.	2.6	26
61	The timing of negative symptom exacerbations in relationship to positive symptom exacerbations in the early course of schizophrenia. Schizophrenia Research, 2004, 69, 333-342.	2.0	25
62	Evaluation of a plasticity-based cognitive training program in schizophrenia: Results from the eCaesar trial. Schizophrenia Research, 2019, 208, 182-189.	2.0	22
63	Contributions of Feature Binding During Encoding and Functional Connectivity of the Medial Temporal Lobe Structures to Episodic Memory Deficits Across the Prodromal and First-Episode Phases of Schizophrenia. Clinical Psychological Science, 2015, 3, 159-174.	4.0	21
64	Relationship of poor insight to neurocognition, social cognition, and psychiatric symptoms in schizophrenia: A meta-analysis. Schizophrenia Research, 2020, 220, 164-171.	2.0	21
65	Cognitive training at home in schizophrenia is feasible. Schizophrenia Research, 2013, 143, 397-398.	2.0	19
66	A randomized controlled trial of cognitive remediation and long-acting injectable risperidone after a first episode of schizophrenia: improving cognition and work/school functioning. Psychological Medicine, 2022, 52, 1517-1526.	4.5	19
67	Abnormal Trajectory of Intracortical Myelination in Schizophrenia Implicates White Matter in Disease Pathophysiology and the Therapeutic Mechanism of Action of Antipsychotics. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2018, 3, 454-462.	1.5	18
68	A 10-minute measure of global cognition: Validation of the Brief Cognitive Assessment Tool for Schizophrenia (B-CATS). Schizophrenia Research, 2018, 195, 327-333.	2.0	17
69	Virtual reality assessment of functional capacity in the early course of schizophrenia: Associations with cognitive performance and daily functioning. Microbial Biotechnology, 2020, 14, 106-114.	1.7	17
70	Disruption of gamma-€delta relationship related to working memory deficits in first-episode psychosis. Journal of Neural Transmission, 2020, 127, 103-115.	2.8	15
71	Symptomatic and functional correlates of regional brain physiology during working memory processing in patients with recent onset schizophrenia. Psychiatry Research - Neuroimaging, 2009, 173, 177-182.	1.8	14
72	Memory functioning and negative symptoms as differential predictors of social problem solving skills in schizophrenia. Schizophrenia Research, 2013, 143, 307-311.	2.0	14

#	ARTICLE	IF	CITATIONS
73	The impact of second-generation antipsychotic adherence on positive and negative symptoms in recent-onset schizophrenia. <i>Schizophrenia Research</i> , 2014, 159, 95-100.	2.0	13
74	Using the cognitive assessment interview to screen cognitive impairment in psychosis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2016, 266, 629-637.	3.2	13
75	Early Visual Processing Is Associated With Social Cognitive Performance in Recent-Onset Schizophrenia. <i>Frontiers in Psychiatry</i> , 2020, 11, 823.	2.6	13
76	Cognitive Assessment Interview (CAI): Validity as a co-primary measure of cognition across phases of schizophrenia. <i>Schizophrenia Research</i> , 2016, 172, 137-142.	2.0	12
77	Factors affecting reliability and confidence of DSM-III-R psychosis-related diagnosis. <i>Psychiatry Research</i> , 2001, 101, 269-275.	3.3	11
78	Cardiorespiratory endurance, muscular flexibility and strength in first-episode schizophrenia patients: use of a standardized fitness assessment. <i>Microbial Biotechnology</i> , 2012, 6, 185-190.	1.7	11
79	Affective prosody and facial emotion recognition in first-episode schizophrenia: Associations with functioning & symptoms. <i>Schizophrenia Research: Cognition</i> , 2019, 18, 100153.	1.3	11
80	Changes in inflammation are related to depression and amount of aerobic exercise in first episode schizophrenia. <i>Microbial Biotechnology</i> , 2021, 15, 213-216.	1.7	11
81	Association between cortical volume and gray-white matter contrast with second generation antipsychotic medication exposure in first episode male schizophrenia patients. <i>Schizophrenia Research</i> , 2020, 222, 397-410.	2.0	10
82	Social cognition and functional outcome in schizophrenia: The moderating role of cardiac vagal tone.. <i>Journal of Abnormal Psychology</i> , 2014, 123, 764-770.	1.9	9
83	White matter of perinatally HIV infected older youths shows low frequency fluctuations that may reflect glial cycling. <i>Scientific Reports</i> , 2021, 11, 3086.	3.3	9
84	Memory systems in schizophrenia: Modularity is preserved but deficits are generalized. <i>Schizophrenia Research</i> , 2015, 168, 223-230.	2.0	7
85	Episodic Memory for Dynamic Social Interaction Across Phase of Illness in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2018, 44, 620-630.	4.3	6
86	Social vs. non-social measures of learning potential for predicting community functioning across phase of illness in schizophrenia. <i>Schizophrenia Research</i> , 2019, 204, 104-110.	2.0	6
87	Cortical morphometric correlational networks associated with cognitive deficits in first episode schizophrenia. <i>Schizophrenia Research</i> , 2021, 231, 179-188.	2.0	6
88	Examining speed of processing of facial emotion recognition in individuals at ultra-high risk for psychosis: Associations with symptoms and cognition. <i>Schizophrenia Research</i> , 2018, 195, 562-563.	2.0	5
89	Family burden predicts functional outcome in the early course of schizophrenia beyond psychiatric symptoms and baseline functioning. <i>Schizophrenia Research</i> , 2018, 202, 328-332.	2.0	5
90	False memory production in schizophrenia: A neurophysiological investigation. <i>Schizophrenia Research: Cognition</i> , 2020, 20, 100174.	1.3	5

#	ARTICLE	IF	CITATIONS
91	Associations between physiological responses to social-evaluative stress and daily functioning in first-episode schizophrenia. <i>Schizophrenia Research</i> , 2020, 218, 233-239.	2.0	5
92	Personnel time required for supported employment and education services for individuals in a recent onset psychosis treatment program. <i>Microbial Biotechnology</i> , 2021, 15, 402-405.	1.7	5
93	Cognitive heterogeneity in first-episode psychosis and its relationship with premorbid developmental adjustment. <i>Psychological Medicine</i> , 2022, 52, 3885-3894.	4.5	5
94	The Cognitive Assessment Interview (CAI): Association with neuropsychological scores and real-life functioning in a large sample of Italian subjects with schizophrenia. <i>Schizophrenia Research</i> , 2022, 241, 161-170.	2.0	5
95	Sexual dysfunction in couples with learning handicaps. <i>Sexuality and Disability</i> , 1987, 8, 25-35.	1.0	4
96	Establishing a clinical high-risk program in Tunisia, North Africa: A pilot study in early detection and identification. <i>Microbial Biotechnology</i> , 2021, 15, 1777-1783.	1.7	4
97	Confident memory errors and disrupted reality testing in early psychosis. <i>Schizophrenia Research</i> , 2021, 238, 170-177.	2.0	4
98	Differences of temporal dynamics and signal complexity of gamma band oscillations in first-episode psychosis during a working memory task. <i>Journal of Neural Transmission</i> , 2017, 124, 853-862.	2.8	3
99	Expressed emotion and the escalation of depressive symptoms in individuals with recent-onset schizophrenia. <i>Microbial Biotechnology</i> , 2017, 11, 351-353.	1.7	2
100	An Interview-Based Assessment of the Experience of Cognitive Impairment in Multiple Sclerosis: The Cognitive Assessment Interview (CAI). <i>Frontiers in Neurology</i> , 2021, 12, 637895.	2.4	2
101	F39. LEPTIN-BINDING PROTEIN LEVELS ARE ASSOCIATED WITH COGNITIVE FUNCTIONING EARLY IN THE COURSE OF SCHIZOPHRENIA. <i>Schizophrenia Bulletin</i> , 2019, 45, S270-S270.	4.3	1
102	Awareness of illness is associated with better social and nonsocial cognition in recent-onset schizophrenia. <i>Schizophrenia Research</i> , 2021, 231, 51-53.	2.0	1
103	Imaging the effects of exercise on the brain. <i>Schizophrenia Research</i> , 2020, 223, 71-72.	2.0	0
104	Coping with Interpersonal Stressors in Schizophrenia. , 2002, , 28-37.		0