

# Joseph Ventura

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6818097/publications.pdf>

Version: 2024-02-01

104  
papers

9,106  
citations

61984

43  
h-index

40979

93  
g-index

104  
all docs

104  
docs citations

104  
times ranked

7786  
citing authors

#	ARTICLE	IF	CITATIONS
1	A randomized controlled trial of cognitive remediation and long-acting injectable risperidone after a first episode of schizophrenia: improving cognition and work/school functioning. <i>Psychological Medicine</i> , 2022, 52, 1517-1526.	4.5	19
2	Cognitive heterogeneity in first-episode psychosis and its relationship with premorbid developmental adjustment. <i>Psychological Medicine</i> , 2022, 52, 3885-3894.	4.5	5
3	The Cognitive Assessment Interview (CAI): Association with neuropsychological scores and real-life functioning in a large sample of Italian subjects with schizophrenia. <i>Schizophrenia Research</i> , 2022, 241, 161-170.	2.0	5
4	Personnel time required for supported employment and education services for individuals in a recent onset psychosis treatment program. <i>Microbial Biotechnology</i> , 2021, 15, 402-405.	1.7	5
5	Online Social Cognition Training in Schizophrenia: A Double-Blind, Randomized, Controlled Multi-Site Clinical Trial. <i>Schizophrenia Bulletin</i> , 2021, 47, 108-117.	4.3	31
6	Changes in inflammation are related to depression and amount of aerobic exercise in first episode schizophrenia. <i>Microbial Biotechnology</i> , 2021, 15, 213-216.	1.7	11
7	Establishing a clinical high-risk program in Tunisia, North Africa: A pilot study in early detection and identification. <i>Microbial Biotechnology</i> , 2021, 15, 1777-1783.	1.7	4
8	An Interview-Based Assessment of the Experience of Cognitive Impairment in Multiple Sclerosis: The Cognitive Assessment Interview (CAI). <i>Frontiers in Neurology</i> , 2021, 12, 637895.	2.4	2
9	White matter of perinatally HIV infected older youths shows low frequency fluctuations that may reflect glial cycling. <i>Scientific Reports</i> , 2021, 11, 3086.	3.3	9
10	Cortical morphometric correlational networks associated with cognitive deficits in first episode schizophrenia. <i>Schizophrenia Research</i> , 2021, 231, 179-188.	2.0	6
11	Awareness of illness is associated with better social and nonsocial cognition in recent-onset schizophrenia. <i>Schizophrenia Research</i> , 2021, 231, 51-53.	2.0	1
12	The clinical characterization of the patient with primary psychosis aimed at personalization of management. <i>World Psychiatry</i> , 2021, 20, 4-33.	10.4	153
13	Confident memory errors and disrupted reality testing in early psychosis. <i>Schizophrenia Research</i> , 2021, 238, 170-177.	2.0	4
14	Enhancing return to work or school after a first episode of schizophrenia: the UCLA RCT of Individual Placement and Support and Workplace Fundamentals Module training. <i>Psychological Medicine</i> , 2020, 50, 20-28.	4.5	42
15	Virtual reality assessment of functional capacity in the early course of schizophrenia: Associations with cognitive performance and daily functioning. <i>Microbial Biotechnology</i> , 2020, 14, 106-114.	1.7	17
16	Disruption of gamma-delta relationship related to working memory deficits in first-episode psychosis. <i>Journal of Neural Transmission</i> , 2020, 127, 103-115.	2.8	15
17	Early Visual Processing Is Associated With Social Cognitive Performance in Recent-Onset Schizophrenia. <i>Frontiers in Psychiatry</i> , 2020, 11, 823.	2.6	13
18	Association between cortical volume and gray-white matter contrast with second generation antipsychotic medication exposure in first episode male schizophrenia patients. <i>Schizophrenia Research</i> , 2020, 222, 397-410.	2.0	10

#	ARTICLE	IF	CITATIONS
19	False memory production in schizophrenia: A neurophysiological investigation. <i>Schizophrenia Research: Cognition</i> , 2020, 20, 100174.	1.3	5
20	Imaging the effects of exercise on the brain. <i>Schizophrenia Research</i> , 2020, 223, 71-72.	2.0	0
21	Psychological Distress in Solitary Confinement: Symptoms, Severity, and Prevalence in the United States, 2017–2018. <i>American Journal of Public Health</i> , 2020, 110, S56-S62.	2.7	76
22	Associations between physiological responses to social-evaluative stress and daily functioning in first-episode schizophrenia. <i>Schizophrenia Research</i> , 2020, 218, 233-239.	2.0	5
23	Relationship of poor insight to neurocognition, social cognition, and psychiatric symptoms in schizophrenia: A meta-analysis. <i>Schizophrenia Research</i> , 2020, 220, 164-171.	2.0	21
24	Social vs. non-social measures of learning potential for predicting community functioning across phase of illness in schizophrenia. <i>Schizophrenia Research</i> , 2019, 204, 104-110.	2.0	6
25	F39. LEPTIN-BINDING PROTEIN LEVELS ARE ASSOCIATED WITH COGNITIVE FUNCTIONING EARLY IN THE COURSE OF SCHIZOPHRENIA. <i>Schizophrenia Bulletin</i> , 2019, 45, S270-S270.	4.3	1
26	Affective prosody and facial emotion recognition in first-episode schizophrenia: Associations with functioning & symptoms. <i>Schizophrenia Research: Cognition</i> , 2019, 18, 100153.	1.3	11
27	Evaluation of a plasticity-based cognitive training program in schizophrenia: Results from the eCaesar trial. <i>Schizophrenia Research</i> , 2019, 208, 182-189.	2.0	22
28	Cognitive remediation can improve negative symptoms and social functioning in first-episode schizophrenia: A randomized controlled trial. <i>Schizophrenia Research</i> , 2019, 203, 24-31.	2.0	45
29	Abnormal Trajectory of Intracortical Myelination in Schizophrenia Implicates White Matter in Disease Pathophysiology and the Therapeutic Mechanism of Action of Antipsychotics. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2018, 3, 454-462.	1.5	18
30	Episodic Memory for Dynamic Social Interaction Across Phase of Illness in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2018, 44, 620-630.	4.3	6
31	A 10-minute measure of global cognition: Validation of the Brief Cognitive Assessment Tool for Schizophrenia (B-CATS). <i>Schizophrenia Research</i> , 2018, 195, 327-333.	2.0	17
32	Clinical and Cognitive Significance of Auditory Sensory Processing Deficits in Schizophrenia. <i>American Journal of Psychiatry</i> , 2018, 175, 275-283.	7.2	56
33	Examining speed of processing of facial emotion recognition in individuals at ultra-high risk for psychosis: Associations with symptoms and cognition. <i>Schizophrenia Research</i> , 2018, 195, 562-563.	2.0	5
34	Family burden predicts functional outcome in the early course of schizophrenia beyond psychiatric symptoms and baseline functioning. <i>Schizophrenia Research</i> , 2018, 202, 328-332.	2.0	5
35	Expressed emotion and the escalation of depressive symptoms in individuals with recent-onset schizophrenia. <i>Microbial Biotechnology</i> , 2017, 11, 351-353.	1.7	2
36	Differences of temporal dynamics and signal complexity of gamma band oscillations in first-episode psychosis during a working memory task. <i>Journal of Neural Transmission</i> , 2017, 124, 853-862.	2.8	3

#	ARTICLE	IF	CITATIONS
37	Factor structure of the Brief Psychiatric Rating Scale "Expanded (BPRS-E) in a large hospitalized sample. <i>Journal of Psychiatric Research</i> , 2017, 93, 79-86.	3.1	37
38	Enhancing Cognitive Training Through Aerobic Exercise After a First Schizophrenia Episode: Theoretical Conception and Pilot Study. <i>Schizophrenia Bulletin</i> , 2016, 42, S44-S52.	4.3	72
39	Using the cognitive assessment interview to screen cognitive impairment in psychosis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2016, 266, 629-637.	3.2	13
40	Longitudinal stability of social cognition in schizophrenia: A 5-year follow-up of social perception and emotion processing. <i>Schizophrenia Research</i> , 2016, 176, 467-472.	2.0	48
41	Cognitive Assessment Interview (CAI): Validity as a co-primary measure of cognition across phases of schizophrenia. <i>Schizophrenia Research</i> , 2016, 172, 137-142.	2.0	12
42	Prefrontal and Hippocampal Brain Volume Deficits: Role of Low Physical Activity on Brain Plasticity in First-Episode Schizophrenia Patients. <i>Journal of the International Neuropsychological Society</i> , 2015, 21, 868-879.	1.8	27
43	Negative symptoms and functioning during the first year after a recent onset of schizophrenia and 8years later. <i>Schizophrenia Research</i> , 2015, 161, 407-413.	2.0	121
44	A social path to functioning in schizophrenia: From social self-efficacy through negative symptoms to social functional capacity. <i>Psychiatry Research</i> , 2015, 228, 803-807.	3.3	34
45	Long-Acting Injectable Risperidone for Relapse Prevention and Control of Breakthrough Symptoms After a Recent First Episode of Schizophrenia. <i>JAMA Psychiatry</i> , 2015, 72, 822.	11.0	205
46	Contributions of Feature Binding During Encoding and Functional Connectivity of the Medial Temporal Lobe Structures to Episodic Memory Deficits Across the Prodromal and First-Episode Phases of Schizophrenia. <i>Clinical Psychological Science</i> , 2015, 3, 159-174.	4.0	21
47	Memory systems in schizophrenia: Modularity is preserved but deficits are generalized. <i>Schizophrenia Research</i> , 2015, 168, 223-230.	2.0	7
48	Randomized controlled trial of computer-based treatment of social cognition in schizophrenia: the TRuSST trial protocol. <i>BMC Psychiatry</i> , 2015, 15, 142.	2.6	26
49	Developing a Cognitive Training Strategy for First-Episode Schizophrenia: Integrating Bottom-Up and Top-Down Approaches. <i>American Journal of Psychiatric Rehabilitation</i> , 2014, 17, 225-253.	0.7	46
50	Social cognition and functional outcome in schizophrenia: The moderating role of cardiac vagal tone.. <i>Journal of Abnormal Psychology</i> , 2014, 123, 764-770.	1.9	9
51	A novel, online social cognitive training program for young adults with schizophrenia: A pilot study. <i>Schizophrenia Research: Cognition</i> , 2014, 1, e11-e19.	1.3	93
52	Neural activation during response inhibition in adult attention-deficit/hyperactivity disorder: Preliminary findings on the effects of medication and symptom severity. <i>Psychiatry Research - Neuroimaging</i> , 2014, 222, 17-28.	1.8	39
53	The Relationship of Attitudinal Beliefs to Negative Symptoms, Neurocognition, and Daily Functioning in Recent-Onset Schizophrenia. <i>Schizophrenia Bulletin</i> , 2014, 40, 1308-1318.	4.3	60
54	The impact of second-generation antipsychotic adherence on positive and negative symptoms in recent-onset schizophrenia. <i>Schizophrenia Research</i> , 2014, 159, 95-100.	2.0	13

#	ARTICLE	IF	CITATIONS
55	Memory functioning and negative symptoms as differential predictors of social problem solving skills in schizophrenia. <i>Schizophrenia Research</i> , 2013, 143, 307-311.	2.0	14
56	Neurocognition and symptoms identify links between facial recognition and emotion processing in schizophrenia: Meta-analytic findings. <i>Schizophrenia Research</i> , 2013, 151, 78-84.	2.0	89
57	The Brief Psychiatric Rating Scale (version 4.0) factorial structure and its sensitivity in the treatment of outpatients with unipolar depression. <i>Psychiatry Research</i> , 2013, 210, 626-633.	3.3	60
58	Cognitive training at home in schizophrenia is feasible. <i>Schizophrenia Research</i> , 2013, 143, 397-398.	2.0	19
59	Apathy, poor verbal memory and male gender predict lower psychosocial functioning one year after the first treatment of psychosis. <i>Psychiatry Research</i> , 2013, 210, 55-61.	3.3	52
60	The Cognitive Assessment Interview (CAI): Reliability and Validity of a Brief Interview-Based Measure of Cognition. <i>Schizophrenia Bulletin</i> , 2013, 39, 583-591.	4.3	50
61	Symptom Domains and Neurocognitive Functioning Can Help Differentiate Social Cognitive Processes in Schizophrenia: A Meta-Analysis. <i>Schizophrenia Bulletin</i> , 2013, 39, 102-111.	4.3	187
62	The puzzle of schizophrenia: Tracking the core role of cognitive deficits. <i>Development and Psychopathology</i> , 2012, 24, 529-536.	2.3	35
63	Social Cognition in Schizophrenia, Part 2: 12-Month Stability and Prediction of Functional Outcome in First-Episode Patients. <i>Schizophrenia Bulletin</i> , 2012, 38, 865-872.	4.3	248
64	Social Cognition in Schizophrenia, Part 1: Performance Across Phase of Illness. <i>Schizophrenia Bulletin</i> , 2012, 38, 854-864.	4.3	354
65	Impact on intracortical myelination trajectory of long acting injection versus oral risperidone in first-episode schizophrenia. <i>Schizophrenia Research</i> , 2012, 140, 122-128.	2.0	70
66	Cardiorespiratory endurance, muscular flexibility and strength in first-episode schizophrenia patients: use of a standardized fitness assessment. <i>Microbial Biotechnology</i> , 2012, 6, 185-190.	1.7	11
67	Remission and recovery during the first outpatient year of the early course of schizophrenia. <i>Schizophrenia Research</i> , 2011, 132, 18-23.	2.0	88
68	Risperidone Nonadherence and Return of Positive Symptoms in the Early Course of Schizophrenia. <i>American Journal of Psychiatry</i> , 2011, 168, 286-292.	7.2	106
69	Neurocognitive Predictors of Work Outcome in Recent-Onset Schizophrenia. <i>Schizophrenia Bulletin</i> , 2011, 37, S33-S40.	4.3	256
70	Bifactor and item response theory analyses of interviewer report scales of cognitive impairment in schizophrenia.. <i>Psychological Assessment</i> , 2011, 23, 245-261.	1.5	45
71	Integrity of emotional and motivational states during the prodromal, first-episode, and chronic phases of schizophrenia.. <i>Journal of Abnormal Psychology</i> , 2010, 119, 71-82.	1.9	33
72	The Cognitive Assessment Interview (CAI): Development and validation of an empirically derived, brief interview-based measure of cognition. <i>Schizophrenia Research</i> , 2010, 121, 24-31.	2.0	76

#	ARTICLE	IF	CITATIONS
73	Disorganization and reality distortion in schizophrenia: A meta-analysis of the relationship between positive symptoms and neurocognitive deficits. <i>Schizophrenia Research</i> , 2010, 121, 1-14.	2.0	143
74	Symptomatic and functional correlates of regional brain physiology during working memory processing in patients with recent onset schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2009, 173, 177-182.	1.8	14
75	Symptoms as mediators of the relationship between neurocognition and functional outcome in schizophrenia: A meta-analysis. <i>Schizophrenia Research</i> , 2009, 113, 189-199.	2.0	462
76	Clinical global impression of cognition in schizophrenia (CGI-CogS): Reliability and validity of a co-primary measure of cognition. <i>Schizophrenia Research</i> , 2008, 106, 59-69.	2.0	75
77	Consistency of Brief Psychiatric Rating Scale Factor Structure across a Broad Spectrum of Schizophrenia Patients. <i>Psychopathology</i> , 2008, 41, 77-84.	1.5	172
78	Individual placement and support for individuals with recent-onset schizophrenia: Integrating supported education and supported employment.. <i>Psychiatric Rehabilitation Journal</i> , 2008, 31, 340-349.	1.1	188
79	Increased Anterior Cingulate/Medial Prefrontal Cortical Glutamate and Creatine in Bipolar Depression. <i>Neuropsychopharmacology</i> , 2007, 32, 2490-2499.	5.4	208
80	Stress and coping responses to a natural disaster in people with schizophrenia. <i>Psychiatry Research</i> , 2007, 151, 77-86.	3.3	70
81	The validity of using patient self-report to assess psychotic symptoms in schizophrenia. <i>Schizophrenia Research</i> , 2007, 90, 245-250.	2.0	40
82	Neurocognitive and social cognitive correlates of formal thought disorder in schizophrenia patients. <i>Schizophrenia Research</i> , 2006, 85, 84-95.	2.0	58
83	Classifying episodes in schizophrenia and bipolar disorder: Criteria for relapse and remission applied to recent-onset samples. <i>Psychiatry Research</i> , 2006, 144, 153-166.	3.3	45
84	Electrodermal predictors of functional outcome and negative symptoms in schizophrenia. <i>Psychophysiology</i> , 2005, 42, 483-492.	2.4	56
85	The Psychosis Prodrome in Adolescent Patients Viewed Through the Lens of DSM-IV. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2005, 15, 434-451.	1.3	115
86	The timing of negative symptom exacerbations in relationship to positive symptom exacerbations in the early course of schizophrenia. <i>Schizophrenia Research</i> , 2004, 69, 333-342.	2.0	25
87	Neurocognitive function in clinically stable men with bipolar I disorder or schizophrenia and normal control subjects. <i>Biological Psychiatry</i> , 2004, 56, 560-569.	1.3	253
88	Self-efficacy and neurocognition may be related to coping responses in recent-onset schizophrenia. <i>Schizophrenia Research</i> , 2004, 69, 343-352.	2.0	67
89	Prodromal Assessment With the Structured Interview for Prodromal Syndromes and the Scale of Prodromal Symptoms: Predictive Validity, Interrater Reliability, and Training to Reliability. <i>Schizophrenia Bulletin</i> , 2003, 29, 703-715.	4.3	1,492
90	Prefrontal Structural and Functional Deficits in Schizotypal Personality Disorder. <i>Schizophrenia Bulletin</i> , 2002, 28, 501-513.	4.3	36

#	ARTICLE	IF	CITATIONS
91	Operational criteria and factors related to recovery from schizophrenia. <i>International Review of Psychiatry</i> , 2002, 14, 256-272.	2.8	362
92	The temporal stability of electrodermal variables over a one-year period in patients with recent-onset schizophrenia and in normal subjects. <i>Psychophysiology</i> , 2002, 39, 124-132.	2.4	35
93	Coping with Interpersonal Stressors in Schizophrenia. , 2002, , 28-37.		0
94	Factors affecting reliability and confidence of DSM-III-R psychosis-related diagnosis. <i>Psychiatry Research</i> , 2001, 101, 269-275.	3.3	11
95	Clinical Outcome Following Neuroleptic Discontinuation in Patients With Remitted Recent-Onset Schizophrenia. <i>American Journal of Psychiatry</i> , 2001, 158, 1835-1842.	7.2	215
96	Symptom dimensions in recent-onset schizophrenia and mania: a principal components analysis of the 24-item Brief Psychiatric Rating Scale. <i>Psychiatry Research</i> , 2000, 97, 129-135.	3.3	315
97	Life events can trigger depressive exacerbation in the early course of schizophrenia.. <i>Journal of Abnormal Psychology</i> , 2000, 109, 139-144.	1.9	47
98	Training and quality assurance with the structured clinical interview for DSM-IV (SCID-I/P). <i>Psychiatry Research</i> , 1998, 79, 163-173.	3.3	520
99	Prediction of the deficit syndrome from initial deficit symptoms in the early course of schizophrenia. <i>Psychiatry Research</i> , 1998, 80, 53-59.	3.3	29
100	Developmental Processes in Schizophrenic Disorders: Longitudinal Studies of Vulnerability and Stress. <i>Schizophrenia Bulletin</i> , 1992, 18, 387-425.	4.3	460
101	Life Events and Schizophrenic Relapse after Withdrawal of Medication. <i>British Journal of Psychiatry</i> , 1992, 161, 615-620.	2.8	56
102	A prospective study of stressful life events and schizophrenic relapse.. <i>Journal of Abnormal Psychology</i> , 1989, 98, 407-411.	1.9	168
103	Patient-Environment Relationships in Schizophrenia. <i>British Journal of Psychiatry</i> , 1989, 155, 84-89.	2.8	33
104	Sexual dysfunction in couples with learning handicaps. <i>Sexuality and Disability</i> , 1987, 8, 25-35.	1.0	4