

Marta LÃ³pez-Alonso

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/682397/publications.pdf>

Version: 2024-02-01

579
papers

5,754
citations

172457

29
h-index

106344

65
g-index

579
all docs

579
docs citations

579
times ranked

4036
citing authors

#	ARTICLE	IF	CITATIONS
1	Safety and efficacy of a feed additive consisting of an essential oil from <i>Cinnamomum camphora</i> (L.) J. Presl (camphor white oil) for use in all animal species (FEFANA asbl). EFSA Journal, 2022, 20, e06985.	1.8	3
2	Assessment of the feed additive consisting of <i>Lactococcus lactis</i> NCIMB 30160 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co KG). EFSA Journal, 2022, 20, e06975.	1.8	0
3	Safety and efficacy of two solvent extracts of rosemary (<i>Rosmarinus officinalis</i> L.) when used as feed additive for cats and dogs (Kemin Nutrisurance Europe SRL). EFSA Journal, 2022, 20, e06978.	1.8	1
4	Safety and efficacy of a feed additive consisting of <i>Bacillus velezensis</i> DSM 15544 (Calsporin®) for dairy cows and other dairy ruminants (Asahi Biocycle Co. Ltd.). EFSA Journal, 2022, 20, e06984.	1.8	0
5	Safety of the fermentation product of <i>Aspergillus oryzae</i> NRRL 458 (Amaferm®) as a feed additive for dairy cows (Biozyme Inc.). EFSA Journal, 2022, 20, e06983.	1.8	0
6	Efficacy of a feed additive consisting of nicarbazin (Coxar®) for use in turkeys for fattening (Huvepharma N.V.). EFSA Journal, 2022, 20, e07162.	1.8	0
7	Safety and efficacy of a feed additive consisting of an essential oil from the flowers of <i>Cananga odorata</i> (Lam.) Hook.f. & Thomson (ylang ylang oil) for use in all animal species (FEFANA asbl). EFSA Journal, 2022, 20, e07159.	1.8	2
8	Safety and efficacy of a feed additive consisting of ferric citrate chelate (Clâ€FERâ„¢) for poultry species for fattening or reared up to the point of lay (Akeso Biomedical, Inc.). EFSA Journal, 2022, 20, e07155.	1.8	0
9	Safety and efficacy of a feed additive consisting of zearalenone hydrolase produced by <i>Escherichia coli</i> DSM 32731 for all terrestrial animal species (Biomin GmbH). EFSA Journal, 2022, 20, e07157.	1.8	1
10	Safety and efficacy of a feed additive consisting of <i>Propionibacterium freudenreichii</i> DSM 33189 and <i>Lentilactobacillus buchneri</i> (formerly <i>Lactobacillus buchneri</i>) DSM 12856 for all animal species (Lactosan GmbH & Co.KG.). EFSA Journal, 2022, 20, e07151.	1.8	0
11	Assessment of the feed additive consisting of <i>Lentilactobacillus buchneri</i> (formerly <i>Lactobacillus</i>) Tj ETQq1 1 0.784314 rgBT /Overlock	1.8	0
12	Safety and efficacy of a feed additive consisting of lanthanum carbonate octahydrate (Lanthan One) for cats (Porus GmbH). EFSA Journal, 2022, 20, e07168.	1.8	0
13	Safety and efficacy of a feed additive consisting of l-valine produced by <i>Escherichia coli</i> CCTCC M2020321 for all animal species (Kempex Holland BV). EFSA Journal, 2022, 20, e07163.	1.8	1
14	Safety and efficacy of a feed additive consisting of <i>Bacillus velezensis</i> NITE BPâ€1844 (BAâ€KINGâ€) for chickens for fattening, chickens reared for laying, turkeys for fattening, turkeys reared for breeding and all avian species for fattening, or rearing to slaughter or point of lay including nonâ€food producing species (Toa Biopharma Co., Ltd.). EFSA Journal, 2022, 20, e07152.	1.8	2
15	Safety and efficacy of a feed additive consisting of astaxanthinâ€rich <i>Phaffia rhodozyma</i> for salmon and trout (Igene Biotechnology, Inc.). EFSA Journal, 2022, 20, e07161.	1.8	0
16	Safety and efficacy of the feed additive consisting of <i>Lactobacillus acidophilus</i> CECT 4529 (<i>Lactobacillus acidophilus</i> D2/CSL) for all poultry species and categories and all ornamental birds (Centro Sperimentale del Latte S.r.l.). EFSA Journal, 2022, 20, e07150.	1.8	0
17	Assessment of the feed additive consisting of potassium diformate for all animal species for the renewal of its authorisation (Addcon GmbH). EFSA Journal, 2022, 20, e07167.	1.8	1
18	Safety and efficacy of a feed additive consisting of sodium alginate for all animal species (ALGAIA). EFSA Journal, 2022, 20, e07164.	1.8	0

#	ARTICLE	IF	CITATIONS
19	Safety and efficacy of a feed additive consisting of ethoxyquin (6-ethoxy-2,2,4-trimethylquinoline) for all animal species (FEFANA asbl). EFSA Journal, 2022, 20, e07166.		8
20	Safety and efficacy of a feed additive consisting of an essential oil from the leaves of <i>Agathosma betulina</i> (P.J. Bergius) Pillans (buchu leaf oil) for use in all animal species (FEFANA asbl). EFSA Journal, 2022, 20, e07160.	1.8	1
21	Efficacy of a feed additive consisting of endo-1,4-beta-xylanase produced by <i>Trichoderma citrinoviride</i> (IMI SD 135) (HOSTAZYM X) for sows in order to have benefits in piglets (Huvepharma NV). EFSA Journal, 2022, 20, e07154.	1.8	0
22	Safety and efficacy of a feed additive consisting of manganous lysinate sulfate for all animal species (Phytobiotics Futterzusatzstoffe GmbH). EFSA Journal, 2022, 20, e07165.	1.8	0
23	Safety and efficacy of the feed additives consisting of L-glutamic acid and monosodium L-glutamate monohydrate produced by <i>Corynebacterium glutamicum</i> NITE BP01681 for all animal species (METEX) Tj ETQq1 1.0.7843 14 rgBT /Overlock 10 Tf 50	1.8	0
24	Safety and efficacy of a feed additive consisting of an extract of olibanum from <i>Boswellia serrata</i> Roxb. ex Colebr. for use in dogs and horses (FEFANA asbl). EFSA Journal, 2022, 20, e07158.	1.8	16
25	Safety and efficacy of a feed additive consisting of disodium 5'-inosinate (IMP) produced by <i>Corynebacterium stationis</i> KCCM 80235 for all animal species (CJ Europe GmbH). EFSA Journal, 2022, 20, e07153.	1.8	1
26	Assessment of the feed additive consisting of <i>Lactiplantibacillus plantarum</i> (formerly <i>Lactobacillus</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 Journal, 2022, 20, e07149.	1.8	0
27	Safety and efficacy of a feed additive consisting of sepiolite for all animal species (Sepiol S.A and) Tj ETQq1 1 0.7843 14 rgBT /Overlock 10 Tf 50	1.8	4
28	Assessment of the feed additive consisting of <i>Lactococcus lactis</i> DSM 11037 for all animal species for the renewal of its authorisation (Chr. Hansen A/S). EFSA Journal, 2022, 20, e07241.	1.8	1
29	Safety and efficacy of a feed additive consisting of <i>Bacillus velezensis</i> ATCC PTA6737 (<i>Bacillus</i>) Tj ETQq1 1 0.7843 14 rgBT /Overlock 10 Tf 50 species for laying, piglets (weaned), weaned minor porcine species and sows (Kemin Europe N.V.). EFSA Journal, 2022, 20, e07244.	1.8	4
30	Safety of feed additives consisting of 12-damascone [07.083] and (E)-12-damascone [07.224] belonging to chemical group 8 for use in all animal species (FEFANA asbl). EFSA Journal, 2022, 20, e07248.	1.8	0
31	Safety and efficacy of a feed additive consisting of L-methionine produced by the combined activities of <i>Corynebacterium glutamicum</i> KCCM 80245 and <i>Escherichia coli</i> KCCM 80246 for all animal species (CJ) Tj ETQq1 1 0.7843 14 rgBT /Overlock 10 Tf 50	1.8	0
32	Safety and efficacy of a feed additive consisting of L-lysine sulfate produced by <i>Escherichia coli</i> CGMCC 7.398 for all animal species (Kempex Holland B.V.). EFSA Journal, 2022, 20, e07246.	1.8	1
33	Assessment of the feed additive consisting of <i>Lactococcus lactis</i> NCIMB 30117 for all animal species for the renewal of its authorisation (Chr. Hansen A/S). EFSA Journal, 2022, 20, e07243.	1.8	1
34	Safety of 37 feed additives consisting of flavouring compounds belonging to different chemical groups for use in all animal species (FEFANA asbl). EFSA Journal, 2022, 20, e07249.	1.8	2
35	Safety and efficacy of a feed additive consisting of agar for pets and non-food-producing animals (Hispanagar). EFSA Journal, 2022, 20, e07284.	1.8	1
36	Safety and efficacy of a feed additive consisting of carrageenan for pets and other non-food-producing animals (Marinalg International). EFSA Journal, 2022, 20, e07285.	1.8	3

#	ARTICLE	IF	CITATIONS
37	Safety and efficacy of a feed additive consisting of <i>Enterococcus faecium</i> NBIMCC 8270, <i>Lactobacillus acidophilus</i> NBIMCC 8242, <i>Lactobacillus helveticus</i> NBIMCC 8269, <i>Lactobacillus delbrueckii</i> ssp. <i>lactis</i> NBIMCC 8250, <i>L. delbrueckii</i> ssp. <i>bulgaricus</i> NBIMCC 8244 and <i>Streptococcus thermophilus</i> NBIMCC 8253 (Probiotic Lactina) for chickens for fattening and suckling and weaned rabbits (Lactina Ltd.). EFSA Journal, 2022, 20, e07245.	1.8	2
38	Safety and efficacy of the feed additive consisting of ammonium chloride (Ammonium Chloride AF) for all ruminants, dogs and cats for the renewal of its authorisation (BASF SE). EFSA Journal, 2022, 20, e07255.	1.8	1
39	Safety and efficacy of a feed additive consisting of lactic acid produced by <i>Weizmannia coagulans</i> (synonym <i>Bacillus coagulans</i>) DSM 32789 for all animal species except for fish (Jungbunzlauer SA). EFSA Journal, 2022, 20, e07268.	1.8	5
40	Safety and efficacy of a feed additive consisting of acacia gum (gum Arabic) for all animal species (A.I.P.G. Association for International Promotion of Gums). EFSA Journal, 2022, 20, e07252.	1.8	1
41	Safety and efficacy of a feed additive consisting of guar gum for all animal species (A.I.P.G. Association) Tj ETQq1 1 0,784314 rgBT /Ove	1.8	1
42	Safety and efficacy of a feed additive consisting of butylated hydroxytoluene (BHT) for all animal species (Lanxess Deutschland GmbH). EFSA Journal, 2022, 20, e07286.	1.8	2
43	Safety and efficacy of a feed additive consisting of α -amylase (produced by <i>Komagataella pharii</i> DSM) Tj ETQq1 1 0,784314 rgBT /Ove for breeding, weaned piglets, pigs for fattening and sows for the renewal of their authorisation and for the new use in breeding hens and turkeys, ornamental birds, suckling piglets and minor pig species for fattening and breeding (Novapharma S.O.L.). EFSA Journal, 2022, 20, e07230.	1.8	1
44	Safety and efficacy of a feed additive consisting of butylated hydroxytoluene (BHT) for all animal species (Katyon Technologies Limited). EFSA Journal, 2022, 20, e07287.	1.8	3
45	Safety and efficacy of a feed additive consisting of Sunset Yellow FCF for cats and dogs, ornamental fish, grain-eating ornamental birds and small rodents (Sensient Colours Europe GmbH). EFSA Journal, 2022, 20, e07266.	1.8	1
46	Safety and efficacy of a feed additive consisting of guanidinoacetic acid for all animal species (Alzchem Trostberg GmbH). EFSA Journal, 2022, 20, e07269.	1.8	4
47	Safety and efficacy of a feed additive consisting of endo- β -1,4-xylanase and endo- β -1,3(4)-glucanase produced with <i>Talaromyces versatilis</i> IMI 378536 and DSM 26702 (ROVABIO ADVANCE) for weaned piglets and pigs for fattening (ADISSEO France S.A.S). EFSA Journal, 2022, 20, e07251.	1.8	2
48	Toxic and essential trace element concentrations in different tissues of extensively reared sheep in northern Spain. Journal of Food Composition and Analysis, 2021, 96, 103709.	3.9	8
49	Alternatives to antibiotics and trace elements (copper and zinc) to improve gut health and zootechnical parameters in piglets: A review. Animal Feed Science and Technology, 2021, 271, 114727.	2.2	26
50	Assessment of the feed additive consisting of endo- β -1,4-xylanase produced by <i>Trichoderma reesei</i> CBS 114044 (ECONASE XT) for piglets (weaned), chickens reared for laying, chickens for fattening, turkeys for fattening and turkeys reared for breeding for the renewal of its authorisation (Roal Oy). EFSA Journal, 2021, 19, e06458.	1.8	4
51	Safety and efficacy of a feed additive consisting on <i>Propionibacterium freudenreichii</i> ssp. <i>shermanii</i> ATCC PTA6752 for all animal species (Chr. Hansen AS). EFSA Journal, 2021, 19, e06470.	1.8	3
52	Safety for the user of the feed additive consisting of ferric citrate chelate (ClFER,) for suckling and weaned piglets and minor porcine species (Akeso Biomedical, Inc.). EFSA Journal, 2021, 19, e06455.	1.8	1
53	Assessment of the feed additive consisting of <i>Enterococcus faecium</i> DSM 7134 (Bonvital) for chickens for fattening for the renewal of its authorisation (Lactosan GmbH & Co. KG). EFSA Journal, 2021, 19, e06451.	1.8	3
54	Safety and efficacy of the feed additive consisting of Vitamin B2/Riboflavin produced by <i>Eremothecium ashbyi</i> CCTCCM 2019833 for all animal species (Hubei Guangji Pharmaceutical Co., Ltd). EFSA Journal, 2021, 19, e06462.	1.8	3

#	ARTICLE	IF	CITATIONS
55	Safety and efficacy of the feed additive consisting of <i>Bacillus licheniformis</i> DSM 28710 (Bactact®) for laying hens, minor poultry species for laying, poultry species for breeding purposes and ornamental birds (HuvePharma N.V.). EFSA Journal, 2021, 19, e06449.	1.8	2
56	Safety and efficacy of a feed additive consisting of serine protease produced by <i>Bacillus licheniformis</i> DSM 19670 (Ronozyme® ProAct) for chickens for fattening (DSM Nutritional Products Ltd.). EFSA Journal, 2021, 19, e06448.	1.8	1
57	Safety and efficacy of a feed additive consisting of manganese chelate of ethylenediamine for all animal species (Zinpro Animal Nutrition (Europe), Inc.). EFSA Journal, 2021, 19, e06468.	1.8	1
58	Statement on the safety and efficacy of the feed additive consisting on tragacanth gum for all animal species (Association for International Promotion of Gums). EFSA Journal, 2021, 19, e06447.	1.8	5
59	Safety and efficacy of a feed additive consisting of endo-1,4- α -xylanase produced by <i>Bacillus subtilis</i> LMG S15136 (Belfeed B MP/ML) for sows in order to have benefits in piglets and for all porcine species (Beldem, a division of Puratos NV). EFSA Journal, 2021, 19, e06456.	1.8	1
60	Safety of the feed additive consisting of manganese chelates of lysine and glutamic acid for all animal species (Zinpro Animal Nutrition). EFSA Journal, 2021, 19, e06454.	1.8	4
61	Safety and efficacy of a feed additive consisting of lasalocid A sodium and nicarbazin (Nilablendâ„¢) Tj ETQq1 1 0.784314 rgBT /Overlock 3	1.8	3
62	Safety and efficacy of the additive consisting of muramidase produced by <i>Trichoderma reesei</i> DSM 32338 (Balanciusâ„¢) for use in weaned piglets (DSM Nutritional products Ltd). EFSA Journal, 2021, 19, e06452.	1.8	0
63	Safety and efficacy of a feed additive consisting of zinc chelate of ethylenediamine for all animal species (Zinpro Animal Nutrition (Europe), Inc.). EFSA Journal, 2021, 19, e06467.	1.8	6
64	Safety and efficacy of a feed additive consisting on <i>Ligilactobacillus animalis</i> ATCC PTA6750 (formerly) Tj ETQq0 0 0 rgBT /Overlock 1	1.8	0
65	Safety and efficacy of a feed additive consisting of a dried extract from <i>Garcinia gummi-gutta</i> (L.) Roxb. for use in cats and dogs (C.I.A.M.). EFSA Journal, 2021, 19, e06444.	1.8	3
66	Efficacy of the feed additive consisting of decoquinatate (Deccox®) for use in chickens for fattening (Zoetis Belgium SA). EFSA Journal, 2021, 19, e06453.	1.8	2
67	Safety and efficacy of a feed additive consisting of the seed husk of <i>Plantago ovata</i> Forssk. for use in cats and dogs (C.I.A.M.). EFSA Journal, 2021, 19, e06445.	1.8	0
68	Safety and efficacy of the feed additive consisting of <i>Clostridium butyricum</i> FERM BP2789 (MiyacGold®) Tj ETQq0 0 0 rgBT /Overlock 2	1.8	2
69	Efficacy of the feed additive consisting of amprolium hydrochloride (COXAM®) for use in chickens for fattening and chickens reared for laying (Huvepharma N.V.). EFSA Journal, 2021, 19, e06457.	1.8	1
70	Safety and efficacy of feed additives consisting of dried extracts from <i>Echinacea angustifolia</i> DC. or <i>Echinacea purpurea</i> (L.) Moench for use in cats and dogs (C.I.A.M.). EFSA Journal, 2021, 19, e06446.	1.8	0
71	Safety and efficacy of the feed additive consisting of L-tryptophan produced by <i>Escherichia coli</i> KCCM 80210 for all animal species (Daesang Europe BV). EFSA Journal, 2021, 19, e06425.	1.8	1
72	Safety and efficacy of an additive consisting of <i>Bacillus subtilis</i> DSM 32324 for all animal species (Chr.) Tj ETQq0 0 0 rgBT /Overlock 10	1.8	10

#	ARTICLE	IF	CITATIONS
73	Safety and efficacy of a feed additive consisting of l€valine produced by <i>Corynebacterium glutamicum</i> CGMCC 7.366 for all animal species (Ningxia Eppen Biotech Co., Ltd.). EFSA Journal, 2021, 19, e06521.	1.8	1
74	Safety and efficacy of an additive consisting of <i>Bacillus subtilis</i> DSM 32325 for all animal species (Chr.) Tj ETQq0 0,0 rgBT /Overlock 10	1.8	0
75	Safety and efficacy of a feed additive consisting of a preparation of benzoic acid, calcium formate and fumaric acid (AviMatrix Z) for all avian species other than laying birds (Novus Europe S.A. / N.V.). EFSA Journal, 2021, 19, e06528.	1.8	2
76	Safety and efficacy of a feed additive consisting of a dried extract from the roots of <i>Arctium lappa</i> L. (A. lappa dry extract) for use in cats and dogs (C.I.A.M.). EFSA Journal, 2021, 19, e06527.	1.8	1
77	Safety and efficacy of a feed additive consisting of <i>Bacillus velezensis</i> PTA6507, <i>B. velezensis</i> NRRL B50013 and <i>B. velezensis</i> NRRL B50104 (Enviva PRO 202 GT) for turkeys for fattening (Danisco Animal) Tj ETQq1 1 03784314	1.8	1
78	Safety and efficacy of a feed additive consisting of copper chelate of ethylenediamine for all animal species (Zinpro Animal Nutrition (Europe), Inc.). EFSA Journal, 2021, 19, e06541.	1.8	1
79	Safety and efficacy of a feed additive consisting of endo1,4xylanase (ECONASE XT) produced by <i>Trichoderma reesei</i> CBS 140027 as a feed additive for piglets (weaned), pigs for fattening, chickens for fattening, chickens reared for laying, laying hens, turkeys for fattening, turkeys reared for breeding and minor poultry species (Roal Ov). EFSA Journal, 2021, 19, e06536.	1.8	1
80	Assessment of a feed additive consisting of allracalphatocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (NHU Europe GmbH). EFSA Journal, 2021, 19, e06533.	1.8	8
81	Assessment of a feed additive consisting of allracalphatocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (DSM). EFSA Journal, 2021, 19, e06529.	1.8	2
82	Safety and efficacy of feed additives consisting of expressed lemon oil and its fractions from <i>Citrus limon</i> (L.) Osbeck and of lime oil from <i>Citrus aurantiifolia</i> (Christm.) Swingle for use in all animal species (FEFANA asbl). EFSA Journal, 2021, 19, e06548.	1.8	19
83	Safety and efficacy of a feed additive consisting of a tincture derived from roots of <i>Gentiana lutea</i> L. (gentian tincture) for use in all animal species (FEFANA asbl). EFSA Journal, 2021, 19, e06547.	1.8	6
84	Safety and efficacy of an additive consisting of synthetic vitamin K1 (phytomenadione) for horses (JARAZ Enterprises GmbH & Co. KG). EFSA Journal, 2021, 19, e06538.	1.8	1
85	Assessment of a feed additive consisting of allracalphatocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (BASF SE). EFSA Journal, 2021, 19, e06531.	1.8	1
86	Assessment of a feed additive consisting of allracalphatocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (EUROPEASIA Import Export GmbH). EFSA Journal, 2021, 19, e06530.	1.8	2
87	Safety and efficacy of a feed additive consisting of ferrous lysinate sulfate for all animal species (Phytobiotics Futterzusatzstoffe GmbH). EFSA Journal, 2021, 19, e06545.	1.8	1
88	Safety and efficacy of the feed additive consisting of endo1,4betaxylanase produced by <i>Trichoderma reesei</i> CBS 143953 (Danisco Xylanase 40000 G/L) for poultry and porcine species (Danisco Animal) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.8	0
89	Safety and efficacy of a feed additive consisting of a dried extract from the roots of <i>Panax ginseng</i> C.A. Meyer (P. ginseng dry extract) for use in cats and dogs (C.I.A.M.). EFSA Journal, 2021, 19, e06526.	1.8	0
90	Safety and efficacy of a feed additive consisting of a dried extract from the leaves of <i>Ginkgo biloba</i> L. (G. biloba dry extract) for use in cats and dogs (C.I.A.M.). EFSA Journal, 2021, 19, e06525.	1.8	2

#	ARTICLE	IF	CITATIONS
91	Safety and efficacy of a feed additive consisting of chromium propionate (KemTRACE, Chromium) for all growing poultry species (Kemin Europa NV). EFSA Journal, 2021, 19, e06546.	1.8	0
92	Safety and efficacy of a feed additive consisting of iron chelate of ethylenediamine for all animal species (Zinpro Animal Nutrition (Europe), Inc.). EFSA Journal, 2021, 19, e06540.	1.8	1
93	Safety of the feed additives consisting of llysine monohydrochloride and llysine sulfate produced by Corynebacterium glutamicumCCTCC M 2015595 for all animal species (Kempex Holland B. V.). EFSA Journal, 2021, 19, e06520.	1.8	2
94	Assessment of a feed additive consisting of RRR--tocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (Specialty Ingredients (Europe) B.V. and Vitae Caps S.A.). EFSA Journal, 2021, 19, e06532.	1.8	2
95	Safety and efficacy of an additive consisting of Bacillus amyloliquefaciensDSM 25840 for all animal species (Chr. Hansen A/S). EFSA Journal, 2021, 19, e06522.	1.8	0
96	Safety and efficacy of the feed additives concentrated liquid llysine (base) and llysine monohydrochloride produced by Corynebacterium glutamicum KCCM 80183 for all animal species (C) Tj ETQq0 0 0.8gBT /Overlock 10 Tf 50	1.8	0
97	Seasonal Variation of the Proximate Composition, Mineral Content, Fatty Acid Profiles and Other Phytochemical Constituents of Selected Brown Macroalgae. Marine Drugs, 2021, 19, 204.	4.6	32
98	Assessment of the feed additive consisting of dimethylglycine sodium salt (Taminizer D) for chickens for fattening for the renewal of its authorisation (Taminco N.V.). EFSA Journal, 2021, 19, e06621.	1.8	1
99	Safety and efficacy of a feed additive consisting on the bacteriophages PCM F/00069, PCM F/00070, PCM F/00071 and PCM F/00097 infecting Salmonella Gallinarum B/00111 (Bafasal) for all avian species (Proteon Pharmaceuticals S.A.). EFSA Journal, 2021, 19, e06534.	1.8	7
100	Assessment of the feed additive consisting of copper chelate of hydroxy analogue of methionine for all animal species for the renewal of its authorisation (Novus Europe S.A./N.V.). EFSA Journal, 2021, 19, e06618.	1.8	0
101	Efficacy of the feed additive containing Companilactobacillus farciminis (formerly Lactobacillus) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 (ChemVet dk A/S). EFSA Journal, 2021, 19, e06627.	1.8	1
102	Assessment of the feed additive consisting of Lactiplantibacillus plantarum (formerly Lactobacillus) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.8	3
103	Safety and efficacy of a feed additive consisting of lhistidine monohydrochloride monohydrate produced using Escherichia coli NITE SD 00268 for all animal species (Kyowa Hakko Europe GmbH). EFSA Journal, 2021, 19, e06622.	1.8	1
104	Safety and efficacy of a feed additive consisting of an essential oil from the leaves of Citrus -aurantium L. (petitgrain bigarade oil) for use in all animal species (FEFANA asbl). EFSA Journal, 2021, 19, e06624.	1.8	2
105	Assessment of the feed additive consisting of Lactiplantibacillus plantarum (formerly Lactobacillus) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	1.8	0
106	Safety and efficacy of a feed additive consisting of titanium dioxide for all animal species (Kronos) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.8	6
107	Safety and efficacy of an additive consisting of phyllite, natural mixture of minerals of metamorphic origin, as a feed additive for all animal species (Marmoralkwerk Troesch GmbH & Co. KG). EFSA Journal, 2021, 19, e06616.	1.8	0
108	Safety and efficacy of an additive consisting of potassium diformate (Formi, LHS) for piglets (weaned) and pigs for fattening (Addcon GmbH). EFSA Journal, 2021, 19, e06617.	1.8	2

#	ARTICLE	IF	CITATIONS
109	Safety and efficacy of a feed additive consisting of acetic acid for all animal species. EFSA Journal, 2021, 19, e06615.	1.8	6
110	Safety and efficacy of a feed additive consisting of an essential oil from the fruits of <i>Litsea cubeba</i> (Lour.) Pers. (litsea berry oil) for use in all animal species (FEFANA asbl). EFSA Journal, 2021, 19, e06623.	1.8	4
111	Safety and efficacy of a feed additive consisting of disodium 5-guanylate produced with <i>Corynebacterium stationis</i> KCCM 10530 and <i>Escherichia coli</i> K12 KFCC 11067 for all animal species (C) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	1.8	14
112	Assessment of the feed additive consisting of <i>Lactiplantibacillus plantarum</i> (formerly <i>Lactobacillus</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.8	0
113	Safety and efficacy of a feed additive consisting on <i>Lactiplantibacillus plantarum</i> (formerly) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 CECT 8700 (AQ02) for suckling piglets (AQUILON CYL S.L.). EFSA Journal, 2021, 19, e06631.	1.8	2
114	Safety and efficacy of a feed additive consisting of expressed mandarin oil from the fruit peels of <i>Citrus reticulata</i> Blanco for use in all animal species (FEFANA asbl). EFSA Journal, 2021, 19, e06625.	1.8	3
115	Safety and efficacy of a feed additive consisting of ferric (III) ammonium hexacyanoferrate (II) for ruminants (domestic and wild), calves prior the start of rumination, lambs prior the start of rumination, kids prior the start of rumination and pigs (domestic and wild) (Honeywell Specialty) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	1.8	1
116	Safety and efficacy of the feed additive consisting of <i>Bacillus velezensis</i> CECT 5940 (Ecobiol) for turkeys for fattening, turkeys reared for breeding, minor poultry species for fattening and reared for laying and ornamental birds (Evonik Operations GmbH). EFSA Journal, 2021, 19, e06620.	1.8	1
117	Safety and efficacy of feed additives consisting of Vitamin B2 (98%) and Vitamin B2 (80%) as riboflavin produced by <i>Bacillus subtilis</i> KCCM 10445 for all animal species (Hubei Guangji Pharmaceutical Co.) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	1.8	1
118	Assessment of a feed additive consisting of vitamin B6 (pyridoxine hydrochloride) for all animal species for the renewal of its authorisation (Kaesler Nutrition GmbH). EFSA Journal, 2021, 19, e06612.	1.8	0
119	Safety of a feed additive consisting of a tincture derived from <i>Verbascum thapsus</i> L. (great mullein) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	1.8	0
120	Safety and efficacy of a feed additive consisting of L-lysine sulfate produced by <i>Corynebacterium glutamicum</i> KCCM 80227 for all animal species (Daesang Europe BV). EFSA Journal, 2021, 19, e06706.	1.8	4
121	Assessment of the feed additive consisting of <i>Pediococcus pentosaceus</i> DSM 12834 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co KG). EFSA Journal, 2021, 19, e06713.	1.8	1
122	Safety and efficacy of a feed additive consisting of <i>Lactiplantibacillus plantarum</i> (formerly) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 227 Td	1.8	3
123	Safety and efficacy of a feed additive consisting of <i>Lactiplantibacillus plantarum</i> (formerly) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	1.8	2
124	Assessment of the feed additive consisting of <i>Lentilactobacillus buchneri</i> (formerly <i>Lactobacillus</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 1	1.8	19
125	Safety and efficacy of a feed additive consisting of <i>Lacticaseibacillus rhamnosus</i> (formerly) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	1.8	2
126	Assessment of the feed additive consisting of <i>Pediococcus acidilactici</i> DSM 16243 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co.KG). EFSA Journal, 2021, 19, e06697.	1.8	1

#	ARTICLE	IF	CITATIONS
127	Safety and efficacy of a feed additive consisting of <i>Pediococcus pentosaceus</i> IMI 507024 for all animal species (ALLTECHNOLOGY (IRELAND) LIMITED [Alltech Ireland]). EFSA Journal, 2021, 19, e06701.	1.8	1
128	Safety and efficacy of a feed additive consisting of a flavonoidrich dried extract of <i>CitrusAurantium</i> L. fruit (bitter orange extract) for use in all animal species (FEFANA asbl). EFSA Journal, 2021, 19, e06709.	1.8	6
129	Safety and efficacy of a feed additive consisting of <i>Saccharomyces cerevisiae</i> MUCL 39885 (Biosprint) for all pigs (other than sows and weaned piglets) and other minor porcine species (Prosol S.p.A.). EFSA Journal, 2021, 19, e06698.	1.8	0
130	Safety and efficacy of a feed additive consisting of butylated hydroxyanisole (BHA) for use in cats (FEDIAF). EFSA Journal, 2021, 19, e06714.	1.8	1
131	Safety and efficacy of an additive consisting of xanthan gum produced by <i>Xanthomonas campestris</i> strains ,  for all animal species (Biopolymer International). EFSA Journal, 2021, 19, e06710.	1.8	2
132	Safety and efficacy of a feed additive consisting of <i>Saccharomyces cerevisiae</i> MUCL 39885 (Biosprint) for cats and dogs (Prosol S.p.A.). EFSA Journal, 2021, 19, e06699.	1.8	1
133	Safety for the environment of a feed additive consisting of nicarbazin (Coxar) for use in turkeys for fattening (Huvepharma N.V.). EFSA Journal, 2021, 19, e06715.	1.8	1
134	Safety and efficacy of a feed additive consisting of <i>Lactiplantibacillus plantarum</i> (formerly) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 467 Td	1.8	3
135	Safety and efficacy of a feed additive consisting of <i>Pediococcus pentosaceus</i> IMI 507025 for all animal species (ALLTECHNOLOGY (IRELAND) LIMITED [Alltech Ireland]). EFSA Journal, 2021, 19, e06702.	1.8	1
136	Fish tissues for biomonitoring toxic and essential trace elements in the Lower Amazon. Environmental Pollution, 2021, 283, 117024.	7.5	17
137	Guidance on the renewal of the authorisation of feed additives. EFSA Journal, 2021, 19, e06340.	1.8	50
138	Maximum levels of crosscontamination for 24 antimicrobial active substances in nontarget feed. Part 8: Pleuromutilins: tiamulin and valnemulin. EFSA Journal, 2021, 19, e06860.	1.8	8
139	Maximum levels of crosscontamination for 24 antimicrobial active substances in nontarget feed.Part 10: Quinolones: flumequine and oxolinic acid. EFSA Journal, 2021, 19, e06862.	1.8	8
140	Maximum levels of crosscontamination for 24 antimicrobial active substances in nontarget feed. Part 1: Methodology, general data gaps and uncertainties. EFSA Journal, 2021, 19, e06852.	1.8	11
141	Maximum levels of crosscontamination for 24 antimicrobial active substances in nontarget feed. Part 13: Diaminopyrimidines: trimethoprim. EFSA Journal, 2021, 19, e06865.	1.8	12
142	Maximum levels of crosscontamination for 24 antimicrobial active substances in nontarget feed.Part 9: Polymyxins: colistin. EFSA Journal, 2021, 19, e06861.	1.8	10
143	Maximum levels of crosscontamination for 24 antimicrobial active substances in nontarget feed. Part 7: Amphenicols: florfenicol and thiamphenicol. EFSA Journal, 2021, 19, e06859.	1.8	4
144	Maximum levels of crosscontamination for 24 antimicrobial active substances in nontarget feed. Part 11: Sulfonamides. EFSA Journal, 2021, 19, e06863.	1.8	13

#	ARTICLE	IF	CITATIONS
145	Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed. Part 3: Amprolium. EFSA Journal, 2021, 19, e06854.	1.8	13
146	Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed. Part 12: Tetracyclines: tetracycline, chlortetracycline, oxytetracycline, and doxycycline. EFSA Journal, 2021, 19, e06864.	1.8	5
147	Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed. Part 6: Macrolides: tilmicosin, tylosin and tylvalosin. EFSA Journal, 2021, 19, e06858.	1.8	8
148	Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed. Part 2: Aminoglycosides/aminocyclitols: apramycin, paromomycin, neomycin and spectinomycin. EFSA Journal, 2021, 19, e06853.	1.8	9
149	Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed. Part 4: Lactams: amoxicillin and penicillin V. EFSA Journal, 2021, 19, e06855.	1.8	3
150	Maximum levels of cross-contamination for 24 antimicrobial active substances in non-target feed. Part 5: Lincosamides: lincomycin. EFSA Journal, 2021, 19, e06856.	1.8	14
151	Safety of a feed additive consisting of a dried aqueous ethanol extract from the leaves of <i>Melissa officinalis</i> L. for all animal species (NorFeed SAS). EFSA Journal, 2021, 19, e06904.	1.8	0
152	Safety and efficacy of a feed additive consisting of <i>Lactiplantibacillus plantarum</i> (formerly) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 467 Td e06898.	1.8	0
153	Safety and efficacy of a feed additive consisting of copper (II) chelate of amino acids hydrate for all animal species (Zinpro Animal Nutrition (Europe) Inc.). EFSA Journal, 2021, 19, e06896.	1.8	0
154	Safety and efficacy of a feed additive consisting of zinc chelate of amino acids hydrate for all animal species (Zinpro Animal Nutrition (Europe) Inc.). EFSA Journal, 2021, 19, e06897.	1.8	0
155	Safety and efficacy of a feed additive consisting of cashew nutshell liquid for all animal species (Oligobasic Europe). EFSA Journal, 2021, 19, e06892.	1.8	0
156	Safety and efficacy of a feed additive consisting of manganese chelate of amino acids hydrate for all animal species (Zinpro Animal Nutrition (Europe) Inc.). EFSA Journal, 2021, 19, e06895.	1.8	0
157	Safety and efficacy of a feed additive consisting of endo-1,4- α -xylanase produced by <i>Bacillus subtilis</i> LMG S27588 (Beltherm MP/ML) for laying hens, minor poultry species and all avian species (Puratos NV). EFSA Journal, 2021, 19, e06906.	1.8	0
158	Safety and efficacy of a feed additive consisting of <i>Bacillus velezensis</i> DSM 15544 (Calsporin) for piglets (suckling and weaned), pigs for fattening, sows in order to have benefit in piglets, ornamental fish, dogs and all avian species (Asahi Biocycle Co.). EFSA Journal, 2021, 19, e06903.	1.8	2
159	Assessment of the feed additive consisting of sodium benzoate (Protural) for weaned piglets for the renewal of its authorisation and the extension of use to other growing Suidae (Taminco Finland Oy). EFSA Journal, 2021, 19, e06899.	1.8	0
160	Assessment of the feed additive consisting of <i>Levilactobacillus brevis</i> (formerly <i>Lactobacillus brevis</i>) DSM 12835 EU for all animal species for the renewal of its authorisation (Lactosan GmbH & Co KG). EFSA Journal, 2021, 19, e06900.	1.8	1
161	Safety and efficacy of a feed additive consisting of <i>Lactocaseibacillus rhamnosus</i> (formerly) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 467 Td (Lactosan GmbH & Co. KG). EFSA Journal, 2021, 19, e06901.	1.8	3
162	Safety and efficacy of a feed additive consisting of iron (II) chelate of amino acids hydrate for all animal species. EFSA Journal, 2021, 19, e06894.	1.8	0

#	ARTICLE	IF	CITATIONS
163	Safety and efficacy of a feed additive consisting of an aqueous extract of Citrus limon (L.) Osbeck (lemon extract) for use in all animal species (NorFeed SAS). EFSA Journal, 2021, 19, e06893.	1.8	4
164	Assessment of the feed additive consisting of Lactocaseibacillus paracasei (formerly Lactobacillus) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.8	0
165	Safety and efficacy of a feed additive consisting of Bacillus subtilis strains CNCM l4606, CNCM l5043 and CNCM l4607 and Lactococcus lactisCNCM l4609 for all animal species (Nolivade). EFSA Journal, 2021, 19, e06907.	1.8	2
166	Influence of Haemolysis on the Mineral Profile of Cattle Serum. Animals, 2021, 11, 3336.	2.3	2
167	Safety and efficacy of feed additives consisting of expressed sweet orange peel oil and its fractions from Citrus sinensis (L.) Osbeck for use in all animal species (FEFANA asbl). EFSA Journal, 2021, 19, e06891.	1.8	1
168	Safety and efficacy of a feed additive consisting of 3nitrooxypropanol (Bovaer 10) for ruminants for milk production and reproduction (DSM Nutritional Products Ltd). EFSA Journal, 2021, 19, e06905.	1.8	5
169	Assessment of a feed additive consisting of allracalphatocopheryl acetate (vitamin E) for all animal species for the renewal of its authorisation (Jilin Beisha Pharmaceutical Co., Ltd). EFSA Journal, 2021, 19, e06974.	1.8	3
170	Safety and efficacy of a feed additive consisting of Allura Red AC for small nonfoodproducing mammals and ornamental birds (VerseleLaga). EFSA Journal, 2021, 19, e06987.	1.8	0
171	Safety and efficacy of a feed additive consisting of lgalactosidase (produced by Aspergillus tubingensis) Tj ETQq1 1 0.784314 rgBT /	1.8	0
172	Safety and efficacy of a feed additive consisting of lisoleucine produced by Corynebacterium glutamicum KCCM 80185 for all animal species (CJ Europe GmbH). EFSA Journal, 2021, 19, e06977.	1.8	1
173	Safety and efficacy of a feed additive consisting of llysine monohydrochloride and llysine sulfate produced by Corynebacterium glutamicum CGMCC 14498 for all animal species (Kempex Holland BV). EFSA Journal, 2021, 19, e06980.	1.8	0
174	Safety and efficacy of the feed additive consisting of seleniumenriched yeast (Saccharomyces) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 3	1.8	1
175	Safety and efficacy of a feed additive consisting of monosodium lglutamate produced by fermentation with Corynebacterium glutamicum KCCM 80187 for all animal species (CJ Europe GmbH). EFSA Journal, 2021, 19, e06982.	1.8	0
176	Safety and efficacy of a feed additive consisting of sodium aluminosilicate, synthetic, for all animal species (European Zeolites Producers Association (EUZEPA) & Association of Synthetic Amorphous) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 3	1.8	0
177	Safety and efficacy of a feed additive consisting of a tincture from the bark of Cinnamomum verum J. Presl (cinnamon tincture) for use in all animal species (FEFANA asbl). EFSA Journal, 2021, 19, e06986.	1.8	3
178	Toxic and essential trace element concentrations in the freshwater shrimp Macrobrachium amazonicum in the Lower Amazon, Brazil. Journal of Food Composition and Analysis, 2020, 86, 103361.	3.9	13
179	Breed performance in organic dairy farming in Northern Spain. Reproduction in Domestic Animals, 2020, 55, 93-104.	1.4	2
180	Consumers' perception of and attitudes towards organic food in Galicia (Northern Spain). International Journal of Consumer Studies, 2020, 44, 206-219.	11.6	53

#	ARTICLE	IF	CITATIONS
181	Safety and efficacy of monosodium l-glutamate monohydrate produced by <i>Corynebacterium glutamicum</i> KCCM 80188 as a feed additive for all animal species. EFSA Journal, 2020, 18, e06085.	1.8	4
182	Safety and efficacy of STENOROL (halofuginone hydrobromide) as a feed additive for chickens for fattening and turkeys. EFSA Journal, 2020, 18, e06169.	1.8	2
183	Safety and efficacy of Sorbiflore ADVANCE (<i>Lactobacillus rhamnosus</i> CNCM l3698 and <i>Lactobacillus</i>) Tj ETQq1 1 0.784314 rgBT / Overlock 10 T	1.8	3
184	Safety and efficacy of Correlink, ABS747 <i>Bacillus subtilis</i> (<i>Bacillus velezensis</i> NRRL B67257) as a feed additive for all growing poultry species. EFSA Journal, 2020, 18, e06278.	1.8	3
185	Safety and efficacy of <i>Bacillus subtilis</i> PB6 (<i>Bacillus velezensis</i> ATCC PTA6737) as a feed additive for chickens for fattening, chickens reared for laying, minor poultry species (except for laying purposes), ornamental, sporting and game birds. EFSA Journal, 2020, 18, e06280.	1.8	7
186	Assessment of the application for renewal of authorisation of Biosprint (<i>Saccharomyces cerevisiae</i>) Tj ETQq0 0 0 rgBT / Overlock 10 T	1.8	2
187	Statement on the safety and efficacy of phosphoric acid 60% on silica carrier (UD60) for all animal species. EFSA Journal, 2020, 18, e06064.	1.8	3
188	Assessment of the application for renewal of authorisation of pyridoxine hydrochloride (vitamin B6) as a feed additive for all animal species. EFSA Journal, 2020, 18, e06289.	1.8	1
189	Safety and efficacy of vermiculite as a feed additive for pigs, poultry, bovines, sheep, goats, rabbits and horses. EFSA Journal, 2020, 18, e06160.	1.8	3
190	Safety of a tincture derived from <i>Artemisia vulgaris</i> L. (Mugwort tincture) when used as a sensory additive in feed for all animal species. EFSA Journal, 2020, 18, e06206.	1.8	0
191	Safety and efficacy of Axtra XAP 104 TPT (endo1,4xylanase, protease and alphaamylase) as a feed additive for chickens for fattening, laying hens and minor poultry species. EFSA Journal, 2020, 18, e06165.	1.8	1
192	Safety and efficacy of l-cystine sulfate produced by fermentation using <i>Corynebacterium glutamicum</i> KFCC 11043 as a feed additive for all animal species. EFSA Journal, 2020, 18, e06203.	1.8	9
193	Safety and efficacy of <i>Lactobacillus parafarraginis</i> DSM 32962 as a silage additive for all animal species. EFSA Journal, 2020, 18, e06201.	1.8	12
194	Safety and efficacy of BioWorma (<i>Duddingtonia flagrans</i> NCIMB 30336) as a feed additive for all grazing animals. EFSA Journal, 2020, 18, e06208.	1.8	5
195	Safety and efficacy of sodium carboxymethyl cellulose for all animal species. EFSA Journal, 2020, 18, e06211.	1.8	16
196	Safety and efficacy of hydroxypropyl methyl cellulose for all animal species. EFSA Journal, 2020, 18, e06214.	1.8	6
197	Safety and efficacy of ethyl cellulose for all animal species. EFSA Journal, 2020, 18, e06210.	1.8	5
198	Safety and efficacy of montmorillonitellite (FIMIX 1g557) for all animal species. EFSA Journal, 2020, 18, e06095.	1.8	0

#	ARTICLE	IF	CITATIONS
199	Safety and efficacy of Avatec 150G (lasalocid A sodium) as a feed additive for chickens for fattening and chickens reared for laying. EFSA Journal, 2020, 18, e06202.	1.8	3
200	Safety of 3phytase FLF1000 and FSF10000 as a feed additive for pigs for fattening and minor growing porcine species. EFSA Journal, 2020, 18, e06205.	1.8	3
201	Safety and efficacy of hydroxypropyl cellulose for all animal species. EFSA Journal, 2020, 18, e06213.	1.8	1
202	Safety and efficacy of OptiPhos PLUS for suckling and weaned piglets, pigs for fattening, sows, other minor pig species for fattening and other minor reproductive pig species. EFSA Journal, 2020, 18, e06204.	1.8	3
203	Safety and efficacy of microcrystalline cellulose for all animal species. EFSA Journal, 2020, 18, e06209.	1.8	4
204	Safety and efficacy of methyl cellulose for all animal species. EFSA Journal, 2020, 18, e06212.	1.8	6
205	Safety of ammonium formate (E295) for all animal species. EFSA Journal, 2020, 18, e06076.	1.8	0
206	Safety and efficacy of Ltryptophan produced by fermentation with Escherichia coli KCCM 10534 for all animal species. EFSA Journal, 2020, 18, e06071.	1.8	1
207	Assessment of the application for renewal of authorisation of Lhistidine monohydrochloride monohydrate produced with Escherichia coli NITE SD 00268 for salmonids and its extension of use to other fin fish. EFSA Journal, 2020, 18, e06072.	1.8	2
208	Safety for the environment of sorbitan monolaurate as a feed additive for all animal species. EFSA Journal, 2020, 18, e06162.	1.8	0
209	Safety and efficacy of fumonisin esterase from Komagataella phaffii DSM 32159 as a feed additive for all animal species. EFSA Journal, 2020, 18, e06207.	1.8	8
210	Safety and efficacy of Sorbiflore ADVANCE (Lactobacillus rhamnosus CNCM 3698 and Lactobacillus Tj ETQq000 rgBT3/Overlock	1.8	1
211	Trace Element Levels in Serum Are Potentially Valuable Diagnostic Markers in Dogs. Animals, 2020, 10, 2316.	2.3	3
212	Safety and efficacy of Lvaline produced by fermentation using Corynebacterium glutamicumCGMCC 7.358 as a feed additive for all animal species. EFSA Journal, 2020, 18, e06286.	1.8	2
213	Safety and efficacy of Bonvital (Enterococcus faeciumDSM 7134) as a feed additive for laying hens. EFSA Journal, 2020, 18, e06277.	1.8	2
214	Safety and efficacy of concentrated liquid Llysine (base) and Llysine monohydrochloride produced by fermentation with Corynebacterium casei KCCM 80190 as feed additives for all animal species. EFSA Journal, 2020, 18, e06285.	1.8	6
215	Safety of methanethiol [12.003] when used as a feed additive for all animal species. EFSA Journal, 2020, 18, e06288.	1.8	1
216	Safety and efficacy of Correlink, ABS1781 Bacillus subtilis (Bacillus velezensisNRRL B67259) as a feed additive for all growing poultry species. EFSA Journal, 2020, 18, e06279.	1.8	2

#	ARTICLE	IF	CITATIONS
235	Safety and efficacy of 4-phenylbutan-2-one and benzophenone belonging to chemical group 21 when used as flavouring compounds for all animal species. EFSA Journal, 2020, 18, e06017.	1.8	3
236	Safety of lignosulphonate for all animal species. EFSA Journal, 2020, 18, e06000.	1.8	0
237	Safety and efficacy of L-tryptophan produced by fermentation using Escherichia coli CGMCC 7.267 for all animal species. EFSA Journal, 2020, 18, e06013.	1.8	1
238	Safety and efficacy of L-cystine produced using Pantoea ananatis strain NITE BP02525 for all animal species. EFSA Journal, 2020, 18, e06020.	1.8	0
239	Assessment of the application for renewal of authorisation of L-isoleucine produced by Escherichia coli FERM AB10641 as a nutritional additive, its extension of use in water for drinking and a new use as flavouring additive for all animal species. EFSA Journal, 2020, 18, e06022.	1.8	0
240	Safety and efficacy of saponified paprika extract, containing capsanthin as main carotenoid source, for poultry for fattening and laying (except turkeys). EFSA Journal, 2020, 18, e06023.	1.8	1
241	Safety and efficacy of ProEquo (Lactobacillus plantarum DSM 11520) as a feed additive for horses. EFSA Journal, 2020, 18, e06143.	1.8	1
242	Safety and efficacy of STABILFLOR as a zootechnical feed additive for pigs for fattening. EFSA Journal, 2020, 18, e06145.	1.8	0
243	Safety and efficacy of turmeric extract, turmeric oil, turmeric oleoresin and turmeric tincture from Curcuma longa L. rhizome when used as sensory additives in feed for all animal species. EFSA Journal, 2020, 18, e06146.	1.8	5
244	Safety and efficacy of TechnoSpore (Bacillus coagulans DSM 32016) for piglets, other growing Suidae, chickens for fattening, other poultry for fattening and ornamental birds. EFSA Journal, 2020, 18, e06158.	1.8	1
245	Serum Concentrations of Essential Trace and Toxic Elements in Healthy and Disease-Affected Dogs. Animals, 2020, 10, 1052.	2.3	7
246	Safety and efficacy of OptiPhos PLUS (6 phytase) for laying hens, turkeys for breeding, chickens for breeding, minor poultry species for egg production purposes and breeding. EFSA Journal, 2020, 18, e06161.	1.8	1
247	Safety of L-tryptophan produced using Escherichia coli CGMCC 11674 for all animal species. EFSA Journal, 2020, 18, e06168.	1.8	1
248	Efficacy of calcium formate as a technological feed additive (preservative) for all animal species. EFSA Journal, 2020, 18, e06077.	1.8	1
249	Safety and efficacy of APSA PHYTAFEED (6 phytase) as a feed additive for laying hens and other laying birds. EFSA Journal, 2020, 18, e06142.	1.8	1
250	Efficacy of iron chelates of lysine and glutamic acid as feed additive for all animal species. EFSA Journal, 2020, 18, e06164.	1.8	1
251	Safety and efficacy of FSF10000 and FLF1000 (3 phytase) as a feed additive for turkeys for fattening or reared for breeding, pigs for fattening and minor porcine species. EFSA Journal, 2020, 18, e06015.	1.8	1
252	Efficacy of sodium formate as a technological feed additive (preservative) for all animal species. EFSA Journal, 2020, 18, e06139.	1.8	0

#	ARTICLE	IF	CITATIONS
253	Safety and efficacy of IMP (disodium 5-inosinate) produced by fermentation with <i>Corynebacterium stationis</i> KCCM 80161 for all animal species. EFSA Journal, 2020, 18, e06140.	1.8	3
254	Safety and efficacy of essential oil, oleoresin and tincture from <i>Zingiber officinale</i> Roscoe when used as sensory additives in feed for all animal species. EFSA Journal, 2020, 18, e06147.	1.8	3
255	Assessment of the application for renewal of authorisation of selenium-enriched yeast produced by <i>Saccharomyces cerevisiae</i> CNCM 3399 for all animal species. EFSA Journal, 2020, 18, e06144.	1.8	0
256	Safety and efficacy of DSP (Na2EDTA, tannin-rich extract of <i>Castanea sativa</i> , thyme oil and origanum) Tj ETQq0 0 0 rgBT /Overlock 10 TF	1.8	0
257	Assessment of the application for renewal of the authorisation of <i>Pediococcus pentosaceus</i> DSM 16244 as a feed additive for all animal species. EFSA Journal, 2020, 18, e06166.	1.8	5
258	Safety and efficacy of a dried aqueous ethanol extract of leaves from <i>Olea europaea</i> L. when used as a sensory additive in feed for all animal species. EFSA Journal, 2020, 18, e06018.	1.8	0
259	Safety and efficacy of AvailaCr (chromium chelate of DL-methionine) as a feed additive for dairy cows. EFSA Journal, 2020, 18, e06026.	1.8	5
260	Safety of hexamethylene tetramine for pigs, poultry, bovines, sheep, goats, rabbits and horses. EFSA Journal, 2020, 18, e06012.	1.8	0
261	Safety and efficacy of APSA PHYTAFEED 20,000 GR/L (6-phytase) as a feed additive for pigs for fattening. EFSA Journal, 2020, 18, e05979.	1.8	3
262	Statement on the safety and efficacy of Shellac for all animal species. EFSA Journal, 2020, 18, e06065.	1.8	1
263	Safety and efficacy of L-glutamine produced using <i>Corynebacterium glutamicum</i> NITE BP02524 for all animal species. EFSA Journal, 2020, 18, e06075.	1.8	5
264	Toxic and essential trace element concentrations in fish species in the Lower Amazon, Brazil. Science of the Total Environment, 2020, 732, 138983.	8.0	25
265	Safety and efficacy of L-cysteine hydrochloride monohydrate produced by fermentation using <i>Escherichia coli</i> KCCM 80180 and <i>Escherichia coli</i> KCCM 80181 as a flavouring additive for all animal species. EFSA Journal, 2020, 18, e06003.	1.8	1
266	Assessment of the application for renewal of the authorisation of Amaferm (fermentation product) Tj ETQq0 0 0 rgBT /Overlock 10 TF	1.8	3
267	Assessment of the application for renewal of authorisation of Ecobiol (<i>Bacillus amyloliquefaciens</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 TF for laying. EFSA Journal, 2020, 18, e06014.	1.8	3
268	Safety and efficacy of octylacetylacetone, pentylacetylacetone, octylacetylacetone, octylacetylacetone, isopulegol and 5-methylheptanone, belonging to chemical group 5 and of isopulegone and L-damascone belonging to chemical group 8 when used as flavourings for all animal species. EFSA Journal, 2020, 18, e06002.	1.8	4
269	Assessment of the application for renewal of authorisation of Formia LHS (potassium diformate) for sows. EFSA Journal, 2020, 18, e06024.	1.8	3
270	Safety and efficacy of Natugrain TS/TS L (endo-1,4-beta-xylanase and endo-1,4-beta-glucanase) as a feed additive for sows. EFSA Journal, 2020, 18, e06025.	1.8	1

#	ARTICLE	IF	CITATIONS
271	Safety and efficacy of Avizyme® 1505 (endo-1,4-beta-xylanase, subtilisin and alpha-amylase) for all poultry species. EFSA Journal, 2020, 18, e06027.	1.8	0
272	Safety and efficacy of L-lysine monohydrochloride produced by fermentation with Corynebacterium glutamicum DSM 32932 for all animal species. EFSA Journal, 2020, 18, e06078.	1.8	8
273	Assessment of the application for renewal of the authorisation of Calsporin® (Bacillus) Tj ETQq1 1 0.784314 rgBT /Overlock 4 10 Tf 50	1.8	4
274	Safety and efficacy of L-lysine monohydrochloride and concentrated liquid L-lysine (base) produced by fermentation with Corynebacterium glutamicum KCTC 12307BP as feed additives for all animal species. EFSA Journal, 2020, 18, e06333.	1.8	5
275	Safety of potassium diformate (Formiã,ç LHS) as a feed additive for sows, from ADDCON EUROPE GmbH. EFSA Journal, 2020, 18, e06339.	1.8	4
276	Assessment of the application for renewal of authorisation of AveMix® XG 10 (endo-1,4-beta-xylanase) Tj ETQq0 0 0 rgBT /Overlo	1.8	6
277	Assessment of the application for renewal of the authorisation of Actisaf® Sc 47 (Saccharomyces) Tj ETQq1 1 0.784314 rgBT /Overlo	1.8	1
278	Safety and efficacy of Lactobacillus buchneri DSM 29026 as a silage additive for all animal species. EFSA Journal, 2020, 18, e06159.	1.8	1
279	Safety and efficacy of L-lysine monohydrochloride and concentrated liquid L-lysine (base) produced by fermentation with Corynebacterium glutamicum KCCM 80216 as feed additive for all animal species. EFSA Journal, 2020, 18, e06334.	1.8	1
280	Safety of vitamin B12 (in the form of cyanocobalamin) produced by Ensifer adhaerens CNCMãç 5541 for all animal species. EFSA Journal, 2020, 18, e06335.	1.8	1
281	Safety and efficacy of L-threonine produced using Escherichia coli CGMCC 13325 as a feed additive for all animal species. EFSA Journal, 2020, 18, e06332.	1.8	0
282	Assessment of the application for renewal of authorisation of zinc chelate of hydroxy analogue of methionine for all animal species. EFSA Journal, 2020, 18, e06337.	1.8	0
283	Safety of 31 flavouring compounds belonging to different chemical groups when used as feed additives for all animal species. EFSA Journal, 2020, 18, e06338.	1.8	1
284	Assessment of the application for renewal of authorisation of endo-1,4-beta-xylanase produced by Aspergillus niger CBS 109.713 and endo-1,4-beta-glucanase produced by Aspergillus niger DSM 18404 for poultry species, ornamental birds and weaned piglets, from BASF SE. EFSA Journal, 2020, 18, e06331.	1.8	0
285	Assessment of the application for renewal of authorisation of 6-phytase produced by Trichoderma reesei CBS 122001 as a feed additive for pigs and poultry, from Roal Oy. EFSA Journal, 2020, 18, e06336.	1.8	0
286	Efficacy of Cygro® 10G (maduramicin ammoniumãç) for turkeys. EFSA Journal, 2020, 18, e06079.	1.8	2
287	Safety and efficacy of L-cysteine monohydrochloride monohydrate produced by fermentation using Escherichia coli KCCM 80109 and Escherichia coli KCCM 80197 for all animal species. EFSA Journal, 2020, 18, e06101.	1.8	1
288	Statement on the safety and efficacy of lignosulphonate of magnesium (Caimabond) for all animal species. EFSA Journal, 2020, 18, e06066.	1.8	0

#	ARTICLE	IF	CITATIONS
289	Assessment of the application for renewal of authorisation of AviPlus as a feed additive for all porcine species (weaned), chickens for fattening, chickens reared for laying, minor poultry species for fattening, minor poultry species reared for laying. EFSA Journal, 2020, 18, e06063.	1.8	1
290	Safety and efficacy of Panavital feed (dglyceric acid) for chickens for fattening. EFSA Journal, 2020, 18, e06068.	1.8	0
291	Assessment of the application for renewal of authorisation of manganese chelate of hydroxy analogue of methionine for all animal species. EFSA Journal, 2020, 18, e06281.	1.8	1
292	Safety and efficacy of Nutrase P (6phytase) for chickens for fattening, other poultry for fattening, reared for laying and ornamental birds. EFSA Journal, 2020, 18, e06282.	1.8	1
293	Safety and efficacy of sodium selenate as feed additive for ruminants. EFSA Journal, 2019, 17, e05788.	1.8	2
294	Safety and efficacy of Bergazym P100 (endo,4xylanase) as a feed additive for other birds for fattening, ornamental birds and other growing Suidae. EFSA Journal, 2019, 17, e05781.	1.8	0
295	Safety and efficacy of zinc chelates of lysine and glutamic acid as feed additive for all animal species. EFSA Journal, 2019, 17, e05782.	1.8	3
296	Safety and efficacy of lhistidine monohydrochloride monohydrate produced using Corynebacterium glutamicum KCCM 80172 for all animal species. EFSA Journal, 2019, 17, e05783.	1.8	5
297	Safety and efficacy of lhistidine monohydrochloride monohydrate produced using Corynebacteriumglutamicum KCCM 80179 for all animal species. EFSA Journal, 2019, 17, e05784.	1.8	2
298	Safety and efficacy of Natuphos E (6phytase) as a feed additive for laying hens, minor poultry and other avian species for laying. EFSA Journal, 2019, 17, e05789.	1.8	1
299	Efficacy of Bacillus subtilis DSM 28343 as a zootechnical additive (gut flora stabiliser) for calves for rearing. EFSA Journal, 2019, 17, e05793.	1.8	2
300	Safety of an essential oil from Origanum vulgare subsp. hirtum (Link) letsw. var. Vulkan when used as a sensory additive in feed for all animal species. EFSA Journal, 2019, 17, e05794.	1.8	4
301	Safety and efficacy of AviPlus as a feed additive for turkeys for fattening, turkeys reared for breeding and suckling piglets. EFSA Journal, 2019, 17, e05795.	1.8	1
302	Assessment of the application for renewal of authorisation of larginine produced by fermentation using Corynebacteriumglutamicum NITE SD 00285 for all animal species. EFSA Journal, 2019, 17, e05720.	1.8	1
303	Safety and efficacy of aluminosilicate of sodium, potassium, calcium and magnesium as a feed additive for pigs. EFSA Journal, 2019, 17, e05722.	1.8	0
304	Modification of the conditions of the authorisation of BioPlus 2B (Bacilluslicheniformis DSM 5749) Tj ETQq0 0 0 rgBT /Overlock 10 T	1.8	1
305	Safety and efficacy of copper chelates of lysine and glutamic acid as a feed additive for all animal species. EFSA Journal, 2019, 17, e05728.	1.8	6
306	Safety and efficacy of ltryptophan produced by fermentation with Corynebacteriumglutamicum KCCM 80176 for all animal species. EFSA Journal, 2019, 17, e05729.	1.8	6

#	ARTICLE	IF	CITATIONS
307	Safety and efficacy of FRAÁ® Octazyme C Dry (endoâ€1,4â€²â€xylanase, mannanâ€endoâ€1,4â€²â€mannosidase, Î±â€amylase,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 5	1.8	1
308	Determination of Essential and Toxic Elements in Cattle Blood: Serum vs Plasma. <i>Animals</i> , 2019, 9, 465.	2.3	14
309	Safety and efficacy of iron chelates of lysine and glutamic acid as feed additive for all animal species. <i>EFSA Journal</i> , 2019, 17, e05792.	1.8	3
310	Safety and efficacy of BiominÁ® DCâ€P as a zootechnical feed additive for chickens for fattening, chickens reared for laying and minor avian species to the point of lay. <i>EFSA Journal</i> , 2019, 17, e05724.	1.8	4
311	Safety and efficacy of lâ€histidine monohydrochloride monohydrate produced by fermentation with <i>EscherichiaÂcoli</i> (NITE BPâ€02526) for all animal species. <i>EFSA Journal</i> , 2019, 17, e05785.	1.8	2
312	Safety and efficacy of <i>Bacillus licheniformis</i> DSM 32457 as a silage additive for all animal species. <i>EFSA Journal</i> , 2019, 17, e05787.	1.8	2
313	Safety and efficacy of 3â€phytase FLF1000 as a feed additive for pigs for fattening and minor porcine species for growing. <i>EFSA Journal</i> , 2019, 17, e05791.	1.8	3
314	Safety and efficacy of a tincture derived from <i>Artemisia vulgaris</i> L. (Mugwort tincture) when used as a sensory additive in feed for all animal species. <i>EFSA Journal</i> , 2019, 17, e05879.	1.8	2
315	Modification of the terms of authorisation regarding the maximum inclusion level of MaxibanÁ® G160 (narsin and nicarbazin) for chickens for fattening. <i>EFSA Journal</i> , 2019, 17, e05786.	1.8	4
316	Safety and efficacy of RONOZYMEÁ® WX CT/L (endoâ€1,4â€²â€xylanase) as a feed additive for sows for reproduction. <i>EFSA Journal</i> , 2019, 17, e05790.	1.8	1
317	Safety and efficacy of Beltherm MP/ML (endoâ€1,4â€betaâ€xylanase) as a feed additive for chickens for fattening, chickens reared for laying, turkeys for fattening, turkeys reared for breeding, turkeys for breeding purposes and minor poultry species. <i>EFSA Journal</i> , 2019, 17, e05609.	1.8	2
318	Safety and efficacy of RobenzÁ® 66G (robenidine hydrochloride) for chickens for fattening and turkeys for fattening. <i>EFSA Journal</i> , 2019, 17, e05613.	1.8	3
319	Safety and efficacy of lâ€tryptophan produced by fermentation with <i>EscherichiaÂcoli</i> KCCM 80135 for all animal species. <i>EFSA Journal</i> , 2019, 17, e05694.	1.8	5
320	Safety and efficacy of lâ€tryptophan produced by fermentation with <i>Escherichia coli</i> KCCM 80152 for all animal species. <i>EFSA Journal</i> , 2019, 17, e05695.	1.8	5
321	Assessment of the application for renewal of authorisation of LantharenolÁ® (lanthanum carbonate) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 5	1.8	1
322	Safety and efficacy of HemicellÁ®â€L (endoâ€1,4â€²â€mannanase) as a feed additive for chickens for fattening or reared for laying, turkeys for fattening or reared for breeding and minor poultry species. <i>EFSA Journal</i> , 2019, 17, e05641.	1.8	0
323	Safety and efficacy of muramidase from <i>Trichoderma reesei</i> DSM 32338 as a feed additive for turkeys for fattening, turkeys reared for breeding, chickens reared for breeding and other poultry species reared for breeding. <i>EFSA Journal</i> , 2019, 17, e05686.	1.8	2
324	Assessment of the application for renewal of authorisation of BactocellÁ® (<i>Pediococcus acidilactici</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 laying and its extension of use to all growing pigs and all avian species. <i>EFSA Journal</i> , 2019, 17, e05690.	1.8	5

#	ARTICLE	IF	CITATIONS
325	Safety and efficacy of APSA PHYTAFEED 20,000 GR/L (6phytase) as a feed additive for chickens for fattening, chickens reared for laying and minor growing poultry species. EFSA Journal, 2019, 17, e05692.	1.8	6
326	Safety and efficacy of Levucell SB (Saccharomyces cerevisiae CNCM l1079) as a feed additive for turkeys for fattening. EFSA Journal, 2019, 17, e05693.	1.8	1
327	Assessment of the application for renewal of authorisation of PHYZYME XP 5000 G/L (6phytase) for chickens for fattening, laying hens, turkeys for fattening, ducks for fattening, weaned piglets, pigs for fattening and sows for reproduction. EFSA Journal, 2019, 17, e05701.	1.8	2
328	Assessment of the application for renewal of the authorisation of PHYZYME XP 10000 TPT/L (6phytase) as a feed additive for all avian species and all swine species. EFSA Journal, 2019, 17, e05702.	1.8	1
329	Assessment of the application for renewal of authorisation of Biosprint (Saccharomycescerevisiae) Tj ETQq1 1 0.784314.3gBT /Overlock 10 1	1.8	0
330	Safety and efficacy of an essential oil from Elettaria cardamomum (L.) Maton when used as a sensory additive in feed for all animal species. EFSA Journal, 2019, 17, e05721.	1.8	5
331	Safety and efficacy of Levucell SC (Saccharomyces cerevisiae CNCM l1077) as a feed additive for calves and minor ruminant species and camelids at the same developmental stage. EFSA Journal, 2019, 17, e05723.	1.8	1
332	Safety and efficacy of VevoVital (benzoic acid) as feed additive for pigs for fattening. EFSA Journal, 2019, 17, e05727.	1.8	0
333	Safety and efficacy of Bacillussubtilis DSM 28343 for pigs for fattening. EFSA Journal, 2019, 17, e05725.	1.8	0
334	Safety and efficacy of lutein and lutein/zeaxanthin extracts from Tageteserecta for poultry for fattening and laying (except turkeys). EFSA Journal, 2019, 17, e05698.	1.8	3
335	Safety and efficacy of llysine monohydrochloride and concentrated liquid llysine (base) produced by fermentation using Corynebacteriumglutamicum strain NRRLB50775 for all animal species based on a dossier submitted by ADM. EFSA Journal, 2019, 17, e05537.	1.8	12
336	Safety and efficacy of Probion forte (Bacillussubtilis KCCM 10941P and Bacilluscoagulans KCCM) Tj ETQq0 0 0.1gBT /Overlock 10 1	1.8	0
337	Safety and efficacy of Lactobacillusreuteri NBF2 (DSM 32264) as a feed additive for cats. EFSA Journal, 2019, 17, e05526.	1.8	2
338	Safety and efficacy of benzoic acid as a technological feed additive for weaned piglets and pigs for fattening. EFSA Journal, 2019, 17, e05527.	1.8	3
339	Safety and efficacy of Levucell SB (Saccharomycescerevisiae CNCM l1079) as a feed additive for all pigs. EFSA Journal, 2019, 17, e05535.	1.8	1
340	Efficacy of a preparation of algae interspaced bentonite as a feed additive for all animal species. EFSA Journal, 2019, 17, e05604.	1.8	1
341	Safety and efficacy of lvaline produced using Corynebacteriumglutamicum CGMCC 11675 for all animal species. EFSA Journal, 2019, 17, e05611.	1.8	4
342	Guidance on the assessment of the safety of feed additives for the environment. EFSA Journal, 2019, 17, e05648.	1.8	218

#	ARTICLE	IF	CITATIONS
343	Assessment of the application for renewal of authorisation of Natugrain Wheat TS and TS L (endo1,4betaxylanase) as a feed additive for chickens for fattening, ducks, turkeys for fattening, turkeys reared for breeding, minor avian species (except ducks and laying birds) and ornamental birds. EFSA Journal, 2019, 17, e05652.	1.8	2
344	Safety and efficacy of an essential oil of <i>Origanum vulgare</i> ssp. <i>hirtum</i> (Link) leetsw. for all poultry species. EFSA Journal, 2019, 17, e05653.	1.8	4
345	Safety and efficacy of Biomin DCC as a zootechnical feed additive for weaned piglets. EFSA Journal, 2019, 17, e05688.	1.8	3
346	Safety and efficacy of lleucine produced by fermentation with <i>Escherichia coli</i> NITE BP02351 for all animal species. EFSA Journal, 2019, 17, e05689.	1.8	1
347	Safety and efficacy of larginine produced by fermentation with <i>Corynebacterium glutamicum</i> KCCM 80182 for all animal species. EFSA Journal, 2019, 17, e05696.	1.8	0
348	Safety and efficacy of llysine monohydrochloride and concentrated liquid llysine (base) produced by fermentation using <i>Corynebacterium glutamicum</i> strain KCCM 10227 for all animal species. EFSA Journal, 2019, 17, e05697.	1.8	12
349	Safety of erythrosine for ornamental fish. EFSA Journal, 2019, 17, e05699.	1.8	0
350	Efficacy of <i>Saccharomyces cerevisiae</i> NBRC 0203, <i>Lactobacillus plantarum</i> NBRC 3070 and <i>Lactobacillus casei</i> NBRC 3425 as a technological additive (silage additive) for all animal species. EFSA Journal, 2019, 17, e05700.	1.8	1
351	Safety and efficacy of sorbitan monolaurate as a feed additive for all animal species. EFSA Journal, 2019, 17, e05651.	1.8	3
352	Organic or conventional dairy farming in northern Spain: Impacts on cow reproductive performance. <i>Reproduction in Domestic Animals</i> , 2019, 54, 902-911.	1.4	4
353	Safety and efficacy of ltryptophan produced by fermentation with <i>Escherichia coli</i> CGMCC 7.248 for all animal species. EFSA Journal, 2019, 17, e05601.	1.8	5
354	Safety and efficacy of lthreonine produced by fermentation with <i>Corynebacterium glutamicum</i> KCCM 80117 for all animal species. EFSA Journal, 2019, 17, e05602.	1.8	1
355	Safety and efficacy of llysine monohydrochloride and llysine sulfate produced using <i>Corynebacterium glutamicum</i> CCTCC M 2015595 for all animal species. EFSA Journal, 2019, 17, e05643.	1.8	12
356	Efficacy of sodium formate as a technological feed additive (hygiene condition enhancer) for all animal species. EFSA Journal, 2019, 17, e05645.	1.8	5
357	Assessment of the application for renewal of authorisation of Bonvital (<i>Enterococcus faecium</i> DSM) Tj ETQq1 1,0,784314,rgBT /Overl	1.8	3
358	Safety and efficacy of 26 compounds belonging to chemical group 3 (,unsaturated straightchain and) Tj ETQq0 0 0 rgBT /Overl all animal species and categories. EFSA Journal, 2019, 17, e05654.	1.8	16
359	Safety and efficacy of TYFER, (ferric tyrosine chelate) as a zootechnical feed additive for chickens, turkeys and minor poultry species for fattening or reared for laying/breeding. EFSA Journal, 2019, 17, e05608.	1.8	2
360	Assessment of the application for renewal of authorisation of GalliPro (<i>Bacillus subtilis</i> DSM 17299) for chickens for fattening. EFSA Journal, 2019, 17, e05687.	1.8	0

#	ARTICLE	IF	CITATIONS
361	Safety and efficacy of 3phytase FSF10000 as a feed additive for chickens for fattening or reared for laying, laying hens and minor poultry species. EFSA Journal, 2019, 17, e05543.	1.8	3
362	Safety and efficacy of a molybdenum compound (E7) sodium molybdate dihydrate as feed additive for sheep based on a dossier submitted by Trouw Nutrition International B.V.. EFSA Journal, 2019, 17, e05606.	1.8	5
363	Breeding for organic dairy farming: what types of cows are needed?. Journal of Dairy Research, 2019, 86, 3-12.	1.4	25
364	Assessment of the application for renewal of the authorisation of Natuphos (3phytase) as a feed additive for poultry and pigs. EFSA Journal, 2019, 17, e05640.	1.8	1
365	Safety and efficacy of HOSTAZYM X (endo1,4betaxylanase) as a feed additive for rabbits for fattening. EFSA Journal, 2019, 17, e05529.	1.8	1
366	Safety and efficacy of lvaline produced by fermentation using Corynebacteriumglutamicum KCCM11201P for all animal species. EFSA Journal, 2019, 17, e05538.	1.8	5
367	Safety and efficacy of Deccox (decoquinate) for chickens for fattening. EFSA Journal, 2019, 17, e05541.	1.8	9
368	Safety and efficacy of Calsporin (Bacillussubtilis DSM15544) for all poultry species. EFSA Journal, 2019, 17, e05605.	1.8	3
369	Efficacy of methyl ester of conjugated linoleic acid (t10,c12 isomer) for sows and cows for reproduction. EFSA Journal, 2019, 17, e05614.	1.8	0
370	Assessment of the application for renewal of authorisation of Levucell SC (Saccharomycescerevisiae) Tj ETQq0 0 0 rgBT /Overlock 10 T	1.8	3
371	Safety and efficacy of ltryptophan produced with Escherichiacoli CGMCC 11674 for all animal species. EFSA Journal, 2019, 17, e05642.	1.8	7
372	Safety of cassia gum as a feed additive for cats and dogs based on a dossier submitted by Glycomer GmbH. EFSA Journal, 2019, 17, e05528.	1.8	0
373	Safety and efficacy of 8mercaptopmenthan3one and pmenth1ene8thiol belonging to chemical group 20when used as flavourings for all animal species. EFSA Journal, 2019, 17, e05530.	1.8	2
374	Safety of concentrated llysine (base), llysine monohydrochloride and llysine sulfate produced using different strains of Corynebacteriumglutamicum for all animal species based on a dossier submitted by FEFANA asbl. EFSA Journal, 2019, 17, e05532.	1.8	14
375	Safety and efficacy of BAct (Bacilluslicheniformis DSM 28710) as a feed additive for turkeys for fattening, turkeys reared for breeding and minor poultry species for fattening or raised for laying. EFSA Journal, 2019, 17, e05536.	1.8	3
376	Safety for the environment of vitamin D3 for salmonids. EFSA Journal, 2019, 17, e05540.	1.8	1
377	Safety and efficacy of Actisaf Sc47 (Saccharomycescerevisiae CNCM l4407) as a feed additive for cattle for fattening, dairy cows, weaned piglets and sows. EFSA Journal, 2019, 17, e05600.	1.8	2
378	Safety and efficacy of lthreonine produced by fermentation with Corynebacteriumglutamicum  for all animal species. EFSA Journal, 2019, 17, e05603.	1.8	2

#	ARTICLE	IF	CITATIONS
379	Modification of the terms of the authorisation of Natuphos E as a feed additive for chickens for fattening or reared for laying/breeding. EFSA Journal, 2019, 17, e05607.	1.8	1
380	Safety and efficacy of Beltherm MP/ML (endo1,4betaxylanase) as a feed additive for piglets, pigs for fattening and other porcine species. EFSA Journal, 2019, 17, e05610.	1.8	1
381	Safety and efficacy of Bonvital (Enterococcusfaecium, DSM 7134) as an additive in water for drinking for sows. EFSA Journal, 2019, 17, e05612.	1.8	4
382	Safety and efficacy of Probiotic Lactina (Enterococcus faecium NBIMCC 8270,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 637 Td (Lactobacillus acidophilus) as a feed additive for sows, lactating sows, and weaned rabbits. EFSA Journal, 2019, 17, e05646.	1.8	5
383	Safety and efficacy of Cinergy Life B3 HiCon (Bacillus amyloliquefaciens NRRL B50508,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 637 Td as a feed additive for fattening and minor porcine species. EFSA Journal, 2019, 17, e05647.	1.8	2
384	Safety and efficacy of eight compounds belonging to different chemical groups when used as flavourings for cats and dogs. EFSA Journal, 2019, 17, e05649.	1.8	1
385	Validation of a simple sample preparation method for multielement analysis of bovine serum. PLoS ONE, 2019, 14, e0211859.	2.5	16
386	Assessment of the application for renewal of authorisation of selenomethionine produced by Saccharomycescerevisiae NCYC R397 for all animal species. EFSA Journal, 2019, 17, e05539.	1.8	8
387	Safety and efficacy of ZM16 10 (Bacillus amyloliquefaciens DSM 25840) as a feed additive for sows in order to have benefits in piglets, sows for reproduction, piglets (suckling and weaned), pigs for fattening and minor porcine species. EFSA Journal, 2019, 17, e05883.	1.8	0
388	Safety and efficacy of APSA PHYTAFEED 20,000 GR/L (6phytase) as a feed additive for piglets (suckling) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 637 Td	1.8	4
389	Safety and efficacy of APSA PHYTAFEED 20,000 GR/L (6phytase) as a feed additive for turkeys for fattening, turkeys reared for breeding and minor poultry species. EFSA Journal, 2019, 17, e05893.	1.8	3
390	Safety and efficacy of a tincture derived from Verbascum thapsus L. when used as a sensory additive in feed for all animal species. EFSA Journal, 2019, 17, e05910.	1.8	1
391	Safety and efficacy of lmethionine produced by fermentation with Corynebacterium glutamicum KCCM 80184 and Escherichia coli KCCM 80096 for all animal species. EFSA Journal, 2019, 17, e05917.	1.8	4
392	Safety and efficacy of Belfeed B MP/ML (endo1,4betaxylanase) as a feed additive for sows, in order to have benefits in piglets, and for all porcine species. EFSA Journal, 2019, 17, e05892.	1.8	1
393	Safety of ethyl ester of 8TMcarotenoid acid as a feed additive for poultry for fattening and poultry for laying. EFSA Journal, 2019, 17, e05911.	1.8	1
394	Safety of Lactococcus lactis NCIMB 30160 as a feed additive for all animal species. EFSA Journal, 2019, 17, e05890.	1.8	0
395	Safety and efficacy of Elancoban G200 (monensin sodium) for chickens for fattening, chickens reared for laying and turkeys. EFSA Journal, 2019, 17, e05891.	1.8	3
396	Assessment of the application for renewal of authorisation of ECONASE XT (endo1,4betaxylanase) as a feed additive for piglets (weaned), chickens for fattening, chickens reared for laying, turkeys for fattening and turkeys reared for breeding. EFSA Journal, 2019, 17, e05880.	1.8	2

#	ARTICLE	IF	CITATIONS
397	Safety and efficacy of astaxanthin€dimethyldisuccinate (Carophyll® Stay€Pink 10%€CWS) for salmonids, crustaceans and other fish. EFSA Journal, 2019, 17, e05920.	1.8	11
398	Efficacy of ZM16 10 (Bacillus amyloliquefaciens DSM 25840) as a feed additive for weaned piglets and minor porcine species. EFSA Journal, 2019, 17, e05881.	1.8	2
399	Safety and efficacy of l€lysine monohydrochloride and concentrated liquid l€lysine (base) produced by fermentation using Corynebacterium glutamicum strains NRRL€B€67439 or NRRL B€67535 for all animal species. EFSA Journal, 2019, 17, e05886.	1.8	10
400	Safety and efficacy of an essential oil from Origanum vulgare ssp. hirtum (Link) letsw. for all animal species. EFSA Journal, 2019, 17, e05909.	1.8	11
401	Safety and efficacy of EB15 10 (Bacillus subtilis DSM 25841) as a feed additive for piglets (suckling and) Tj ETQq1 1 0.784314 rgBT /Ovlock 10 Tj minor porcine species. EFSA Journal, 2019, 17, e05884.	1.8	0
402	Assessment of the application for renewal of authorisation of Biosprint® (Saccharomyces cerevisiae) Tj ETQq0 0 0 rgBT /Overlock 10 Tj	1.8	3
403	Safety of butylated hydroxy anisole (BHA) for all animal species. EFSA Journal, 2019, 17, e05913.	1.8	1
404	Efficacy of EB15 10 (Bacillus subtilis DSM 25841) as a feed additive for weaned piglets and weaned minor porcine species. EFSA Journal, 2019, 17, e05882.	1.8	0
405	Safety of l€threonine produced by fermentation with Escherichia coli CGMCC 11473 as a feed additive for all animal species. EFSA Journal, 2019, 17, e05885.	1.8	1
406	Safety for the environment of Monimax® (monensin sodium and nicarbazin) for chickens for fattening, chickens reared for laying and for turkeys for fattening. EFSA Journal, 2019, 17, e05888.	1.8	3
407	Efficacy of RONOZYME® WX (endo€1,4€xylanase) as a feed additive for laying hens. EFSA Journal, 2019, 17, e05919.	1.8	1
408	Iron loading and secondary multi-trace element deficiency in a dairy herd fed silage grass grown on land fertilized with sewage sludge. Environmental Science and Pollution Research, 2019, 26, 36978-36984.	5.3	2
409	Safety and efficacy of Cl€FER, (ferric citrate chelate) as a zootechnical feed additive for suckling and weaned piglets and minor porcine species. EFSA Journal, 2019, 17, e05916.	1.8	3
410	Safety of lactic acid and calcium lactate when used as technological additives for all animal species. EFSA Journal, 2019, 17, e05914.	1.8	2
411	Chemometric characterization of the trace element profile of raw meat from Rubia Gallega x Holstein Friesian calves from an intensive system. Meat Science, 2019, 149, 63-69.	5.5	6
412	Variation in trace element content between liver lobes in cattle. How important is the sampling site?. Journal of Trace Elements in Medicine and Biology, 2019, 52, 53-57.	3.0	3
413	Safety and efficacy of Lactobacillusreuteri NBF€1 (DSM 32203) as a feed additive for dogs. EFSA Journal, 2019, 17, e05524.	1.8	2
414	Dairy cow nutrition in organic farming systems. Comparison with the conventional system. Animal, 2019, 13, 1084-1093.	3.3	6

#	ARTICLE	IF	CITATIONS
415	Safety of Lancer (lanthanide citrate) as a zootechnical additive for weaned piglets. EFSA Journal, 2019, 17, e05912.	1.8	3
416	Assessment of the application for renewal of authorisation of YeaSacc (Saccharomyces cerevisiae) for horses. EFSA Journal, 2019, 17, e05918.	1.8	0
417	Assessment of the application for renewal of authorisation of Bactocell (CNCM I-4622) as a feed additive for all fish and shrimps and its extension of use for all crustaceans. EFSA Journal, 2019, 17, e05691.	1.8	5
418	Trace Element Concentrations in Beef Cattle Related to the Breed Aptitude. Biological Trace Element Research, 2018, 186, 135-142.	3.5	20
419	Safety and efficacy of Alterion NE (Bacillussubtilis DSM 29784) as a feed additive for minor poultry species for fattening and reared for laying. EFSA Journal, 2018, 16, e05204.	1.8	1
420	Safety and efficacy of benzoic acid for pigs and poultry. EFSA Journal, 2018, 16, e05210.	1.8	2
421	Safety and efficacy of Pediococcuspentosaceus DSM 32291 as a silage additive for all animal species. EFSA Journal, 2018, 16, e05202.	1.8	2
422	Safety and efficacy of sodium saccharin when used as a feed flavour for piglets, pigs for fattening, calves for rearing and calves for fattening. EFSA Journal, 2018, 16, e05208.	1.8	5
423	Evaluation of trace element status of organic dairy cattle. Animal, 2018, 12, 1296-1305.	3.3	22
424	Chemometric authentication of the organic status of milk on the basis of trace element content. Food Chemistry, 2018, 240, 686-693.	8.2	48
425	Safety and efficacy of Monteban G100 (narsin) for ducks for fattening. EFSA Journal, 2018, 16, e05461.	1.8	2
426	Safety and efficacy of Bacillussubtilis DSM28343 as a feed additive for piglets. EFSA Journal, 2018, 16, e05221.	1.8	2
427	Safety and efficacy of ponceau 4R for cats, dogs and ornamental fish. EFSA Journal, 2018, 16, e05222.	1.8	3
428	Safety and efficacy of Coxiril (diclazuril) for pheasants. EFSA Journal, 2018, 16, e05196.	1.8	1
429	Safety and efficacy of EB15 10 (Bacillussubtilis DSM 25841) as a feed additive for weaned piglets and minor porcine species. EFSA Journal, 2018, 16, e05199.	1.8	1
430	Safety and efficacy of ZM16 10 (Bacillusamyloliquefaciens DSM 25840) as a feed additive for weaned piglets and minor porcine species. EFSA Journal, 2018, 16, e05200.	1.8	2
431	Safety and efficacy of natural mixtures of talc (steatite) and chlorite (E 560) as a feed additive for all animal species. EFSA Journal, 2018, 16, e05205.	1.8	0
432	Safety and efficacy of fumonisin esterase from Komagataella phaffii DSM 32159 as a technological feed additive for pigs and poultry. EFSA Journal, 2018, 16, e05269.	1.8	8

#	ARTICLE	IF	CITATIONS
433	Safety and efficacy of l-arginine produced by fermentation using <i>Corynebacterium glutamicum</i> KCCM10741P for all animal species. EFSA Journal, 2018, 16, e05277.	1.8	4
434	Safety and efficacy of Kelforce® (l-glutamic acid, N,N-diacetic acid, tetrasodium salt (GLDA-Na4)) as a feed additive for chickens for fattening. EFSA Journal, 2018, 16, e05279.	1.8	1
435	Safety and efficacy of ECONASE® XT (endo-1,4-xylanase) as a feed additive for laying hens. EFSA Journal, 2018, 16, e05216.	1.8	2
436	Safety and efficacy of Calsporin® (<i>Bacillus subtilis</i> DSM 15544) as a feed additive for pigs for fattening. EFSA Journal, 2018, 16, e05219.	1.8	4
437	Dietary Zinc Supplementation to Prevent Chronic Copper Poisoning in Sheep. <i>Animals</i> , 2018, 8, 227.	2.3	25
438	Safety and efficacy of Hemicell® HT (endo-1,4-mannanase) as a feed additive for chickens for fattening, chickens reared for laying, turkey for fattening, turkeys reared for breeding, weaned piglets, pigs for fattening and minor poultry and porcine species. EFSA Journal, 2018, 16, e05270.	1.8	3
439	Safety and efficacy of Coxiril® (diclazuril) for chickens reared for laying. EFSA Journal, 2018, 16, e05195.	1.8	2
440	Safety and efficacy of <i>Lactococcus lactis</i> NCIMB 30160 as a feed additive for all animal species. EFSA Journal, 2018, 16, e05218.	1.8	1
441	Safety of natural mixture of dolomite plus magnesite and magnesium-phyllsilicates (Fluidol) for all animal species. EFSA Journal, 2018, 16, e05272.	1.8	1
442	Scientific Opinion on the safety and efficacy of Aviax 5% (semduramicin sodium) for chickens for fattening. EFSA Journal, 2018, 16, e05341.	1.8	7
443	Assessment of the application for renewal of authorisation of selenomethionine produced by <i>Saccharomyces cerevisiae</i> CNCM 13060 (selenised yeast inactivated) for all animal species. EFSA Journal, 2018, 16, e05386.	1.8	9
444	Safety and efficacy of ECONASE® XT (endo-1,4-xylanase) as a feed additive for pigs for fattening. EFSA Journal, 2018, 16, e05217.	1.8	2
445	Efficacy of Cylactin® (<i>Enterococcus faecium</i> NCIMB 10415) as a feed additive for pigs for fattening. EFSA Journal, 2018, 16, e05201.	1.8	1
446	Safety and efficacy of l-threonine produced by fermentation using <i>Escherichia coli</i> CGMCC 7.232 for all animal species. EFSA Journal, 2018, 16, e05458.	1.8	6
447	Safety and efficacy of Zinc-Selenomethionine as feed additive for all animal species. EFSA Journal, 2018, 16, e05197.	1.8	5
448	Safety and efficacy of Hostazym® X (endo-1,4-beta-xylanase) as a feed additive for sows in order to have benefit in piglets. EFSA Journal, 2018, 16, e05456.	1.8	1
449	Safety and efficacy of <i>Bacillus subtilis</i> DSM28343 as a feed additive for calves for rearing. EFSA Journal, 2018, 16, e05220.	1.8	1
450	Safety and efficacy of l-arginine produced by fermentation with <i>Escherichia coli</i> NITE BP02186 for all animal species. EFSA Journal, 2018, 16, e05276.	1.8	4

#	ARTICLE	IF	CITATIONS
451	Safety and efficacy of LactobacillusÂhilgardii CNCM lâ€4785 and LactobacillusÂbuchneri CNCM lâ€4323/NCIMB 40788 as a silage additive for all animal species. EFSA Journal, 2018, 16, e05455.	1.8	1
452	Efficacy of BergazymÂ P100 (endoâ€1,4â€2â€xylanase) as a feed additive for chickens for fattening and weaned piglets. EFSA Journal, 2018, 16, e05457.	1.8	1
453	Safety and efficacy of MonimaxÂ (monensin sodium and nicarbazin) for chickens for fattening and chickens reared for laying. EFSA Journal, 2018, 16, e05459.	1.8	8
454	Safety and efficacy of MontebanÂ G100 (narasin) for chickens for fattening. EFSA Journal, 2018, 16, e05460.	1.8	3
455	Safety and efficacy of a super critical carbon dioxide extract of Humulus lupulus L. flos when used as a feed flavouring for all animal species. EFSA Journal, 2018, 16, e05462.	1.8	1
456	Safety of zinc chelate of methionine sulfate for the target species. EFSA Journal, 2018, 16, e05463.	1.8	0
457	Safety and efficacy of cumin tincture (Cuminum cyminum L.) when used as a sensory additive for all animal species. EFSA Journal, 2018, 16, e05273.	1.8	3
458	Safety and efficacy of vitamin B2 (riboflavin 5â€2â€phosphate ester monosodium salt) for all animal species when used in water for drinking. EFSA Journal, 2018, 16, e05531.	1.8	5
459	Safety of natural mixture of illite, montmorillonite and kaolinite (Argile Verte du Velay) for all animal species. EFSA Journal, 2018, 16, e05387.	1.8	2
460	Safety and efficacy of CoxarÂ (nicarbazin) for turkeys for fattening. EFSA Journal, 2018, 16, e05214.	1.8	1
461	Safety and efficacy of AmylofeedÂ (endoâ€1,3(4)â€2â€glucanase and endoâ€1,4â€2â€xylanase and Î±â€amylase), as a feed additive for piglets and minor growing porcine species. EFSA Journal, 2018, 16, e05271.	1.8	1
462	Safety and efficacy of betaine anhydrous for foodâ€producing animal species based on a dossier submitted by AB Vista. EFSA Journal, 2018, 16, e05335.	1.8	4
463	Safety and efficacy of COXAMÂ (amprolium hydrochloride) for chickens for fattening and chickens reared for laying. EFSA Journal, 2018, 16, e05338.	1.8	4
464	Safety and efficacy of vitamin B12 (in the form of cyanocobalamin) produced by Ensifer spp. as a feed additive for all animal species based on a dossier submitted by VITAC EEIG. EFSA Journal, 2018, 16, e05336.	1.8	13
465	Assessment of the application for renewal of authorisation of ActisafÂ Sc47 (Saccharomyces) Tj ETQq1 1 0.784314 rgBT /Overlock 10 EFSA Journal, 2018, 16, e05339.	1.8	1
466	Assessment of the application for renewal of authorisation of CalsporinÂ (BacillusÂsubtilis DSM) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.8	4
467	Safety and efficacy of 3â€phytase FL1000 as a feed additive for chickens reared for laying and minor poultry species. EFSA Journal, 2018, 16, e05203.	1.8	4
468	Guidance on the assessment of the efficacy of feed additives. EFSA Journal, 2018, 16, e05274.	1.8	293

#	ARTICLE	IF	CITATIONS
469	Safety and efficacy of Lactobacillus acidophilus D2/CSL (Lactobacillus acidophilus CECT 4529) as a feed additive for cats and dogs. EFSA Journal, 2018, 16, e05278.	1.8	3
470	Guidance on the characterisation of microorganisms used as feed additives or as production organisms. EFSA Journal, 2018, 16, e05206.	1.8	458
471	Safety and efficacy of butylated hydroxyanisole (BHA) as a feed additive for all animal species. EFSA Journal, 2018, 16, e05215.	1.8	9
472	Safety and efficacy of alpha-Camylase from Bacillus Amyloliquefaciens DSM 9553, Bacillus Amyloliquefaciens NCIM 30251, Aspergillus Oryzae CBS 585.94 and Aspergillus Oryzae ATCC SD 5374, endo-1,4-beta-Glucanase from Trichoderma Reesei ATCC PTA 10001, Trichoderma Reesei ATCC SD 6331 and Aspergillus Niger CBS 120604, endo-1,4-beta-Xylanase from Trichoderma koningii MUCL 39203 and Trichoderma Citrinoviride CBS 614.94 and endo-1,3(4)-beta-Glucanase from Aspergillus tubingensis MUCL 39199 as silage additives for. EFSA Journal, 2018, 16, e05224.	1.8	3
473	Modification of the terms of authorisation of lecithins as a feed additive for all animal species. EFSA Journal, 2018, 16, e05334.	1.8	1
474	Safety and efficacy of Taminizer D (dimethylglycine sodium salt) as a feed additive for chickens for fattening. EFSA Journal, 2018, 16, e05268.	1.8	4
475	Importance of breed aptitude (beef or dairy) in determining trace element concentrations in bovine muscles. Meat Science, 2018, 145, 101-106.	5.5	7
476	Safety of vitamin B2 (80%) as riboflavin produced by Bacillus Subtilis KCCM 10445 for all animal species. EFSA Journal, 2018, 16, e05223.	1.8	10
477	Safety and efficacy of vitamin B2 (riboflavin) produced by Ashbya gossypii DSM 23096 for all animal species based on a dossier submitted by BASF SE. EFSA Journal, 2018, 16, e05337.	1.8	8
478	Safety and efficacy of Bacillus subtilis KCCM 10673P and Aspergillus oryzae KCTC 10258BP when used as a technological feed additive for all animal species. EFSA Journal, 2018, 16, e05275.	1.8	2
479	Safety and efficacy of hydroxy analogue of methionine and its calcium salt (ADRY+) for all animal species. EFSA Journal, 2018, 16, e05198.	1.8	7
480	Safety and efficacy of muramidase from Trichoderma Reesei DSM 32338 as a feed additive for chickens for fattening and minor poultry species. EFSA Journal, 2018, 16, e05342.	1.8	5
481	Organic cattle products: Authenticating production origin by analysis of serum mineral content. Food Chemistry, 2018, 264, 210-217.	8.2	8
482	Safety and efficacy of Sacox microGranulate (salinomycin sodium) for rabbits for fattening. EFSA Journal, 2018, 16, e05209.	1.8	0
483	Assessment of the application for renewal of authorisation of Levucell SC (Saccharomyces) Tj ETQq1 1 0.784314 gBT /Overlock 10T	1.8	1
484	Short communication: The main factors affecting somatic cell count in organic dairy farming. Spanish Journal of Agricultural Research, 2018, 15, e06SC02.	0.6	1
485	Relationship between the essential and toxic element concentrations and the proximate composition of different commercial and internal cuts of young beef. European Food Research and Technology, 2017, 243, 1869-1873.	3.3	5
486	Safety of L-Lysine sulfate produced by fermentation with Escherichia Coli CGMCC 3705 for all animal species. EFSA Journal, 2017, 15, e04714.	1.8	13

#	ARTICLE	IF	CITATIONS
487	Safety and efficacy of <i>Lactobacillus hilgardii</i> CNCM l4785 as a silage additive for all animal species. EFSA Journal, 2017, 15, e04758.	1.8	2
488	Safety of ltryptophan technically pure, produced by fermentation with <i>Escherichia coli</i> DSM 25084, KCCM 11132P and SARI12091203 for all animal species based on a dossier submitted by FEFANA Asbl. EFSA Journal, 2017, 15, e04712.	1.8	6
489	Safety and efficacy of Calsporin (Bacillussubtilis DSM15544) as a feed additive for dogs. EFSA Journal, 2017, 15, e04760.	1.8	5
490	Subcellular distribution of hepatic copper in beef cattle receiving high copper supplementation. Journal of Trace Elements in Medicine and Biology, 2017, 42, 111-116.	3.0	9
491	Safety and efficacy of natural mixture of illite, montmorillonite and kaolinite for all animal species. EFSA Journal, 2017, 15, e04940.	1.8	2
492	Safety and efficacy of lthreonine produced by fermentationwith <i>Escherichia coli</i> CGMCC 11473 for all animal species. EFSA Journal, 2017, 15, e04939.	1.8	4
493	Helminth infections on organic dairy farms in Spain. Veterinary Parasitology, 2017, 243, 115-118.	1.8	2
494	Safety and efficacy of seleniumenriched yeast (<i>Saccharomycescerevisiae</i> CNCM l3399) for all animal species. EFSA Journal, 2017, 15, e04937.	1.8	2
495	Safety and efficacy of Beltherm MP/ML (endo1,4betaxylanase) as a feed additive for chickens for fattening, chickens reared for laying, turkeys for fattening, turkeys reared for breeding, turkeys for breeding purposes and minor poultry species. EFSA Journal, 2017, 15, e04941.	1.8	4
496	Safety and efficacy of sodium and potassium alginate forpets, other non foodproducing animals and fish. EFSA Journal, 2017, 15, e04945.	1.8	8
497	Guidance on the identity, characterisation and conditions of use of feed additives. EFSA Journal, 2017, 15, e05023.	1.8	272
498	Safety and efficacy of Natuphos E (6phytase) as a feed additive for avian and porcine species. EFSA Journal, 2017, 15, e05024.	1.8	8
499	Safety and efficacy of RONOZYME WX (endo1,4betaxylanase) as a feed additive for laying hens. EFSA Journal, 2017, 15, e05020.	1.8	3
500	Guidance on the assessment of the safety of feed additives for the consumer. EFSA Journal, 2017, 15, e05022.	1.8	267
501	Safety of natural mixture of dolomite plus magnesite and magnesiumphyllosilicates (Fluidol) for all animal species. EFSA Journal, 2017, 15, e04711.	1.8	1
502	Assessment of the functional properties of protein extracted from the brown seaweed <i>Himanthalia elongata</i> (Linnaeus) S. F. Gray. Food Research International, 2017, 99, 971-978.	6.2	77
503	Safety and efficacy of an essential oil from <i>Origanumvulgare</i> subsp. <i>hirtum</i> (Link) letsw. var. <i>Vulkan</i> when used as a sensory additive in feed for all animal species. EFSA Journal, 2017, 15, e05095.	1.8	6
504	Guidance on the assessment of the safety of feed additives for the target species. EFSA Journal, 2017, 15, e05021.	1.8	334

#	ARTICLE	IF	CITATIONS
505	Safety and efficacy of bentonite as a feed additive for all animal species. EFSA Journal, 2017, 15, e05096.	1.8	12
506	Safety and efficacy of L-arginine produced by <i>Corynebacterium glutamicum</i> KCCM 80099 for all animal species. EFSA Journal, 2017, 15, e04858.	1.8	3
507	Safety and efficacy of ENZY CARBOPLUS® (endo-1,4-beta-xylanase and endo-1,3(4)-beta-glucanase) as a feed additive for avian species, weaned piglets and minor weaned porcine species. EFSA Journal, 2017, 15, e05097.	1.8	3
508	Safety and efficacy of Levucell® SC (<i>Saccharomyces cerevisiae</i> CNCM 1077) as a feed additive for dairy cows, cattle for fattening, minor ruminant species and camelids. EFSA Journal, 2017, 15, e04944.	1.8	3
509	Safety of L-tryptophan technically pure, produced by <i>Escherichia coli</i> CGMCC 3667, for all animal species based on a dossier submitted by GBT Europe GmbH. EFSA Journal, 2017, 15, e04705.	1.8	7
510	Efficacy of Liderfeed® (eugenol) for chickens for fattening. EFSA Journal, 2017, 15, e04931.	1.8	2
511	Safety of lactic acid and calcium lactate when used as technological additives for all animal species. EFSA Journal, 2017, 15, e04938.	1.8	8
512	Safety and efficacy of Monimax® (monensin sodium and nicarbazin) for turkeys for fattening. EFSA Journal, 2017, 15, e05094.	1.8	8
513	Safety and efficacy of Avatec® 150G (lasalocid A sodium) for chickens for fattening and chickens reared for laying, and modification of the terms of authorisation for chickens for fattening, chickens reared for laying, turkeys for fattening, minor avian species (pheasants, guinea fowl, quails) Tj ETQq1 1 0.784314 rgBT /Overlock 10	1.8	4
514	Safety and efficacy of <i>Lactobacillus buchneri</i> NRRL B-50733 as a silage additive for all animal species. EFSA Journal, 2017, 15, e04934.	1.8	2
515	Safety and efficacy of HOSTAZYM® X (endo-1,4-beta-xylanase) as a feed additive for carps. EFSA Journal, 2017, 15, e04942.	1.8	2
516	Safety and efficacy of Alterion NE® (<i>Bacillus subtilis</i> DSM 29784) as a feed additive for chickens for fattening and chickens reared for laying. EFSA Journal, 2017, 15, e04933.	1.8	1
517	Safety and efficacy of AviMatrix® (benzoic acid, calcium formate and fumaric acid) for chickens for fattening, chickens reared for laying, minor avian species for fattening and minor avian species reared to point of lay. EFSA Journal, 2017, 15, e05025.	1.8	4
518	Safety and efficacy of Calsporin® (<i>Bacillus subtilis</i> DSM 15544) for sows and suckling piglets. EFSA Journal, 2017, 15, e04761.	1.8	3
519	Identifying sources of metal exposure in organic and conventional dairy farming. Chemosphere, 2017, 185, 1048-1055.	8.2	23
520	Efficacy of Levucell® SB (<i>Saccharomyces cerevisiae</i> CNCM 1079) as a feed additive for weaned piglets. EFSA Journal, 2017, 15, e04932.	1.8	2
521	Holstein-Friesian milk performance in organic farming in North Spain: Comparison with other systems and breeds. Spanish Journal of Agricultural Research, 2017, 15, e0601.	0.6	10
522	Modification of the terms of the authorisation regarding the formulation of Maxiban® G160 (narsin) Tj ETQq0 0,0,rgBT /Overlock 10	1.8	2

#	ARTICLE	IF	CITATIONS
523	Safety and efficacy of dry grape extract when used as flavouring in water for drinking for all animal species and categories. EFSA Journal, 2016, 14, e04627.	1.8	1
524	Effects of different strategies of mineral supplementation (marine algae alone or combined with) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 7 836-843.	2.2	7
525	Safety and efficacy of BAct (Bacilluslicheniformis DSM 28710) for chickens for fattening and chickens reared for laying. EFSA Journal, 2016, 14, e04615.	1.8	5
526	Is lack of antibiotic usage affecting udder health status of organic dairy cattle?. Journal of Dairy Research, 2016, 83, 464-467.	1.4	9
527	Safety and efficacy of fumonisin esterase (FUMzyme) as a technological feed additive for all avian species. EFSA Journal, 2016, 14, e04617.	1.8	13
528	Hepatic concentrations of copper and other metals in dogs with and without chronic hepatitis. Journal of Small Animal Practice, 2016, 57, 703-709.	1.2	14
529	Safety and efficacy of 3phytase FLF1000 as a feed additive for chickens for fattening and laying hens. EFSA Journal, 2016, 14, e04622.	1.8	2
530	Essential and toxic trace element concentrations in different commercial veal cuts in Spain. Meat Science, 2016, 121, 47-52.	5.5	25
531	Use of homeopathy in organic dairy farming in Spain. Homeopathy, 2016, 105, 102-108.	1.0	10
532	Dynamics of mammary infections in organic dairy farms in Northern Spain. Spanish Journal of Agricultural Research, 2016, 14, e0502.	0.6	4
533	Udder health in organic dairy cattle in Northern Spain. Spanish Journal of Agricultural Research, 2015, 13, e0503.	0.6	6
534	The use of seaweed from the Galician coast as a mineral supplement in organic dairy cattle. Animal, 2014, 8, 580-586.	3.3	47
535	Trace Element Distribution in Selected Edible Tissues of Zebu (Bos indicus) Cattle Slaughtered at Jimma, SW Ethiopia. PLoS ONE, 2014, 9, e85300.	2.5	8
536	Essential trace and toxic element concentrations in organic and conventional milk in NW Spain. Food and Chemical Toxicology, 2013, 55, 513-518.	3.6	91
537	Trace Minerals and Livestock: Not Too Much Not Too Little. ISRN Veterinary Science, 2012, 2012, 1-18.	1.1	99
538	Histochemistry evaluation of the oxidative stress and the antioxidant status in Cu-supplemented cattle. Animal, 2012, 6, 1435-1443.	3.3	15
539	Effect of moderate Cu supplementation on serum metabolites, enzymes and redox state in feedlot calves. Research in Veterinary Science, 2012, 93, 269-274.	1.9	11
540	The involvement of metallothionein in hepatic and renal Cd, Cu and Zn accumulation in pigs. Livestock Science, 2012, 150, 152-158.	1.6	9

#	ARTICLE	IF	CITATIONS
541	Evaluation of organic, conventional and intensive beef farm systems: health, management and animal production. <i>Animal</i> , 2012, 6, 1503-1511.	3.3	18
542	Trace mineral status and toxic metal accumulation in extensive and intensive pigs in NW Spain. <i>Livestock Science</i> , 2012, 146, 47-53.	1.6	24
543	Effect of type of muscle and Cu supplementation on trace element concentrations in cattle meat. <i>Food and Chemical Toxicology</i> , 2011, 49, 1443-1449.	3.6	31
544	Influence of Cu supplementation on toxic and essential trace element status in intensive reared beef cattle. <i>Food and Chemical Toxicology</i> , 2011, 49, 3358-3366.	3.6	12
545	The influence of chemical form on the effects of supplementary malate on serum metabolites and enzymes in finishing bull calves. <i>Livestock Science</i> , 2011, 137, 260-263.	1.6	3
546	Evaluation of the need of copper supplementation in intensively reared beef cattle. <i>Livestock Science</i> , 2011, 137, 273-277.	1.6	18
547	Serum metabolite concentrations and enzyme activities in finishing bull calves fed different types of high-grain diets. <i>Archives Animal Breeding</i> , 2011, 54, 137-146.	1.4	4
548	EROD activity and stable isotopes in seabirds to disentangle marine food web contamination after the Prestige oil spill. <i>Environmental Pollution</i> , 2010, 158, 1275-1280.	7.5	18
549	The Interlobular Distribution of Copper in the Liver of Beef Calves on a High-Copper Diet. <i>Journal of Veterinary Diagnostic Investigation</i> , 2010, 22, 277-281.	1.1	13
550	Sublethal effects on seabirds after the <i>Prestige</i> oil-spill are mirrored in sexual signals. <i>Biology Letters</i> , 2010, 6, 33-35.	2.3	20
551	Influence of breed on blood and tissue copper status in growing and finishing steers fed diets supplemented with copper. <i>Archives of Animal Nutrition</i> , 2010, 64, 98-110.	1.8	15
552	Non-essential and essential trace element concentrations in meat from cattle reared under organic, intensive or conventional production systems. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2010, 27, 36-42.	2.3	21
553	Metal accumulation in cattle raised in a serpentine-soil area: Relationship between metal concentrations in soil, forage and animal tissues. <i>Journal of Trace Elements in Medicine and Biology</i> , 2009, 23, 231-238.	3.0	70
554	Factors affecting trace element status in calves in NW Spain. <i>Livestock Science</i> , 2009, 123, 198-208.	1.6	32
555	Organochlorine Pesticide and Polychlorinated Biphenyl in Calves from North-West Spain. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2008, 81, 583-587.	2.7	4
556	Effects of malate supplementation on acid-base balance and productive performance in growing/finishing bull calves fed a high-grain diet. <i>Archives of Animal Nutrition</i> , 2008, 62, 70-81.	1.8	4
557	Monitoring Polycyclic Aromatic Hydrocarbon Pollution in the Marine Environment after the <i>Prestige</i> Oil Spill by Means of Seabird Blood Analysis. <i>Environmental Science & Technology</i> , 2008, 42, 707-713.	10.0	66
558	Malic acid supplementation in growing/finishing feedlot bull calves: Influence of chemical form on blood acid-base balance and productive performance. <i>Animal Feed Science and Technology</i> , 2007, 135, 222-235.	2.2	16

#	ARTICLE	IF	CITATIONS
559	Sublethal toxicity of the Prestige oil spill on yellow-legged gulls. <i>Environment International</i> , 2007, 33, 773-781.	10.0	79
560	Toxic and essential metals in liver, kidney and muscle of pigs at slaughter in Galicia, north-west Spain. <i>Food Additives and Contaminants</i> , 2007, 24, 943-954.	2.0	70
561	Use of dogs as indicators of metal exposure in rural and urban habitats in NW Spain. <i>Science of the Total Environment</i> , 2007, 372, 668-675.	8.0	40
562	Toxic and trace metal concentrations in liver and kidney of dogs. <i>Biological Trace Element Research</i> , 2007, 116, 185-202.	3.5	20
563	Toxic and trace metal concentrations in liver and kidney of dogs. <i>Biological Trace Element Research</i> , 2007, 116, 185-202.	3.5	1
564	Influence of copper status on the accumulation of toxic and essential metals in cattle. <i>Environment International</i> , 2006, 32, 901-906.	10.0	64
565	Plasma malonaldehyde (MDA) and total antioxidant status (TAS) during lactation in dairy cows. <i>Research in Veterinary Science</i> , 2006, 80, 133-139.	1.9	154
566	Assessment of Some Blood Parameters as Potential Markers of Hepatic Copper Accumulation in Cattle. <i>Journal of Veterinary Diagnostic Investigation</i> , 2006, 18, 71-75.	1.1	42
567	Copper, Zinc, Iron, and Manganese Accumulation in Cattle from Asturias (Northern Spain). <i>Biological Trace Element Research</i> , 2006, 109, 135-144.	3.5	15
568	Influence of Grain Processing on Acid-Base Balance in Feedlot Steers. <i>Veterinary Research Communications</i> , 2006, 30, 823-837.	1.6	21
569	On a type of evolution of self-referred and hereditary phenomena. <i>Aequationes Mathematicae</i> , 2006, 71, 253-268.	0.8	3
570	Long-term Follow-up of Blood Lead Levels and Haematological and Biochemical Parameters in Heifers that Survived an Accidental Lead Poisoning Episode. <i>Transboundary and Emerging Diseases</i> , 2006, 53, 305-310.	0.6	20
571	The role of metallothionein and zinc in hepatic copper accumulation in cattle. <i>Veterinary Journal</i> , 2005, 169, 262-267.	1.7	34
572	Oxidative status during late pregnancy and early lactation in dairy cows. <i>Veterinary Journal</i> , 2005, 169, 286-292.	1.7	300
573	Intracellular distribution of copper and zinc in the liver of copper-exposed cattle from northwest Spain. <i>Veterinary Journal</i> , 2005, 170, 332-338.	1.7	17
574	Effects of moderate pollution on toxic and trace metal levels in calves from a polluted area of northern Spain. <i>Environment International</i> , 2005, 31, 543-548.	10.0	92
575	Organic acids as a substitute for monensin in diets for beef cattle. <i>Animal Feed Science and Technology</i> , 2004, 115, 101-116.	2.2	98
576	Some toxic elements in liver, kidney and meat from calves slaughtered in Asturias (Northern Spain). <i>European Food Research and Technology</i> , 2003, 216, 284-289.	3.3	11

#	ARTICLE	IF	CITATIONS
577	Mercury concentrations in cattle from NW Spain. <i>Science of the Total Environment</i> , 2003, 302, 93-100.	8.0	32
578	Large-scale spatial variation in mercury concentrations in cattle in NW Spain. <i>Environmental Pollution</i> , 2003, 125, 173-181.	7.5	24
579	The Effect of Pig Farming on Copper and Zinc Accumulation in Cattle in Galicia (North-Western Spain). <i>Veterinary Journal</i> , 2000, 160, 259-266.	1.7	45