

Michael J Duffy

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6826253/publications.pdf>

Version: 2024-02-01

133
papers

15,278
citations

16451

64
h-index

17592

121
g-index

135
all docs

135
docs citations

135
times ranked

18709
citing authors

#	ARTICLE	IF	CITATIONS
1	Targeting p53 for the treatment of cancer. <i>Seminars in Cancer Biology</i> , 2022, 79, 58-67.	9.6	177
2	Use of Circulating Tumour DNA (ctDNA) for Measurement of Therapy Predictive Biomarkers in Patients with Cancer. <i>Journal of Personalized Medicine</i> , 2022, 12, 99.	2.5	16
3	OUP accepted manuscript. <i>Clinical Chemistry</i> , 2022, , .	3.2	5
4	Circulating cancer biomarkers: current status and future prospects. , 2022, , 409-443.		0
5	Statins inhibit proliferation and induce apoptosis in triple-negative breast cancer cells. , 2022, 39, .		10
6	Drugging "undruggable" genes for cancer treatment: Are we making progress?. <i>International Journal of Cancer</i> , 2021, 148, 8-17.	5.1	63
7	The novel low molecular weight MYC antagonist MYCMI-6 inhibits proliferation and induces apoptosis in breast cancer cells. <i>Investigational New Drugs</i> , 2021, 39, 587-594.	2.6	10
8	Bringing Onco-Innovation to Europe's Healthcare Systems: The Potential of Biomarker Testing, Real World Evidence, Tumour Agnostic Therapies to Empower Personalised Medicine. <i>Cancers</i> , 2021, 13, 583.	3.7	13
9	MYC as a target for cancer treatment. <i>Cancer Treatment Reviews</i> , 2021, 94, 102154.	7.7	170
10	Circulating tumor DNA (ctDNA) as a pan-cancer screening test: is it finally on the horizon?. <i>Clinical Chemistry and Laboratory Medicine</i> , 2021, 59, 1353-1361.	2.3	25
11	COTI-2 reactivates mutant p53 and inhibits growth of triple-negative breast cancer cells. <i>Breast Cancer Research and Treatment</i> , 2020, 179, 47-56.	2.5	51
12	Biomarkers for prostate cancer: prostate-specific antigen and beyond. <i>Clinical Chemistry and Laboratory Medicine</i> , 2020, 58, 326-339.	2.3	123
13	Bringing Greater Accuracy to Europe's Healthcare Systems: The Unexploited Potential of Biomarker Testing in Oncology. <i>Biomedicine Hub</i> , 2020, 5, 1-42.	1.2	15
14	Targeting c-Met in triple negative breast cancer: preclinical studies using the c-Met inhibitor, Cpd A. <i>Investigational New Drugs</i> , 2020, 38, 1365-1372.	2.6	5
15	Circulating tumour DNA as a cancer biomarker. <i>Annals of Clinical Biochemistry</i> , 2019, 56, 42-48.	1.6	13
16	Biomarkers for Predicting Response to Immunotherapy with Immune Checkpoint Inhibitors in Cancer Patients. <i>Clinical Chemistry</i> , 2019, 65, 1228-1238.	3.2	178
17	Dasatinib Treatment Increases Sensitivity to c-Met Inhibition in Triple-Negative Breast Cancer Cells. <i>Cancers</i> , 2019, 11, 548.	3.7	19
18	HER2-Targeted Tyrosine Kinase Inhibitors Cause Therapy-Induced-Senescence in Breast Cancer Cells. <i>Cancers</i> , 2019, 11, 197.	3.7	21

#	ARTICLE	IF	CITATIONS
19	Mutant p53 in breast cancer: potential as a therapeutic target and biomarker. <i>Breast Cancer Research and Treatment</i> , 2018, 170, 213-219.	2.5	144
20	Mutant p53 as a therapeutic target for the treatment of triple-negative breast cancer: Preclinical investigation with the anti-p53 drug, PK11007. <i>Cancer Letters</i> , 2018, 414, 99-106.	7.2	48
21	Prognostic and predictive biomarkers in breast cancer: Past, present and future. <i>Seminars in Cancer Biology</i> , 2018, 52, 56-73.	9.6	284
22	An individual reference limit of the serum CEA–TPA–CA 15-3 tumor marker panel in the surveillance of asymptomatic women following surgery for primary breast cancer. <i>Cancer Management and Research</i> , 2018, Volume 10, 6879-6886.	1.9	6
23	The Mutant p53-Targeting Compound APR-246 Induces ROS-Modulating Genes in Breast Cancer Cells. <i>Translational Oncology</i> , 2018, 11, 1343-1349.	3.7	25
24	Blood-based biomarkers in breast cancer: From proteins to circulating tumor cells to circulating tumor DNA. <i>Tumor Biology</i> , 2018, 40, 101042831877616.	1.8	50
25	Tissue and Blood Biomarkers in Lung Cancer: A Review. <i>Advances in Clinical Chemistry</i> , 2018, 86, 1-21.	3.7	85
26	Targeting mutant p53 with COTI-2: A new approach for the treatment of patients with triple-negative breast cancer?. <i>Journal of Clinical Oncology</i> , 2018, 36, e13121-e13121.	1.6	2
27	Vitamin D analogues: Potential use in cancer treatment. <i>Critical Reviews in Oncology/Hematology</i> , 2017, 112, 190-197.	4.4	72
28	Vitamin D receptor as a target for breast cancer therapy. <i>Endocrine-Related Cancer</i> , 2017, 24, 181-195.	3.1	40
29	Clinical use of biomarkers in breast cancer: Updated guidelines from the European Group on Tumor Markers (EGTM). <i>European Journal of Cancer</i> , 2017, 75, 284-298.	2.8	363
30	Use of Multiparameter Tests for Identifying Women with Early Breast Cancer Who Do Not Need Adjuvant Chemotherapy. <i>Clinical Chemistry</i> , 2017, 63, 804-806.	3.2	10
31	Mutant p53 as a target for cancer treatment. <i>European Journal of Cancer</i> , 2017, 83, 258-265.	2.8	287
32	Mutant p53: a novel target for the treatment of patients with triple–negative breast cancer?. <i>International Journal of Cancer</i> , 2017, 140, 234-246.	5.1	79
33	Combined treatment using the anti-p53 drug, APR-246 and eribulin: Synergistic growth inhibition in p53-mutated breast cancer cells.. <i>Journal of Clinical Oncology</i> , 2017, 35, e14098-e14098.	1.6	3
34	Targeting mutant p53 with PK11007: A new approach for the treatment of patients with triple-negative breast cancer?. <i>Journal of Clinical Oncology</i> , 2017, 35, e14099-e14099.	1.6	4
35	Clinical Use of Cancer Biomarkers in Epithelial Ovarian Cancer: Updated Guidelines From the European Group on Tumor Markers. <i>International Journal of Gynecological Cancer</i> , 2016, 26, 43-51.	2.5	195
36	The ADAMs family of proteases as targets for the treatment of cancer. <i>Cancer Biology and Therapy</i> , 2016, 17, 870-880.	3.4	87

#	ARTICLE	IF	CITATIONS
37	Validated biomarkers: The key to precision treatment in patients with breast cancer. <i>Breast</i> , 2016, 29, 192-201.	2.2	47
38	Preclinical evaluation of the AR inhibitor enzalutamide in triple-negative breast cancer cells. <i>Endocrine-Related Cancer</i> , 2016, 23, 323-334.	3.1	50
39	p53 in cancer: ready for therapeutic targeting?. <i>Translational Cancer Research</i> , 2016, 5, 627-631.	1.0	5
40	The vitamin D receptor as a target for the treatment of breast cancer: Studies with the low calcemic vitamin D analog, inecalcitol.. <i>Journal of Clinical Oncology</i> , 2016, 34, e12011-e12011.	1.6	0
41	Mutant p53 as a therapeutic target for the treatment of triple-negative breast cancer: Preclinical investigation with the anti-p53 drug, APR-246.. <i>Journal of Clinical Oncology</i> , 2016, 34, 1082-1082.	1.6	0
42	Targeting ADAM-17 with an inhibitory monoclonal antibody has antitumour effects in triple-negative breast cancer cells. <i>British Journal of Cancer</i> , 2015, 112, 1895-1903.	6.4	52
43	Biomarkers in Breast Cancer. <i>Advances in Clinical Chemistry</i> , 2015, 71, 1-23.	3.7	86
44	Personalized treatment for patients with colorectal cancer: role of biomarkers. <i>Biomarkers in Medicine</i> , 2015, 9, 337-347.	1.4	20
45	Validation of New Cancer Biomarkers: A Position Statement from the European Group on Tumor Markers. <i>Clinical Chemistry</i> , 2015, 61, 809-820.	3.2	120
46	ADAM10: a new player in breast cancer progression?. <i>British Journal of Cancer</i> , 2015, 113, 945-951.	6.4	61
47	Use of Biomarkers in Screening for Cancer. <i>Advances in Experimental Medicine and Biology</i> , 2015, 867, 27-39.	1.6	45
48	Neratinib to inhibit the growth of triple-negative breast cancer cells.. <i>Journal of Clinical Oncology</i> , 2015, 33, 1099-1099.	1.6	7
49	The vitamin D receptor: A therapeutic target for the treatment of breast cancer?. <i>Journal of Clinical Oncology</i> , 2015, 33, 534-534.	1.6	3
50	Enzalutamide: A new hormonal treatment for triple-negative breast cancer?. <i>Journal of Clinical Oncology</i> , 2015, 33, 1071-1071.	1.6	0
51	ADAM10 and ADAM17: New Players in Trastuzumab Resistance. <i>Oncotarget</i> , 2014, 5, 10963-10964.	1.8	11
52	cMET in triple-negative breast cancer: is it a therapeutic target for this subset of breast cancer patients?. <i>Expert Opinion on Therapeutic Targets</i> , 2014, 18, 999-1009.	3.4	24
53	PSA in Screening for Prostate Cancer. <i>Advances in Clinical Chemistry</i> , 2014, , 1-23.	3.7	26
54	Tumor markers in colorectal cancer, gastric cancer and gastrointestinal stromal cancers: European group on tumor markers 2014 guidelines update. <i>International Journal of Cancer</i> , 2014, 134, 2513-2522.	5.1	288

#	ARTICLE	IF	CITATIONS
55	Precision treatment for cancer: Role of prognostic and predictive markers. <i>Critical Reviews in Clinical Laboratory Sciences</i> , 2014, 51, 30-45.	6.1	25
56	Investigation of molecular alterations of <i>AKT</i> in triple-negative breast cancer. <i>Histopathology</i> , 2014, 64, 660-670.	2.9	20
57	<i>ADAM8</i> expression in invasive breast cancer promotes tumor dissemination and metastasis. <i>EMBO Molecular Medicine</i> , 2014, 6, 278-294.	6.9	88
58	p53 as a target for the treatment of cancer. <i>Cancer Treatment Reviews</i> , 2014, 40, 1153-1160.	7.7	187
59	uPA and PAI-1 as biomarkers in breast cancer: validated for clinical use in level-of-evidence-1 studies. <i>Breast Cancer Research</i> , 2014, 16, 428.	5.0	201
60	Tumor Markers in Clinical Practice: A Review Focusing on Common Solid Cancers. <i>Medical Principles and Practice</i> , 2013, 22, 4-11.	2.4	203
61	The war on cancer: are we winning?. <i>Tumor Biology</i> , 2013, 34, 1275-1284.	1.8	42
62	Design of Tumor Biomarker Monitoring Trials: A Proposal by the European Group on Tumor Markers. <i>Clinical Chemistry</i> , 2013, 59, 52-59.	3.2	37
63	Companion Biomarkers: Paving the Pathway to Personalized Treatment for Cancer. <i>Clinical Chemistry</i> , 2013, 59, 1447-1456.	3.2	44
64	Exploring the Glycosylation of Serum CA125. <i>International Journal of Molecular Sciences</i> , 2013, 14, 15636-15654.	4.1	67
65	Met and HGF inhibition in triple-negative breast cancer cell lines. <i>Journal of Clinical Oncology</i> , 2013, 31, 1066-1066.	1.6	1
66	Monitoring response to therapy in patients with cancer: is circulating DNA the answer?. <i>Annals of Translational Medicine</i> , 2013, 1, 24.	1.7	2
67	Evaluation of IGF1R and phosphorylated IGF1R as targets in HER2-positive breast cancer cell lines and tumours. <i>Breast Cancer Research and Treatment</i> , 2012, 136, 717-727.	2.5	35
68	The cocaine- and amphetamine-regulated transcript mediates ligand-independent activation of ER α , and is an independent prognostic factor in node-negative breast cancer. <i>Oncogene</i> , 2012, 31, 3483-3494.	5.9	10
69	Targeted therapy for triple-negative breast cancer: Where are we?. <i>International Journal of Cancer</i> , 2012, 131, 2471-2477.	5.1	76
70	Trastuzumab induces antibody-dependent cell-mediated cytotoxicity (ADCC) in HER-2-non-amplified breast cancer cell lines. <i>Annals of Oncology</i> , 2012, 23, 1788-1795.	1.2	112
71	Abstract 1845: ADAM10: A new player in breast cancer progression. , 2012, , .		1
72	Use of Tumor Markers in the Detection and Management of Patients with Colorectal Cancer. , 2012, , 315-329.		0

#	ARTICLE	IF	CITATIONS
73	Use of molecular markers for predicting therapy response in cancer patients. <i>Cancer Treatment Reviews</i> , 2011, 37, 151-159.	7.7	94
74	The National Institute for Health and Clinical Excellence (NICE) guidelines for early detection of ovarian cancer: the pivotal role of the clinical laboratory. <i>Annals of Clinical Biochemistry</i> , 2011, 48, 295-299.	1.6	18
75	Prostate-specific antigen: does the current evidence support its use in prostate cancer screening?. <i>Annals of Clinical Biochemistry</i> , 2011, 48, 310-316.	1.6	17
76	The ADAMs family of proteases: new biomarkers and therapeutic targets for cancer?. <i>Clinical Proteomics</i> , 2011, 8, 9.	2.1	164
77	Use of faecal markers in screening for colorectal neoplasia: a European group on tumor markers position paper. <i>International Journal of Cancer</i> , 2011, 128, 3-11.	5.1	83
78	Src: a potential target for the treatment of triple-negative breast cancer. <i>Annals of Oncology</i> , 2011, 22, 2234-2240.	1.2	117
79	Validation of cytoplasmic-to-nuclear ratio of survivin as an indicator of improved prognosis in breast cancer. <i>BMC Cancer</i> , 2010, 10, 639.	2.6	38
80	National Academy of Clinical Biochemistry Laboratory Medicine Practice Guidelines for Use of Tumor Markers in Liver, Bladder, Cervical, and Gastric Cancers. <i>Clinical Chemistry</i> , 2010, 56, e1-e48.	3.2	184
81	Activated Phosphoinositide 3-Kinase/AKT Signaling Confers Resistance to Trastuzumab but not Lapatinib. <i>Molecular Cancer Therapeutics</i> , 2010, 9, 1489-1502.	4.1	283
82	Tumor markers in pancreatic cancer: a European Group on Tumor Markers (EGTM) status report. <i>Annals of Oncology</i> , 2010, 21, 441-447.	1.2	300
83	Levels of specific glycans significantly distinguish lymph node-positive from lymph node-negative breast cancer patients. <i>Glycobiology</i> , 2010, 20, 1283-1288.	2.5	41
84	Prioritization of Candidate Protein Biomarkers from an <i>In Vitro</i> Model System of Breast Tumor Progression Toward Clinical Verification. <i>Journal of Proteome Research</i> , 2010, 9, 1450-1459.	3.7	7
85	CA 15-3: Uses and limitation as a biomarker for breast cancer. <i>Clinica Chimica Acta</i> , 2010, 411, 1869-1874.	1.1	270
86	Use of Biomarkers in Screening for Cancer. <i>Electronic Journal of the International Federation of Clinical Chemistry and Laboratory Medicine</i> , 2010, 21, 1-12.	0.7	5
87	Role of ADAMs in Cancer Formation and Progression. <i>Clinical Cancer Research</i> , 2009, 15, 1140-1144.	7.0	196
88	Survivin: A new target for anti-cancer therapy. <i>Cancer Treatment Reviews</i> , 2009, 35, 553-562.	7.7	346
89	The role of ADAMs in disease pathophysiology. <i>Clinica Chimica Acta</i> , 2009, 403, 31-36.	1.1	56
90	Cancer invasion and metastasis: changing views. <i>Journal of Pathology</i> , 2008, 214, 283-293.	4.5	253

#	ARTICLE	IF	CITATIONS
91	National Academy of Clinical Biochemistry Laboratory Medicine Practice Guidelines for Use of Tumor Markers in Testicular, Prostate, Colorectal, Breast, and Ovarian Cancers. <i>Clinical Chemistry</i> , 2008, 54, e11-e79.	3.2	539
92	A Personalized Approach to Cancer Treatment: How Biomarkers Can Help. <i>Clinical Chemistry</i> , 2008, 54, 1770-1779.	3.2	136
93	Novel image analysis approach for quantifying expression of nuclear proteins assessed by immunohistochemistry: application to measurement of oestrogen and progesterone receptor levels in breast cancer. <i>Breast Cancer Research</i> , 2008, 10, R89.	5.0	113
94	ADAM-17 predicts adverse outcome in patients with breast cancer. <i>Annals of Oncology</i> , 2008, 19, 1075-1081.	1.2	75
95	Altered Cytoplasmic-to-Nuclear Ratio of Survivin Is a Prognostic Indicator in Breast Cancer. <i>Clinical Cancer Research</i> , 2008, 14, 2681-2689.	7.0	83
96	Use of a Panel of Novel Genes for Differentiating Breast Cancer from Non-Breast Tissues. <i>Tumor Biology</i> , 2007, 28, 312-317.	1.8	6
97	ADAM-17 Expression in Breast Cancer Correlates with Variables of Tumor Progression. <i>Clinical Cancer Research</i> , 2007, 13, 2335-2343.	7.0	108
98	Role of tumor markers in patients with solid cancers: A critical review. <i>European Journal of Internal Medicine</i> , 2007, 18, 175-184.	2.2	144
99	Survivin: A promising tumor biomarker. <i>Cancer Letters</i> , 2007, 249, 49-60.	7.2	229
100	CENP-F expression is associated with poor prognosis and chromosomal instability in patients with primary breast cancer. <i>International Journal of Cancer</i> , 2007, 120, 1434-1443.	5.1	98
101	Contribution of DNA and tissue microarray technology to the identification and validation of biomarkers and personalised medicine in breast cancer. <i>Cancer Genomics and Proteomics</i> , 2007, 4, 121-34.	2.0	17
102	Serum Tumor Markers in Breast Cancer: Are They of Clinical Value?. <i>Clinical Chemistry</i> , 2006, 52, 345-351.	3.2	367
103	Estrogen Receptors: Role in Breast Cancer. <i>Critical Reviews in Clinical Laboratory Sciences</i> , 2006, 43, 325-347.	6.1	82
104	CA 15-3 is predictive of response and disease recurrence following treatment in locally advanced breast cancer. <i>BMC Cancer</i> , 2006, 6, 220.	2.6	58
105	Lipophilin B: A gene preferentially expressed in breast tissue and upregulated in breast cancer. <i>International Journal of Cancer</i> , 2006, 120, 1087-1092.	5.1	13
106	CA IX is an Independent Prognostic Marker in Premenopausal Breast Cancer Patients with One to Three Positive Lymph Nodes and a Putative Marker of Radiation Resistance. <i>Clinical Cancer Research</i> , 2006, 12, 6421-6431.	7.0	123
107	Use of Prostate-Specific Antigen (PSA) Isoforms for the Detection of Prostate Cancer in Men with a PSA Level of ≥ 10 ng/ml: Systematic Review and Meta-Analysis. <i>European Urology</i> , 2005, 48, 386-399.	1.9	222
108	Mammaglobin a in breast cancer: Existence of multiple molecular forms. <i>International Journal of Cancer</i> , 2005, 114, 623-627.	5.1	15

#	ARTICLE	IF	CITATIONS
109	Tumor Markers in Breast Cancer – European Group on Tumor Markers Recommendations. Tumor Biology, 2005, 26, 281-293.	1.8	287
110	Application of DNA microarray technology in determining breast cancer prognosis and therapeutic response. Expert Opinion on Biological Therapy, 2005, 5, 1069-1083.	3.1	46
111	DNA Microarray-Based Gene Expression Profiling in Cancer: Aiding Cancer Diagnosis, Assessing Prognosis and Predicting Response to Therapy. Current Pharmacogenomics and Personalized Medicine: the International Journal for Expert Reviews in Pharmacogenomics, 2005, 3, 289-304.	0.3	10
112	Predictive Markers in Breast and Other Cancers: A Review. Clinical Chemistry, 2005, 51, 494-503.	3.2	143
113	Expression of the Breast Cancer Metastasis Suppressor Gene, BRMS1, in Human Breast Carcinoma: Lack of Correlation with Metastasis to Axillary Lymph Nodes. Tumor Biology, 2005, 26, 213-216.	1.8	31
114	Evidence for the clinical use of tumour markers. Annals of Clinical Biochemistry, 2004, 41, 370-377.	1.6	37
115	The Urokinase Plasminogen Activator System: Role in Malignancy. Current Pharmaceutical Design, 2004, 10, 39-49.	1.9	356
116	High Preoperative CA 15-3 Concentrations Predict Adverse Outcome in Node-Negative and Node-Positive Breast Cancer: Study of 600 Patients with Histologically Confirmed Breast Cancer. Clinical Chemistry, 2004, 50, 559-563.	3.2	82
117	Expression of ADAM–9 mRNA and protein in human breast cancer. International Journal of Cancer, 2003, 105, 754-761.	5.1	136
118	The ADAMs family of proteins: from basic studies to potential clinical applications. Thrombosis and Haemostasis, 2003, 89, 622-631.	3.4	71
119	The ADAMs family of proteins: from basic studies to potential clinical applications. Thrombosis and Haemostasis, 2003, 89, 622-31.	3.4	18
120	Pooled Analysis of Prognostic Impact of Urokinase-Type Plasminogen Activator and Its Inhibitor PAI-1 in 8377 Breast Cancer Patients. Journal of the National Cancer Institute, 2002, 94, 116-128.	6.3	548
121	Mammaglobin A: A Promising Marker for Breast Cancer. Clinical Chemistry, 2002, 48, 1362-1364.	3.2	49
122	Urokinase Plasminogen Activator and Its Inhibitor, PAI-1, as Prognostic Markers in Breast Cancer: From Pilot to Level 1 Evidence Studies. Clinical Chemistry, 2002, 48, 1194-1197.	3.2	208
123	Urokinase plasminogen activator and its inhibitor, PAI-1, as prognostic markers in breast cancer: from pilot to level 1 evidence studies. Clinical Chemistry, 2002, 48, 1194-7.	3.2	74
124	Carcinoembryonic Antigen as a Marker for Colorectal Cancer: Is It Clinically Useful?. Clinical Chemistry, 2001, 47, 624-630.	3.2	619
125	Biochemical markers in breast cancer: which ones are clinically useful?. Clinical Biochemistry, 2001, 34, 347-352.	1.9	77
126	Pre- and post-analytical factors that may influence use of serum prostate specific antigen and its isoforms in a screening programme for prostate cancer. Annals of Clinical Biochemistry, 2001, 38, 188-216.	1.6	49

#	ARTICLE	IF	CITATIONS
127	Carcinoembryonic antigen as a marker for colorectal cancer: is it clinically useful?. Clinical Chemistry, 2001, 47, 624-30.	3.2	250
128	Increased gelatinase-A and gelatinase-B activities in malignant vs. benign breast tumors. International Journal of Cancer, 2000, 86, 204-207.	5.1	99
129	Metalloproteinases: role in breast carcinogenesis, invasion and metastasis. Breast Cancer Research, 2000, 2, 252-7.	5.0	501
130	High levels of tissue inhibitor of metalloproteinase-1 predict poor outcome in patients with breast cancer. International Journal of Cancer, 1999, 84, 44-48.	5.1	126
131	Preoperative CA 15-3 concentrations predict outcome of patients with breast carcinoma. , 1998, 83, 2521-2527.		70
132	The urokinase-type plasminogen activator system in cancer metastasis: A review. International Journal of Cancer, 1997, 72, 1-22.	5.1	1,493
133	Urokinase-plasminogen activator, a marker for aggressive breast carcinomas. Preliminary report. Cancer, 1988, 62, 531-533.	4.1	302