
Verena M Dirsch

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6827164/publications.pdf Version: 2024-02-01



VEDENIA M DIDSCH

#	Article	IF	CITATIONS
1	Characterization of Constituents with Potential Anti-Inflammatory Activity in Chinese Lonicera Species by UHPLC-HRMS Based Metabolite Profiling. Metabolites, 2022, 12, 288.	1.3	3
2	Investigation of Leoligin Derivatives as NF-Î $^{\hat{\mu}}$ Î' Inhibitory Agents. Biomedicines, 2022, 10, 62.	1.4	2
3	Portulaca oleracea, a rich source of polar lipids: Chemical profile by LC-ESI/LTQOrbitrap/MS/MS and in vitro preliminary anti-inflammatory activity. Food Chemistry, 2022, 388, 132968.	4.2	8
4	Natural products as modulators of retinoic acid receptor-related orphan receptors (RORs). Natural Product Reports, 2021, 38, 757-781.	5.2	26
5	Natural products in drug discovery: advances and opportunities. Nature Reviews Drug Discovery, 2021, 20, 200-216.	21.5	1,990
6	Evodiamine Lowers Blood Lipids by Up-Regulating the PPARγ/ABCG1 Pathway in High-Fat-Diet-Fed Mice. Journal of Natural Products, 2021, 84, 3110-3116.	1.5	6
7	Impact of natural products on the cholesterol transporter ABCA1. Journal of Ethnopharmacology, 2020, 249, 112444.	2.0	22
8	Characterization of a Structural Leoligin Analog as Farnesoid X Receptor Agonist and Modulator of Cholesterol Transport. Planta Medica, 2020, 86, 1097-1107.	0.7	2
9	A silver-coated copper wire as inexpensive drug eluting stent model: determination of the relative releasing properties of leoligin and derivatives. Monatshefte FA1/4r Chemie, 2020, , 1.	0.9	2
10	Structural Features Defining NF-κB Inhibition by Lignan-Inspired Benzofurans and Benzothiophenes. Biomolecules, 2020, 10, 1131.	1.8	1
11	A Biochemometric Approach for the Identification of In Vitro Anti-Inflammatory Constituents in Masterwort. Biomolecules, 2020, 10, 679.	1.8	16
12	Polyacetylenes from <i>Oplopanax horridus</i> and <i>Panax ginseng:</i> Relationship between Structure and PPARÎ ³ Activation. Journal of Natural Products, 2020, 83, 918-926.	1.5	18
13	Design and Synthesis of a Compound Library Exploiting 5-Methoxyleoligin as Potential Cholesterol Efflux Promoter. Molecules, 2020, 25, 662.	1.7	4
14	Caco-2 Cells for Measuring Intestinal Cholesterol Transport - Possibilities and Limitations. Biological Procedures Online, 2020, 22, 7.	1.4	20
15	Short Chain (â‰⊄4) Esterification Increases Bioavailability of Rosmarinic Acid and Its Potency to Inhibit Vascular Smooth Muscle Cell Proliferation. Frontiers in Pharmacology, 2020, 11, 609756.	1.6	6
16	Soraphen A enhances macrophage cholesterol efflux via indirect LXR activation and ABCA1 upregulation. Biochemical Pharmacology, 2020, 177, 114022.	2.0	11
17	Leoligin-inspired synthetic lignans with selectivity for cell-type and bioactivity relevant for cardiovascular disease. Chemical Science, 2019, 10, 5815-5820.	3.7	11
18	Tylophorine reduces protein biosynthesis and rapidly decreases cyclin D1, inhibiting vascular smooth muscle cell proliferation in vitro and in organ culture. Phytomedicine, 2019, 60, 152938.	2.3	9

#	Article	IF	CITATIONS
19	C13 Megastigmane Derivatives From Epipremnum pinnatum: β-Damascenone Inhibits the Expression of Pro-Inflammatory Cytokines and Leukocyte Adhesion Molecules as Well as NF-κB Signaling. Frontiers in Pharmacology, 2019, 10, 1351.	1.6	8
20	Constituents of Mediterranean Spices Counteracting Vascular Smooth Muscle Cell Proliferation: Identification and Characterization of Rosmarinic Acid Methyl Ester as a Novel Inhibitor. Molecular Nutrition and Food Research, 2018, 62, e1700860.	1.5	17
21	Natural products as modulators of the nuclear receptors and metabolic sensors LXR, FXR and RXR. Biotechnology Advances, 2018, 36, 1657-1698.	6.0	93
22	Intravasation of SW620 colon cancer cell spheroids through the blood endothelial barrier is inhibited by clinical drugs and flavonoids in vitro. Food and Chemical Toxicology, 2018, 111, 114-124.	1.8	18
23	Stereoselective Synthesis of the Isomers of Notoincisol A: Assigment of the Absolute Configuration of this Natural Product and Biological Evaluation. Journal of Natural Products, 2018, 81, 2419-2428.	1.5	1
24	Evaluation of Apricot, Bilberry, and Elderberry Pomace Constituents and Their Potential To Enhance the Endothelial Nitric Oxide Synthase (eNOS) Activity. ACS Omega, 2018, 3, 10545-10553.	1.6	8
25	Magnolol dimer-derived fragments as PPARÎ ³ -selective probes. Organic and Biomolecular Chemistry, 2018, 16, 7019-7028.	1.5	6
26	6â€Dihydroparadol, a Ginger Constituent, Enhances Cholesterol Efflux from THPâ€1â€Derived Macrophages. Molecular Nutrition and Food Research, 2018, 62, e1800011.	1.5	17
27	Novel interactomics approach identifies ABCA1 as direct target of evodiamine, which increases macrophage cholesterol efflux. Scientific Reports, 2018, 8, 11061.	1.6	26
28	In Silico Workflow for the Discovery of Natural Products Activating the G Protein-Coupled Bile Acid Receptor 1. Frontiers in Chemistry, 2018, 6, 242.	1.8	16
29	Fenofibrate inhibits tumour intravasation by several independent mechanisms in a 3-dimensional co-culture model. International Journal of Oncology, 2017, 50, 1879-1888.	1.4	8
30	Bilirubin Decreases Macrophage Cholesterol Efflux and ATPâ€Binding Cassette Transporter A1 Protein Expression. Journal of the American Heart Association, 2017, 6, .	1.6	21
31	Xanthohumol Blocks Proliferation and Migration of Vascular Smooth Muscle Cells <i>in Vitro</i> and Reduces Neointima Formation <i>in Vivo</i> . Journal of Natural Products, 2017, 80, 2146-2150.	1.5	29
32	Linked magnolol dimer as a selective PPARγ agonist – Structure-based rational design, synthesis, and bioactivity evaluation. Scientific Reports, 2017, 7, 13002.	1.6	13
33	Bupleurum chinense Roots: a Bioactivity-Guided Approach toward Saponin-Type NF-κB Inhibitors. Planta Medica, 2017, 83, 1242-1250.	0.7	15
34	Assessment of anti-inflammatory properties of extracts from Honeysuckle (Lonicera sp. L.,) Tj ETQq0 0 0 rgBT /C)verlock 1	0 Tf 50 142 To
35	Eurycomalactone Inhibits Expression of Endothelial Adhesion Molecules at a Post-Transcriptional Level. Journal of Natural Products, 2017, 80, 3186-3193.	1.5	6

Piperine inhibits ABCA1 degradation and promotes cholesterol efflux from THPâ€1â€derived macrophages.
Molecular Nutrition and Food Research, 2017, 61, 1500960.

#	Article	IF	CITATIONS
37	Erythrodiol, an Olive Oil Constituent, Increases the Half-Life of ABCA1 and Enhances Cholesterol Efflux from THP-1-Derived Macrophages. Frontiers in Pharmacology, 2017, 8, 375.	1.6	20
38	The Dietary Constituent Falcarindiol Promotes Cholesterol Efflux from THP-1 Macrophages by Increasing ABCA1 Gene Transcription and Protein Stability. Frontiers in Pharmacology, 2017, 8, 596.	1.6	8
39	Allspice and Clove As Source of Triterpene Acids Activating the G Protein-Coupled Bile Acid Receptor TGR5. Frontiers in Pharmacology, 2017, 8, 468.	1.6	24
40	Silymarin Constituents Enhance ABCA1 Expression in THP-1 Macrophages. Molecules, 2016, 21, 55.	1.7	22
41	Trophosome of the Deep-Sea Tubeworm Riftia pachyptila Inhibits Bacterial Growth. PLoS ONE, 2016, 11, e0146446.	1.1	7
42	12(S)-HETE increases intracellular Ca2+ in lymph-endothelial cells disrupting their barrier function in vitro; stabilization by clinical drugs impairing calcium supply. Cancer Letters, 2016, 380, 174-183.	3.2	18
43	Plumericin inhibits proliferation of vascular smooth muscle cells by blocking STAT3 signaling via S-glutathionylation. Scientific Reports, 2016, 6, 20771.	1.6	23
44	Leoligin, the Major Lignan from Edelweiss (Leontopodium nivale subsp. alpinum), Promotes Cholesterol Efflux from THP-1 Macrophages. Journal of Natural Products, 2016, 79, 1651-1657.	1.5	28
45	Drugs from nature targeting inflammation (DNTI): a successful Austrian interdisciplinary network project. Monatshefte FÃ1⁄4r Chemie, 2016, 147, 479-491.	0.9	22
46	AHR/CYP1A1 interplay triggers lymphatic barrier breaching in breast cancer spheroids by inducing 12(S)-HETE synthesis. Human Molecular Genetics, 2016, 25, ddw329.	1.4	29
47	Quantitation of phenylpropanoids and iridoids in insulinâ€sensitising extracts of <i>Leonurus sibiricus</i> L. (Lamiaceae). Phytochemical Analysis, 2016, 27, 23-31.	1.2	22
48	Increased aerobic glycolysis is important for the motility of activated VSMC and inhibited by indirubin-3′-monoxime. Vascular Pharmacology, 2016, 83, 47-56.	1.0	37
49	Triterpenoic Acids from Apple Pomace Enhance the Activity of the Endothelial Nitric Oxide Synthase (eNOS). Journal of Agricultural and Food Chemistry, 2016, 64, 185-194.	2.4	21
50	Capsaicin from chili (Capsicum spp.) inhibits vascular smooth muscle cell proliferation. F1000Research, 2015, 4, 26.	0.8	4
51	Nonprenylated Xanthones from Gentiana lutea, Frasera caroliniensis, and Centaurium erythraea as Novel Inhibitors of Vascular Smooth Muscle Cell Proliferation. Molecules, 2015, 20, 20381-20390.	1.7	15
52	Indirubin and Indirubin Derivatives for Counteracting Proliferative Diseases. Evidence-based Complementary and Alternative Medicine, 2015, 2015, 1-12.	0.5	52
53	Identification and characterization of [6]â€shogaol from ginger as inhibitor of vascular smooth muscle cell proliferation. Molecular Nutrition and Food Research, 2015, 59, 843-852.	1.5	27
54	The germacranolide sesquiterpene lactone neurolenin B of the medicinal plant Neurolaena lobata (L.) R.Br. ex Cass inhibits NPM/ALK-driven cell expansion and NF-κB-driven tumour intravasation. Phytomedicine, 2015, 22, 862-874.	2.3	9

#	Article	IF	CITATIONS
55	A eudesmane-type sesquiterpene isolated from Pluchea odorata (L.) Cass. combats three hallmarks of cancer cells: Unrestricted proliferation, escape from apoptosis and early metastatic outgrowth in vitro. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 2015, 777, 79-90.	0.4	5
56	Piperine Congeners as Inhibitors of Vascular Smooth Muscle Cell Proliferation. Planta Medica, 2015, 81, 1065-1074.	0.7	14
57	Activated AMPK boosts the Nrf2/HO-1 signaling axis—A role for the unfolded protein response. Free Radical Biology and Medicine, 2015, 88, 417-426.	1.3	206
58	Discovery and resupply of pharmacologically active plant-derived natural products: A review. Biotechnology Advances, 2015, 33, 1582-1614.	6.0	1,871
59	Screening of Vietnamese medicinal plants for NF-κB signaling inhibitors: Assessing the activity of flavonoids from the stem bark of Oroxylum indicum. Journal of Ethnopharmacology, 2015, 159, 36-42.	2.0	48
60	Lobatin B inhibits NPM/ALK and NF-κB attenuating anaplastic-large-cell-lymphomagenesis and lymphendothelial tumour intravasation. Cancer Letters, 2015, 356, 994-1006.	3.2	8
61	Glycolytic Switch in Response to Betulinic Acid in Non-Cancer Cells. PLoS ONE, 2014, 9, e115683.	1.1	25
62	Impact of Trans-Resveratrol-Sulfates and -Glucuronides on Endothelial Nitric Oxide Synthase Activity, Nitric Oxide Release and Intracellular Reactive Oxygen Species. Molecules, 2014, 19, 16724-16736.	1.7	27
63	Indirubin-3′-monoxime exerts a dual mode of inhibition towards leukotriene-mediated vascular smooth muscle cell migration. Cardiovascular Research, 2014, 101, 522-532.	1.8	18
64	Identification of plumericin as a potent new inhibitor of the <scp>NF</scp> â€ <scp>κB</scp> pathway with antiâ€inflammatory activity <i>in vitro</i> and <i>in vivo</i> . British Journal of Pharmacology, 2014, 171, 1676-1686.	2.7	61
65	Resveratrol post-transcriptionally regulates pro-inflammatory gene expression via regulation of KSRP RNA binding activity. Nucleic Acids Research, 2014, 42, 12555-12569.	6.5	54
66	Plant extracts in cell-based anti-inflammatory assays—Pitfalls and considerations related to removal of activity masking bulk components. Phytochemistry Letters, 2014, 10, xli-xlvii.	0.6	6
67	NF-κB Inhibitors fromEurycoma longifolia. Journal of Natural Products, 2014, 77, 483-488.	1.5	66
68	Identification of Chromomoric Acid C-I as an Nrf2 Activator in <i>Chromolaena odorata</i> . Journal of Natural Products, 2014, 77, 503-508.	1.5	29
69	Identification of Isosilybin A from Milk Thistle Seeds as an Agonist of Peroxisome Proliferator-Activated Receptor Gamma. Journal of Natural Products, 2014, 77, 842-847.	1.5	48
70	Discovery of New Liver X Receptor Agonists by Pharmacophore Modeling and Shape-Based Virtual Screening. Journal of Chemical Information and Modeling, 2014, 54, 367-371.	2.5	31
71	Polyyne Hybrid Compounds from <i>Notopterygium incisum</i> with Peroxisome Proliferator-Activated Receptor Gamma Agonistic Effects. Journal of Natural Products, 2014, 77, 2513-2521.	1.5	29
72	Natural product agonists of peroxisome proliferator-activated receptor gamma (PPARγ): a review. Biochemical Pharmacology, 2014, 92, 73-89.	2.0	492

#	Article	IF	CITATIONS
73	Activity-guided isolation of NF-κB inhibitors and PPARγ agonists from the root bark of Lycium chinense Miller. Journal of Ethnopharmacology, 2014, 152, 470-477.	2.0	57
74	Walnut leaf extract inhibits PTP1B and enhances glucose-uptake in vitro. Journal of Ethnopharmacology, 2014, 152, 599-602.	2.0	34
75	Regulation of eNOS Enzyme Activity by Posttranslational Modification. Current Pharmaceutical Design, 2014, 20, 3503-3513.	0.9	133
76	In vitro characterisation of the anti-intravasative properties of the marine product heteronemin. Archives of Toxicology, 2013, 87, 1851-1861.	1.9	26
77	Xanthohumol attenuates tumour cell-mediated breaching of the lymphendothelial barrier and prevents intravasation and metastasis. Archives of Toxicology, 2013, 87, 1301-1312.	1.9	41
78	Glucose availability is a decisive factor for Nrf2-mediated gene expression. Redox Biology, 2013, 1, 359-365.	3.9	115
79	Inhibition of tumour spheroid-induced prometastatic intravasation gates in the lymph endothelial cell barrier by carbamazepine: drug testing in a 3D model. Archives of Toxicology, 2013, 88, 691-9.	1.9	24
80	In vitro inhibition of breast cancer spheroid-induced lymphendothelial defects resembling intravasation into the lymphatic vasculature by acetohexamide, isoxsuprine, nifedipin and proadifen. British Journal of Cancer, 2013, 108, 570-578.	2.9	23
81	Honokiol: A non-adipogenic PPARÎ ³ agonist from nature. Biochimica Et Biophysica Acta - General Subjects, 2013, 1830, 4813-4819.	1.1	108
82	Ethnopharmacological in vitro studies on Austria's folk medicine—An unexplored lore in vitro anti-inflammatory activities of 71 Austrian traditional herbal drugs. Journal of Ethnopharmacology, 2013, 149, 750-771.	2.0	199
83	Modulation of bacterial ghosts – induced nitric oxide production in macrophages by bacterial ghostâ€delivered resveratrol. FEBS Journal, 2013, 280, 1214-1225.	2.2	20
84	12/15-Lipoxygenase Contributes to Platelet-derived Growth Factor-induced Activation of Signal Transducer and Activator of Transcription 3. Journal of Biological Chemistry, 2013, 288, 35592-35603.	1.6	24
85	Imbricaric Acid and Perlatolic Acid: Multi-Targeting Anti-Inflammatory Depsides from Cetrelia monachorum. PLoS ONE, 2013, 8, e76929.	1.1	30
86	Modulation of <scp>N</scp> rf2â€dependent gene transcription by bilberry anthocyanins in vivo. Molecular Nutrition and Food Research, 2013, 57, 545-550.	1.5	51
87	The Herbal Drug <i>Melampyrum pratense</i> L. (Koch): Isolation and Identification of Its Bioactive Compounds Targeting Mediators of Inflammation. Evidence-based Complementary and Alternative Medicine, 2013, 2013, 1-10.	0.5	30
88	Polyacetylenes from Notopterygium incisum–New Selective Partial Agonists of Peroxisome Proliferator-Activated Receptor-Gamma. PLoS ONE, 2013, 8, e61755.	1.1	53
89	Bioguided Isolation of (9 <i>Z</i>)-Octadec-9-enoic Acid from <i>Phellodendron amurense</i> Rupr. and Identification of Fatty Acids as PTP1B Inhibitors. Planta Medica, 2012, 78, 219-224.	0.7	25
90	Synergy Study of the Inhibitory Potential of Red Wine Polyphenols on Vascular Smooth Muscle Cell Proliferation. Planta Medica, 2012, 78, 772-778.	0.7	41

#	Article	IF	CITATIONS
91	Selected Extracts of Chinese Herbal Medicines: Their Effect on NF- <i>κ</i> B, PPAR <i>α</i> and PPAR <i>Ĵ³</i> and the Respective Bioactive Compounds. Evidence-based Complementary and Alternative Medicine, 2012, 2012, 1-10.	0.5	22
92	Ratanhiaphenol III from Ratanhiae Radix is a PTP1B Inhibitor. Planta Medica, 2012, 78, 678-681.	0.7	18
93	Effects of Scrophularia extracts on tumor cell proliferation, death and intravasation through lymphoendothelial cell barriers. International Journal of Oncology, 2012, 40, 2063-74.	1.4	27
94	2-(2,4-dihydroxyphenyl)-5-(E)-propenylbenzofuran promotes endothelial nitric oxide synthase activity in human endothelial cells. Biochemical Pharmacology, 2012, 84, 804-812.	2.0	22
95	Ascorbate stimulates endothelial nitric oxide synthase enzyme activity by rapid modulation of its phosphorylation status. Free Radical Biology and Medicine, 2012, 52, 2082-2090.	1.3	42
96	Identification of Ostruthin from <i>Peucedanum ostruthium</i> Rhizomes as an Inhibitor of Vascular Smooth Muscle Cell Proliferation. Journal of Natural Products, 2011, 74, 1513-1516.	1.5	26
97	Lignan Derivatives from <i>Krameria lappacea</i> Roots Inhibit Acute Inflammation in Vivo and Pro-inflammatory Mediators in Vitro. Journal of Natural Products, 2011, 74, 1779-1786.	1.5	56
98	Caffeic Acid Phenethyl Ester Inhibits PDGF-Induced Proliferation of Vascular Smooth Muscle Cells via Activation of p38 MAPK, HIF-1α, and Heme Oxygenase-1. Journal of Natural Products, 2011, 74, 352-356.	1.5	36
99	lkarugamycin induces DNA damage, intracellular calcium increase, p38 MAP kinase activation and apoptosis in HL-60 human promyelocytic leukemia cells. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 2011, 709-710, 60-66.	0.4	41
100	Helenalin bypasses Bcl-2-mediated cell death resistance by inhibiting NF-κB and promoting reactive oxygen species generation. Biochemical Pharmacology, 2011, 82, 453-463.	2.0	30
101	Resveratrol inhibits migration and Rac1 activation in ECF―but not PDCFâ€activated vascular smooth muscle cells. Molecular Nutrition and Food Research, 2011, 55, 1230-1236.	1.5	23
102	Discovery of a novel IKK-β inhibitor by ligand-based virtual screening techniques. Bioorganic and Medicinal Chemistry Letters, 2011, 21, 577-583.	1.0	50
103	Resveratrol blocks Akt activation in angiotensin II- or EGF-stimulated vascular smooth muscle cells in a redox-independent manner. Cardiovascular Research, 2011, 90, 140-147.	1.8	30
104	Effect of resveratrol on endothelial cell function: Molecular mechanisms. BioFactors, 2010, 36, 342-349.	2.6	61
105	A Maillard reaction product enhances eNOS activity in human endothelial cells. Molecular Nutrition and Food Research, 2010, 54, 1031-1038.	1.5	1
106	Indirubin-3′-Monoxime Blocks Vascular Smooth Muscle Cell Proliferation by Inhibition of Signal Transducer and Activator of Transcription 3 Signaling and Reduces Neointima Formation In Vivo. Arteriosclerosis, Thrombosis, and Vascular Biology, 2010, 30, 2475-2481.	1.1	50
107	Nitric Oxide Synthase and Olive Oil Hydroxytyrosol in Endothelial Cells. , 2010, , 1257-1261.		0
108	Bioactivity-Guided Isolation of 1,2,3,4,6-Penta- <i>O</i> -galloyl- <scp>d</scp> -glucopyranose from	1.5	57

#	Article	IF	CITATIONS
109	A Novel Roscovitine Derivative Potently Induces G ₁ -Phase Arrest in Platelet-Derived Growth Factor-BB-Activated Vascular Smooth Muscle Cells. Molecular Pharmacology, 2010, 77, 255-261.	1.0	28
110	Computer-Aided Discovery, Validation, and Mechanistic Characterization of Novel Neolignan Activators of Peroxisome Proliferator-Activated Receptor γ. Molecular Pharmacology, 2010, 77, 559-566.	1.0	72
111	Active NF-E2-related Factor (Nrf2) Contributes to Keep Endothelial NO Synthase (eNOS) in the Coupled State. Journal of Biological Chemistry, 2009, 284, 31579-31586.	1.6	79
112	Norfuraneol dephosphorylates eNOS at threonine 495 and enhances eNOS activity in human endothelial cells. Cardiovascular Research, 2009, 81, 750-757.	1.8	19
113	NADPH oxidases 1 and 4 mediate cellular senescence induced by resveratrol in human endothelial cells. Free Radical Biology and Medicine, 2009, 46, 1598-1606.	1.3	79
114	Modulation of endothelial nitric oxide by plant-derived products. Nitric Oxide - Biology and Chemistry, 2009, 21, 77-91.	1.2	152
115	Leoligin, the major lignan from Edelweiss, inhibits intimal hyperplasia of venous bypass grafts. Cardiovascular Research, 2009, 82, 542-549.	1.8	38
116	The Cephalostatin Way of Apoptosis. Journal of Natural Products, 2008, 71, 482-486.	1.5	44
117	Role of Smac in cephalostatin-induced cell death. Cell Death and Differentiation, 2008, 15, 1930-1940.	5.0	20
118	Anti-inflammatory effects of a bioavailable compound, Artepillin C, in Brazilian propolis. European Journal of Pharmacology, 2008, 587, 296-301.	1.7	221
119	Biologically active oxidized lipids (phytoprostanes) in the plant diet and parenteral lipid nutrition. Free Radical Research, 2007, 41, 25-37.	1.5	65
120	Chronic Treatment with Resveratrol Induces Redox Stress- and Ataxia Telangiectasia-mutated (ATM)-dependent Senescence in p53-positive Cancer Cells. Journal of Biological Chemistry, 2007, 282, 26759-26766.	1.6	126
121	Activation of endothelial nitric oxide synthase by red wine polyphenols: impact of grape cultivars, growing area and the vinification process. Journal of Hypertension, 2007, 25, 541-549.	0.3	45
122	No evidence for modulation of endothelial nitric oxide synthase by the olive oil polyphenol hydroxytyrosol in human endothelial cells. Atherosclerosis, 2007, 195, e58-e64.	0.4	30
123	Synthetic cryptolepine inhibits DNA binding of NF-κB. Bioorganic and Medicinal Chemistry, 2007, 15, 43-49.	1.4	35
124	Sesquiterpene lactones induce distinct forms of cell death that modulate human monocyte-derived macrophage responses. Apoptosis: an International Journal on Programmed Cell Death, 2007, 12, 141-153.	2.2	18
125	Evaluation of the Analgesic and Anti-Inflammatory Effects of a Brazilian Green Propolis. Planta Medica, 2006, 72, 899-906.	0.7	104
126	The Marine Product Cephalostatin 1 Activates an Endoplasmic Reticulum Stress-specific and Apoptosome-independent Apoptotic Signaling Pathway. Journal of Biological Chemistry, 2006, 281, 33078-33086.	1.6	63

#	Article	IF	CITATIONS
127	The soy isoflavone genistein induces a late but sustained activation of the endothelial nitric oxide-synthase system in vitro. British Journal of Pharmacology, 2005, 144, 394-399.	2.7	50
128	Resveratrol Inhibits Angiotensin II- and Epidermal Growth Factor-Mediated Akt Activation: Role of Gab1 and Shp2. Molecular Pharmacology, 2005, 68, 41-48.	1.0	42
129	Cephalostatin 1 Inactivates Bcl-2 by Hyperphosphorylation Independent of M-Phase Arrest and DNA Damage. Molecular Pharmacology, 2005, 67, 1684-1689.	1.0	40
130	Cephalostatin 1-Induced Apoptosis in Tumor Cells. , 2005, , 209-221.		1
131	Apoptosis signaling triggered by the marine alkaloid ascididemin is routed via caspase-2 and JNK to mitochondria. Oncogene, 2004, 23, 1586-1593.	2.6	41
132	Garlic metabolites fail to inhibit the activation of the transcription factor NF-kappaB and subsequent expression of the adhesion molecule E-selectin in human endothelial cells. European Journal of Nutrition, 2004, 43, 55-59.	1.8	9
133	Application of 4,5-diaminofluorescein to reliably measure nitric oxide released from endothelial cellsin vitro. Biological Procedures Online, 2003, 5, 136-142.	1.4	71
134	Ajoene-induced cell death in human promyeloleukemic cells does not require JNK but is amplified by the inhibition of ERK. Oncogene, 2003, 22, 582-589.	2.6	32
135	Resveratrol Increases Serine15-Phosphorylated but Transcriptionally Impaired p53 and Induces a Reversible DNA Replication Block in Serum-Activated Vascular Smooth Muscle Cells. Molecular Pharmacology, 2003, 63, 925-932.	1.0	58
136	Cephalostatin 1 selectively triggers the release of Smac/DIABLO and subsequent apoptosis that is characterized by an increased density of the mitochondrial matrix. Cancer Research, 2003, 63, 8869-76.	0.4	52
137	Resveratrol Suppresses Angiotensin II-Induced Akt/Protein Kinase B and p70 S6 Kinase Phosphorylation and Subsequent Hypertrophy in Rat Aortic Smooth Muscle Cells. Molecular Pharmacology, 2002, 62, 772-777.	1.0	109
138	Red Wine Polyphenols Enhance Endothelial Nitric Oxide Synthase Expression and Subsequent Nitric Oxide Release From Endothelial Cells. Circulation, 2002, 106, 1614-1617.	1.6	366
139	Reliable in vitro measurement of nitric oxide released from endothelial cells using low concentrations of the fluorescent probe 4,5-diaminofluorescein. FEBS Letters, 2001, 506, 131-134.	1.3	100
140	Ajoene, a natural product with non-steroidal anti-inflammatory drug (NSAID)-like properties?. Biochemical Pharmacology, 2001, 61, 587-593.	2.0	57
141	Cytotoxic Sesquiterpene Lactones Mediate their Death-Inducing Effect in Leukemia T Cells by Triggering Apoptosis. Planta Medica, 2001, 67, 557-559.	0.7	56
142	Structural requirements of sesquiterpene lactones to inhibit LPS-induced nitric oxide synthesis in RAW 264.7 macrophages. Bioorganic and Medicinal Chemistry, 2000, 8, 2747-2753.	1.4	47
143	Anti-Inflammatory Activities of Hypocretenolides from Leontodon hispidus. Planta Medica, 1999, 65, 704-708.	0.7	25
144	Effect of chronic GH overproduction on cardiac ANP expression and circulating ANP levels. Molecular and Cellular Endocrinology, 1998, 144, 109-118.	1.6	11

#	Article	IF	CITATIONS
145	Effect of allicin and ajoene, two compounds of garlic, on inducible nitric oxide synthase. Atherosclerosis, 1998, 139, 333-339.	0.4	128
146	Ajoene, a Compound of Garlic, Induces Apoptosis in Human Promyeloleukemic Cells, Accompanied by Generation of Reactive Oxygen Species and Activation of Nuclear Factor κB. Molecular Pharmacology, 1998, 53, 402-407.	1.0	186
147	The Griess Assay: Suitable for a Bio-Guided Fractionation of Anti-Inflammatory Plant Extracts?. Planta Medica, 1998, 64, 423-426.	0.7	163
148	The triterpenoid quinonemethide pristimerin inhibits induction of inducible nitric oxide synthase in murine macrophages. European Journal of Pharmacology, 1997, 336, 211-217.	1.7	64
149	Picomole scale stereochemical analysis of sphingosines and dihydrosphingosines. Bioorganic and Medicinal Chemistry, 1996, 4, 1035-1043.	1.4	50
150	A two-step chemical and circular dichroic method for assigning the absolute configurations of sphingosines. , 1995, 36, 4959-4959.		10
151	Dracoside, a New Steroidal Saponin from <i>Helleborus purpurascens</i> . Natural Product Research, 1994, 4, 29-33.	0.4	12
152	A trimeric propelargonidin from stem bark of Heisteria pallida. Phytochemistry, 1993, 34, 291-293.	1.4	9