

Jacob C Seidell

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6827797/publications.pdf>

Version: 2024-02-01

362
papers

40,955
citations

3531

90
h-index

2747

192
g-index

394
all docs

394
docs citations

394
times ranked

40639
citing authors

#	ARTICLE	IF	CITATIONS
1	Self-performed Five Times Sit-to-stand test at home as (pre-)screening tool for frailty in cancer survivors: Reliability and agreement assessment. <i>Journal of Clinical Nursing</i> , 2023, 32, 1370-1380.	3.0	3
2	Change in Visceral Fat and Total Body Fat and the Effect on Cardiometabolic Risk Factors During Transgender Hormone Therapy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, e153-e164.	3.6	21
3	Improving local food environments and dietary habits in adolescents by engaging with stakeholders in the Netherlands. <i>Proceedings of the Nutrition Society</i> , 2022, 81, 141-145.	1.0	3
4	Looking back: BMI as a measure of body fatness: age- and sex-specific prediction formulas. Thirty years later. <i>British Journal of Nutrition</i> , 2022, 127, 1279-1280.	2.3	0
5	Overgewicht en obesitas bij volwassenen en kinderen. , 2022, , 29-56.		1
6	Patient insights into the experience of trying to achieve weight-loss and future expectations upon commencement of a primary care-led weight management intervention: A qualitative, baseline exploration. <i>PLoS ONE</i> , 2022, 17, e0270426.	2.5	3
7	A qualitative study on the perspectives of Turkish mothers and grandmothers in the Netherlands regarding the influence of grandmothers on health related practices in the first 1000%days of a child's life. <i>BMC Public Health</i> , 2022, 22, .	2.9	4
8	A Theoretical Perspective on Why Socioeconomic Health Inequalities Are Persistent: Building the Case for an Effective Approach. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 8384.	2.6	7
9	Children's, Parents' and Healthcare Professionals' Preferences for Weight-Based Terminology in Health Care. <i>Health Communication</i> , 2021, 36, 1805-1809.	3.1	7
10	The Healthy Supermarket Coach: Effects of a Nutrition Peer-Education Intervention in Dutch Supermarkets Involving Adolescents With a Lower Education Level. <i>Health Education and Behavior</i> , 2021, 48, 150-159.	2.5	3
11	The perspectives of parents and healthcare professionals towards parental needs and support from healthcare professionals during the first two years of children's lives. <i>International Journal of Qualitative Studies on Health and Well-being</i> , 2021, 16, 1966874.	1.6	6
12	Feeding patterns and BMI trajectories during infancy: a multi-ethnic, prospective birth cohort. <i>BMC Pediatrics</i> , 2021, 21, 34.	1.7	6
13	Perspectives into the experience of successful, substantial long-term weight-loss maintenance: a systematic review. <i>International Journal of Qualitative Studies on Health and Well-being</i> , 2021, 16, 1862481.	1.6	26
14	Greening the room: A quasi-experimental study on the presence of potted plants in study rooms on mood, cognitive performance, and perceived environmental quality among university students. <i>Journal of Environmental Psychology</i> , 2021, 73, 101557.	5.1	12
15	How healthy and processed are foods and drinks promoted in supermarket sales flyers? A cross-sectional study in the Netherlands. <i>Public Health Nutrition</i> , 2021, 24, 3000-3008.	2.2	10
16	Psychological distress and lower health-related quality of life are associated with need for dietary support among colorectal cancer survivors with overweight or obesity. <i>Supportive Care in Cancer</i> , 2021, 29, 7659-7668.	2.2	5
17	What Do Secondary Schools Need to Create Healthier Canteens? The Development of an Implementation Plan. <i>Frontiers in Public Health</i> , 2021, 9, 683556.	2.7	2
18	Dietary Patterns in Early Childhood and the Risk of Childhood Overweight: The GECKO Drenthe Birth Cohort. <i>Nutrients</i> , 2021, 13, 2046.	4.1	15

#	ARTICLE	IF	CITATIONS
19	Supporting parents and healthy behaviours through parent-child meetings – a qualitative study in the Netherlands. <i>BMC Public Health</i> , 2021, 21, 1169.	2.9	5
20	Towards Optimal Timing and Method for promoting sustained adherence to lifestyle and body weight recommendations in postmenopausal breast cancer survivors (the OPTIMUM-study): protocol for a longitudinal mixed-method study. <i>BMC Women's Health</i> , 2021, 21, 268.	2.0	3
21	Infant Feeding and Ethnic Differences in Body Mass Index during Childhood: A Prospective Study. <i>Nutrients</i> , 2021, 13, 2291.	4.1	2
22	Preferences on how to measure and discuss health related quality of life within integrated care for children with obesity. <i>Journal of Patient-Reported Outcomes</i> , 2021, 5, 106.	1.9	8
23	Involving Children in Creating a Healthy Environment in Low Socioeconomic Position (SEP) Neighborhoods in The Netherlands: A Participatory Action Research (PAR) Project. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 12131.	2.6	3
24	Association of dietary intake and dietary habits with risk of cardiovascular disease among immigrant Pakistanis living in the Netherlands. <i>JPMA the Journal of the Pakistan Medical Association</i> , 2021, 71, 1-21.	0.2	0
25	The relationship of prenatal and infant antibiotic exposure with childhood overweight and obesity: a systematic review. <i>Journal of Developmental Origins of Health and Disease</i> , 2020, 11, 335-349.	1.4	18
26	Nature in the indoor and outdoor study environment and secondary and tertiary education students' well-being, academic outcomes, and possible mediating pathways: A systematic review with recommendations for science and practice. <i>Health and Place</i> , 2020, 66, 102403.	3.3	36
27	Can Healthy Checkout Counters Improve Food Purchases? Two Real-Life Experiments in Dutch Supermarkets. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 8611.	2.6	8
28	Changes in the Health-Related Quality of Life and Weight Status of Children with Overweight or Obesity Aged 7 to 13 Years after Participating in a 10-Week Lifestyle Intervention. <i>Childhood Obesity</i> , 2020, 16, 412-420.	1.5	9
29	A System Dynamics and Participatory Action Research Approach to Promote Healthy Living and a Healthy Weight among 10-14-Year-Old Adolescents in Amsterdam: The LIKE Programme. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 4928.	2.6	33
30	Parental Perspectives and Experiences in Relation to Lifestyle-Related Practices in the First Two Years of a Child's Life: A Qualitative Study in a Disadvantaged Neighborhood in The Netherlands. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 5838.	2.6	5
31	The Effect of Supportive Implementation of Healthier Canteen Guidelines on Changes in Dutch School Canteens and Student Purchase Behaviour. <i>Nutrients</i> , 2020, 12, 2419.	4.1	8
32	National and Local Strategies in the Netherlands for Obesity Prevention and Management in Children and Adolescents. <i>Obesity Facts</i> , 2020, 13, 418-429.	3.4	15
33	The Impact of Obesity and Lifestyle on the Immune System and Susceptibility to Infections Such as COVID-19. <i>Frontiers in Nutrition</i> , 2020, 7, 597600.	3.7	57
34	Improving dietary intake during lunch through the provision of a healthy school lunch at Dutch primary schools: design of a pretest-posttest effectiveness study. <i>BMC Public Health</i> , 2020, 20, 662.	2.9	4
35	The –Stages towards Completion Model–: what helps and hinders children with overweight or obesity and their parents to be guided towards, adhere to and complete a group lifestyle intervention. <i>International Journal of Qualitative Studies on Health and Well-being</i> , 2020, 15, 1735093.	1.6	15
36	The relationship of prenatal antibiotic exposure and infant antibiotic administration with childhood allergies: a systematic review. <i>BMC Pediatrics</i> , 2020, 20, 312.	1.7	35

#	ARTICLE	IF	CITATIONS
37	Youth perspectives on weight-related words used by healthcare professionals: A qualitative study. <i>Child: Care, Health and Development</i> , 2020, 46, 369-380.	1.7	9
38	Greening the classroom: Three field experiments on the effects of indoor nature on students' attention, well-being, and perceived environmental quality. <i>Building and Environment</i> , 2020, 171, 106675.	6.9	26
39	A free-produce stand on campus: impact on fruit and vegetable intake in Dutch university students. <i>Public Health Nutrition</i> , 2020, 23, 924-934.	2.2	4
40	Social norm nudges in shopping trolleys to promote vegetable purchases: A quasi-experimental study in a supermarket in a deprived urban area in the Netherlands. <i>Appetite</i> , 2020, 151, 104655.	3.7	19
41	Impact of nutrition education on nutritional knowledge and intentions towards nutritional counselling in Dutch medical students: an intervention study. <i>BMJ Open</i> , 2020, 10, e034377.	1.9	16
42	Can unhealthy food purchases at checkout counters be discouraged by introducing healthier snacks? A real-life experiment in supermarkets in deprived urban areas in the Netherlands. <i>BMC Public Health</i> , 2020, 20, 542.	2.9	17
43	Waist circumference as a vital sign in clinical practice: a Consensus Statement from the IAS and ICCR Working Group on Visceral Obesity. <i>Nature Reviews Endocrinology</i> , 2020, 16, 177-189.	9.6	790
44	Overgewicht en obesitas bij volwassenen en kinderen. , 2020, , 29-56.		0
45	Key elements of a successful integrated community-based approach aimed at reducing socioeconomic health inequalities in the Netherlands: A qualitative study. <i>PLoS ONE</i> , 2020, 15, e0240757.	2.5	8
46	Sarphati Amsterdam: a dynamic research infrastructure. <i>European Journal of Public Health</i> , 2020, 30, .	0.3	0
47	Title is missing!. , 2020, 15, e0240757.		0
48	Title is missing!. , 2020, 15, e0240757.		0
49	Title is missing!. , 2020, 15, e0240757.		0
50	Title is missing!. , 2020, 15, e0240757.		0
51	Fruit and vegetable intakes, associated characteristics and perceptions of current and future availability in Dutch university students. <i>Public Health Nutrition</i> , 2019, 22, 1951-1959.	2.2	19
52	Visceral and ectopic fat, atherosclerosis, and cardiometabolic disease: a position statement. <i>Lancet Diabetes and Endocrinology</i> , 2019, 7, 715-725.	11.4	687
53	What's for lunch? The content and quality of lunches consumed by Dutch primary schoolchildren and the differences between lunches consumed at home and at school. <i>BMC Public Health</i> , 2019, 19, 1365.	2.9	13
54	Development and Evaluation of the Implementation of Guidelines for Healthier Canteens in Dutch Secondary Schools: Study Protocol of a Quasi-Experimental Trial. <i>Frontiers in Public Health</i> , 2019, 7, 254.	2.7	6

#	ARTICLE	IF	CITATIONS
55	Early Life Exposure to Antibiotics and Autism Spectrum Disorders: A Systematic Review. <i>Journal of Autism and Developmental Disorders</i> , 2019, 49, 3866-3876.	2.7	31
56	Are intestinal parasites associated with obesity in Mexican children and adolescents?. <i>Parasitology International</i> , 2019, 71, 126-131.	1.3	5
57	Socioeconomic and ethnic differences in the relation between dietary costs and dietary quality: the HELIUS study. <i>Nutrition Journal</i> , 2019, 18, 21.	3.4	20
58	Implementation of Guidelines for Healthier Canteens in Dutch Secondary Schools: A Process Evaluation. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 4509.	2.6	6
59	Prospective associations of age at complementary feeding and exclusive breastfeeding duration with body mass index at 5-6 years within different risk groups. <i>Pediatric Obesity</i> , 2018, 13, 522-529.	2.8	10
60	Health-Related Quality of Life in Children and Adolescents with Severe Obesity after Intensive Lifestyle Treatment and at 1-Year Follow-Up. <i>Obesity Facts</i> , 2018, 11, 116-128.	3.4	38
61	Agreement between parent and child report of physical activity, sedentary and dietary behaviours in 9-12-year-old children and associations with children's weight status. <i>BMC Psychology</i> , 2018, 6, 14.	2.1	36
62	Food Futures: Developing effective food systems interventions to improve public health nutrition. <i>Agricultural Systems</i> , 2018, 160, 124-131.	6.1	33
63	Energy Balance-Related Behavior and Anthropometric Measures Among Adolescents Across Three Educational Levels: A Cross-Sectional Study in Dutch Schools. <i>Health Education and Behavior</i> , 2018, 45, 349-358.	2.5	5
64	Development of the "Canteen Scan": an online tool to monitor implementation of healthy canteen guidelines. <i>BMC Public Health</i> , 2018, 18, 1109.	2.9	14
65	Towards the measurement of food literacy with respect to healthy eating: the development and validation of the self perceived food literacy scale among an adult sample in the Netherlands. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2018, 15, 54.	4.6	93
66	Tools for a systematic appraisal of integrated community-based approaches to prevent childhood obesity. <i>BMC Public Health</i> , 2018, 18, 189.	2.9	9
67	Greenery in the university environment: Students' preferences and perceived restoration likelihood. <i>PLoS ONE</i> , 2018, 13, e0192429.	2.5	57
68	Toward the optimal strategy for sustained weight loss in overweight cancer survivors: a systematic review of the literature. <i>Journal of Cancer Survivorship</i> , 2017, 11, 360-385.	2.9	32
69	Energy balance and obesity: what are the main drivers?. <i>Cancer Causes and Control</i> , 2017, 28, 247-258.	1.8	455
70	"I Eat the Vegetables because I Have Grown them with My Own Hands": Children's Perspectives on School Gardening and Vegetable Consumption. <i>Children and Society</i> , 2017, 31, 429-440.	1.7	18
71	The association of self-regulation with weight loss maintenance after an intensive combined lifestyle intervention for children and adolescents with severe obesity. <i>BMC Obesity</i> , 2017, 4, 13.	3.1	7
72	Dietary acculturation among the South-Asian Surinamese population in the Netherlands: the HELIUS study. <i>Public Health Nutrition</i> , 2017, 20, 1983-1992.	2.2	12

#	ARTICLE	IF	CITATIONS
73	Economic Evaluation of Intensive Inpatient Treatments for Severely Obese Children and Adolescents. <i>Obesity Facts</i> , 2017, 10, 458-472.	3.4	4
74	Comparison of cardiovascular risk factors and dietary intakes among Javanese Surinamese and South-Asian Surinamese in the Netherlands. <i>The HELIUS study. BMC Research Notes</i> , 2017, 10, 23.	1.4	4
75	Comparison of general health status, myocardial infarction, obesity, diabetes, and fruit and vegetable intake between immigrant Pakistani population in the Netherlands and the local Amsterdam population. <i>Ethnicity and Health</i> , 2017, 22, 551-564.	2.5	11
76	Water Consumption in European Children: Associations with Intake of Fruit Juices, Soft Drinks and Related Parenting Practices. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 583.	2.6	14
77	Sowing Seeds for Healthier Diets: Children's Perspectives on School Gardening. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 688.	2.6	13
78	An exploration of needs and preferences for dietary support in colorectal cancer survivors: A mixed-methods study. <i>PLoS ONE</i> , 2017, 12, e0189178.	2.5	14
79	Recommendations and Improvements for the Evaluation of Integrated Community-Wide Interventions Approaches. <i>Journal of Obesity</i> , 2016, 2016, 1-13.	2.7	10
80	Barriers to and Facilitators of the Evaluation of Integrated Community-Wide Overweight Intervention Approaches: A Qualitative Case Study in Two Dutch Municipalities. <i>International Journal of Environmental Research and Public Health</i> , 2016, 13, 390.	2.6	7
81	Optimizing Tailored Health Promotion for Older Adults. <i>Gerontology and Geriatric Medicine</i> , 2016, 2, 233372141562529.	1.5	16
82	Inequalities in energy-balance related behaviours and family environmental determinants in European children: changes and sustainability within the EPHE evaluation study. <i>International Journal for Equity in Health</i> , 2016, 15, 160.	3.5	10
83	The 2015 Dutch food-based dietary guidelines. <i>European Journal of Clinical Nutrition</i> , 2016, 70, 869-878.	2.9	268
84	The obesity epidemic in the USA "no end in sight?". <i>Nature Reviews Endocrinology</i> , 2016, 12, 499-500.	9.6	29
85	One-year effects of two intensive inpatient treatments for severely obese children and adolescents. <i>BMC Pediatrics</i> , 2016, 16, 120.	1.7	11
86	Identifying developmental trajectories of body mass index in childhood using latent class growth (mixture) modelling: associations with dietary, sedentary and physical activity behaviors: a longitudinal study. <i>BMC Public Health</i> , 2016, 16, 1128.	2.9	40
87	Package size and manufacturer-recommended serving size of sweet beverages: a cross-sectional study across four high-income countries. <i>Public Health Nutrition</i> , 2016, 19, 1008-1016.	2.2	16
88	The association of eating styles with weight change after an intensive combined lifestyle intervention for children and adolescents with severe obesity. <i>Appetite</i> , 2016, 99, 82-90.	3.7	18
89	The role of systemic inflammation linking maternal BMI to neurodevelopment in children. <i>Pediatric Research</i> , 2016, 79, 3-12.	2.3	102
90	Inequities in energy-balance related behaviours and family environmental determinants in European children: baseline results of the prospective EPHE evaluation study. <i>BMC Public Health</i> , 2015, 15, 1203.	2.9	17

#	ARTICLE	IF	CITATIONS
91	Editorial. <i>Annals of Nutrition and Metabolism</i> , 2015, 66, 5-5.	1.9	1
92	PortionControl@HOME: Results of a Randomized Controlled Trial Evaluating the Effect of a Multi-Component Portion Size Intervention on Portion Control Behavior and Body Mass Index. <i>Annals of Behavioral Medicine</i> , 2015, 49, 18-28.	2.9	37
93	The Global Burden of Obesity and the Challenges of Prevention. <i>Annals of Nutrition and Metabolism</i> , 2015, 66, 7-12.	1.9	543
94	The home food environment of overweight gatekeepers in the Netherlands. <i>Public Health Nutrition</i> , 2015, 18, 1815-1823.	2.2	7
95	Associations between active video gaming and other energy-balance related behaviours in adolescents: a 24-hour recall diary study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015, 12, 32.	4.6	9
96	Home environmental determinants of children's fruit and vegetable consumption across different <sc>SES</sc> backgrounds. <i>Pediatric Obesity</i> , 2015, 10, 134-140.	2.8	36
97	Replacing Non-Active Video Gaming by Active Video Gaming to Prevent Excessive Weight Gain in Adolescents. <i>PLoS ONE</i> , 2015, 10, e0126023.	2.5	28
98	Counteracting Media's Thin-Body Ideal for Adolescent Girls: Informing Is More Effective Than Warning. <i>Media Psychology</i> , 2014, 17, 154-184.	3.6	34
99	Weight related health status of patients treated by dietitians in primary care practice: first results of a cohort study. <i>BMC Family Practice</i> , 2014, 15, 161.	2.9	3
100	Dietetic treatment lowers body mass index in overweight patients: an observational study in primary health care. <i>Journal of Human Nutrition and Dietetics</i> , 2014, 27, 426-433.	2.5	14
101	Active video games as a tool to prevent excessive weight gain in adolescents: rationale, design and methods of a randomized controlled trial. <i>BMC Public Health</i> , 2014, 14, 275.	2.9	17
102	Dutch teachers and parents about overweight prevention in pre-vocational schools. <i>Health Promotion International</i> , 2014, 29, 15-25.	1.8	4
103	Design of CIAO, a research program to support the development of an integrated approach to prevent overweight and obesity in the Netherlands. <i>BMC Obesity</i> , 2014, 1, 5.	3.1	16
104	Gallstone disease in severely obese children participating in a lifestyle intervention program: incidence and risk factors. <i>International Journal of Obesity</i> , 2014, 38, 950-953.	3.4	14
105	Behavioural strategies to control the amount of food selected and consumed. <i>Appetite</i> , 2014, 72, 156-165.	3.7	28
106	Overweight and obese adults have low intentions of seeking weight-related care: a cross-sectional survey. <i>BMC Public Health</i> , 2014, 14, 582.	2.9	14
107	Negotiated media effects. Peer feedback modifies effects of media's thin-body ideal on adolescent girls. <i>Appetite</i> , 2014, 73, 172-182.	3.7	44
108	Promoting health equity in European children: Design and methodology of the prospective EPHE (Epoque for the Promotion of Health Equity) evaluation study. <i>BMC Public Health</i> , 2014, 14, 303.	2.9	17

#	ARTICLE	IF	CITATIONS
109	Active and non-active video gaming among Dutch adolescents: Who plays and how much?. <i>Journal of Science and Medicine in Sport</i> , 2014, 17, 597-601.	1.3	24
110	Hydration and Obesity Prevention. <i>Obesity Facts</i> , 2014, 7, 37-48.	3.4	10
111	Personal, Social, and Game-Related Correlates of Active and Non-Active Gaming Among Dutch Gaming Adolescents: Survey-Based Multivariable, Multilevel Logistic Regression Analyses. <i>JMIR Serious Games</i> , 2014, 2, e4.	3.1	6
112	Effects of different discount levels on healthy products coupled with a healthy choice label, special offer label or both: results from a web-based supermarket experiment. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2013, 10, 59.	4.6	39
113	Cardiometabolic risk factors and quality of life in severely obese children and adolescents in the Netherlands. <i>BMC Pediatrics</i> , 2013, 13, 62.	1.7	41
114	The role of self-regulating abilities in long-term weight loss in severely obese children and adolescents undergoing intensive combined lifestyle interventions (HELIOS); rationale, design and methods. <i>BMC Pediatrics</i> , 2013, 13, 41.	1.7	13
115	The Development and Evaluation of an Internet-Based Intervention to Increase Awareness About Food Portion Sizes: A Randomized, Controlled Trial. <i>Journal of Nutrition Education and Behavior</i> , 2013, 45, 701-707.	0.7	16
116	The effect of a counselling intervention on weight changes during and after pregnancy: a randomised trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013, 120, 92-99.	2.3	70
117	Characterizing the <scp>EPODE</scp> logic model: unravelling the past and informing the future. <i>Obesity Reviews</i> , 2013, 14, 162-170.	6.5	66
118	Association between TV viewing, computer use and overweight, determinants and competing activities of screen time in 4- to 13-year-old children. <i>International Journal of Obesity</i> , 2013, 37, 47-53.	3.4	162
119	Price discounts significantly enhance fruit and vegetable purchases when combined with nutrition education: a randomized controlled supermarket trial. <i>American Journal of Clinical Nutrition</i> , 2013, 97, 886-895.	4.7	129
120	Obesity and Cardiovascular Disease Risk Factors among the Indigenous and Immigrant Pakistani Population: A Systematic Review. <i>Obesity Facts</i> , 2013, 6, 523-535.	3.4	18
121	Modelling of Usual Nutrient Intakes: Potential Impact of the Choices Programme on Nutrient Intakes in Young Dutch Adults. <i>PLoS ONE</i> , 2013, 8, e72378.	2.5	34
122	An integrated health care standard for the management and prevention of obesity in The Netherlands. <i>Family Practice</i> , 2012, 29, i153-i156.	1.9	43
123	Methodological quality of front-of-pack labeling studies: a review plus identification of research challenges. <i>Nutrition Reviews</i> , 2012, 70, 709-720.	5.8	43
124	Adolescents' Views on Active and Non-Active Videogames: A Focus Group Study. <i>Games for Health Journal</i> , 2012, 1, 211-218.	2.0	24
125	Association between sleep duration and overweight: the importance of parenting. <i>International Journal of Obesity</i> , 2012, 36, 1278-1284.	3.4	41
126	Consuming a diet complying with front-of-pack label criteria may reduce cholesterol levels: a modeling study. <i>European Journal of Clinical Nutrition</i> , 2012, 66, 510-516.	2.9	17

#	ARTICLE	IF	CITATIONS
127	Interventions to Promote an Integrated Approach to Public Health Problems: An Application to Childhood Obesity. <i>Journal of Environmental and Public Health</i> , 2012, 2012, 1-14.	0.9	20
128	66 " Health effects of lifestyle interventions in obese children and adolescents study (HELIOS) randomised controlled trial. <i>Public Health Nutrition</i> , 2012, 15, 1583-1584.	2.2	0
129	A local consensus process making use of focus groups to enhance the implementation of a national integrated health care standard on obesity care. <i>Family Practice</i> , 2012, 29, i177-i184.	1.9	22
130	A nutrition labeling intervention in worksite cafeterias: an implementation evaluation across two large catering companies in the Netherlands. <i>Health Promotion International</i> , 2012, 27, 230-237.	1.8	10
131	The Local Implementation of a Chronic Disease Management Model for Childhood Overweight and Obesity. <i>Obesity Facts</i> , 2012, 5, 766-775.	3.4	4
132	Ethnic differences in self-rated overweight and association with reporting weight loss action: the SUNSET study. <i>European Journal of Public Health</i> , 2012, 22, 859-863.	0.3	5
133	Weight Information Labels on Media Models Reduce Body Dissatisfaction in Adolescent Girls. <i>Journal of Adolescent Health</i> , 2012, 50, 600-606.	2.5	22
134	The effect of a comprehensive lifestyle intervention on cardiovascular risk factors in pharmacologically treated patients with stable cardiovascular disease compared to usual care: a randomised controlled trial. <i>BMC Cardiovascular Disorders</i> , 2012, 12, 71.	1.7	27
135	Survival of cognitively impaired older hospitalized patients at risk of malnutrition. <i>European Geriatric Medicine</i> , 2012, 3, 330-335.	2.8	1
136	A Trial of Sugar-free or Sugar-Sweetened Beverages and Body Weight in Children. <i>New England Journal of Medicine</i> , 2012, 367, 1397-1406.	27.0	681
137	Resting energy expenditure in malnourished older patients at hospital admission and three months after discharge: Predictive equations versus measurements. <i>Clinical Nutrition</i> , 2012, 31, 958-966.	5.0	43
138	Obesity and cardiovascular disease risk among Turkish and Moroccan migrant groups in Europe: a systematic review. <i>Obesity Reviews</i> , 2012, 13, 2-16.	6.5	41
139	Age standardization in mapping adult overweight and obesity trends in the WHO European Region. <i>Obesity Reviews</i> , 2012, 13, 174-191.	6.5	78
140	Influences on body weight of female Moroccan migrants in the Netherlands: A qualitative study. <i>Health and Place</i> , 2012, 18, 883-891.	3.3	29
141	Oral nutritional support in malnourished elderly decreases functional limitations with no extra costs. <i>Clinical Nutrition</i> , 2012, 31, 183-190.	5.0	69
142	The process evaluation of two interventions aimed at portion size in worksite cafeterias. <i>Journal of Human Nutrition and Dietetics</i> , 2012, 25, 180-188.	2.5	11
143	Short-term Oral Nutritional Intervention with Protein and Vitamin D Decreases Falls in Malnourished Older Adults. <i>Journal of the American Geriatrics Society</i> , 2012, 60, 691-699.	2.6	93
144	Introducing taxes, subsidies or both: The effects of various food pricing strategies in a web-based supermarket randomized trial. <i>Preventive Medicine</i> , 2012, 54, 323-330.	3.4	68

#	ARTICLE	IF	CITATIONS
145	EPODE approach for childhood obesity prevention: methods, progress and international development. <i>Obesity Reviews</i> , 2012, 13, 299-315.	6.5	189
146	The effects of a 25% discount on fruits and vegetables: results of a randomized trial in a three-dimensional web-based supermarket. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2012, 9, 11.	4.6	59
147	Determinants of changes in dietary patterns among Chinese immigrants: a cross-sectional analysis. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2011, 8, 42.	4.6	72
148	Post-Discharge Nutritional Support in Malnourished Elderly Individuals Improves Functional Limitations. <i>Journal of the American Medical Directors Association</i> , 2011, 12, 295-301.	2.5	91
149	Ethnic differences in systemic inflammation: An investigation of C-reactive protein levels among Moroccan, Turkish and Dutch groups in the Netherlands. <i>Atherosclerosis</i> , 2011, 218, 511-516.	0.8	16
150	Potential Effects of Nutrient Profiles on Nutrient Intakes in the Netherlands, Greece, Spain, USA, Israel, China and South-Africa. <i>PLoS ONE</i> , 2011, 6, e14721.	2.5	36
151	Body size and growth in 0- to 4-year-old children and the relation to body size in primary school age. <i>Obesity Reviews</i> , 2011, 12, 637-652.	6.5	45
152	Small portion sizes in worksite cafeterias: do they help consumers to reduce their food intake?. <i>International Journal of Obesity</i> , 2011, 35, 1200-1207.	3.4	53
153	The Prevalence of Overweight and Obesity and Its Determinants in Children with and without Disabilities. <i>Journal of Pediatrics</i> , 2011, 158, 735-739.	1.8	64
154	Postpartum behaviour as predictor of weight change from before pregnancy to one year postpartum. <i>BMC Public Health</i> , 2011, 11, 165.	2.9	66
155	Behavioural and socio-demographic characteristics of Dutch neighbourhoods with high prevalence of childhood obesity. <i>Pediatric Obesity</i> , 2011, 6, 298-305.	3.2	27
156	Influence of Placement of a Nutrition Logo on Cafeteria Menu Items on Lunchtime Food Choices at Dutch Work Sites. <i>Journal of the American Dietetic Association</i> , 2011, 111, 131-136.	1.1	75
157	View the label before you view the movie: A field experiment into the impact of Portion size and Guideline Daily Amounts labelling on soft drinks in cinemas. <i>BMC Public Health</i> , 2011, 11, 438.	2.9	20
158	Cost-effectiveness of intensive inpatient treatments for severely obese children and adolescents in the Netherlands; a randomized controlled trial (HELIOS). <i>BMC Public Health</i> , 2011, 11, 518.	2.9	13
159	Obesity and Body Fat Distribution: Ethnic Differences and the Role of Socio-Economic Status. <i>Obesity Facts</i> , 2011, 4, 53-60.	3.4	36
160	Optimal Cutoff Values for High-Risk Waist Circumference in Older Adults Based on Related Health Outcomes. <i>American Journal of Epidemiology</i> , 2011, 174, 479-489.	3.4	40
161	Development of international criteria for a front of package food labelling system: the International Choices Programme. <i>European Journal of Clinical Nutrition</i> , 2011, 65, 1190-1200.	2.9	104
162	We are healthy so we can behave unhealthily. <i>Health Education</i> , 2010, 110, 30-42.	0.9	18

#	ARTICLE	IF	CITATIONS
163	Exploring cut-off values for large waist circumference in older adults: A new methodological approach. <i>Journal of Nutrition, Health and Aging</i> , 2010, 14, 272-277.	3.3	15
164	Portion Size Labeling and Intended Soft Drink Consumption: The Impact of Labeling Format and Size Portfolio. <i>Journal of Nutrition Education and Behavior</i> , 2010, 42, 422-426.	0.7	19
165	Ethnic differences in total and HDL cholesterol among Turkish, Moroccan and Dutch ethnic groups living in Amsterdam, the Netherlands. <i>BMC Public Health</i> , 2010, 10, 740.	2.9	19
166	Study protocol: Cost-effectiveness of transmural nutritional support in malnourished elderly patients in comparison with usual care. <i>Nutrition Journal</i> , 2010, 9, 6.	3.4	16
167	Waist circumference and waist/hip ratio in relation to all-cause mortality, cancer and sleep apnea. <i>European Journal of Clinical Nutrition</i> , 2010, 64, 35-41.	2.9	174
168	Portion size: a qualitative study of consumers' attitudes toward point-of-purchase interventions aimed at portion size. <i>Health Education Research</i> , 2010, 25, 109-120.	1.9	67
169	Value for money or making the healthy choice: the impact of proportional pricing on consumers' portion size choices. <i>European Journal of Public Health</i> , 2010, 20, 65-69.	0.3	49
170	Overweight in dogs, but not in cats, is related to overweight in their owners. <i>Public Health Nutrition</i> , 2010, 13, 102-106.	2.2	60
171	Energy density, energy costs and income – how are they related?. <i>Public Health Nutrition</i> , 2010, 13, 1599-1608.	2.2	72
172	Feasibility and Impact of Placing Water Coolers on Sales of Sugar-Sweetened Beverages in Dutch Secondary School Canteens. <i>Obesity Facts</i> , 2010, 3, 109-115.	3.4	31
173	Tackling the Problem of Overweight and Obesity: The Dutch Approach. <i>Obesity Facts</i> , 2010, 3, 267-272.	3.4	29
174	Expert views on most suitable monetary incentives on food to stimulate healthy eating. <i>European Journal of Public Health</i> , 2010, 20, 325-331.	0.3	35
175	Perceptions on the use of pricing strategies to stimulate healthy eating among residents of deprived neighbourhoods: a focus group study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2010, 7, 44.	4.6	43
176	Front-of-pack nutrition label stimulates healthier product development: a quantitative analysis. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2010, 7, 65.	4.6	176
177	Accelerometers and Internet for physical activity promotion in youth? Feasibility and effectiveness of a minimal intervention [ISRCTN93896459]. <i>Preventive Medicine</i> , 2010, 51, 31-36.	3.4	72
178	The effects of using a nutrition logo on consumption and product evaluation of a sweet pastry. <i>Appetite</i> , 2010, 55, 707-709.	3.7	39
179	Actual use of a front-of-pack nutrition logo in the supermarket: consumers' motives in food choice. <i>Public Health Nutrition</i> , 2010, 13, 1882-1889.	2.2	114
180	Prevalence and trends in adult obesity in affluent countries. , 2010, , 17-26.		0

#	ARTICLE	IF	CITATIONS
181	Age, period and cohort effects on body weight and body mass index in adults: The Doetinchem Cohort Study. <i>Public Health Nutrition</i> , 2009, 12, 862-870.	2.2	72
182	Relationship of adiposity with arterial stiffness as mediated by adiponectin in older men and women: the Hoorn Study. <i>European Journal of Endocrinology</i> , 2009, 160, 387-395.	3.7	54
183	Cultural and Social Influences on Food Consumption in Dutch Residents of Turkish and Moroccan Origin: A Qualitative Study. <i>Journal of Nutrition Education and Behavior</i> , 2009, 41, 232-241.	0.7	82
184	Potential impact of the Choices Programme on nutrient intakes in the Dutch population. <i>Nutrition Bulletin</i> , 2009, 34, 318-323.	1.8	27
185	A Front-of-Pack Nutrition Logo: A Quantitative and Qualitative Process Evaluation in the Netherlands. <i>Journal of Health Communication</i> , 2009, 14, 631-645.	2.4	84
186	From the point-of-purchase perspective: A qualitative study of the feasibility of interventions aimed at portion-size. <i>Health Policy</i> , 2009, 90, 73-80.	3.0	39
187	Overweight and changes in weight status during childhood in relation to asthma symptoms at 8 years of age. <i>Journal of Allergy and Clinical Immunology</i> , 2009, 123, 1312-1318.e2.	2.9	101
188	Maternal attitudes and child-feeding practices: relationship with the BMI of Chilean children. <i>Nutrition Journal</i> , 2009, 8, 37.	3.4	25
189	Disagreement in physical activity assessed by accelerometer and self-report in subgroups of age, gender, education and weight status. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2009, 6, 17.	4.6	224
190	Correlates of Absolute and Excessive Weight Gain During Pregnancy. <i>Journal of Women's Health</i> , 2009, 18, 1559-1566.	3.3	57
191	Long-chain polyunsaturated fatty acids in breast milk and early weight gain in breast-fed infants. <i>British Journal of Nutrition</i> , 2009, 101, 116-121.	2.3	27
192	Feasibility and Effectiveness of Online Physical Activity Advice Based on a Personal Activity Monitor: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2009, 11, e27.	4.3	78
193	Do Differences in Childhood Diet Explain the Reduced Overweight Risk in Breastfed Children?. <i>Obesity</i> , 2008, 16, 2498-2503.	3.0	27
194	Obesity in Older Adults Is Associated With an Increased Prevalence and Incidence of Pain. <i>Obesity</i> , 2008, 16, 2510-2517.	3.0	52
195	Does the relationship between waist circumference, morbidity and mortality depend on measurement protocol for waist circumference?. <i>Obesity Reviews</i> , 2008, 9, 312-325.	6.5	268
196	Motives for (not) participating in a lifestyle intervention trial. <i>BMC Medical Research Methodology</i> , 2008, 8, 17.	3.1	97
197	Screening malnutrition in hospital outpatients. Can the SNAQ malnutrition screening tool also be applied to this population?. <i>Clinical Nutrition</i> , 2008, 27, 439-446.	5.0	87
198	High HDL cholesterol does not protect against coronary artery disease when associated with combined cholesteryl ester transfer protein and hepatic lipase gene variants. <i>Atherosclerosis</i> , 2008, 200, 161-167.	0.8	55

#	ARTICLE	IF	CITATIONS
199	Sydney Principles™ for reducing the commercial promotion of foods and beverages to children. Public Health Nutrition, 2008, 11, 881-886.	2.2	86
200	Body size preference and body weight perception among two migrant groups of non-Western origin. Public Health Nutrition, 2008, 11, 1332-1341.	2.2	33
201	Childhood overweight prevention programs: Evidence for success. FASEB Journal, 2008, 22, 677-16.	0.5	0
202	Association between Body Mass Index and Mortality Is Similar in the Hemodialysis Population and the General Population at High Age and Equal Duration of Follow-Up. Journal of the American Society of Nephrology: JASN, 2007, 18, 967-974.	6.1	114
203	Superiority of skinfold measurements and waist over waist-to-hip ratio for determination of body fat distribution in a population-based cohort of Caucasian Dutch adults. European Journal of Endocrinology, 2007, 156, 655-661.	3.7	87
204	Adolescent skinfold thickness is a better predictor of high body fatness in adults than is body mass index: the Amsterdam Growth and Health Longitudinal Study. American Journal of Clinical Nutrition, 2007, 85, 1533-1539.	4.7	115
205	The baton passes on. European Journal of Clinical Nutrition, 2007, 61, 1-2.	2.9	22
206	Carbohydrate intake and obesity. European Journal of Clinical Nutrition, 2007, 61, S75-S99.	2.9	192
207	Stemming the Obesity Epidemic: A Tantalizing Prospect. Obesity, 2007, 15, 2365-2370.	3.0	55
208	Prevalence of overweight and obesity in the Netherlands. Obesity Reviews, 2007, 8, 101-107.	6.5	131
209	Vitamin D status and parathyroid hormone levels in relation to blood pressure: a population-based study in older men and women. Journal of Internal Medicine, 2007, 261, 558-565.	6.0	203
210	Are malnourished patients complex patients? Health status and care complexity of malnourished patients detected by the Short Nutritional Assessment Questionnaire (SNAQ). European Journal of Internal Medicine, 2006, 17, 189-194.	2.2	33
211	Sagittal abdominal diameter: no advantage compared with other anthropometric measures as a correlate of components of the metabolic syndrome in elderly from the Hoorn Study. American Journal of Clinical Nutrition, 2006, 84, 995-1002.	4.7	49
212	Low serum concentrations of 25-hydroxyvitamin D in older persons and the risk of nursing home admission. American Journal of Clinical Nutrition, 2006, 84, 616-622.	4.7	198
213	Cross-Sectional Growth References and Implications for the Development of an International Growth Standard for School-Aged Children and Adolescents. Food and Nutrition Bulletin, 2006, 27, S189-S198.	1.4	16
214	The prevention of overweight and obesity in children and adolescents: a review of interventions and programmes. Obesity Reviews, 2006, 7, 111-136.	6.5	513
215	Underreporting of BMI in Adults and Its Effect on Obesity Prevalence Estimations in the Period 1998 to 2001. Obesity, 2006, 14, 2054-2063.	3.0	143
216	To: Mathieu C, Gysemans C, Giulietti A, Bouillon R (2005) Vitamin D and diabetes. Diabetologia 48:1247-1257. Diabetologia, 2006, 49, 217-218.	6.3	30

#	ARTICLE	IF	CITATIONS
217	Comment on: Schmidt MI, Duncan BB, Vigo A et al (2006) Leptin and incident type 2 diabetes: risk or protection? <i>Diabetologia</i> 49:2086-2096. <i>Diabetologia</i> , 2006, 50, 234-236.	6.3	5
218	Epidemiology and health economics of obesity. <i>Medicine</i> , 2006, 34, 506-509.	0.4	7
219	Design of the New Life(style) study: a randomised controlled trial to optimise maternal weight development during pregnancy. [ISRCTN85313483]. <i>BMC Public Health</i> , 2006, 6, 168.	2.9	54
220	Polymorphisms in the NPY and AGRP genes and body fatness in Dutch adults. <i>International Journal of Obesity</i> , 2006, 30, 1522-1528.	3.4	43
221	What aspects of body fat are particularly hazardous and how do we measure them?. <i>International Journal of Epidemiology</i> , 2006, 35, 83-92.	1.9	518
222	Associations of Adiponectin Levels With Incident Impaired Glucose Metabolism and Type 2 Diabetes in Older Men and Women: The Hoorn Study. <i>Diabetes Care</i> , 2006, 29, 2498-2503.	8.6	149
223	Effects of retirement on lifestyle in relation to changes in weight and waist circumference in Dutch men: a prospective study. <i>Public Health Nutrition</i> , 2005, 8, 1266-1274.	2.2	90
224	Cost-effective measures to prevent obesity: epidemiological basis and appropriate target groups. <i>Proceedings of the Nutrition Society</i> , 2005, 64, 1-5.	1.0	46
225	Common variants in the ATP-sensitive K ⁺ channel genes <i>KCNJ11</i> (<i>Kir6.2</i>) and <i>ABCC8</i> (<i>SUR1</i>) in relation to glucose intolerance: population-based studies and meta-analyses ¹ . <i>Diabetic Medicine</i> , 2005, 22, 590-598.	2.3	79
226	Netherlands Research programme weight Gain prevention (NHF-NRG): rationale, objectives and strategies. <i>European Journal of Clinical Nutrition</i> , 2005, 59, 498-507.	2.9	41
227	Development and validation of a hospital screening tool for malnutrition: the short nutritional assessment questionnaire (SNAQ [©]). <i>Clinical Nutrition</i> , 2005, 24, 75-82.	5.0	440
228	Low subcutaneous thigh fat is a risk factor for unfavourable glucose and lipid levels, independently of high abdominal fat. The Health ABC Study. <i>Diabetologia</i> , 2005, 48, 301-308.	6.3	351
229	Effectiveness and cost-effectiveness of early screening and treatment of malnourished patients. <i>American Journal of Clinical Nutrition</i> , 2005, 82, 1082-1089.	4.7	294
230	Epidemiology of Obesity. <i>Seminars in Vascular Medicine</i> , 2005, 5, 3-14.	2.1	92
231	Promoting physical activity using an activity monitor and a tailored web-based advice: design of a randomized controlled trial [ISRCTN93896459]. <i>BMC Public Health</i> , 2005, 5, 134.	2.9	31
232	Cognitive Determinants of Energy Balance-Related Behaviours. <i>Sports Medicine</i> , 2005, 35, 923-933.	6.5	69
233	Adiposity in Relation to Vitamin D Status and Parathyroid Hormone Levels: A Population-Based Study in Older Men and Women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005, 90, 4119-4123.	3.6	595
234	Diet, nutrition and the prevention of excess weight gain and obesity. <i>Public Health Nutrition</i> , 2004, 7, 123-146.	2.2	842

#	ARTICLE	IF	CITATIONS
235	RE: "CHANGES IN BODY WEIGHT AND BODY FAT DISTRIBUTION AS RISK FACTORS FOR CLINICAL DIABETES IN US MEN". American Journal of Epidemiology, 2004, 160, 1133-1134.	3.4	6
236	Obesity and Unhealthy Life-Years in Adult Finns. Archives of Internal Medicine, 2004, 164, 1413.	3.8	86
237	Central Fat Mass Versus Peripheral Fat and Lean Mass: Opposite (Adverse Versus Favorable) Associations with Arterial Stiffness? The Amsterdam Growth and Health Longitudinal Study. Journal of Clinical Endocrinology and Metabolism, 2004, 89, 2632-2639.	3.6	186
238	Trunk Fat and Leg Fat Have Independent and Opposite Associations With Fasting and Postload Glucose Levels. Diabetes Care, 2004, 27, 372-377.	8.6	363
239	The insulin receptor substrate-1 Gly972Arg polymorphism is not associated with Type 2 diabetes mellitus in two population-based studies. Diabetic Medicine, 2004, 21, 752-758.	2.3	31
240	Independent and opposite associations of waist and hip circumferences with diabetes, hypertension and dyslipidemia: the AusDiab Study. International Journal of Obesity, 2004, 28, 402-409.	3.4	268
241	Time trends (1993-1997) and seasonal variation in body mass index and waist circumference in the Netherlands. International Journal of Obesity, 2004, 28, 1309-1316.	3.4	95
242	Independent Association of Hip Circumference with Metabolic Profile in Different Ethnic Groups. Obesity, 2004, 12, 1370-1374.	4.0	37
243	Psychosocial characteristics of obese children/youngsters and their families: implications for preventive and curative interventions. Patient Education and Counseling, 2004, 55, 353-362.	2.2	46
244	Appropriate body-mass index for Asian populations and its implications for policy and intervention strategies. Lancet, The, 2004, 363, 157-163.	13.7	9,083
245	Current and adolescent body fatness and fat distribution. Journal of Hypertension, 2004, 22, 145-155.	0.5	108
246	Regional body composition as a determinant of arterial stiffness in the elderly. Journal of Hypertension, 2004, 22, 2339-2347.	0.5	118
247	Circulating levels of insulin-like growth factor I, its binding proteins 1, 2, 3, C-peptide and risk of postmenopausal breast cancer. International Journal of Cancer, 2003, 106, 90-95.	5.1	108
248	Effects of sex steroids on components of the insulin resistance syndrome in transsexual subjects. Clinical Endocrinology, 2003, 58, 562-571.	2.4	249
249	Hypocretin Deficiency in Narcoleptic Humans Is Associated with Abdominal Obesity. Obesity, 2003, 11, 1147-1154.	4.0	169
250	Larger Thigh and Hip Circumferences Are Associated with Better Glucose Tolerance: The Hoorn Study. Obesity, 2003, 11, 104-111.	4.0	149
251	Genetic Variation in the Leptin Receptor Gene, Leptin, and Weight Gain in Young Dutch Adults. Obesity, 2003, 11, 377-386.	4.0	89
252	Leptin and insulin responses to a four-day energy-deficient diet in men with different weight history. International Journal of Obesity, 2003, 27, 574-581.	3.4	5

#	ARTICLE	IF	CITATIONS
253	Prospective Relation of C-Reactive Protein With Type 2 Diabetes: Response to Han et al.. Diabetes Care, 2003, 26, 1656-1657.	8.6	36
254	Associations of hip and thigh circumferences independent of waist circumference with the incidence of type 2 diabetes: the Hoorn Study. American Journal of Clinical Nutrition, 2003, 77, 1192-1197.	4.7	393
255	Genetic factors as predictors of weight gain in young adult Dutch men and women. International Journal of Obesity, 2002, 26, 517-528.	3.4	61
256	Overweight, obesity and fat distribution in 50- to 64-year-old participants in the European Prospective Investigation into Cancer and Nutrition (EPIC). Public Health Nutrition, 2002, 5, 1147-1162.	2.2	249
257	Physical activity and glucose tolerance in elderly men: the Zutphen Elderly study. Medicine and Science in Sports and Exercise, 2002, 34, 1132-1136.	0.4	39
258	Prevalence and time trends of obesity in Europe. Journal of Endocrinological Investigation, 2002, 25, 816-822.	3.3	71
259	Rank nonsense?. European Journal of Clinical Nutrition, 2002, 56, 793-795.	2.9	0
260	The prediction of visceral fat by dual-energy X-ray absorptiometry in the elderly: a comparison with computed tomography and anthropometry. International Journal of Obesity, 2002, 26, 984-993.	3.4	217
261	Long-term and recent time trends in the prevalence of obesity among Dutch men and women. International Journal of Obesity, 2002, 26, 1218-1224.	3.4	115
262	Parental history of myocardial infarction: lipid traits, gene polymorphisms and lifestyle. Atherosclerosis, 2001, 155, 149-156.	0.8	13
263	Is Drug Treatment of Hypertension in Clinical Practice as Effective as in Randomized Controlled Trials with Regard to the Reduction of the Incidence of Stroke?. Epidemiology, 2001, 12, 339-344.	2.7	15
264	Waist and hip circumferences have independent and opposite effects on cardiovascular disease risk factors: the Quebec Family Study. American Journal of Clinical Nutrition, 2001, 74, 315-321.	4.7	432
265	Larger Hip Circumference Independently Predicts Health and Longevity in a Swedish Female Cohort. Obesity, 2001, 9, 644-646.	4.0	196
266	Reviews in EJCN. European Journal of Clinical Nutrition, 2001, 55, 1035-1035.	2.9	2
267	Physical activity and dietary fiber determine population body fat levels: the Seven Countries Study. International Journal of Obesity, 2001, 25, 301-306.	3.4	106
268	The relationship between quality of life and perceived body weight and dieting history in Dutch men and women. International Journal of Obesity, 2001, 25, 1386-1392.	3.4	66
269	A comparison of body mass index, waist-hip ratio and waist circumference as predictors of all-cause mortality among the elderly: the Rotterdam study. International Journal of Obesity, 2001, 25, 1730-1735.	3.4	337
270	The association between antihypertensive drug therapies and plasma lipid levels in the general population. Journal of Human Hypertension, 2001, 15, 701-705.	2.2	11

#	ARTICLE	IF	CITATIONS
271	Relation between blood pressure and mortality: is there a threshold?. <i>European Heart Journal</i> , 2001, 22, 2132-2133.	2.2	2
272	Parental History of Diabetes Modifies the Association Between Abdominal Adiposity and Hyperglycemia. <i>Diabetes Care</i> , 2001, 24, 1454-1459.	8.6	53
273	The Public Health Impact of Obesity. <i>Annual Review of Public Health</i> , 2001, 22, 355-375.	17.4	819
274	Body weight and weight change and their health implications for the elderly. <i>European Journal of Clinical Nutrition</i> , 2000, 54, S33-S39.	2.9	256
275	Educational level, relative body weight, and changes in their association over 10 years: an international perspective from the WHO MONICA Project. <i>American Journal of Public Health</i> , 2000, 90, 1260-1268.	2.7	287
276	Misclassification of High-Risk Older Subjects Using Waist Action Levels Established for Young and Middle-Aged Adults—Results from the Rotterdam Study. <i>Journal of the American Geriatrics Society</i> , 2000, 48, 1638-1645.	2.6	44
277	Underweight and Overweight in Relation to Mortality Among Men Aged 40-59 and 50-69 Years: The Seven Countries Study. <i>American Journal of Epidemiology</i> , 2000, 151, 660-666.	3.4	122
278	Obesity and weight control: the evidence. <i>Proceedings of the Nutrition Society</i> , 2000, 59, 419-420.	1.0	5
279	Family functioning and psychosocial adjustment in overweight youngsters. , 2000, 27, 110-114.		110
280	EJCN at the start of the 21st century. <i>European Journal of Clinical Nutrition</i> , 2000, 54, 739-740.	2.9	10
281	Sex differences in the medication choice for hypertension in general practice. A study with written case simulations. <i>International Journal of Clinical Pharmacy</i> , 2000, 22, 140-146.	1.4	5
282	Obesity, insulin resistance and diabetes — a worldwide epidemic. <i>British Journal of Nutrition</i> , 2000, 83, S5-S8.	2.3	579
283	Blood pressure and long-term coronary heart disease mortality in the Seven Countries Study: implications for clinical practice and public health. <i>European Heart Journal</i> , 2000, 21, 1639-1642.	2.2	18
284	Estimating the prevalence of hypertension corrected for the effect of within-person variability in blood pressure. <i>Journal of Clinical Epidemiology</i> , 2000, 53, 1158-1163.	5.0	45
285	Influence of question structure on the recall of self-reported drug use. <i>Journal of Clinical Epidemiology</i> , 2000, 53, 273-277.	5.0	89
286	Overestimation of the Number of Individuals With Hypertension Who Are Eligible for Treatment According to the Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure. <i>Archives of Internal Medicine</i> , 2000, 160, 1540-1540.	3.8	1
287	Impairment of Health and Quality of Life Using New US Federal Guidelines for the Identification of Obesity. <i>Archives of Internal Medicine</i> , 1999, 159, 837.	3.8	211
288	Physical activity modulates the effect of a lipoprotein lipase mutation (D9N) on plasma lipids and lipoproteins. <i>Clinical Genetics</i> , 1999, 56, 158-163.	2.0	28

#	ARTICLE	IF	CITATIONS
289	The prevalence of subclinical hypothyroidism at different total plasma cholesterol levels in middle aged men and women: a need for case-finding?. <i>Clinical Endocrinology</i> , 1999, 50, 217-220.	2.4	78
290	Waist and hip circumferences, and waist-hip ratio in 19 populations of the WHO MONICA Project. <i>International Journal of Obesity</i> , 1999, 23, 116-125.	3.4	181
291	Perception of weight status and dieting behaviour in Dutch men and women. <i>International Journal of Obesity</i> , 1999, 23, 7-17.	3.4	82
292	Agreement between self-reported antihypertensive drug use and pharmacy records in a population-based study in The Netherlands. <i>International Journal of Clinical Pharmacy</i> , 1999, 21, 217-220.	1.4	53
293	The Burden of Obesity and Its Sequelae. <i>Disease Management and Health Outcomes</i> , 1999, 5, 13-21.	0.4	9
294	Varying Sensitivity of Waist Action Levels to Identify Subjects with Overweight or Obesity in 19 Populations of The WHO MONICA Project. <i>Journal of Clinical Epidemiology</i> , 1999, 52, 1213-1224.	5.0	106
295	Cardiovascular diseases and risk factors in a population-based study in The Netherlands: agreement between questionnaire information and medical records. <i>Netherlands Journal of Medicine</i> , 1999, 55, 177-183.	0.5	63
296	Changes in fat cell size and in vitro lipolytic activity of abdominal and gluteal adipocytes after a one-year cross-sex hormone administration in transsexuals. <i>Metabolism: Clinical and Experimental</i> , 1999, 48, 1371-1377.	3.4	69
297	Excess Stroke Among Hypertensive Men and Women Attributable to Undertreatment of Hypertension. <i>Stroke</i> , 1999, 30, 1312-1318.	2.0	68
298	The Joint Impact of Family History of Myocardial Infarction and Other Risk Factors on 12-year Coronary Heart Disease Mortality. <i>Epidemiology</i> , 1999, 10, 767-770.	2.7	28
299	Abdominal Adiposity and Risk of Heart Disease. <i>JAMA - Journal of the American Medical Association</i> , 1999, 281, 2284-2285.	7.4	14
300	Overweight and obesity in the mortality rate data: current evidence and research issues. <i>Medicine and Science in Sports and Exercise</i> , 1999, 31, S597.	0.4	48
301	Selection of anthropometric indicators for classification of abdominal fatness—a critical review. <i>International Journal of Obesity</i> , 1998, 22, 719-727.	3.4	331
302	Impairment of health and quality of life in people with large waist circumference. <i>Lancet</i> , The, 1998, 351, 853-856.	13.7	428
303	Lipid profiles reflecting high and low risk for coronary heart disease: contribution of apolipoprotein E polymorphism and lifestyle. <i>Atherosclerosis</i> , 1998, 136, 395-402.	0.8	29
304	Determinants of Obesity-related Underreporting of Energy Intake. <i>American Journal of Epidemiology</i> , 1998, 147, 1081-1086.	3.4	179
305	Undertreatment of hypertension in a population-based study in The Netherlands. <i>Journal of Hypertension</i> , 1998, 16, 1371-1378.	0.5	39
306	Assessment of control of hypertension in the population. <i>Journal of Hypertension</i> , 1998, 16, 395.	0.5	1

#	ARTICLE	IF	CITATIONS
307	Sex differences in antihypertensive drug use. <i>Journal of Hypertension</i> , 1998, 16, 1545-1553.	0.5	50
308	Dietary fat and obesity: an epidemiologic perspective. <i>American Journal of Clinical Nutrition</i> , 1998, 67, 546S-550S.	4.7	159
309	The Asn9 variant of lipoprotein lipase is associated with the -93G promoter mutation and an increased risk of coronary artery disease. <i>Clinical Genetics</i> , 1998, 53, 27-33.	2.0	5
310	The Asn9 variant of lipoprotein lipase is associated with the -93G promoter mutation and an increased risk of coronary artery disease. <i>Clinical Genetics</i> , 1998, 53, 27-33.	2.0	41
311	Time Trends in Obesity: An Epidemiological Perspective. <i>Hormone and Metabolic Research</i> , 1997, 29, 155-158.	1.5	155
312	Reversal of the Sex Difference in Serum Leptin Levels upon Cross-Sex Hormone Administration in Transsexuals*. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1997, 82, 3267-3270.	3.6	151
313	Long-Term Testosterone Administration Increases Visceral Fat in Female to Male Transsexuals ¹ . <i>Journal of Clinical Endocrinology and Metabolism</i> , 1997, 82, 2044-2047.	3.6	173
314	Assessing obesity: classification and epidemiology. <i>British Medical Bulletin</i> , 1997, 53, 238-252.	6.9	384
315	Smoking and relative body weight: an international perspective from the WHO MONICA Project.. <i>Journal of Epidemiology and Community Health</i> , 1997, 51, 252-260.	3.7	175
316	Sex-based differences in the pharmacological treatment of hypertension. <i>Journal of Hypertension</i> , 1997, 15, 1528.	0.5	0
317	Sex differences in the pharmacological treatment of hypertension. <i>Journal of Hypertension</i> , 1997, 15, 591-600.	0.5	52
318	Common C-to-T Substitution at Position -480 of the Hepatic Lipase Promoter Associated With a Lowered Lipase Activity in Coronary Artery Disease Patients. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997, 17, 2837-2842.	2.4	143
319	The influences of height and age on waist circumference as an index of adiposity in adults. <i>International Journal of Obesity</i> , 1997, 21, 83-90.	3.4	92
320	Predicting intra-abdominal fatness from anthropometric measures: the influence of stature. <i>International Journal of Obesity</i> , 1997, 21, 587-593.	3.4	153
321	The prevalence of low back pain and associations with body fatness, fat distribution and height. <i>International Journal of Obesity</i> , 1997, 21, 600-607.	3.4	152
322	Narrow hips and broad waist circumferences independently contribute to increased risk of non-insulin-dependent diabetes mellitus. <i>Journal of Internal Medicine</i> , 1997, 242, 401-406.	6.0	173
323	Heterogeneity at the CETP Gene Locus. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997, 17, 560-568.	2.4	185
324	Ser 447stop Mutation in Lipoprotein Lipase Is Associated With Elevated HDL Cholesterol Levels in Normolipidemic Males. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997, 17, 595-599.	2.4	67

#	ARTICLE	IF	CITATIONS
325	Reversal of the Sex Difference in Serum Leptin Levels upon Cross-Sex Hormone Administration in Transsexuals. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1997, 82, 3267-3270.	3.6	124
326	Long-Term Testosterone Administration Increases Visceral Fat in Female to Male Transsexuals. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1997, 82, 2044-2047.	3.6	139
327	Waist Circumference as a Screening Tool for Cardiovascular Risk Factors: Evaluation of Receiver Operating Characteristics (ROC). <i>Obesity</i> , 1996, 4, 533-547.	4.0	81
328	Autoantibodies against MDA-LDL in subjects with severe and minor atherosclerosis and healthy population controls. <i>Atherosclerosis</i> , 1996, 122, 245-253.	0.8	104
329	The white blood cell count: its relationship to plasma insulin and other cardiovascular risk factors in healthy male individuals. <i>Journal of Internal Medicine</i> , 1996, 239, 435-441.	6.0	72
330	Do Dietary and Supplementary Intakes of Antioxidants Differ with Smoking Status?. <i>International Journal of Epidemiology</i> , 1996, 25, 70-79.	1.9	83
331	Overweight, Underweight, and Mortality. <i>Archives of Internal Medicine</i> , 1996, 156, 958.	3.8	157
332	Relationships of blood pressure to fibrinolysis: influence of anthropometry, metabolic profile and behavioural variables. <i>Journal of Hypertension</i> , 1995, 13, 659-666.	0.5	22
333	Obesity in Europe – causes, costs, and consequences. <i>International Journal of Risk and Safety in Medicine</i> , 1995, 7, 103-110.	0.6	1
334	Obesity and subcutaneous fat patterning in relation to survival of postmenopausal breast cancer patients participating in the DOM-project. <i>Breast Cancer Research and Treatment</i> , 1995, 34, 129-137.	2.5	42
335	Body fat distribution in relation to breast cancer in women participating in the DOM-project. <i>Breast Cancer Research and Treatment</i> , 1995, 34, 55-61.	2.5	43
336	A lipoprotein lipase mutation (Asn291Ser) is associated with reduced HDL cholesterol levels in premature atherosclerosis. <i>Nature Genetics</i> , 1995, 10, 28-34.	21.4	235
337	Dietary Calcium, Potassium, Magnesium and Blood Pressure in the Netherlands. <i>International Journal of Epidemiology</i> , 1995, 24, 1117-1123.	1.9	58
338	Obesity in Europe. <i>Obesity</i> , 1995, 3, 89s-93s.	4.0	44
339	No Specific Effect of Fluoxetine Treatment on Fasting Glucose, Insulin, Lipid Levels, and Blood Pressure in Healthy Men with Abdominal Obesity. <i>Obesity</i> , 1994, 2, 152-159.	4.0	7
340	Obesity in Europe. <i>Pharmacoeconomics</i> , 1994, 5, 38-44.	3.3	91
341	Differences in the Association between Alcohol Consumption and Blood Pressure by Age, Gender, and Smoking. <i>Epidemiology</i> , 1994, 5, 576-582.	2.7	30
342	Visceral fat accumulation in relation to sex hormones in obese men and women undergoing weight loss therapy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1994, 78, 1515-1520.	3.6	94

#	ARTICLE	IF	CITATIONS
343	Abdominal diameters as indicators of visceral fat: comparison between magnetic resonance imaging and anthropometry. <i>British Journal of Nutrition</i> , 1993, 70, 47-58.	2.3	149
344	Waist-hip ratio is a poor predictor of changes in visceral fat. <i>American Journal of Clinical Nutrition</i> , 1993, 57, 327-333.	4.7	144
345	Visceral fat accumulation measured by magnetic resonance imaging in relation to serum lipids in obese men and women. <i>Atherosclerosis</i> , 1992, 94, 171-181.	0.8	66
346	Obesity and subcutaneous fat patterning in relation to breast cancer in postmenopausal women participating in the diagnostic investigation of mammary cancer project. <i>Cancer</i> , 1992, 69, 2663-2667.	4.1	25
347	Body fat distribution in relation to serum lipids and blood pressure in 38-year-old European men: the European fat distribution study. <i>Atherosclerosis</i> , 1991, 86, 251-260.	0.8	76
348	Fasting serum insulin in relation to fat distribution, serum lipid profile, and blood pressure in European women: The European fat distribution study. <i>Metabolism: Clinical and Experimental</i> , 1991, 40, 781-787.	3.4	36
349	Fat distribution and gender differences in serum lipids in men and women from four European communities. <i>Atherosclerosis</i> , 1991, 87, 203-210.	0.8	77
350	Body Fat Distribution in Relation to Physical Activity and Smoking Habits in 38-year-old European Men. <i>American Journal of Epidemiology</i> , 1991, 133, 257-265.	3.4	151
351	Polyunsaturated Fatty Acids in Adipose Tissue in European Men Aged 38 Years in Relation to Serum Lipids, Smoking Habits, and Fat Distribution. <i>American Journal of Epidemiology</i> , 1991, 134, 583-589.	3.4	28
352	Body mass index as a measure of body fatness: age- and sex-specific prediction formulas. <i>British Journal of Nutrition</i> , 1991, 65, 105-114.	2.3	1,011
353	Fat Distribution in European Women: A Comparison of Anthropometric Measurements in Relation to Cardiovascular Risk Factors. <i>International Journal of Epidemiology</i> , 1990, 19, 303-308.	1.9	94
354	The Relationship between Fat Distribution and Some Chronic Diseases in 11 825 Women Participating in the DOM-Project. <i>International Journal of Epidemiology</i> , 1990, 19, 564-570.	1.9	27
355	Androgenicity in relation to body fat distribution and metabolism in 38-year-old women—the European fat distribution study. <i>Journal of Clinical Epidemiology</i> , 1990, 43, 21-34.	5.0	58
356	Visceral fat accumulation in men is positively associated with insulin, glucose, and C-peptide levels, but negatively with testosterone levels. <i>Metabolism: Clinical and Experimental</i> , 1990, 39, 897-901.	3.4	544
357	Prevalence of Obesity in Europe ¹ . <i>Forum of Nutrition</i> , 1989, 44, 1-7.	3.7	5
358	INDICATORS OF FAT DISTRIBUTION, SERUM LIPIDS, AND BLOOD PRESSURE IN EUROPEAN WOMEN BORN IN 1948—THE EUROPEAN FAT DISTRIBUTION STUDY. <i>American Journal of Epidemiology</i> , 1989, 130, 53-65.	3.4	85
359	Obesity, adipose tissue distribution and health in men—the study of men born in 1913. <i>Appetite</i> , 1989, 13, 37-44.	3.7	108
360	Assessment of intra-abdominal and subcutaneous abdominal fat: relation between anthropometry and computed tomography. <i>American Journal of Clinical Nutrition</i> , 1987, 45, 7-13.	4.7	295

#	ARTICLE	IF	CITATIONS
361	Overweight and chronic illness—A retrospective cohort study, with a follow-up of 6–17 years, in men and women of initially 20–50 years of age. <i>Journal of Chronic Diseases</i> , 1986, 39, 585-593.	1.2	41
362	The Epidemiology of Obesity. , 0, , 23-29.		8