

# Joseph Chilcot

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/682871/publications.pdf>

Version: 2024-02-01

129  
papers

3,710  
citations

109321

35  
h-index

168389

53  
g-index

130  
all docs

130  
docs citations

130  
times ranked

3891  
citing authors

#	ARTICLE	IF	CITATIONS
1	Experiences of successful physical activity maintenance among adults with type 2 diabetes: a theory-based qualitative study. <i>Psychology and Health</i> , 2024, 39, 399-416.	2.2	1
2	Easier, but not easy: Testing a grounded theory of breastfeeding experiences among women with larger birthweight infants. <i>Psychology and Health</i> , 2023, 38, 167-189.	2.2	3
3	Distinct Illness Representation Profiles Are Associated With Anxiety in Women Testing Positive for Human Papillomavirus. <i>Annals of Behavioral Medicine</i> , 2022, 56, 78-88.	2.9	7
4	Experiences of Perinatal Mental Health Care among Minority Ethnic Women during the COVID-19 Pandemic in London: A Qualitative Study. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 1975.	2.6	19
5	The rapid development of a novel kidney-specific digital intervention for self-management of physical activity and emotional well-being during the COVID-19 pandemic and beyond: Kidney Beam. <i>CKJ: Clinical Kidney Journal</i> , 2022, 15, 571-573.	2.9	14
6	Chronic Kidney Disease and Severe Mental Illness. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2022, 17, 1413-1417.	4.5	11
7	Experiences of a cognitive behavioural therapy (CBT) intervention for fatigue in patients receiving haemodialysis. <i>Journal of Renal Care</i> , 2022, , .	1.2	1
8	Exclusive Breastfeeding Duration and Perceptions of Infant Sleep: The Mediating Role of Postpartum Anxiety. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 4494.	2.6	3
9	The Postpartum Specific Anxiety Scale: Confirmatory factor analyses and relationships with birth experience. <i>Archives of Women's Mental Health</i> , 2022, 25, 655-665.	2.6	3
10	A qualitative study of minority ethnic women's experiences of access to and engagement with perinatal mental health care. <i>BMC Pregnancy and Childbirth</i> , 2022, 22, 421.	2.4	14
11	Targeted Non-Pharmacological Interventions for People Living with Frailty and Chronic Kidney Disease. <i>Kidney and Dialysis</i> , 2022, 2, 245-261.	1.0	6
12	The Feasibility and User-Experience of a Digital Health Intervention Designed to Prevent Weight Gain in New Kidney Transplant Recipients – The ExeRTiOn2 Trial. <i>Frontiers in Nutrition</i> , 2022, 9, .	3.7	3
13	Challenges and Opportunities in the Supply of Living Kidney Donation in the UK National Health Service: An Economic Perspective. <i>Transplantation</i> , 2022, 106, 2137-2142.	1.0	1
14	Indicators of "good" feeding, breastfeeding latch, and feeding experiences among healthy women with healthy infants: A qualitative pathway analysis using Grounded Theory. <i>Women and Birth</i> , 2021, 34, e357-e367.	2.0	11
15	Usability and experience testing to refine an online intervention to prevent weight gain in new kidney transplant recipients. <i>British Journal of Health Psychology</i> , 2021, 26, 232-255.	3.5	10
16	Feasibility Trial of Cognitive Behavioral Therapy for Fatigue in Hemodialysis (BReF Intervention). <i>Journal of Pain and Symptom Management</i> , 2021, 61, 1234-1246.e5.	1.2	12
17	Psychological Distress in Women Living with Polycystic Ovary Syndrome: The Role of Illness Perceptions. <i>Women's Health Issues</i> , 2021, 31, 177-184.	2.0	14
18	Addressing inequities in maternal health among women living in communities of social disadvantage and ethnic diversity. <i>BMC Public Health</i> , 2021, 21, 176.	2.9	36

#	ARTICLE	IF	CITATIONS
19	â€œItâ€™s like a bus, going downhill, without a driverâ€. A qualitative study of how postpartum haemorrhage is experienced by women, their birth partners, and healthcare professionals. <i>Women and Birth</i> , 2021, 34, e599-e607.	2.0	9
20	Experiences of completed and withdrawn unspecified kidney donor candidates in the United Kingdom: An inductive thematic analysis from the BOUnD study. <i>British Journal of Health Psychology</i> , 2021, 26, 958-976.	3.5	8
21	Maternal-infant bonding and perceptions of infant temperament: The mediating role of maternal mental health. <i>Journal of Affective Disorders</i> , 2021, 282, 1323-1329.	4.1	24
22	The impact of COVID-19 on health behaviour, well-being, and long-term physical health. <i>British Journal of Health Psychology</i> , 2021, 26, 259-270.	3.5	28
23	Feasibility randomized-controlled trial of online acceptance and commitment therapy for painful peripheral neuropathy in people living with HIV: The OPEN study. <i>European Journal of Pain</i> , 2021, 25, 1493-1507.	2.8	14
24	Experiences of maternity care among women at increased risk of preterm birth receiving midwifery continuity of care compared to women receiving standard care: Results from the POPPIE pilot trial. <i>PLoS ONE</i> , 2021, 16, e0248588.	2.5	11
25	Psychosocial experiences of postnatal women during the COVID-19 pandemic. A UK-wide study of prevalence rates and risk factors for clinically relevant depression and anxiety. <i>Journal of Psychiatric Research</i> , 2021, 136, 157-166.	3.1	99
26	Illness Perceptions in Hypertrophic Cardiomyopathy (HCM) Patients and Their Association With Heart-Focussed Anxiety. <i>Heart Lung and Circulation</i> , 2021, 30, 496-506.	0.4	3
27	Illness perceptions predict distress in patients with chronic kidney disease. <i>BMC Psychology</i> , 2021, 9, 75.	2.1	6
28	Infant feeding practices among macrosomic infants: A prospective cohort study. <i>Maternal and Child Nutrition</i> , 2021, 17, e13222.	3.0	3
29	Is cognitive behaviour therapy an effective option for women who have troublesome menopausal symptoms?. <i>British Journal of Health Psychology</i> , 2021, 26, 697-708.	3.5	5
30	Postpartum womenâ€™s psychological experiences during the COVID-19 pandemic: a modified recurrent cross-sectional thematic analysis. <i>BMC Pregnancy and Childbirth</i> , 2021, 21, 625.	2.4	37
31	Women's experiences of maternity service reconfiguration during the COVID-19 pandemic: A qualitative investigation. <i>Midwifery</i> , 2021, 102, 103116.	2.3	50
32	Adherence and illness perceptions in patients with CKD and ESRD. , 2021, , 297-309.		0
33	Pills and prayers: a comparative qualitative study of community conceptualisations of pre-eclampsia and pluralistic care in Ethiopia, Haiti and Zimbabwe. <i>BMC Pregnancy and Childbirth</i> , 2021, 21, 716.	2.4	5
34	Project20: interpreter services for pregnant women with social risk factors in England: what works, for whom, in what circumstances, and how?. <i>International Journal for Equity in Health</i> , 2021, 20, 233.	3.5	16
35	Do Exercise, Physical Activity, Dietetic, or Combined Interventions Improve Body Weight in New Kidney Transplant Recipients? A Narrative Systematic Review and Meta-Analysis. <i>Kidney and Dialysis</i> , 2021, 1, 100-120.	1.0	3
36	The Beliefs About Breastfeeding Questionnaire (BABâ€™Q): A psychometric validation study. <i>British Journal of Health Psychology</i> , 2021, 26, 482-504.	3.5	4

#	ARTICLE	IF	CITATIONS
37	Preliminary findings on the experiences of care for parents who suffered perinatal bereavement during the COVID-19 pandemic. <i>BMC Pregnancy and Childbirth</i> , 2021, 21, 840.	2.4	20
38	Effectiveness of social-psychological interventions at promoting breastfeeding initiation, duration and exclusivity: a systematic review and meta-analysis. <i>Health Psychology Review</i> , 2020, 14, 449-485.	8.6	11
39	A prospective study of fatigue trajectories among in-centre haemodialysis patients. <i>British Journal of Health Psychology</i> , 2020, 25, 61-88.	3.5	11
40	Self-reported antidepressant use in haemodialysis patients is associated with increased mortality independent of concurrent depression severity. <i>CKJ: Clinical Kidney Journal</i> , 2020, 13, 1109-1110.	2.9	2
41	Psychological flexibility, self-compassion and daily functioning in chronic pain. <i>Journal of Contextual Behavioral Science</i> , 2020, 17, 79-85.	2.6	18
42	Donating a Kidney to a Stranger. <i>Annals of Surgery</i> , 2020, 272, 45-47.	4.2	5
43	Loneliness and type 2 diabetes incidence: findings from the English Longitudinal Study of Ageing. <i>Diabetologia</i> , 2020, 63, 2329-2338.	6.3	49
44	Illness perceptions predict mortality in patients with predialysis chronic kidney disease: a prospective observational study. <i>BMC Nephrology</i> , 2020, 21, 537.	1.8	6
45	The vital role of health psychology in the response to COVID-19. <i>British Journal of Health Psychology</i> , 2020, 25, 831-838.	3.5	7
46	Health psychology and the coronavirus (COVID-19) global pandemic: A call for research. <i>British Journal of Health Psychology</i> , 2020, 25, 231-232.	3.5	78
47	Project 20: Midwives' insight into continuity of care models for women with social risk factors: what works, for whom, in what circumstances, and how. <i>Midwifery</i> , 2020, 84, 102654.	2.3	29
48	Distinct Distress Symptom Trajectories Over 3 Years Are Associated With Baseline Illness Perceptions in Individuals With Coronary Heart Disease. <i>Annals of Behavioral Medicine</i> , 2020, 54, 374-379.	2.9	5
49	Antidepressant Usage in Haemodialysis Patients: Evidence of Sub-Optimal Practice Patterns. <i>Journal of Renal Care</i> , 2020, 46, 124-132.	1.2	10
50	Midwifery continuity of care versus standard maternity care for women at increased risk of preterm birth: A hybrid implementation effectiveness, randomised controlled pilot trial in the UK. <i>PLoS Medicine</i> , 2020, 17, e1003350.	8.4	25
51	Fatigue in Prevalent Haemodialysis Patients Predicts All-cause Mortality and Kidney Transplantation. <i>Annals of Behavioral Medicine</i> , 2019, 53, 501-514.	2.9	18
52	Enhancing the quality and transparency of qualitative research methods in health psychology. <i>British Journal of Health Psychology</i> , 2019, 24, 739-745.	3.5	21
53	Re: Bakum et al. "Effects of psychological stress on proteinuria in childhood steroid-sensitive nephrotic syndrome". <i>Journal of Psychosomatic Research</i> , 2019, 121, 3-5.	2.6	1
54	The Case for Selective Withdrawal of Antidepressants in Patients with Advanced Kidney Disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2019, 30, 1339-1340.	6.1	9

#	ARTICLE	IF	CITATIONS
55	To what extent does maternal body mass index predict intentions, attitudes, or practices of early infant feeding?. <i>Maternal and Child Nutrition</i> , 2019, 15, e12837.	3.0	8
56	Do cognitive heuristics underpin symptom appraisal for symptoms of cancer?: A secondary qualitative analysis across seven cancers. <i>Psycho-Oncology</i> , 2019, 28, 1041-1047.	2.3	16
57	Comparison of characteristics of centers practicing incremental vs. conventional approaches to hemodialysis delivery â€“ postdialysis recovery time and patient survival. <i>Hemodialysis International</i> , 2019, 23, 288-296.	0.9	12
58	Is successful treatment of depression in dialysis patients an achievable goal?. <i>Seminars in Dialysis</i> , 2019, 32, 210-214.	1.3	6
59	Postdialysis recovery time is extended in patients with greater self-reported depression screening questionnaire scores. <i>Hemodialysis International</i> , 2018, 22, 369-376.	0.9	23
60	Positive and negative affect mediate the bidirectional relationship between emotional processing and symptom severity and impact in irritable bowel syndrome. <i>Journal of Psychosomatic Research</i> , 2018, 105, 1-13.	2.6	15
61	â€“It's when you're not doing too much you feel tiredâ€™: A qualitative exploration of fatigue in end-stage kidney disease. <i>British Journal of Health Psychology</i> , 2018, 23, 311-333.	3.5	21
62	Doctor-patient relationship and quality of life in Irritable Bowel Syndrome: an exploratory study of the potential mediating role of illness perceptions and acceptance. <i>Psychology, Health and Medicine</i> , 2018, 23, 674-684.	2.4	18
63	Measuring milk: A call for change in quantifying breastfeeding behaviour. <i>Midwifery</i> , 2018, 63, A6-A7.	2.3	3
64	<sc>BJHP</sc> â€“ Continuing to increase the profile of health psychology research. <i>British Journal of Health Psychology</i> , 2018, 23, 1-2.	3.5	0
65	A pilot randomised test of a self-affirmation implementation intention intervention to reduce dietary salt intake. <i>Journal of Health Psychology</i> , 2018, 23, 765-775.	2.3	2
66	Brief report: Self-compassion, physical health and the mediating role of health-promoting behaviours. <i>Journal of Health Psychology</i> , 2018, 23, 993-999.	2.3	79
67	Exploring the nature of illness perceptions in people with end-stage kidney disease. <i>Journal of Renal Care</i> , 2018, 44, 19-29.	1.2	12
68	Screening for psychological distress using the Patient Health Questionnaire Anxiety and Depression Scale (PHQ-ADS): Initial validation of structural validity in dialysis patients. <i>General Hospital Psychiatry</i> , 2018, 50, 15-19.	2.4	39
69	Depression Symptoms in Haemodialysis Patients Predict All-Cause Mortality but Not Kidney Transplantation: A Cause-Specific Outcome Analysis. <i>Annals of Behavioral Medicine</i> , 2018, 52, 1-8.	2.9	37
70	Exploring the relationship between illness perceptions and depression in patients with chronic kidney disease: A systematic literature review. <i>Journal of Renal Care</i> , 2018, 44, 174-185.	1.2	12
71	Self-reported depression symptoms in haemodialysis patients: Bi-factor structures of two common measures and their association with clinical factors. <i>General Hospital Psychiatry</i> , 2018, 54, 31-36.	2.4	11
72	Cognitive-behavioural therapy (CBT) for renal fatigue (BReF): a feasibility randomised-controlled trial of CBT for the management of fatigue in haemodialysis (HD) patients. <i>BMJ Open</i> , 2018, 8, e020842.	1.9	16

#	ARTICLE	IF	CITATIONS
73	The role of psychological factors in fatigue among end-stage kidney disease patients: a critical review. CKJ: Clinical Kidney Journal, 2017, 10, sfw113.	2.9	38
74	A pilot study examining the effects of priming headache illness schema on attentional engagement towards pain relief medication, in those with high and low medication treatment beliefs. Psychology, Health and Medicine, 2017, 22, 808-813.	2.4	3
75	Sertraline Versus Placebo in Patients with Major Depressive Disorder Undergoing Hemodialysis: A Randomized, Controlled Feasibility Trial. Clinical Journal of the American Society of Nephrology: CJASN, 2017, 12, 280-286.	4.5	62
76	Examining the efficacy of social-psychological interventions for the management of fatigue in end-stage kidney disease (ESKD): a systematic review with meta-analysis. Health Psychology Review, 2017, 11, 197-216.	8.6	20
77	The role of psychological flexibility in migraine headache impact and depression. Journal of Contextual Behavioral Science, 2017, 6, 239-243.	2.6	20
78	Measuring Fatigue Using the Multidimensional Fatigue Inventory-20: A Questionable Factor Structure in Haemodialysis Patients. Nephron, 2017, 136, 121-126.	1.8	14
79	Psychosocial wellbeing after living kidney donation - a longitudinal, prospective study. Transplant International, 2017, 30, 987-1001.	1.6	34
80	The journey between brain and gut: A systematic review of psychological mechanisms of treatment effect in irritable bowel syndrome. British Journal of Health Psychology, 2017, 22, 701-736.	3.5	44
81	The experience of pain severity and pain interference in vulvodinia patients: The role of cognitive-behavioural factors, psychological distress and fatigue. Journal of Psychosomatic Research, 2017, 93, 83-89.	2.6	41
82	Tailored online cognitive behavioural therapy with or without therapist support calls to target psychological distress in adults receiving haemodialysis: A feasibility randomised controlled trial. Journal of Psychosomatic Research, 2017, 102, 61-70.	2.6	73
83	Understanding barriers and outcomes of unspecified (non-directed altruistic) kidney donation from both professional's and patient's perspectives: research protocol for a national multicentre mixed-methods prospective cohort study. BMJ Open, 2017, 7, e015971.	1.9	14
84	C reactive protein and depressive symptoms in hemodialysis patients: A questionable association. Hemodialysis International, 2017, 21, 542-548.	0.9	4
85	Health-related quality of life trajectories during predialysis care and associated illness perceptions.. Health Psychology, 2017, 36, 1083-1091.	1.6	22
86	Improving distress in dialysis (iDiD): a feasibility two-arm parallel randomised controlled trial of an online cognitive behavioural therapy intervention with and without therapist-led telephone support for psychological distress in patients undergoing haemodialysis. BMJ Open, 2016, 6, e011286.	1.9	72
87	Measuring fatigue in haemodialysis patients: The factor structure of the Chalder Fatigue Questionnaire (CFQ). Journal of Psychosomatic Research, 2016, 84, 81-83.	2.6	22
88	Improving Distress in Dialysis (iDiD): A tailored CBT self-management treatment for patients undergoing dialysis. Journal of Renal Care, 2016, 42, 223-238.	1.2	67
89	Patient's perceptions of chronic kidney disease and their association with psychosocial and clinical outcomes: a narrative review. CKJ: Clinical Kidney Journal, 2016, 9, 494-502.	2.9	57
90	Psychosocial and Clinical Correlates of Fatigue in Haemodialysis Patients: the Importance of Patients' Illness Cognitions and Behaviours. International Journal of Behavioral Medicine, 2016, 23, 271-281.	1.7	37

#	ARTICLE	IF	CITATIONS
91	Evidence of improved fluid management in patients receiving haemodialysis following a self-affirmation theory-based intervention: A randomised controlled trial. <i>Psychology and Health</i> , 2016, 31, 100-114.	2.2	28
92	The Chalder Fatigue Questionnaire is a valid and reliable measure of perceived fatigue severity in multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2016, 22, 677-684.	3.0	42
93	Illness Perceptions in Patients on Predialysis Care. <i>Psychosomatic Medicine</i> , 2015, 77, 946-954.	2.0	16
94	A study of sertraline in dialysis (ASSertID): a protocol for a pilot randomised controlled trial of drug treatment for depression in patients undergoing haemodialysis. <i>BMC Nephrology</i> , 2015, 16, 172.	1.8	16
95	Psychological Distress in Physical Long-Term Conditions. , 2015, , 227-234.		2
96	Medication beliefs are associated with phosphate binder non-adherence in hyperphosphatemic haemodialysis patients. <i>British Journal of Health Psychology</i> , 2015, 20, 563-578.	3.5	30
97	Illness Perception Profiles and Their Association with 10-Year Survival Following Cardiac Valve Replacement. <i>Annals of Behavioral Medicine</i> , 2015, 49, 769-775.	2.9	18
98	Stress predicts the trajectory of wound healing in living kidney donors as measured by high-resolution ultrasound. <i>Brain, Behavior, and Immunity</i> , 2015, 43, 19-26.	4.1	26
99	Further development in the assessment of psychological flexibility: A shortened <sc>C</sc>ommitted <sc>A</sc>ction <sc>Q</sc>uestionnaire (<sc>CAQ</sc>â€¸). <i>European Journal of Pain</i> , 2015, 19, 677-685.	2.8	98
100	A Confirmatory Factor Analysis and Validation of the Vulnerable Attachment Style Questionnaire. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2015, 37, 153-163.	1.2	7
101	Negative and positive illness representations of rheumatoid arthritis: a latent profile analysis. <i>Journal of Behavioral Medicine</i> , 2014, 37, 524-32.	2.1	25
102	Nonadherence in Dialysis Patients: Prevalence, Measurement, Outcome, and Psychological Determinants. <i>Seminars in Dialysis</i> , 2014, 27, 42-49.	1.3	92
103	Cognitive-behavior therapy for menopausal symptoms (hot flashes and night sweats). <i>Menopause</i> , 2014, 21, 574-578.	2.0	40
104	Depression and Kidney Transplantation. <i>Transplantation</i> , 2014, 97, 717-721.	1.0	92
105	Motivations, Outcomes, and Characteristics of Unspecified (Nondirected Altruistic) Kidney Donors in the United Kingdom. <i>Transplantation</i> , 2014, 98, 1182-1189.	1.0	60
106	Evidence That Self-Affirmation Improves Phosphate Control in Hemodialysis Patients: A Pilot Cluster Randomized Controlled Trial. <i>Annals of Behavioral Medicine</i> , 2014, 48, 275-281.	2.9	35
107	Decentering, rumination, cognitive defusion, and psychological flexibility in people with chronic pain. <i>Journal of Behavioral Medicine</i> , 2014, 37, 1215-1225.	2.1	82
108	Fatigue in advanced kidney disease. <i>Kidney International</i> , 2014, 86, 497-505.	5.2	140

#	ARTICLE	IF	CITATIONS
109	Cognitive behaviour therapy for menopausal symptoms following breast cancer treatment: Who benefits and how does it work?. <i>Maturitas</i> , 2014, 78, 56-61.	2.4	40
110	Testing a cognitive model of menopausal hot flushes and night sweats. <i>Journal of Psychosomatic Research</i> , 2013, 74, 307-312.	2.6	55
111	Changes in illness-related cognitions rather than distress mediate improvements in irritable bowel syndrome (IBS) symptoms and disability following a brief cognitive behavioural therapy intervention. <i>Behaviour Research and Therapy</i> , 2013, 51, 690-695.	3.1	123
112	Distinct Depression Symptom Trajectories over the First Year of Dialysis: Associations with Illness Perceptions. <i>Annals of Behavioral Medicine</i> , 2013, 45, 78-88.	2.9	42
113	The factor structure of the PHQ-9 in palliative care. <i>Journal of Psychosomatic Research</i> , 2013, 75, 60-64.	2.6	75
114	Illness perceptions account for variation in positive outlook as well as psychological distress in Rheumatoid Arthritis. <i>Psychology, Health and Medicine</i> , 2012, 17, 427-439.	2.4	20
115	The factor structure of the revised illness perception questionnaire (IPQ-R) in end-stage renal disease patients. <i>Psychology, Health and Medicine</i> , 2012, 17, 578-588.	2.4	29
116	The Importance of Illness Perception in End-Stage Renal Disease: Associations with Psychosocial and Clinical Outcomes. <i>Seminars in Dialysis</i> , 2012, 25, 59-64.	1.3	47
117	An association between depressive symptoms and survival in incident dialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 1628-1634.	0.7	98
118	A confirmatory factor analysis of the beck depression inventory-II in end-stage renal disease patients. <i>Journal of Psychosomatic Research</i> , 2011, 71, 148-153.	2.6	40
119	Illness representations and concurrent depression symptoms in haemodialysis patients. <i>Journal of Health Psychology</i> , 2011, 16, 1127-1137.	2.3	33
120	Still Sad after Successful Renal Transplantation: Are We Failing to Recognise Depression? An Audit of Depression Screening in Renal Graft Recipients. <i>Nephron Clinical Practice</i> , 2011, 117, c106-c112.	2.3	19
121	Choosing Not to Take Phosphate Binders: The Role of Dialysis Patients'™ Medication Beliefs. <i>Nephron Clinical Practice</i> , 2011, 119, 205-213.	2.3	34
122	Illness Perceptions Predict Survival in Haemodialysis Patients. <i>American Journal of Nephrology</i> , 2011, 33, 358-363.	3.1	51
123	Identifying Depression in South Asian Patients with End-Stage Renal Disease: Considerations for Practice. <i>Nephron Extra</i> , 2011, 1, 262-271.	1.1	8
124	Depression in End-Stage Renal Disease: Current Advances and Research. <i>Seminars in Dialysis</i> , 2010, 23, 74-82.	1.3	54
125	Illness representations are associated with fluid nonadherence among hemodialysis patients. <i>Journal of Psychosomatic Research</i> , 2010, 68, 203-212.	2.6	71
126	An Association between Residual Renal Function and Depression Symptoms in Haemodialysis Patients. <i>Nephron Clinical Practice</i> , 2009, 113, c117-c124.	2.3	15



#	ARTICLE	IF	CITATIONS
127	Depression on Dialysis. Nephron Clinical Practice, 2008, 108, c256-c264.	2.3	148
128	Screening for depression while patients dialyse: an evaluation. Nephrology Dialysis Transplantation, 2008, 23, 2653-2659.	0.7	66
129	Depression and clinical outcomes in CKD: do anti-depressants play a role? (EQUAL STUDY). CKJ: Clinical Kidney Journal, 0, , .	2.9	0