

Andrew G Ivanov

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6831417/publications.pdf>

Version: 2024-02-01

1,051
papers

59,455
citations

1536
106
h-index

2629
194
g-index

1058
all docs

1058
docs citations

1058
times ranked

13764
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1. | 4.7 | 6 |
| 2 | Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1. | 4.7 | 5 |
| 3 | Search for long-lived particles decaying to leptons with large impact parameter in proton+proton collisions at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2022, 82, 153. | 3.9 | 14 |
| 4 | Study of dijet events with large rapidity separation in proton-proton collisions at $\sqrt{s} = 2.76$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1. | 4.7 | 1 |
| 5 | High-precision measurement of the $\langle i \rangle W \langle /i \rangle$ boson mass with the CDF II detector. <i>Science</i> , 2022, 376, 170-176. | 12.6 | 336 |
| 6 | Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton+proton collisions at $\sqrt{s}=13$ TeV. <i>European Physical Journal C</i> , 2022, 82, 290. | 3.9 | 18 |
| 7 | Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1. | 4.7 | 13 |
| 8 | Search for long-lived particles decaying into muon pairs in proton-proton collisions at $\sqrt{s} = 13$ TeV collected with a dedicated high-rate data stream. <i>Journal of High Energy Physics</i> , 2022, 2022, . | 4.7 | 5 |
| 9 | Search for a right-handed W boson and a heavy neutrino in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1. | 4.7 | 12 |
| 10 | Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1. | 4.7 | 2 |
| 11 | Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1. | 4.7 | 6 |
| 12 | Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1. | 4.7 | 5 |
| 13 | Search for electroweak production of charginos and neutralinos in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1. | 4.7 | 5 |
| 14 | Measurement of the inclusive $t\bar{t}$ production cross section in proton-proton collisions at $\sqrt{s} = 5.02$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1. | 4.7 | 2 |
| 15 | Search for heavy resonances decaying to a pair of Lorentz-boosted Higgs bosons in final states with leptons and a bottom quark pair at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, . | 4.7 | 2 |
| 16 | Search for higgsinos decaying to two Higgs bosons and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, . | 4.7 | 4 |
| 17 | Observation of $B\rightarrow D^+\pi^+$ and $B\rightarrow D_s^+\pi^+$ decays. <i>European Physical Journal C</i> , 2022, 82, . | 3.9 | 1 |
| 18 | Search for dark matter produced in association with a leptonically decaying Z boson in proton+proton collisions at $\sqrt{s}=13$ TeV. <i>European Physical Journal C</i> , 2021, 81, 13. | 3.9 | 33 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Search for top squark pair production using dilepton final states in $\text{ext}\{\text{p}\}\}\{\text{ext}\{\text{p}\}\}$ collision data collected at $\sqrt{s} = 13\text{TeV}$. European Physical Journal C, 2021, 81, 3. | 3.9 | 33 |
| 20 | Measurements of $\text{mathrm}\{p\}$ $\rightarrow \text{mathrm}\{Z\}$ $\text{mathrm}\{Z\}$ production cross sections and constraints on anomalous triple gauge couplings at $\sqrt{s} = 13\text{TeV}$. European Physical Journal C, 2021, 81, 200. | 3.9 | 24 |
| 21 | Development and validation of HERWIG $\hat{\gamma}$ 7 tunes from CMS underlying-event measurements. European Physical Journal C, 2021, 81, 312. | 3.9 | 12 |
| 22 | Measurement of the Higgs boson production rate in association with top quarks in final states with electrons, muons, and hadronically decaying tau leptons at $\sqrt{s} = 13\text{TeV}$. European Physical Journal C, 2021, 81, 378. | 3.9 | 40 |
| 23 | Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$. European Physical Journal C, 2021, 81, 488. | 3.9 | 35 |
| 24 | Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at $\sqrt{s} = 13\text{TeV}$. Journal of High Energy Physics, 2021, 2021, 1. | 4.7 | 27 |
| 25 | MUSiC: a model-unspecific search for new physics in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$. European Physical Journal C, 2021, 81, 629. | 3.9 | 18 |
| 26 | Search for a heavy vector resonance decaying to a Z -boson and a Higgs boson in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$. European Physical Journal C, 2021, 81, 688. | 3.9 | 9 |
| 27 | Search for charged Higgs bosons produced in vector boson fusion processes and decaying into vector boson pairs in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$. European Physical Journal C, 2021, 81, 723. | 3.9 | 19 |
| 28 | Measurements of angular distance and momentum ratio distributions in three-jet and two-jet final states in proton-proton collisions. European Physical Journal C, 2021, 81, 852. | 3.9 | 2 |
| 29 | Precision luminosity measurement in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ in 2015 and 2016 at CMS. European Physical Journal C, 2021, 81, 800. | 3.9 | 123 |
| 30 | Combined searches for the production of supersymmetric top quark partners in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$. European Physical Journal C, 2021, 81, 970. | 3.9 | 18 |
| 31 | Measurement of the charge asymmetry of electrons from the decays of W bosons produced in pp $\hat{\gamma}$ collisions at $s=1.96\text{TeV}$. Physical Review D, 2021, 104, . | 4.7 | 1 |
| 32 | A Deep Neural Network for Simultaneous Estimation of b Jet Energy and Resolution. Computing and Software for Big Science, 2020, 4, 10. | 2.9 | 21 |
| 33 | Performance of the reconstruction and identification of high-momentum muons in proton-proton collisions at $s=13\text{TeV}$. Journal of Instrumentation, 2020, 15, P02027-P02027. | 1.2 | 27 |
| 34 | Calibration of the CMS hadron calorimeters using proton-proton collision data at $\sqrt{s} = 13\text{TeV}$. Journal of Instrumentation, 2020, 15, P05002-P05002. | 1.2 | 3 |
| 35 | Study of central exclusive "Equation missing" production in proton-proton collisions at $\sqrt{s} = 5.02\text{TeV}$ and 13TeV . European Physical Journal C, 2020, 80, 718. | 3.9 | 7 |
| 36 | Search for physics beyond the standard model in events with jets and two same-sign or at least three charged leptons in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$. European Physical Journal C, 2020, 80, 752. | 3.9 | 23 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Performance of the CMS Level-1 trigger in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of Instrumentation</i> , 2020, 15, P10017-P10017. | 1.2 | 84 |
| 38 | Search for direct top squark pair production in events with one lepton, jets, and missing transverse momentum at 13 TeV with the CMS experiment. <i>Journal of High Energy Physics</i> , 2020, 2020, 1. | 4.7 | 21 |
| 39 | Measurement of top quark pair production in association with a Z boson in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2020, 2020, 1. | 4.7 | 20 |
| 40 | Search for direct pair production of supersymmetric partners to the τ^{\pm} lepton in proton-proton collisions at $\sqrt{s}=13\text{TeV}$. <i>European Physical Journal C</i> , 2020, 80, 189. | 3.9 | 22 |
| 41 | Mixed higher-order anisotropic flow and nonlinear response coefficients of charged particles in PbPb collisions at $\sqrt{s} = 2.76 \text{ TeV}$ and 5.02 TeV . <i>European Physical Journal C</i> , 2020, 80, 534. | 3.9 | 14 |
| 42 | Measurement of electroweak production of a W boson in association with two jets in proton-proton collisions at $\sqrt{s}=13\text{TeV}$. <i>European Physical Journal C</i> , 2020, 80, 43. | 3.9 | 11 |
| 43 | Evidence for WW production from double-parton interactions in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2020, 80, 1. | 3.9 | 10 |
| 44 | Search for production of four top quarks in final states with same-sign or multiple leptons in proton-proton collisions at $\sqrt{s}=13\text{TeV}$. <i>European Physical Journal C</i> , 2020, 80, 75. | 3.9 | 78 |
| 45 | Searches for physics beyond the standard model with the M_{T2} variable in hadronic final states with and without disappearing tracks in proton-proton collisions at $\sqrt{s}=13\text{TeV}$. <i>European Physical Journal C</i> , 2020, 80, 3. | 3.9 | 70 |
| 46 | Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. <i>European Physical Journal C</i> , 2020, 80, 4. | 3.9 | 198 |
| 47 | Search for dark matter particles produced in association with a Higgs boson in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2020, 2020, 1. | 4.7 | 14 |
| 48 | A multi-dimensional search for new heavy resonances decaying to boosted W boson pairs in the dijet final state at 13 TeV . <i>European Physical Journal C</i> , 2020, 80, 237. | 3.9 | 31 |
| 49 | Measurement of single-diffractive dijet production in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the CMS and TOTEM experiments. <i>European Physical Journal C</i> , 2020, 80, 1164. | 3.9 | 5 |
| 50 | Measurement of differential cross sections and charge ratios for t-channel single top quark production in proton-proton collisions at $\sqrt{s}=13\text{TeV}$. <i>European Physical Journal C</i> , 2020, 80, 370. | 3.9 | 22 |
| 51 | Measurement of $\hat{\rho}_t$ normalised multi-differential cross sections in pp collisions at $\sqrt{s}=13\text{TeV}$, and simultaneous determination of the strong coupling strength, top quark pole mass, and parton distribution functions. <i>European Physical Journal C</i> , 2020, 80, 1. | 3.9 | 33 |
| 52 | Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2019, 2019, 1. | 4.7 | 17 |
| 53 | Search for a heavy resonance decaying to a top quark and a vector-like top quark in the lepton + jets final state in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2019, 79, 1. | 3.9 | 9 |
| 54 | Measurement of exclusive $\Lambda_c \rightarrow \Lambda \pi^+ \pi^-$ photoproduction in ultraperipheral pPb collisions at $\sqrt{s} = 5.02 \text{ TeV}$. <i>European Physical Journal C</i> , 2019, 79, 702. | 3.9 | 33 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Measurement of exclusive Pb photoproduction from protons in pPb collisions at $\sqrt{s_{\mathrm{NN}}} = 5.02 \text{ TeV}$. European Physical Journal C, 2019, 79, 277. | 3.9 | 35 |
| 56 | Search for a heavy pseudoscalar boson decaying to a Z and a Higgs boson at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2019, 79, 564. | 3.9 | 50 |
| 57 | Measurement of the top quark mass in the all-jets final state at $\sqrt{s} = 13 \text{ TeV}$ and combination with the lepton+jets channel. European Physical Journal C, 2019, 79, 313. | 3.9 | 40 |
| 58 | Azimuthal separation in nearly back-to-back jet topologies in inclusive 2- and 3-jet events in $\mathrm{p}\bar{p}$ collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2019, 79, 773. | 3.9 | 8 |
| 59 | Search for resonant production of second-generation sleptons with same-sign dimuon events in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2019, 79, 305. | 3.9 | 4 |
| 60 | Search for the pair production of light top squarks in the $e\bar{\ell}^{1/4}\ell$ final state in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1. | 4.7 | 5 |
| 61 | Combined measurements of Higgs boson couplings in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2019, 79, 421. | 3.9 | 355 |
| 62 | Search for supersymmetry in events with a photon, jets, b -jets, and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2019, 79, 444. | 3.9 | 11 |
| 63 | Measurements of the $p\bar{p} \rightarrow WZ$ inclusive and differential production cross sections and constraints on charged anomalous triple gauge couplings at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1. | 4.7 | 14 |
| 64 | Measurement of the $t\bar{t}$ production cross section, the top quark mass, and the strong coupling constant using dilepton events in $p\bar{p}$ collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2019, 79, 368. | 3.9 | 68 |
| 65 | Measurement of the energy density as a function of pseudorapidity in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2019, 79, 1. | 3.9 | 12 |
| 66 | Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2019, 79, 280. | 3.9 | 29 |
| 67 | Search for vector-like quarks in events with two oppositely charged leptons and jets in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2019, 79, 364. | 3.9 | 48 |
| 68 | Search for single production of vector-like quarks decaying to a top quark and a W boson in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2019, 79, 90. | 3.9 | 34 |
| 69 | Study of the underlying event in top quark pair production in $p\bar{p}$ collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2019, 79, 123. | 3.9 | 11 |
| 70 | Search for rare decays of Z and Higgs bosons to J/ψ and a photon in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2019, 79, 94. | 3.9 | 20 |
| 71 | Search for $t\bar{t}H$ production in the $t\bar{t}H$ decay channel with leptonic $t\bar{t}H$ decays in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1. | 4.7 | 28 |
| 72 | Search for Higgs-like particles produced in association with bottom quarks in proton-antiproton collisions. Physical Review D, 2019, 99, . | 4.7 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a W or Z boson in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2019, 2019, 1. | 4.7 | 12 |
| 74 | Measurement of differential cross sections for inclusive isolated-photon and photon+jet production in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2019, 79, 20. | 3.9 | 18 |
| 75 | Measurements of triple-differential cross sections for inclusive isolated-photon+jet events in $\sqrt{s} = 8$ TeV. <i>European Physical Journal C</i> , 2019, 79, 969. | 3.9 | 6 |
| 76 | Measurement of the differential Drell-Yan cross section in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019, 2019, 1. | 4.7 | 18 |
| 77 | Measurement of the average very forward energy as a function of the track multiplicity at central pseudorapidities in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>European Physical Journal C</i> , 2019, 79, 893. | 3.9 | 12 |
| 78 | Search for new physics in top quark production in dilepton final states in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2019, 79, 886. | 3.9 | 16 |
| 79 | Measurements of differential Z boson production cross sections in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019, 2019, 1. | 4.7 | 28 |
| 80 | Study of dijet events with a large rapidity gap between the two leading jets in pp collisions at $\sqrt{s}=7$ TeV. <i>European Physical Journal C</i> , 2018, 78, 242. | 3.9 | 10 |
| 81 | Pseudorapidity distributions of charged hadrons in proton-lead collisions at $s_{NN} = 5.02$ and 8.16 TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 8 |
| 82 | Search for resonant and nonresonant Higgs boson pair production in the $b\bar{b}\rightarrow Z^+Z^-$ final state in proton-proton collisions at $s = 13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 36 |
| 83 | Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2018, 78, 291. | 3.9 | 27 |
| 84 | Measurements of the $\mathrm{p} \rightarrow Z \rightarrow e^+e^-$ production cross section and the branching fraction, and constraints on anomalous triple gauge couplings at. <i>European Physical Journal C</i> , 2018, 78, 165. | 3.9 | 52 |
| 85 | Measurement of associated Z + charm production in proton-proton collisions at $\sqrt{s} = 8$ TeV. <i>European Physical Journal C</i> , 2018, 78, 287. | 3.9 | 16 |
| 86 | Measurement of the inclusive $t\bar{t}$ cross section in pp collisions at $\sqrt{s} = 5.02$ TeV using final states with at least one charged lepton. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 5 |
| 87 | Search for natural supersymmetry in events with top quark pairs and photons in pp collisions at $\sqrt{s} = 8$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 0 |
| 88 | Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $s = 13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 5 |
| 89 | Search for supersymmetry in events with at least three electrons or muons, jets, and missing transverse momentum in proton-proton collisions at $s = 13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 6 |
| 90 | Combined search for electroweak production of charginos and neutralinos in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 57 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 63 |
| 92 | Measurement of differential cross sections in the kinematic angular variable \tilde{t}^* for inclusive Z boson production in pp collisions at $\sqrt{s} = 8$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 4 |
| 93 | Comparing transverse momentum balance of b jet pairs in pp and PbPb collisions at $\sqrt{s_{\text{NN}}} = 5.02$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 12 |
| 94 | Measurement of normalized differential $t\bar{t}$ cross sections in the dilepton channel from pp collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 18 |
| 95 | Constraints on the double-parton scattering cross section from same-sign W boson pair production in proton-proton collisions at $s = 8$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 17 |
| 96 | Search for ZZ resonances in the $2\tilde{l}\frac{1}{2}$ final state in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 4 |
| 97 | Search for $t\bar{t}$ production in the all-jet final state in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 20 |
| 98 | Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 11 |
| 99 | Search for natural and split supersymmetry in proton-proton collisions at $\sqrt{s} = 13$ TeV in final states with jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 43 |
| 100 | Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 12 |
| 101 | xmns:mmi= http://www.w3.org/1998/Math/MathML display="inline">> <mml:mrow><mml:mi>W</mml:mi> </mml:mrow> </mml:math> -boson production in association with jets in $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 0 |
| 102 | Measurement of the top quark mass with lepton+jets final states using \mathbf{p}_T collisions at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2018, 78, 891. | 3.9 | 34 |
| 103 | Measurements of Higgs boson properties in the diphoton decay channel in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 57 |
| 104 | Search for $Z\tilde{t}^3$ resonances using leptonic and hadronic final states in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 17 |
| 105 | Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1. | 4.7 | 14 |
| 106 | Search for standard-model Z and Higgs bosons decaying into a bottom-antibottom quark pair in proton-antiproton collisions at 1.96ATeV. <i>Physical Review D</i> , 2018, 98, . | 4.7 | 1 |
| 107 | Search for third-generation scalar leptoquarks decaying to a top quark and a \tilde{l} , lepton at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2018, 78, 707. | 3.9 | 46 |
| 108 | Measurement of differential cross sections for Z boson production in association with jets in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2018, 78, 965. | 3.9 | 39 |

ARTICLE

IF CITATIONS

109 Studies of $\mathrm{B}^* \rightarrow \mathrm{B} s\bar{s}$ (5840) and $\mathrm{B}^* \rightarrow \mathrm{B} s\bar{s}$ (5840)

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Measurement of the inelastic proton-proton cross section at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 62 |
| 128 | Search for high-mass resonances in dilepton final states in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 86 |
| 129 | Search for the Exotic Meson $\langle \text{mml:math} \text{ xmlns:mml= } \text{http://www.w3.org/1998/Math/MathML} \text{ display="inline"} \rangle \langle \text{mml:mi} \rangle X \langle \text{mml:mi} \rangle \langle \text{mml:mo stretchy="false"} \rangle (\langle \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 5568 \langle \text{mml:mn} \rangle \langle \text{mml:mo} \rangle T) \text{ ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 6.87 Td (stretchy="false") }$ Letters, 2018, 120, 202005. | | |
| 130 | Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 42 |
| 131 | Jet properties in PbPb and pp collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 13 |
| 132 | Search for standard model production of four top quarks with same-sign and multilepton final states in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2018, 78, 140. | 3.9 | 44 |
| 133 | Measurement of b hadron lifetimes in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2018, 78, 457. | 3.9 | 15 |
| 134 | Measurements of the ($t\bar{t}$) production cross section and the ($Z\rightarrow 4\ell$) branching fraction, and constraints on anomalous triple gauge couplings at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2018, 78, 1. | 3 | |
| 135 | Measurement of b hadron lifetimes in pp collisions at $(\sqrt{s} = 8 \text{ TeV})$. European Physical Journal C, 2018, 78, 1. | | 1 |
| 136 | Measurements of the ($t\bar{t}$) production cross section in lepton+jets final states in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ and ratio of 8 to 7 TeV cross sections. European Physical Journal C, 2017, 77, 15. | 3.9 | 34 |
| 137 | Measurement of the ($t\bar{t}$) production cross section using events in the ($e\mu$) final state in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2017, 77, 172. | 3.9 | 40 |
| 138 | Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ and cross section ratios to 2.76 and 7 TeV . Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 54 |
| 139 | Search for electroweak production of charginos in final states with two $\tilde{\ell}$, leptons in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 11 |
| 140 | Measurement of the production cross section of a $W\bar{b}$ boson in association with two b jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2017, 77, 92. | 3.9 | 16 |
| 141 | Measurement of the WZ production cross section in pp collisions at $\sqrt{s} = 7 \text{ and } 8 \text{ TeV}$ and search for anomalous triple gauge couplings at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2017, 77, 236. | 3.9 | 37 |
| 142 | Measurement of prompt and nonprompt (J/ψ) production in pp collisions at $\sqrt{s} = 5.02 \text{ TeV}$. European Physical Journal C, 2017, 77, 269. | 3.9 | 53 |
| 143 | A search for new phenomena in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ in final states with missing transverse momentum and at least one jet using the α_T variable. European Physical Journal C, 2017, 77, 294. | 3.9 | 29 |
| 144 | Observation of the Y (4140) structure in the J/ψ mass spectrum in $B\pm\pi^+ J/\psi K\bar{\pi}^-$ decays. Modern Physics Letters A, 2017, 32, 1750139. | 1.2 | 57 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Search for new physics in the monophoton final state in proton-proton collisions at $s = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 17 |
| 146 | Measurement of double-differential cross sections for top quark pair production in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ and impact on parton distribution functions. <i>European Physical Journal C</i> , 2017, 77, 459. | 3.9 | 52 |
| 147 | Measurement of the jet mass in highly boosted $t\bar{t}$ events from pp collisions at $\sqrt{s}=8 \text{ TeV}$. <i>European Physical Journal C</i> , 2017, 77, 467. | 3.9 | 23 |
| 148 | Charged-particle nuclear modification factors in PbPb and pPb collisions at $s_N N = 5.02 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 103 |
| 149 | Search for $t t \bar{t}$ resonances in highly boosted lepton+jets and fully hadronic final states in proton-proton collisions at $s = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 22 |
| 150 | Search for associated production of dark matter with a Higgs boson decaying to $b b \bar{t}$ or $\tilde{b}\tilde{b}$ at $s = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 14 |
| 151 | Observation of $Y(1S)$ pair production in proton-proton collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 48 |
| 152 | Search for anomalous Wtb couplings and flavour-changing neutral currents in t-channel single top quark production in pp collisions at $s = 7 \text{ TeV}$ and 8 TeV . <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 35 |
| 153 | Search for single production of vector-like quarks decaying to a Z boson and a top or a bottom quark in proton-proton collisions at $s = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 13 |
| 154 | Measurement of the semileptonic $t t \bar{t}$ production cross section in pp collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 11 |
| 155 | Measurements of the $pp \bar{t}^* W\tilde{b}$ and $pp \bar{t}^* Z\tilde{b}$ cross sections and limits on anomalous quartic gauge couplings at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 10 |
| 156 | Search for new phenomena with the M_{T2} variable in the all-hadronic final state produced in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2017, 77, 710. | 3.9 | 98 |
| 157 | Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 14 |
| 158 | Search for heavy resonances decaying to tau lepton pairs in proton-proton collisions at $s = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 23 |
| 159 | Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 14 |
| 160 | Measurement of the transverse momentum spectra of weak vector bosons produced in proton-proton collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 23 |
| 161 | Suppression and azimuthal anisotropy of prompt and nonprompt J/ψ production in PbPb collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$. <i>European Physical Journal C</i> , 2017, 77, 252. | 3.9 | 82 |
| 162 | Searches for pair production of third-generation squarks in $\sqrt{s}=13 \text{ TeV}$ pp collisions. <i>European Physical Journal C</i> , 2017, 77, 327. | 3.9 | 32 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Measurement of the top quark mass using single top quark events in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2017, 77, 354. | 3.9 | 23 |
| 164 | Searches for invisible decays of the Higgs boson in pp collisions at $s = 7, 8, \text{ and } 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 95 |
| 165 | Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 22 |
| 166 | Search for dark matter produced in association with heavy-flavor quark pairs in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2017, 77, 845. | 3.9 | 38 |
| 167 | Measurement of electroweak-induced production of W^3 with two jets in pp collisions at $s = 8 \text{ TeV}$ and constraints on anomalous quartic gauge couplings. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 17 |
| 168 | Searches for W^2 bosons decaying to a top quark and a bottom quark in proton-proton collisions at 13 TeV . Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 8 |
| 169 | Measurement of the inclusive energy spectrum in the very forward direction in proton-proton collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 10 |
| 170 | Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 22 |
| 171 | Search for electroweak production of charginos and neutralinos in WH events in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 15 |
| 172 | Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 27 |
| 173 | Measurement of the inclusive-isolated prompt-photon cross section in $\text{e}^+ \text{e}^- \rightarrow \text{hadrons}$ collisions using the full CDF data set. Physical Review D, 2017, 96, . | 4.7 | 1 |
| 174 | Search for top squark pair production in pp collisions at $s = 13 \text{ TeV}$ using single lepton events. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 31 |
| 175 | Search for top quark decays via Higgs-boson-mediated flavor-changing neutral currents in pp collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 15 |
| 176 | Measurement of the $t\bar{t} \rightarrow \text{hadrons}$ production cross section using events with one lepton and at least one jet in pp collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 15 |
| 177 | Search for a heavy resonance decaying to a top quark and a vector-like top quark at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 5 |
| 178 | Measurement of the D^+ -meson production cross section at low transverse momentum in $\text{pp} \rightarrow D^+ + \text{X}$ collisions at $s = 13 \text{ TeV}$. Physical Review D, 2017, 95, . | 4.7 | 1 |
| 179 | Search for physics beyond the standard model in events with two leptons of same sign, missing transverse momentum, and jets in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2017, 77, 578. | 3.9 | 57 |
| 180 | Search for top quark partners with charge $5/3$ in proton-proton collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1. | 4.7 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 181 | Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 29 |
| 182 | Measurements of jet charge with dijet events in pp collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 17 |
| 183 | Search for associated production of a Z boson with a single top quark and for tZ flavour-changing interactions in pp collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 21 |
| 184 | Search for new physics with dijet angular distributions in proton-proton collisions at $s = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 15 |
| 185 | Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at $s = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 62 |
| 186 | Search for third-generation scalar leptoquarks and heavy right-handed neutrinos in final states with two tau leptons and two jets in proton-proton collisions at $s = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 41 |
| 187 | Search for new phenomena with multiple charged leptons in proton-proton collisions at $s = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2017, 77, 1. | 3.9 | 2 |
| 188 | Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at $s = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2017, 77, 636. | 3.9 | 38 |
| 189 | Search for high-mass Z^3 resonances in $e+e^- \bar{l}^3$ and $\bar{l}^1/\bar{l}^2 + \bar{l}^1/\bar{l}^2 \bar{l}^3$ final states in proton-proton collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 7 |
| 190 | Search for heavy neutrinos or third-generation leptoquarks in final states with two hadronically decaying \bar{l} , leptons and two jets in proton-proton collisions at $s = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 22 |
| 191 | Search for CP violation in $t\bar{t}\bar{\tau}$ production and decay in proton-proton collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 4 |
| 192 | Measurement of the triple-differential dijet cross section in proton-proton collisions at $s = 8 \text{ TeV}$ and constraints on parton distribution functions. <i>European Physical Journal C</i> , 2017, 77, 746. | 3.9 | 23 |
| 193 | Search for a light pseudoscalar Higgs boson produced in association with bottom quarks in pp collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 10 |
| 194 | Search for supersymmetry in events with at least one photon, missing transverse momentum, and large transverse event activity in proton-proton collisions at $s = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 14 |
| 195 | Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at $s = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 101 |
| 196 | Measurements of the associated production of a Z boson and b jets in pp collisions at $s = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2017, 77, 751. | 3.9 | 30 |
| 197 | Measurement of the transverse momentum spectrum of the Higgs boson produced in pp collisions at $s = 8 \text{ TeV}$ using $H \rightarrow WW$ decays. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 11 |
| 198 | Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at $s = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1. | 4.7 | 23 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 199 | Decomposing transverse momentum balance contributions for quenched jets in PbPb collisions at $s_N = 2.76 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 18 |
| 200 | Measurement of the double-differential inclusive jet cross section in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2016, 76, 451. | 3.9 | 55 |
| 201 | Measurement of the $W + W$ cross section in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ and limits on anomalous gauge couplings. European Physical Journal C, 2016, 76, 401. | 3.9 | 74 |
| 202 | Search for heavy resonances decaying to two Higgs bosons in final states containing four b quarks. European Physical Journal C, 2016, 76, 371. | 3.9 | 33 |
| 203 | Search for Higgs boson off-shell production in proton-proton collisions at 7 and 8 TeV and derivation of constraints on its total decay width. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 17 |
| 204 | Search for lepton flavour violating decays of heavy resonances and quantum black holes to an $e\mu$ pair in proton-proton collisions at $\sqrt{s}=8 \text{ TeV}$. European Physical Journal C, 2016, 76, 317. | 3.9 | 16 |
| 205 | Measurement of electroweak production of a W boson and two forward jets in proton-proton collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 5 |
| 206 | Measurement of transverse momentum relative to dijet systems in PbPb and pp collisions at $s_N = 2.76 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 31 |
| 207 | Search for anomalous single top quark production in association with a photon in pp collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 27 |
| 208 | Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 7 |
| 209 | Search for the associated production of a Higgs boson with a single top quark in proton-proton collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 13 |
| 210 | Forward-backward asymmetry of Drell-Yan lepton pairs in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 325. | 3.9 | 25 |
| 211 | Search for new physics in same-sign dilepton events in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2016, 76, 439. | 3.9 | 64 |
| 212 | Measurement of the $B_c \bar{B}_c$ production cross section in pp collisions at $s = 1.96 \text{ TeV}$. Physical Review D, 2016, 93, . | 4.7 | 8 |
| 213 | Measurement of the forward-backward asymmetry in low-mass bottom-quark pairs produced in proton-antiproton collisions. Physical Review D, 2016, 93, . | 4.7 | 1 |
| 214 | Measurement of the forward-backward asymmetry of top-quark and antiquark pairs using the full CDF Run II data set. Physical Review D, 2016, 93, . | 4.7 | 6 |
| 215 | Search for a low-mass neutral Higgs boson with suppressed couplings to fermions using events with multiphoton final states. Physical Review D, 2016, 93, . | 4.7 | 2 |
| 216 | Measurement of leptonic asymmetries in $t\bar{t}$ and W^+W^- production in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using the full CDF Run II data set. Physical Review D, 2016, 93, . | 4.7 | 14 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 217 | Measurement of the single top quark production cross section and $ V_{tb} $ in 1.96TeV $p\bar{p}$ collisions with missing transverse energy and jets and final CDF combination. <i>Physical Review D</i> , 2016, 93, . | 4.7 | 3 |
| 218 | Measurement of vector boson plus $D^*(2010) +$ meson production in $p\bar{p}$ collisions at $s = 1.96\text{TeV}$. <i>Physical Review D</i> , 2016, 93, . | 4.7 | 4 |
| 219 | Measurement of dijet azimuthal decorrelation in $p\bar{p}$ collisions at $\sqrt{s} = 8\text{TeV}$. <i>European Physical Journal C</i> , 2016, 76, 536. | 3.9 | 16 |
| 220 | Search for dark matter particles in proton-proton collisions at $s = 8\text{TeV}$ using the razor variables. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 4 |
| 221 | Search for s channel single top quark production in $p\bar{p}$ collisions at $s = 7\text{TeV}$ and 8TeV . <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 14 |
| 222 | Measurement of the WW and WZ production cross section using final states with a charged lepton and heavy-flavor jets in the full CDF Run II data set. <i>Physical Review D</i> , 2016, 94, . | 4.7 | 4 |
| 223 | Measurement of inclusive jet production and nuclear modifications in $p\bar{p}$ collisions at $\sqrt{s} = 5.02\text{TeV}$. <i>European Physical Journal C</i> , 2016, 76, 372. | 3.9 | 29 |
| 224 | Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in $p\bar{p}$ collisions at $s = 7\text{TeV}$ and 8TeV . <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 19 |
| 225 | Measurement of the $t\bar{t}$ production cross section in the $e^{1/4}$ channel in proton-proton collisions at $s = 7\text{TeV}$ and 8TeV . <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 41 |
| 226 | Search for new physics with the M_{T2} variable in all-jets final states produced in $p\bar{p}$ collisions at $s = 13\text{TeV}$. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 17 |
| 227 | Search for dark matter in proton-proton collisions at 8TeV with missing transverse momentum and vector boson tagged jets. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 13 |
| 228 | Evidence for exclusive $t\bar{t} \rightarrow W + W$ production and constraints on anomalous quartic gauge couplings in $p\bar{p}$ collisions at $s = 7\text{TeV}$ and 8TeV . <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 42 |
| 229 | Search for supersymmetry in $p\bar{p}$ collisions at $s = 13\text{TeV}$ in the single-lepton final state using the sum of masses of large-radius jets. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 14 |
| 230 | Search for direct pair production of supersymmetric top quarks decaying to all-hadronic final states in $p\bar{p}$ collisions at $s = 8\text{TeV}$. <i>European Physical Journal C</i> , 2016, 76, 460. | 3.9 | 18 |
| 231 | Azimuthal decorrelation of jets widely separated in rapidity in $p\bar{p}$ collisions at $s = 7\text{TeV}$. <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 20 |
| 232 | Phenomenological MSSM interpretation of CMS searches in $p\bar{p}$ collisions at $s = 7\text{TeV}$ and 8TeV . <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 12 |
| 233 | Measurement of the mass of the top quark in decays with a J/ψ meson in $p\bar{p}$ collisions at 8TeV . <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 6 |
| 234 | Measurement of the inclusive jet cross section in $p\bar{p}$ collisions at $s = 2.76\text{TeV}$. <i>European Physical Journal C</i> , 2016, 76, 1. | 3.9 | 26 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 235 | Measurement of $\mathrm{t}\overline{\mathrm{t}}$ production with additional jet activity, including b quark jets, in the dilepton decay channel using pp collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 379. | 3.9 | 34 |
| 236 | Measurement of the differential cross section and charge asymmetry for inclusive $\mathrm{W}^{\pm} \mathrm{p} \mathrm{p} \rightarrow \mathrm{W}^{\pm} + \mathrm{X}$ production at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 469. | 3.9 | 83 |
| 237 | Observation of top quark pairs produced in association with a vector boson in pp collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 23 |
| 238 | Search for $\mathrm{W}^{\pm} \mathrm{tb}$ in proton-proton collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 3 |
| 239 | Correlations between jets and charged particles in PbPb and pp collisions at $s_{\mathrm{NN}} = 2.76 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 29 |
| 240 | Search for the production of an excited bottom quark decaying to tW in proton-proton collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 5 |
| 241 | Search for excited leptons in proton-proton collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 16 |
| 242 | Measurement of the $\mathrm{t}\overline{\mathrm{t}}$ production cross section in the all-jets final state in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 128. | 3.9 | 41 |
| 243 | Event generator tunes obtained from underlying event and multiparton scattering measurements. European Physical Journal C, 2016, 76, 155. | 3.9 | 499 |
| 244 | Search for massive WH resonances decaying into the $\mathrm{ell}^{\pm} \mathrm{u} \mathrm{b} \overline{\mathrm{b}}$ final state at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 237. | 3.9 | 30 |
| 245 | Search for a massive resonance decaying into a Higgs boson and a W or Z boson in hadronic final states in proton-proton collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 16 |
| 246 | Measurement of top quark polarisation in t-channel single top quark production. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 15 |
| 247 | Search for heavy Majorana neutrinos in $e^{\pm} e^{\pm}$ jets and $e^{\pm} \nu^{\pm}$ jets events in proton-proton collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 35 |
| 248 | Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into \tilde{l}_i leptons in pp collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 19 |
| 249 | Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 13. | 3.9 | 62 |
| 250 | Search for new physics in final states with two opposite-sign, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 8 |
| 251 | Measurement of the top-quark mass in the $t\overline{t}$ -dilepton channel using the full CDF Run II data set. Physical Review D, 2015, 92, . | 4.7 | 5 |
| 252 | Study of the energy dependence of the underlying event in proton-antiproton collisions. Physical Review D, 2015, 92, . | 4.7 | 28 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 253 | Measurement of the production and differential cross sections of $W+W\gamma$ bosons in association with jets in $p\bar{p}$ collisions at $s=1.96 \text{ TeV}$. <i>Physical Review D</i> , 2015, 91, . | 4.7 | 5 |
| 254 | Search for Resonances Decaying to Top and Bottom Quarks with the CDF Experiment. <i>Physical Review Letters</i> , 2015, 115, 061801. | 7.8 | 5 |
| 255 | Search for physics beyond the standard model in events with two leptons, jets, and missing transverse momentum in $p\bar{p}$ collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 24 |
| 256 | Searches for supersymmetry using the M T2 variable in hadronic events produced in $p\bar{p}$ collisions at 8 TeV. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 34 |
| 257 | Searches for third-generation squark production in fully hadronic final states in proton-proton collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 37 |
| 258 | Search for the production of dark matter in association with top-quark pairs in the single-lepton final state in proton-proton collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 20 |
| 259 | Search for a charged Higgs boson in $p\bar{p}$ collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 81 |
| 260 | Search for supersymmetry in the vector-boson fusion topology in proton-proton collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 12 |
| 261 | Search for a light charged Higgs boson decaying to $c\bar{s}\gamma$ in $p\bar{p}$ collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-37. | 4.7 | 44 |
| 262 | Search for vector-like T quarks decaying to top quarks and Higgs bosons in the all-hadronic channel using jet substructure. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 24 |
| 263 | Search for neutral color-octet weak-triplet scalar particles in proton-proton collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 1 |
| 264 | Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 92 |
| 265 | Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8 TeV. <i>European Physical Journal C</i> , 2015, 75, 212. | 3.9 | 541 |
| 266 | Measurement of the $Z\tilde{Z}^3$ production cross section in $p\bar{p}$ collisions at 8 TeV and search for anomalous triple gauge boson couplings. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 11 |
| 267 | Measurement of the inclusive 3-jet production differential cross section in proton-proton collisions at 7 TeV and determination of the strong coupling constant in the TeV range. <i>European Physical Journal C</i> , 2015, 75, 186. | 3.9 | 68 |
| 268 | Measurement of the differential cross section for top quark pair production in $p\bar{p}$ collisions at $s = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2015, 75, 542. | 3.9 | 191 |
| 269 | Measurements of the $Z\tilde{Z}^2$ production cross sections in the $Z\tilde{Z}^2$ channel in proton-proton collisions at $s = 7 \text{ TeV}$ and $s = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2015, 75, 511. | 3.9 | 32 |
| 270 | First measurement of the forward-backward asymmetry in bottom-quark pair production at high mass. <i>Physical Review D</i> , 2015, 92, . | 4.7 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 271 | Search for neutral MSSM Higgs bosons decaying into a pair of bottom quarks. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 30 |
| 272 | Constraints on Models of the Higgs Boson with Exotic Spin and Parity using Decays to Bottom-Antibottom Quarks in the Full CDF Data Set. <i>Physical Review Letters</i> , 2015, 114, 141802. | 7.8 | 1 |
| 273 | Studies of high-transverse momentum jet substructure and top quarks produced in 1.96 TeV proton-antiproton collisions. <i>Physical Review D</i> , 2015, 91, . | 4.7 | 1 |
| 274 | Search for a standard model Higgs boson produced in association with a top-quark pair and decaying to bottom quarks using a matrix element method. <i>European Physical Journal C</i> , 2015, 75, 251. | 3.9 | 73 |
| 275 | Measurement of central exclusive display="inline"><math xmlns:mml="http://www.w3.org/1998/Math/MathML"> display="block">T_j \text{ ETQq1 } 1 \text{ 0.784314 rgBT /Overlock } 10 \text{ Tf } 50 \text{ 587 Td } Measurement of electroweak production of two jets in association with a Z boson in proton-proton collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2015, 75, 66. | 4.7 | 5 |
| 276 | Measurements of differential and double-differential Drell-Yan cross sections in proton-proton collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2015, 75, 147. | 3.9 | 31 |
| 277 | Search for decays of stopped long-lived particles produced in proton-proton collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2015, 75, 151. | 3.9 | 44 |
| 278 | Measurement of the W boson helicity in events with a single reconstructed top quark in pp collisions at $s = 8$ TeV. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 26 |
| 279 | Measurement of the ratio of the production cross sections times branching fractions of B_c \pm at $\sqrt{s} = 8$ TeV. $B_c \pm \bar{B}_c \rightarrow K \pm \bar{K}$ or $B_c \pm \bar{B}_c \rightarrow D_s \pm \bar{D}_s$ or $B_c \pm \bar{B}_c \rightarrow D_s^* \pm \bar{D}_s^*$. European Physical Journal C, 2015, 75, 1. | 4.7 | 17 |
| 280 | Search for disappearing tracks in proton-proton collisions at $s = 8$ TeV. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 46 |
| 281 | Study of Z production in PbPb and pp collisions at $\sqrt{s_{NN}} = 2.76$ TeV in the dimuon and dielectron decay channels. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 27 |
| 282 | Search for physics beyond the standard model in dilepton mass spectra in proton-proton collisions at $s = 8$ TeV. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 78 |
| 283 | Measurement of the underlying event activity using charged-particle jets in proton-proton collisions at $s = 2.76$ TeV. <i>Journal of High Energy Physics</i> , 2015, 2015, 1. | 4.7 | 10 |
| 284 | Measurement of differential production cross sections for $Z \rightarrow e^+ e^-$ in association with jets in proton-proton collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2015, 75, 235. | 3.9 | 320 |
| 285 | Search for dark matter, extra dimensions, and unparticles in monojet events in proton-proton collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2015, 75, 288. | 3.9 | 54 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 289 | Nuclear effects on the transverse momentum spectra of charged particles in pPb collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$. European Physical Journal C, 2015, 75, 237. | 3.9 | 58 |
| 290 | Distributions of topological observables in inclusive three- and four-jet events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2015, 75, 302. | 3.9 | 6 |
| 291 | Constraints on the pMSSM, AMSB model and on other models from the search for long-lived charged particles in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2015, 75, 325. | 3.9 | 43 |
| 292 | Measurement of the Single Top Quark Production Cross Section and $ V_{tb} $ in Events with One Charged Lepton, Large Missing Transverse Energy, and Jets at CDF. Physical Review Letters, 2014, 113, 261804. | 7.8 | 10 |
| 293 | Measurement of the top-quark mass in the all-hadronic channel using the full CDF data set. Physical Review D, 2014, 90, . | 4.7 | 8 |
| 294 | Measurement of indirect CP-violating asymmetries in $D0 \rightarrow K^+ K^-$ and $D0 \rightarrow \ell^+ \ell^-$ decays at CDF. Physical Review D, 2014, 90, . | 4.7 | 14 |
| 295 | Search for heavy neutrinos and W bosons with right-handed couplings in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2014, 74, 3149. | 3.9 | 179 |
| 296 | Measurement of top quark-antiquark pair production in association with a W or Z boson in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2014, 74, 3060. | 3.9 | 43 |
| 297 | Measurement of differential cross sections for the production of a pair of isolated photons in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2014, 74, 3129. | 3.9 | 65 |
| 298 | Search for neutral MSSM Higgs bosons decaying to a pair of tau leptons in pp collisions. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 81 |
| 299 | Measurement of pseudorapidity distributions of charged particles in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ by the CMS and TOTEM experiments. European Physical Journal C, 2014, 74, 1. | 3.9 | 49 |
| 300 | Searches for electroweak production of charginos, neutralinos, and sleptons decaying to leptons and W , Z , and Higgs bosons in pp collisions at 8 TeV. European Physical Journal C, 2014, 74, 3036. | 3.9 | 241 |
| 301 | Measurement of prompt J/ψ pair production in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 61 |
| 302 | Mass and lifetime measurements of bottom and charm baryons in J/ψ collisions at 8 TeV. European Physical Journal C, 2014, 74, 1. | 4.7 | 24 |
| 303 | Measurement of the ZZ production cross section using the full CDF II data set. Physical Review D, 2014, 89, . | 4.7 | 8 |
| 304 | Invariant-mass distribution of jet pairs produced in association with a Z boson in Z/ψ collisions at 8 TeV. European Physical Journal C, 2014, 74, 1. | 4.7 | 7 |
| 305 | Search for new physics in trilepton events and limits on the associated chargino-neutralino production at CDF. Physical Review D, 2014, 90, . | 4.7 | 2 |
| 306 | Measurement of the Inclusive Leptonic Asymmetry in Top-Quark Pairs that Decay to Two Charged Leptons at CDF. Physical Review Letters, 2014, 113, 042001. | 7.8 | 38 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 307 | Study of top quark production and decays involving a tau lepton at CDF and limits on a charged Higgs boson contribution. Physical Review D, 2014, 89, . | 4.7 | 10 |
| 308 | First Search for ExoticZBoson Decays into Photons and Neutral Pions in Hadron Collisions. Physical Review Letters, 2014, 112, 111803. | 7.8 | 18 |
| 309 | Measurement of $B(t\bar{t}Wb)/B(t\bar{t}Wq)$ in Top-Quark-Pair Decays Using Dilepton Events and the Full CDF Run II Data Set. Physical Review Letters, 2014, 112, 221801. | 7.8 | 15 |
| 310 | Search for s-Channel Single-Top-Quark Production in Events with Missing Energy Plus Jets in $p\bar{p}$ -Collisions at $s=1.96\text{ TeV}$. Physical Review Letters, 2014, 112, 231805. | 7.8 | 12 |
| 311 | Evidence for $B(t\bar{t}Wb)/B(t\bar{t}Wq)$ in Top-Quark-Pair Decays Using Dilepton Events and the Full CDF Run II Data Set. Physical Review Letters, 2014, 112, 231804. | 7.8 | 15 |
| 312 | Observation of the diphoton decay of the Higgs boson and measurement of its properties. European Physical Journal C, 2014, 74, 3076. | 3.9 | 342 |
| 313 | Study of orbitally excited $B\bar{B}$ mesons and evidence for a new resonance. Physical Review D, 2014, 90, . | 4.7 | 51 |
| 314 | Precise measurement of the W -boson mass with the Collider Detector at Fermilab. Physical Review D, 2014, 89, . | 4.7 | 18 |
| 315 | Measurements of Direct $B\bar{B}$ Violating Asymmetries in Charmless Decays of Bottom Baryons. Physical Review Letters, 2014, 113, 242001. | 7.8 | 34 |
| 316 | Search for the associated production of the Higgs boson with a top-quark pair. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 51 |
| 317 | Study of hadronic event-shape variables in multijet final states in $p\bar{p}$ collisions at $s = 7 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 3 |
| 318 | Search for standard model production of four top quarks in the lepton + jets channel in $p\bar{p}$ collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 17 |
| 319 | Identification techniques for highly boosted W bosons that decay into hadrons. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 43 |
| 320 | Measurement of Higgs boson production and properties in the WW decay channel with leptonic final states. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 169 |
| 321 | Measurement of the $t\bar{t}$ production cross section in the dilepton channel in $p\bar{p}$ collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 52 |
| 322 | Studies of azimuthal dihadron correlations in ultra-central PbPb collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 77 |
| 323 | Measurement of associated $W + \text{charm}$ production in $p\bar{p}$ collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 55 |
| 324 | Search for new physics in events with same-sign dileptons and jets in $p\bar{p}$ collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 48 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 325 | Studies of dijet transverse momentum balance and pseudorapidity distributions in pPb collisions at $\sqrt{s_{NN}} = 5.02 \text{ TeV}$. European Physical Journal C, 2014, 74, 1. | 3.9 | 75 |
| 326 | Measurement of WZ and ZZ production in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ in final states with b-tagged jets. European Physical Journal C, 2014, 74, 2973. | 3.9 | 23 |
| 327 | Search for invisible decays of Higgs bosons in the vector boson fusion and associated ZH production modes. European Physical Journal C, 2014, 74, 2980. | 3.9 | 171 |
| 328 | Measurement of jet multiplicity distributions in $t\bar{t}$ production in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2014, 74, 3014. | 3.9 | 16 |
| 329 | Study of double parton scattering using W + 2-jet events in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 85 |
| 330 | Event activity dependence of Y (nS) production in $\sqrt{s_{NN}} = 5.02 \text{ TeV}$ pPb and $\sqrt{s} = 2.76 \text{ TeV}$ pp collisions. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 56 |
| 331 | Measurements of the $t\bar{t}$ charge asymmetry using the dilepton decay channel in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 20 |
| 332 | Evidence for the 125 GeV Higgs boson decaying to a pair of \tilde{l} , leptons. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 123 |
| 333 | Search for $W\rightarrow tb$ decays in the lepton + jets final state in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 26 |
| 334 | Measurement of the triple-differential cross section for photon + jets production in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 31 |
| 335 | Search for new physics in the multijet and missing transverse momentum final state in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 100 |
| 336 | Measurement of the t-channel single-top-quark production cross section and of the $ V_{tb} $ CKM matrix element in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 70 |
| 337 | Measurement of the production cross sections for a Z boson and one or more b jets in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 39 |
| 338 | Search for pair production of excited top quarks in the lepton + jets final state. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 4 |
| 339 | Search for massive resonances in dijet systems containing jets tagged as W or Z boson decays in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 85 |
| 340 | Search for massive resonances decaying into pairs of boosted bosons in semi-leptonic final states at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 69 |
| 341 | Measurement of the top-quark mass in all-jets $t\bar{t}$ events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2014, 74, 2758. | 3.9 | 35 |
| 342 | Study of the production of charged pions, kaons, and protons in pPb collisions at $\sqrt{s_{NN}} = 5.02 \text{ TeV}$. European Physical Journal C, 2014, 74, 2847. | 3.9 | 85 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 343 | Probing color coherence effects in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2014, 74, 2901. | 3.9 | 17 |
| 344 | Indirect measurement of $\sin(2\alpha)$ using $t\bar{t}$ production cross section in the dilepton channel in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. Physical Review D, 2014, 89, . | 4.7 | 19 |
| 345 | Measurement of the $t\bar{t}$ production cross section in the dilepton channel in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. Physical Review D, 2014, 89, . | 4.7 | 3 |
| 346 | Search for the associated production of the Higgs boson with a top-quark pair. Physics Letters B, 2014, 731, 1. | 6 | 6 |
| 347 | Search for microscopic black holes in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2013, 2013, 1. | 4.7 | 44 |
| 348 | Measurement of the Λ_b^0 lifetime in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2013, 2013, 1. | 4.7 | 17 |
| 349 | Searches for long-lived charged particles in pp collisions at $\sqrt{s} = 7 \text{ and } 8 \text{ TeV}$. Journal of High Energy Physics, 2013, 2013, 1. | 4.7 | 118 |
| 350 | Study of exclusive two-photon production of $W+W^\gamma$ in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ and constraints on anomalous quartic gauge couplings. Journal of High Energy Physics, 2013, 2013, 1. | 4.7 | 75 |
| 351 | Observation of a new boson with mass near 125 GeV in pp collisions at $\sqrt{s} = 7 \text{ and } 8 \text{ TeV}$. Journal of High Energy Physics, 2013, 2013, 1. | 4.7 | 320 |
| 352 | Search for the standard model Higgs boson produced in association with a top-quark pair in pp collisions at the LHC. Journal of High Energy Physics, 2013, 2013, 1. | 4.7 | 39 |
| 353 | Studies of jet mass in dijet and $W/Z + \text{jet}$ events. Journal of High Energy Physics, 2013, 2013, 1. | 4.7 | 58 |
| 354 | Measurement of the $t\bar{t}$ production cross section in the all-jet final state in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2013, 2013, 1. | 4.7 | 16 |
| 355 | Measurement of the $X(3872)$ production cross section via decays to $J/\psi + \pi^\pm$ in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2013, 2013, 1. | 4.7 | 73 |
| 356 | Study of the underlying event at forward rapidity in pp collisions at $\sqrt{s} = 0.9, 2.76, 7 \text{ TeV}$. Journal of High Energy Physics, 2013, 2013, 1. | 4.7 | 50 |
| 357 | Search for new physics in events with photons, jets, and missing transverse energy in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2013, 2013, 1. | 4.7 | 15 |
| 358 | Search for new physics in events with same-sign dileptons and b jets in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2013, 2013, 1. | 4.7 | 33 |
| 359 | Search in leptonic channels for heavy resonances decaying to long-lived neutral particles. Journal of High Energy Physics, 2013, 2013, 1. | 4.7 | 32 |
| 360 | Search for exotic resonances decaying into WZ/ZZ in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2013, 2013, 1. | 4.7 | 20 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 361 | Search for the Higgs boson in the all-hadronic final state using the full CDF data set. <i>Journal of High Energy Physics</i> , 2013, 2013, 1. | 4.7 | 5 |
| 362 | Search for supersymmetry in pp collisions at $\sqrt{s} = 7$ TeV in events with a single lepton, jets, and missing transverse momentum. <i>European Physical Journal C</i> , 2013, 73, 2404. | 3.9 | 20 |
| 363 | Measurement of inelastic, single- and double-diffraction cross sections in proton-proton collisions at the LHC with ALICE. <i>European Physical Journal C</i> , 2013, 73, 2456. | 3.9 | 202 |
| 364 | Search for a standard-model-like Higgs boson with a mass in the range 145 to 1000 GeV at the LHC. <i>European Physical Journal C</i> , 2013, 73, 2469. | 3.9 | 68 |
| 365 | Search for flavor changing neutral currents in top quark decays in pp collisions at 7 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013, 718, 1252-1272. | 4.1 | 20 |
| 366 | Search for supersymmetry in events with photons and low missing transverse energy in pp collisions at $\sqrt{s} = 7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013, 719, 42-61. | 4.1 | 22 |
| 367 | Search for supersymmetry in events with photons and low missing transverse energy in pp collisions at $\sqrt{s} = 7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013, 719, 42-61. | 4.1 | 3 |
| 368 | Mid-rapidity anti-baryon to baryon ratios in pp collisions at $\sqrt{s} = 0.9, 2.76, 7$ TeV measured by ALICE. <i>European Physical Journal C</i> , 2013, 73, 1. | 3.9 | 31 |
| 369 | Measurement of the production cross sections in pp collisions at $\sqrt{s} = 7$ TeV and ZZ production cross sections in pp collisions at $\sqrt{s} = 7$ TeV. <i>Physical Review D</i> , 2013, 87, 092001. | 4.1 | 88 |
| 370 | Observation of a diffractive contribution to dijet production in proton-proton collisions. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013, 719, 42-61. | 4.7 | 24 |
| 371 | Indirect measurement of $\sin^2 W(MW)$ using e^+e^- pairs in the Z-boson region with pp collisions at a center-of-momentum energy of 1.96 TeV. <i>Physical Review D</i> , 2013, 88, 092001. | 4.7 | 15 |
| 372 | Measurement of the production cross section for $Z\gamma\gamma$ in pp collisions at $\sqrt{s} = 7$ TeV and limits on ZZ and Z \bar{b} b triple gauge boson couplings. <i>Journal of High Energy Physics</i> , 2013, 2013, 1. | 4.7 | 14 |
| 373 | Measurement of the W-boson helicity in top-quark decays from $t\bar{t}$ production in lepton+jets events in pp collisions at $\sqrt{s} = 7$ TeV. <i>Journal of High Energy Physics</i> , 2013, 2013, 1. | 4.7 | 30 |
| 374 | Search for supersymmetry in hadronic final states with missing transverse energy using the variables T_{\pm} and b-quark multiplicity in pp collisions at $\sqrt{s} = 8$ TeV. <i>European Physical Journal C</i> , 2013, 73, 2568. | 3.9 | 147 |
| 375 | Measurement of the hadronic activity in events with a Z and two jets and extraction of the cross section for the electroweak production of a Z with two jets in pp collisions at $\sqrt{s} = 7$ TeV. <i>Journal of High Energy Physics</i> , 2013, 2013, 1. | 4.7 | 16 |
| 376 | Measurement of masses in the $t\bar{t}$ system by kinematic endpoints in pp collisions at $\sqrt{s} = 7$ TeV. <i>European Physical Journal C</i> , 2013, 73, 2494. | 3.9 | 55 |
| 377 | Search for physics beyond the standard model in events with \tilde{l}_i , leptons, jets, and large transverse momentum imbalance in pp collisions at $\sqrt{s} = 7$ TeV. <i>European Physical Journal C</i> , 2013, 73, 2493. | 3.9 | 22 |
| 378 | Measurement of the $t\bar{t}$ production cross section in the \tilde{l}_i -jets channel in pp collisions at $\sqrt{s} = 7$ TeV. <i>European Physical Journal C</i> , 2013, 73, 1. | 3.9 | 24 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 379 | Jet and underlying event properties as a function of charged-particle multiplicity in protonâ€“proton collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2013, 73, 2674. | 3.9 | 32 |
| 380 | | | |

380



| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 397 | Multiplicity and transverse momentum dependence of two- and four-particle correlations in pPb and PbPb collisions. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 724, 213-240. | 4.1 | 354 |
| 398 | Search for excited leptons in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 720, 309-329. | | |
| 399 | Search for a Higgs boson decaying into a b-quark pair and produced in association with b quarks in proton-proton collisions at 7 TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 722, 207-232. | 4.1 | 45 |
| 400 | Search for long-lived particles in events with photons and missing energy in proton-proton collisions at $\sqrt{s} = 0.25 \text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 722, 273-294. | | |
| 401 | Study of the Mass and Spin-Parity of the Higgs Boson Candidate via Its Decays to Z -Boson Pairs. Physical Review Letters, 2013, 110, 081803. | 7.8 | 270 |
| 402 | Search for heavy resonances in the W/Z-tagged dijet mass spectrum in pp collisions at 7 TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 723, 280-301. | 4.1 | 15 |
| 403 | Studies of jet quenching using isolated-photon + jet correlations in PbPb and pp collisions at $\sqrt{s} = 2.76 \text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 718, 773-794. | | |
| 404 | Observation of long-range, near-side angular correlations in pPb collisions at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 718, 795-814. | 4.1 | 520 |
| 405 | Search for new physics in events with opposite-sign leptons, jets, and missing transverse energy in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 718, 815-840. | | |
| 406 | Measurement of the sum of WW and WZ production with W+dijet events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2013, 73, 2283. | 3.9 | 64 |
| 407 | Measurement of differential top-quark-pair production cross sections in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2013, 73, 1. | 3.9 | 125 |
| 408 | Search for narrow resonances using the dijet mass spectrum in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2013, 73, 1. | 4.7 | 71 |
| 409 | Search for supersymmetric particles in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2013, 73, 1. | 4.7 | 5 |
| 410 | Combination of searches for the Higgs boson using the full CDF data set. Physical Review D, 2013, 88, . | 4.7 | 17 |
| 411 | Measurement of the mass difference between top and antitop quarks. Physical Review D, 2013, 87, . | 4.7 | 10 |
| 412 | Search for Supersymmetry with Like-Sign Lepton-Tau Events at CDF. Physical Review Letters, 2013, 110, 201802. | 7.8 | 4 |
| 413 | Search for Z-resonances decaying to $t\bar{t}$ and dilepton+jets final states in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Physical Review D, 2013, 87, . | 4.7 | 34 |
| 414 | Searches for the Higgs boson decaying to $W+W^-$ and Z with the CDF II detector. Physical Review D, 2013, 88, . | 4.7 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 415 | Observation of $\tau^+ \tau^-$ pair production in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ using the CDF II Detector. <i>Physical Review Letters</i> , 2013, 111, 231802. | 7.8 | 26 |
| 416 | Updated search for the standard model Higgs boson in events with jets and missing transverse energy using the full CDF data set. <i>Physical Review D</i> , 2013, 87, . | 4.7 | 13 |
| 417 | Measurement of the top-quark pair-production cross section in events with two leptons and bottom-quark jets using the full CDF data set. <i>Physical Review D</i> , 2013, 88, . | 4.7 | 11 |
| 418 | Measurements of differential jet cross sections in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ using the CMS detector. <i>Physical Review D</i> , 2013, 87, . | 4.7 | 115 |
| 419 | Search for new physics in final states with a lepton and missing transverse energy in pp collisions at the LHC. <i>Physical Review D</i> , 2013, 87, . | 4.7 | 2 |
| 420 | Search for tritally charged particles in $t\bar{t}$ collisions. <i>Physical Review D</i> , 2013, 87, . | 4.7 | 11 |
| 421 | Measurement of the cross section for prompt isolated diphoton production using the full CDF Run II Data Sample. <i>Physical Review Letters</i> , 2013, 110, 101801. | 4.7 | 41 |
| 422 | Evidence for Associated Production of a Single Top Quark and WBoson in pp Collisions at $s=7 \text{ TeV}$. <i>Physical Review Letters</i> , 2013, 110, 022003. | 7.8 | 82 |
| 423 | Signature-based search for delayed photons in exclusive photon plus missing transverse energy events from $\text{pp} \rightarrow \text{AA}$ collisions with $s=1.96 \text{ TeV}$. <i>Physical Review D</i> , 2013, 88, . | 4.7 | 4 |
| 424 | Measurement of the cross section for direct photon production in association with a Heavy Quark in $t\bar{t}$ collisions. <i>Physical Review Letters</i> , 2013, 110, 042301. | 7.8 | 61 |
| 425 | Search for contact interactions using the inclusive jet spectrum in $t\bar{t}$ collisions. <i>Physical Review Letters</i> , 2013, 111, 031802. | 7.8 | 26 |
| 426 | Search for pair production of strongly interacting particles decaying to pairs of jets in $\text{pp} \rightarrow \text{AA}$ collisions at $s=1.96 \text{ TeV}$. <i>Physical Review Letters</i> , 2013, 111, 031802. | 7.8 | 22 |
| 427 | Measurement of the cross section for meson lifetime in the decay $\pi^+ \rightarrow \pi^+ \nu \bar{\nu}$. <i>Physical Review Letters</i> , 2013, 111, 031802. | 7.8 | 17 |
| 428 | Search for contact interactions using the inclusive jet spectrum in $t\bar{t}$ collisions. <i>Physical Review Letters</i> , 2013, 111, 031802. | 4.7 | 12 |
| 429 | Search for contact interactions using the inclusive jet spectrum in $t\bar{t}$ collisions. <i>Physical Review Letters</i> , 2013, 111, 031802. | 4.7 | 12 |
| 430 | Measurement of the cross section for meson lifetime in the decay $\pi^+ \rightarrow \pi^+ \nu \bar{\nu}$. <i>Physical Review Letters</i> , 2013, 111, 031802. | 4.7 | 12 |
| 431 | Search for contact interactions using the inclusive jet spectrum in $t\bar{t}$ collisions. <i>Physical Review Letters</i> , 2013, 111, 031802. | 4.7 | 12 |
| 432 | Search for contact interactions using the inclusive jet spectrum in $t\bar{t}$ collisions. <i>Physical Review Letters</i> , 2013, 111, 031802. | 4.7 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 433 | Search for Pair Production of Third-Generation Leptoquarks and Top Squarks in $\langle \text{mml:math} \rangle$ Collisions at $\langle \text{mml:math} \rangle$ $\text{display}=\text{"inline"}$ $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Collisions at $\langle \text{mml:math} \rangle$ $\text{display}=\text{"inline"}$ $\langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo}$ $\text{mathvariant}=\text{"bold"}$ $\rangle \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 7 \langle / \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle \text{a\%} \langle / \text{mml:mtext} \rangle \langle \text{mml:mtext} \rangle \text{a\%} \langle / \text{mml:mtext} \rangle \langle \text{mml:mi} \rangle \text{TeV}$ | 7.8 | 44 |
| 434 | Search for supersymmetry in events with opposite-sign dileptons and missing transverse energy using an artificial neural network. Physical Review D, 2013, 87, . | 4.7 | 13 |
| 435 | Measurement of the elliptic anisotropy of charged particles produced in PbPb collisions at $\langle \text{mml:math} \rangle$ $\text{display}=\text{"inline"}$ $\langle \text{mml:mrow} \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:msub} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle N \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle N \langle / \text{mml:mi} \rangle$ Physical Review C, 2013, 87, . | 2.9 | 185 |
| 436 | Top-quark mass measurement in events with jets and missing transverse energy using the full CDF data set. Physical Review D, 2013, 88, . | 4.7 | 13 |
| 437 | Search for supersymmetry in final states with a single lepton, b-quark jets, and missing transverse energy in proton-proton collisions at $\text{s} = 7 \text{ TeV}$. Physical Review D, 2013, 87, . Measurement of the Differential Cross Section $\langle \text{mml:math} \rangle$ $\text{display}=\text{"inline"}$ $\langle \text{mml:mi} \rangle d \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle f \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \rangle \langle / \text{mml:mo} \rangle \langle \text{mml:mi} \rangle d \langle / \text{mml:mi} \rangle \langle \text{mml:mo}$ $\text{stretchy}=\text{"false"}$ $\rangle \langle / \text{mml:mo} \rangle \langle \text{mml:mi} \rangle \cos \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \rangle \langle / \text{mml:mo} \rangle \langle \text{mml:msub} \rangle \langle \text{mml:mi} \rangle \hat{t} \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle t \langle / \text{mml:mi} \rangle$ | 4.7 | 9 |
| 438 | $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"inline"}$ $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mover}$ Evidence for a bottom baryon resonance $b^{\star 0}$ in CDF data. Physical Review D, 2013, 88, . | 4.7 | 34 |
| 440 | Search for $\langle \text{mml:math} \rangle$ $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"inline"}$ $\langle \text{mml:msupsub} \rangle \langle \text{mml:mi} \rangle B \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle \text{mml:mn} \rangle 0 \langle / \text{mml:mn} \rangle \langle / \text{mml:msupsub} \rangle \langle \text{mml:mo} \rangle \hat{t}' \langle / \text{mml:mo} \rangle$ $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"inline"}$ $\langle \text{mml:msup} \rangle \langle \text{mml:mi} \rangle B \langle / \text{mml:mi} \rangle \langle \text{mml:mn} \rangle 0 \langle / \text{mml:mn} \rangle \langle / \text{mml:msup} \rangle \langle \text{mml:mo} \rangle \hat{t}' \langle / \text{mml:mo} \rangle \langle \text{mml:msup} \rangle \langle \text{mml:mi} \rangle$ Physical Review D, 2013, 87, . | 4.7 | 19 |
| 441 | $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"inline"}$ $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ collisions at $\langle \text{mml:math} \rangle$ $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"inline"}$ $\langle \text{mml:mi} \rangle t \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle t \langle / \text{mml:mi} \rangle \langle \text{mml:mover}$ Measurement of the leptonic asymmetry $t \langle / \text{mml:mi} \rangle \langle \text{mml:msort} \rangle \langle \text{mml:mo}$ $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"inline"}$ $\langle \text{mml:mi} \rangle t \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \rangle \hat{t} \langle / \text{mml:mo} \rangle \langle / \text{mml:mover} \rangle \langle / \text{mml:math} \rangle$ events produced in $\langle \text{mml:math} \rangle$ $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"inline"}$ $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mover}$ $\text{accent}=\text{"true"}$ $\rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \rangle \hat{t} \langle / \text{mml:mo} \rangle \langle / \text{mml:mover} \rangle \langle / \text{mml:math} \rangle$ collisions | 7.8 | 45 |
| 442 | $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"inline"}$ $\langle \text{mml:mi} \rangle t \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \rangle \hat{t} \langle / \text{mml:mo} \rangle \langle / \text{mml:mover} \rangle \langle / \text{mml:math} \rangle$ events at CDF. Observation of the Production of a $\langle \text{mml:math} \rangle$ $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"inline"}$ $\langle \text{mml:mi} \rangle W \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Boson in Association with a Single Charm Quark. | 4.7 | 32 |
| 443 | Measurement of the top quark forward-backward production asymmetry and its dependence on event kinematic properties. Physical Review D, 2013, 87, . Exclusion of exotic top-like quarks with $\langle \text{mml:math} \rangle$ $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"inline"}$ $\langle \text{mml:mo}$ $\text{mathvariant}=\text{"bold"}$ $\rangle \hat{t}' \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 4 \langle / \text{mml:mn} \rangle \langle \text{mml:mo} \rangle \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 3 \langle / \text{mml:mn} \rangle \langle / \text{mml:math} \rangle$ electric charge using jet-charge tagging in single-lepton $\langle \text{mml:math} \rangle$ $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"inline"}$ $\langle \text{mml:mi} \rangle t \langle / \text{mml:mi} \rangle \langle \text{mml:mover}$ $\text{accent}=\text{"true"}$ $\rangle \langle \text{mml:mi} \rangle t \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \rangle \hat{t} \langle / \text{mml:mo} \rangle \langle / \text{mml:mover} \rangle \langle / \text{mml:math} \rangle$ events at CDF. | 4.7 | 122 |
| 444 | $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"inline"}$ $\langle \text{mml:mi} \rangle W \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Boson in Association with a Single Charm Quark. | 4.7 | 18 |
| 445 | Direct Measurement of the Total Decay Width of the Top Quark. Physical Review Letters, 2013, 111, 202001. Search for the production of $\langle \text{mml:math} \rangle$ $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"inline"}$ $\langle \text{mml:mi} \rangle Z \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle W \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ and $\langle \text{mml:math} \rangle$ $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"inline"}$ $\langle \text{mml:mi} \rangle Z \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle Z \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ boson pairs decaying into charged leptons and jets in $\langle \text{mml:math} \rangle$ $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"inline"}$ $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mover}$ $\text{accent}=\text{"true"}$ $\rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \rangle \hat{t} \langle / \text{mml:mo} \rangle \langle / \text{mml:mover} \rangle \langle / \text{mml:math} \rangle$ events at CDF. | 7.8 | 24 |
| 446 | Search for Resonant Top-Antitop Production in the Lepton Plus Jets Decay Mode Using the Full CDF Data Set. Physical Review Letters, 2013, 110, 121802. Search for a two-tag-Boson-Doubt Using a Simplified Model in $\langle \text{mml:math} \rangle$ $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"inline"}$ $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mover}$ $\text{accent}=\text{"true"}$ $\rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \rangle \hat{t} \langle / \text{mml:mo} \rangle \langle / \text{mml:mover} \rangle \langle / \text{mml:math} \rangle$ Collisions at $\langle \text{mml:math} \rangle$ $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"inline"}$ $\langle \text{mml:msort} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:msort} \rangle \langle \text{mml:mo}$ $\text{mathvariant}=\text{"bold"}$ $\rangle \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 1.96 \langle / \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle \text{a\%} \langle / \text{mml:mtext} \rangle \langle \text{mml:mtext} \rangle \text{a\%} \langle / \text{mml:mtext} \rangle \langle \text{mml:mi} \rangle$ | 7.8 | 33 |
| 449 | Measurement of $R=B(t\bar{t}Wb)/B(t\bar{t}Wq)$ in top-quark-pair decays using lepton+jet events and the full CDF run II dataset. Physical Review D, 2013, 87, . | 4.7 | 15 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 451 | Identification of b-quark jets with the CMS experiment. Journal of Instrumentation, 2013, 8, P04013-P04013. | 1.2 | 418 |
| 452 | Search for new physics in events with same-sign dileptons and b jets in pp collisions at (sqrt{s}=8) TeV. , 2013, 2013, 1. Search for pair production of first- and second-generation scalar leptoquarks in $\sqrt{s} = 8$ TeV proton-proton collisions. Physical Review Letters, 2013, 110, 121801. | 2 | |
| 453 | Measurements of the Angular Distributions of Muons from Decays in $\sqrt{s} = 8$ TeV proton-proton collisions. Physical Review Letters, 2013, 110, 121802. | 4.7 | 32 |
| 454 | Measurements of the Angular Distributions of Muons from Decays in $\sqrt{s} = 8$ TeV proton-proton collisions. Physical Review Letters, 2013, 110, 121802. | 7.8 | 46 |
| 455 | Search for a Higgs Boson in the Diphoton Final State in $\sqrt{s} = 8$ TeV. Physical Review Letters, 2012, 108, 011801. | 7.8 | 7 |
| 456 | Transverse momentum cross section of pairs in the boson region from $\sqrt{s} = 8$ TeV. Physical Review Letters, 2012, 108, 011801. | 4.7 | 46 |
| 457 | Observation of Exclusive $\tilde{\chi}_1^0 \tilde{\chi}_1^0$ Production in $\sqrt{s} = 8$ TeV. Physical Review Letters, 2012, 108, 081801. | 7.8 | 30 |
| 458 | Measurement of the Pseudorapidity and Centrality Dependence of the Transverse Energy Density in Pb-Pb Collisions at $\sqrt{s} = 8$ TeV. Physical Review Letters, 2012, 109, 152303. | 7.8 | 62 |
| 459 | Combination of the top-quark mass measurements from the Tevatron collider. Physical Review D, 2012, 86, . | 4.7 | 109 |
| 460 | Azimuthal Anisotropy of Charged Particles at High Transverse Momenta in Pb-Pb Collisions at $\sqrt{s} = 8$ TeV. Physical Review Letters, 2012, 109, 152304. | 7.8 | 109 |
| 461 | Search for the Standard Model Higgs Boson Decaying to $a\gamma$. Physical Review Letters, 2012, 109, 152305. | 7.8 | 12 |
| 462 | Search for a Leptoquark in $\sqrt{s} = 8$ TeV. Physical Review Letters, 2012, 109, 152306. | 7.8 | 29 |
| 463 | Search for the Standard Model Higgs Boson Decaying to $abb\gamma$ Pair in Events with Two Oppositely Charged Leptons Using the Full CDF Data Set. Physical Review Letters, 2012, 109, 111803. | 7.8 | 25 |
| 464 | Measurement of $Z\gamma Z\gamma$ Production in Leptonic Final States at $\sqrt{s} = 8$ TeV at CDF. Physical Review Letters, 2012, 108, 101801. | 7.8 | 21 |
| 465 | Search for New Physics in the Multijet and Missing Transverse Momentum Final State in Proton-Proton Collisions at $\sqrt{s} = 8$ TeV. Physical Review Letters, 2012, 109, 171803. | 7.8 | 118 |
| 466 | Search for a heavy vector boson decaying to two gluons in $\sqrt{s} = 8$ TeV. Physical Review D, 2012, 86, . | 4.7 | 2 |
| 467 | Search for New Physics with Same-Sign Isolated Dilepton Events with Jets and Missing Transverse Energy. Physical Review Letters, 2012, 109, 071803. | 7.8 | 49 |
| 468 | Search for the Standard Model Higgs Boson in the Decay Channel $\tilde{\chi}_1^0 \tilde{\chi}_1^0$. Physical Review Letters, 2012, 109, 071804. | 7.8 | 97 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 469 | Production of Λ , $\bar{\Lambda}$, Ξ , $\bar{\Xi}$, and Ω hyperons in $p\bar{p}$ collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review D, 2012, 86, 7. | 3 | |
| 470 | Search for a Light Pseudoscalar Higgs Boson in the Dimuon Decay Channel in \mathcal{M} : $\text{Collisions at } \mathcal{M} \text{ at } \sqrt{s} = 1.96 \text{ TeV}$ | 7.8 | 65 |
| 471 | Production in \mathcal{M} : $\text{Collisions at } \mathcal{M} \text{ at } \sqrt{s} = 1.96 \text{ TeV}$ | 7.8 | 95 |
| 472 | Search for a Low-Mass Standard Model Higgs Boson in the $t\bar{t}$ Decay Channel in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review Letters, 2012, 108, 181804. | 7.8 | 13 |
| 473 | Diffractive dijet production in \mathcal{M} : $\text{Collisions at } \mathcal{M} \text{ at } \sqrt{s} = 1.96 \text{ TeV}$ | 4.7 | 18 |
| 474 | Precision Top-Quark Mass Measurement at CDF. Physical Review Letters, 2012, 109, 152003. | 7.8 | 39 |
| 475 | Search for supersymmetry in events with b-quark jets and missing transverse energy in $p\bar{p}$ collisions at $\sqrt{s} = 7 \text{ TeV}$. Physical Review D, 2012, 86. | 4.7 | 18 |
| 476 | Measurements of the Top-Quark Mass and the \mathcal{M} : $\text{Cross Section in the Hadronic } \mathcal{M} \text{ at } \sqrt{s} = 1.96 \text{ TeV}$ | 7.8 | 12 |
| 477 | Observation of the $t\bar{t}$ Production Cross Section in \mathcal{M} : $\text{Collisions at } \mathcal{M} \text{ at } \sqrt{s} = 1.96 \text{ TeV}$ | 4.7 | 5 |
| 478 | Search for Dark Matter in Events with One Jet and Missing Transverse Energy in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review Letters, 2012, 108, 211804. | 7.8 | 73 |
| 479 | Study of substructure of high transverse momentum jets produced in proton-antiproton collisions at \mathcal{M} : $\text{Inclusive Search for squarks and gluinos in } \mathcal{M}$ | 4.7 | 37 |
| 480 | Combined search for the quarks of a sequential fourth generation. Physical Review D, 2012, 86, . | 4.7 | 41 |
| 481 | Search for standard model Higgs boson production in association with a W boson using a matrix element technique at CDF in $p\bar{p}$ collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review D, 2012, 85, . | 4.7 | 9 |
| 482 | Search for anomalous production of multiple leptons in association with W and Z bosons at CDF. Physical Review D, 2012, 85, . | 4.7 | 5 |
| 483 | Combination of CDF and D0 measurements of the \mathcal{M} : $\text{boson helicity in top quark decays. Physical Review D, 2012, 85, .}$ | 4.7 | 36 |
| 484 | Search for heavy metastable particles decaying to jet pairs in $p\bar{p}$ collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review D, 2012, 85, . | 4.7 | 15 |
| 485 | Search for a Heavy Particle Decaying to a Top Quark and a Light Quark in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review Letters, 2012, 108, 211805. | 7.8 | 14 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 487 | Measurement of the Difference in CP-Violating Asymmetries in $D^0 \rightarrow K^+ K^-$ and $D^0 \rightarrow \pi^+ \pi^-$ Decays at CDF. Physical Review Letters, 2012, 109, 111801. | 7.8 | 88 |
| 488 | Measurement of the Bottom-Strange Meson Mixing Phase in the Full CDF Data Set. Physical Review Letters, 2012, 109, 171802. | 7.8 | 62 |
| 489 | Novel inclusive search for the Higgs boson in the four-lepton final state at CDF. Physical Review D, 2012, 86, . Measurements of the Angular Distributions in the Decays $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display="inline"} <\text{mml:mi}> B </\text{mml:mi}> <\text{mml:mo}> \hat{\rightarrow} </\text{mml:mo}> <\text{mml:msup}> <\text{mml:mi}> K </\text{mml:mi}> <\text{mml:mrow}> <\text{mml:mo}>$ 490 $\text{stretchy="false"} </> </\text{mml:mo}> <\text{mml:mo}> * </> </\text{mml:mo}> <\text{mml:mo}> T_j ETQq0 0 0 rgBT /Overlock 10 Tf 50 612 Td (stretchy="false") </> </\text{mml:mo}>$ | 4.7 | 7 |
| 491 | CDF. Physical Review Letters, 2012, 108, 081807. Search for the standard model Higgs boson produced in association with a W^\pm -boson with 7.5 fb^{-1} integrated luminosity at CDF. Physical Review D, 2012, 86, . | 4.7 | 8 |
| 492 | Search for the Standard Model Higgs Boson Decaying to $abb\bar{a}$ Pair in Events with One Charged Lepton and Large Missing Transverse Energy Using the Full CDF Data Set. Physical Review Letters, 2012, 109, 111804. | 7.8 | 27 |
| 493 | Search for a Dark Matter Candidate Produced in Association with a Single Top Quark in $p\bar{p}$ Collisions at $s=1.96 \text{ TeV}$. Physical Review Letters, 2012, 108, 201802. | 7.8 | 19 |
| 494 | Evidence for a Particle Produced in Association with Weak Bosons and Decaying to a Bottom-Antibottom Quark Pair in Higgs Boson Searches at the Tevatron. Physical Review Letters, 2012, 109, 071804. | 7.8 | 201 |
| 495 | Combined Search for the Standard Model Higgs Boson Decaying to a $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display="inline"} <\text{mml:mi}> b </\text{mml:mi}> <\text{mml:mover accent="true"}> <\text{mml:mi}> b </\text{mml:mi}> <\text{mml:mo}> \hat{\rightarrow} </\text{mml:mo}> </\text{mml:mover}> </\text{mml:math}>$ Pair Using the Full CDF Data Set. Physical Review Letters, 2012, 108, . Measurement of the $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display="inline"} <\text{mml:mi}> W </\text{mml:mi}> <\text{mml:mi}> Z </\text{mml:mi}> </\text{mml:math}>$ cross section and triple gauge couplings in $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ | 7.8 | 28 |
| 496 | $\text{display="inline"} <\text{mml:mi}> p </\text{mml:mi}> <\text{mml:mo}> \hat{\times} </\text{mml:mo}> </\text{mml:mover}> </\text{mml:math}>$ collisions at $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ | 4.7 | 28 |
| 497 | Study of the Dijet Mass Spectrum in $p\bar{p}$ $W+jets$ Events at $s=7 \text{ TeV}$. Physical Review Letters, 2012, 109, 251801. | 7.8 | 15 |
| 498 | Measurement of $B_s \rightarrow D_s^(*) + D_s^(*) \bar{K}$ Branching Ratios. Physical Review Letters, 2012, 108, 201801. | 7.8 | 18 |
| 499 | Measurement of CP-violation asymmetries in $D^0 \rightarrow K S \bar{K} \pi^+ \pi^-$. Physical Review D, 2012, 86, . | 4.7 | 13 |
| 500 | Search for the Standard Model Higgs Boson Produced in Association with Top Quarks Using the Full CDF Data Set. Physical Review Letters, 2012, 109, 181802. | 7.8 | 15 |
| 501 | Search for Dark Matter and Large Extra Dimensions in $p\bar{p}$ Collisions Yielding a Photon and Missing Transverse Energy. Physical Review Letters, 2012, 108, 261803. | 7.8 | 126 |
| 502 | Observation of Sequential $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display="inline"} <\text{mml:mi}> \hat{\chi} </\text{mml:mi}> </\text{mml:math}>$ Suppression in PbPb Collisions. Physical Review Letters, 2012, 109, 222301. | 7.8 | 220 |
| 503 | Search for neutral Higgs bosons in events with multiple bottom quarks at the Tevatron. Physical Review D, 2012, 86, . | 4.7 | 17 |
| 504 | Observation of a New $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display="inline"} <\text{mml:msub}> <\text{mml:mi}> \hat{\chi} </\text{mml:mi}> <\text{mml:mi}> b </\text{mml:mi}> </\text{mml:msub}> </\text{mml:math}>$ Baryon. Physical Review Letters, 2012, 108, 252002. | 7.8 | 65 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 505 | Evidence for the Charmless Annihilation Decay Mode $\chi\bar{\chi} \rightarrow b\bar{b}$. Physical Review Letters, 2012, 108, 211803. | 7.8 | 38 |
| 506 | Performance of ℓ, q -lepton reconstruction and identification in CMS. Journal of Instrumentation, 2012, 7, P01001-P01001. | 1.2 | 91 |
| 507 | Inclusive b-jet production in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 39 |
| 508 | Search for quark compositeness in dijet angular distributions from pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 18 |
| 509 | Suppression of non-prompt J/ψ , prompt J/ψ , and $\Upsilon(1S)$ in PbPb collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 200 |
| 510 | Search for heavy bottom-like quarks in 4.9 fb^{-1} of pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 45 |
| 511 | Measurement of the cross section for production of $b\bar{b}$ decaying to muons in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 6 |
| 512 | Measurement of the Z/γ^* b-jet cross section in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 39 |
| 513 | Shape, transverse size, and charged-hadron multiplicity of jets in pp collisions at $\sqrt{s}=7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 31 |
| 514 | Search for anomalous production of multilepton events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 68 |
| 515 | Search for a light charged Higgs boson in top quark decays in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 117 |
| 516 | Measurement of charm production at central rapidity in proton-proton collisions at $\sqrt{s} = 2.76 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 115 |
| 517 | Search for leptonic decays of W^{\pm} bosons in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 49 |
| 518 | Search for stopped long-lived particles produced in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 17 |
| 519 | Search for new physics in events with same-sign dileptons and b-tagged jets in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 30 |
| 520 | Measurement of the underlying event activity in pp collisions at $\sqrt{s} = 0.9 \text{ and } 7 \text{ TeV}$ with the novel jet-area/median approach. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 13 |
| 521 | Search for anomalous $t\bar{t}$ production in the highly-boosted all-hadronic final state. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 58 |
| 522 | Search for dark matter and large extra dimensions in monojet events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 168 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 523 | Search for a fermiophobic Higgs boson in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 15 |
| 524 | Suppression of high transverse momentum D mesons in central Pb-Pb collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 228 |
| 525 | Search for supersymmetry in hadronic final states using M T2 in pp collisions at $\sqrt{s}=7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 95 |
| 526 | Measurement of jet fragmentation into charged particles in pp and PbPb collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 85 |
| 527 | Search for scalar top quark production in $\bar{p}p$ collisions at $\sqrt{s}=1.96 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 16 |
| 528 | Measurement of the $t\bar{t}$ production cross section in the dilepton channel in pp collisions at $\sqrt{s}=7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 69 |
| 529 | Search for exclusive or semi-exclusive $\tilde{t}\tilde{t}$ production and observation of exclusive and semi-exclusive $e+e\gamma$ production in pp collisions at $\sqrt{s}=7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 51 |
| 530 | Search for the standard model Higgs boson produced in association with W and Z bosons in pp collisions at $\sqrt{s}=7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 7 |
| 531 | Search for electroweak production of charginos and neutralinos using leptonic final states in pp collisions at $\sqrt{s}=7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 41 |
| 532 | Search for new physics with long-lived particles decaying to photons and missing energy in pp collisions at $\sqrt{s}=7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 11 |
| 533 | Search for resonant $t\bar{t}$ production in lepton+jets events in pp collisions at $\sqrt{s}=7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 26 |
| 534 | Observation of Z decays to four leptons with the CMS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 34 |
| 535 | Measurement of the single-top-quark t-channel cross section in pp collisions at $\sqrt{s}=7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 83 |
| 536 | Search for third-generation leptoquarks and scalar bottom quarks in pp collisions at $\sqrt{s}=7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 14 |
| 537 | Measurement of the top-quark mass in $t\bar{t}$ events with lepton+jets final states in pp collisions at $\sqrt{s}=7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 38 |
| 538 | Observation of a new boson at a mass of 125 GeV with the CMS experiment at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 716, 30-61. | 4.1 | 6,177 |
| 539 | Measurement of the branching fraction $B(B^0 \rightarrow c+\bar{c} \rightarrow e^+e^-)$ at CDF. Physical Review D, 2012, 85, . Search for $\mathcal{M}_{\text{production}} + \mathcal{M}_{\text{missing energy}} + \mathcal{M}_{\text{jets}}$ with $\mathcal{M}_{\text{production}} = \mathcal{M}_{\text{normal}} + \mathcal{M}_{\text{bold}}$. | 4.7 | 6 |
| 540 | Search for $\mathcal{M}_{\text{production}} + \mathcal{M}_{\text{missing energy}} + \mathcal{M}_{\text{jets}}$ with $\mathcal{M}_{\text{production}} = \mathcal{M}_{\text{normal}} + \mathcal{M}_{\text{bold}}$. | 4.7 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 541 | Search for standard model Higgs boson production in association with a W boson at CDF. Physical Review D, 2012, 85, . | 4.7 | 3 |
| 542 | Measurement of CP-violating asymmetries in $D0 \rightarrow l^+ l^-$ and $D0 \rightarrow K^+ K^-$ decays at CDF. Physical Review D, 2012, 85, . | 4.7 | 65 |
| 543 | Search for new phenomena in events with two Z bosons and missing transverse momentum in $p\bar{p}$ collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review D, 2012, 85, . Measurement of the production cross section in $p\bar{p}$ collisions at $\sqrt{s} = 1.96 \text{ TeV}$ with Right-Handed Couplings in a Left-Right Symmetric Model | 4.7 | 4 |
| 544 | Search for Higgs bosons produced in association with quarks. Physical Review D, 2012, 85, . | 4.7 | 35 |
| 545 | Search for heavy long-lived charged particles in $p\bar{p}$ collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review D, 2012, 85, . | 7.8 | 53 |
| 546 | Measurement of the masses and widths of the bottom baryons $\Xi_b \bar{b} \pm$ and $\Xi_b^* \bar{b} \pm$. Physical Review D, 2012, 85, . | 4.7 | 28 |
| 547 | Search for high-mass resonances decaying into $Z Z$ in $p\bar{p}$ collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review D, 2012, 85, . | 4.7 | 34 |
| 548 | A New Boson with a Mass of 125 GeV Observed with the CMS Experiment at the Large Hadron Collider. Science, 2012, 338, 1569-1575. | 12.6 | 85 |
| 549 | Measurement of the top quark mass in the all-hadronic mode at CDF. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 714, 24-31. | 4.1 | 108 |
| 550 | Search for heavy long-lived charged particles in $p\bar{p}$ collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 714, 24-31. | 4.1 | 13 |
| 551 | Search for W boson production in $p\bar{p}$ and $p\bar{n}$ collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 714, 24-31. | 4.1 | 17 |
| 552 | Search for W boson resonances in dilepton mass spectra in $p\bar{p}$ collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 714, 24-31. | 4.1 | 37 |
| 553 | Search for heavy top-like quark pair production in the dilepton final state in $p\bar{p}$ collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 714, 24-31. | 4.1 | 17 |
| 554 | Search for heavy long-lived charged particles in $p\bar{p}$ collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 714, 24-31. | 4.1 | 17 |
| 555 | Search for heavy long-lived charged particles in $p\bar{p}$ collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 714, 24-31. | 4.1 | 17 |
| 556 | Search for heavy long-lived charged particles in $p\bar{p}$ collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 714, 24-31. | 4.1 | 17 |
| 557 | Search for heavy, top-like quark pair production in the dilepton final state in $p\bar{p}$ collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 714, 24-31. | 4.1 | 2 |
| 558 | Search for heavy, top-like quark pair production in the dilepton final state in $p\bar{p}$ collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 716, 103-121. | 4.1 | 45 |

| # | ARTICLE or high-mass resonances decaying into ℓ_{\pm} -lepton pairs in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ | IF | CITATIONS |
|-----|--|-----|-----------|
| 559 | altimg="S11.gif" overflow="scroll" xmlns:xocs="http://www.elsevier.com/xml/xocs/dtd" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns: xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mmml="http://www.w3.org/1998/Math/MathML" xmlns:tb="http://www.elsevier.com/xml/common/table/dtd" xmlns:chem="http://www.elsevier.com/xml/chem/dtd" | 4.1 | 29 |
| 560 | Measurement of the underlying event in the Drell-Yan process in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2012, 72, 1. | 3.9 | 33 |
| 561 | Transverse sphericity of primary charged particles in minimum bias proton-proton collisions at $\sqrt{s} = 0.9, 2.76, 7 \text{ TeV}$. European Physical Journal C, 2012, 72, 1. | 3.9 | 32 |
| 562 | Study of the inclusive production of charged pions, kaons, and protons in pp collisions at $\sqrt{s} = 0.9, 2.76, 7 \text{ TeV}$. European Physical Journal C, 2012, 72, 1. | 3.9 | 154 |
| 563 | Production of $K^-(892)0$ and $\bar{K}(1020)$ in pp collisions at $\sqrt{s}=7 \text{ TeV}$. European Physical Journal C, 2012, 72, 1. | 3.9 | 111 |
| 564 | A search for a doubly-charged Higgs boson in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2012, 72, 1. | 3.9 | 129 |
| 565 | Measurement of the top-quark mass in $t\bar{t}$ events with dilepton final states in pp collisions at $\sqrt{s}=7 \text{ TeV}$. European Physical Journal C, 2012, 72, 1. | 3.9 | 42 |
| 566 | Ratios of dijet production cross sections as a function of the absolute difference in rapidity between jets in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2012, 72, 1. | 3.9 | 26 |
| 567 | | | |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 577 | Search for Signatures of Extra Dimensions in the Diphoton Mass Spectrum at the Large Hadron Collider. <i>Physical Review Letters</i> , 2012, 108, 111801. | 7.8 | 63 |
| 578 | Precise Measurement of the $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML" display="block">\sqrt{s}$ -Boson Mass with the CDF II Detector. <i>Physical Review Letters</i> , 2012, 108, 151803. | 7.8 | 106 |
| 579 | Forward energy flow, central charged-particle multiplicities, and pseudorapidity gaps in W and Z boson events from pp collisions at $\sqrt{s} = 7$ TeV. <i>European Physical Journal C</i> , 2012, 72, 1. | 3.9 | 11 |
| 580 | J/ψ and $\psi(2S)$ production in pp collisions at $\sqrt{s} = 7$ TeV. <i>Journal of High Energy Physics</i> , 2012, 2012, 1. | 4.7 | 81 |
| 581 | Search for the standard model Higgs boson in the $H \rightarrow ZZ \rightarrow l^+l^-l^+l^-$ channel in pp collisions at $\sqrt{s} = 7$ TeV. <i>Journal of High Energy Physics</i> , 2012, 2012, 1. | 4.7 | 26 |
| 582 | Measurement of event background fluctuations for charged particle jet reconstruction in $Pb-Pb$ collisions at $\sqrt{s_{\text{NN}}} = 2.76$ TeV. <i>Journal of High Energy Physics</i> , 2012, 2012, 1. | 4.7 | 58 |
| 583 | Search for the standard model Higgs boson in the $H \rightarrow ZZ \rightarrow l^+l^-l^+l^-$ decay channel in pp collisions at $\sqrt{s} = 7$ TeV. <i>Journal of High Energy Physics</i> , 2012, 2012, 1. | 4.7 | 11 |
| 584 | Search for $B_s \rightarrow D_s^+ \pi^-$ and $B_s \rightarrow D_s^0 \pi^0$ decays. <i>Journal of High Energy Physics</i> , 2012, 2012, 1. | 4.7 | 57 |
| 585 | Search for a Higgs boson in the decay channel $H \rightarrow ZZ \rightarrow q\bar{q}$ in pp collisions at $\sqrt{s} = 7$ TeV. <i>Journal of High Energy Physics</i> , 2012, 2012, 1. | 4.7 | 30 |
| 586 | Search for microscopic black holes in pp collisions at $\sqrt{s} = 7$ TeV. <i>Journal of High Energy Physics</i> , 2012, 2012, 1. | 4.7 | 34 |
| 587 | Measurement of the inclusive production cross sections for forward jets and for dijet events with one forward and one central jet in pp collisions at $\sqrt{s} = 7$ TeV. <i>Journal of High Energy Physics</i> , 2012, 2012, 1. | 4.7 | 16 |
| 588 | Measurement of the mass difference between top and antitop quarks. <i>Journal of High Energy Physics</i> , 2012, 2012, 1. | 4.7 | 15 |
| 589 | Measurement of the charge asymmetry in top-quark pair production in proton-proton collisions at $\sqrt{s} = 7$ TeV. <i>Nuclear Physics B</i> , 2012, 709, 28-49. | 4.1 | 79 |
| 590 | Combined results of searches for the standard model Higgs boson in pp collisions at $\sqrt{s} = 7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012, 709, 28-49. | 4.1 | 79 |
| 591 | Measurement of isolated photon production in pp and $PbPb$ collisions at $\sqrt{s} = 7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012, 710, 256-277. | 4.1 | 88 |
| 592 | Measurement of isolated photon production in pp and $PbPb$ collisions at $\sqrt{s} = 7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012, 710, 256-277. | 4.1 | 122 |
| 593 | Search for the standard model Higgs boson decaying to bottom quarks in pp collisions at $\sqrt{s} = 7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012, 710, 284-306. | 4.1 | 0 |
| 594 | Search for the standard model Higgs boson decaying to bottom quarks in pp collisions at $\sqrt{s} = 7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012, 710, 284-306. | 4.1 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 595 | Search for the standard model Higgs boson decaying into two photons in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 710, 403-425. | 4.1 | 148 |
| 596 | Search for large extra dimensions in dijet and dielectron events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 710, 403-425. | 4.1 | 17 |
| 597 | Jet momentum dependence for jet quenching in PbPb collisions at $\sqrt{s} = 2.76 \text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 712, 176-197. | 4.1 | 155 |
| 598 | Study of high-p T charged particle suppression in PbPb compared to pp collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$. European Physical Journal C, 2012, 72, 1. | 3.9 | 369 |
| 599 | Centrality dependence of dihadron correlations and azimuthal anisotropy harmonics in PbPb collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$. European Physical Journal C, 2012, 72, 1. | 3.9 | 181 |
| 600 | Jet production rates in association with W and Z bosons in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 58 |
| 601 | Exclusive $\bar{t}\bar{b} + \bar{t}\bar{t} + \bar{b}\bar{b}$ production in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 56 |
| 602 | Measurement of charm production at central rapidity in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 139 |
| 603 | Measurement of the production cross section for pairs of isolated photons in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 26 |
| 604 | Measurements of the properties of $\Lambda_c(2595)$, $\Lambda_c(2625)$, $\Xi_c(2455)$, and $\Xi_c(2520)$ baryons. Physical Review D, 2011, 84, . | 4.7 | 47 |
| 605 | Search for Randall-Sundrum gravitons in the diphoton channel at CDF. Physical Review D, 2011, 83, . | 4.7 | 16 |
| 606 | Measurement of branching ratio and lifetime in the decay of $\Lambda_c(2595)$ baryon. Physical Review D, 2011, 84, . | 4.7 | 51 |
| 607 | Measurement of the production cross section for pairs of isolated photons in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Physical Review D, 2011, 84, . | 4.7 | 45 |
| 608 | Top quark mass measurement using the template method at CDF. Physical Review D, 2011, 83, . | 4.7 | 24 |
| 609 | Measurement of spin correlation in $\Lambda_c(2595)$ baryon production. Physical Review D, 2011, 84, . | 4.7 | 45 |
| 610 | Search for $\Lambda_c(2595)$ baryon production in $\sqrt{s} = 7 \text{ TeV}$ collisions using $\Lambda_c(2595) \rightarrow \Lambda_c(2625) \pi^-$ decay mode. Physical Review Letters, 2011, 107, 191801. | 4.7 | 74 |
| 611 | Measurement of the top-quark mass in the lepton+jets channel using a matrix element technique with the CDF II detector. Physical Review D, 2011, 84, . | 4.7 | 8 |
| 612 | Upsilon production cross section in $\sqrt{s} = 7 \text{ TeV}$ collisions at $\sqrt{s} = 7 \text{ TeV}$. Physical Review D, 2011, 83, . | 4.7 | 88 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 613 | Measurement of the differential cross section for isolated prompt photon production in $\text{pp} \rightarrow \text{e}^+ \text{e}^-$ collisions at 7TeV . Physical Review D, 2011, 84, . | 4.7 | 65 |
| 614 | Search for the Higgs boson in the all-hadronic final state using the CDF II detector. Physical Review D, 2011, 84, . | 4.7 | 4 |
| 615 | Search for resonant production of W^{\pm} and Z^0 in $\text{pp} \rightarrow \text{e}^+ \text{e}^-$ collisions at 7TeV . Physical Review D, 2011, 84, . | 4.7 | 17 |
| 616 | Measurement of event shapes in $\text{pp} \rightarrow \text{e}^+ \text{e}^-$ collisions at $\sqrt{s} = 1.96\text{TeV}$. Physical Review D, 2011, 83, . | 4.7 | 13 |
| 617 | Measurement of the $t\bar{t}$ production cross section with an in-situ calibration of b-jet identification efficiency. Physical Review D, 2011, 83, . | 4.7 | 5 |
| 618 | Measurement of the $t\bar{t}$ production cross section with an in-situ calibration of b-jet identification efficiency. Physical Review D, 2011, 83, . | 4.7 | 35 |
| 619 | Observation and studies of jet quenching in PbPb collisions at $\sqrt{s_{\text{NN}}} = 2.76\text{TeV}$. Physical Review C, 2011, 84, . | 4.55 | 455 |
| 620 | Indication of Suppression of Excited States in Pb-Pb Collisions at $\sqrt{s_{\text{NN}}} = 2.76\text{TeV}$. Physical Review Letters, 2011, 107, 052302. | 7.8 | 153 |
| 621 | Evidence for a mass dependent forward-backward asymmetry in top quark pair production. Physical Review D, 2011, 83, . | 4.7 | 238 |
| 622 | Measurement of Dijet Angular Distributions and Search for Quark Compositeness in $\text{pp} \rightarrow \text{e}^+ \text{e}^-$ Collisions at 7TeV . Physical Review Letters, 2011, 106, 201804. | 7.8 | 54 |
| 623 | Missing transverse energy performance of the CMS detector. Journal of Instrumentation, 2011, 6, P09001-P09001. | 1.2 | 102 |
| 624 | Measurement of $W^{\pm 3}$ and Z^3 production in pp collisions at $\sqrt{s} = 7\text{TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 701, 535-555. | 4.1 | 39 |
| 625 | Search for first generation scalar leptoquarks in $\text{pp} \rightarrow \text{e}^+ \text{e}^-$ collisions at $\sqrt{s} = 7\text{TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 704, 123-142. | 4.1 | 14 |
| 626 | Search for resonances in the dijet mass spectrum from 7TeV pp collisions at CMS. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 704, 123-142. | 4.1 | 12 |
| 627 | A search for excited leptons in pp collisions at $\sqrt{s} = 7\text{TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 704, 123-142. | 4.1 | 118 |
| 628 | Prompt and non-prompt J/ψ production in pp collisions at $\sqrt{s} = 7\text{TeV}$. European Physical Journal C, 2011, 71, 1. | 4.1 | 8 |
| 629 | Prompt and non-prompt J/ψ production in pp collisions at $\sqrt{s} = 7\text{TeV}$. European Physical Journal C, 2011, 71, 1. | 4.1 | 28 |
| 630 | Prompt and non-prompt J/ψ production in pp collisions at $\sqrt{s} = 7\text{TeV}$. European Physical Journal C, 2011, 71, 1. | 3.9 | 135 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 631 | Strange particle production in proton–proton collisions at $\sqrt{s} = 0.9$ TeV with ALICE at the LHC. <i>European Physical Journal C</i> , 2011, 71, 1. | 3.9 | 140 |
| 632 | Production of pions, kaons and protons in pp collisions at $\sqrt{s} = 900$ GeV with ALICE at the LHC. <i>European Physical Journal C</i> , 2011, 71, 1. | 3.9 | 209 |
| 633 | Improved determination of the sample composition of dimuon events produced in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV. <i>European Physical Journal C</i> , 2011, 71, 1. | 3.9 | 1 |
| 634 | Measurement of the $t\bar{t}$ production cross section in pp collisions at $\sqrt{s} = 7$ TeV using the kinematic properties of events with leptons and jets. <i>European Physical Journal C</i> , 2011, 71, 1. | 3.9 | 37 |
| 635 | Charged particle multiplicities in pp interactions at $\sqrt{s} = 0.9$, 2.36, and 7 TeV. <i>Journal of High Energy Physics</i> , 2011, 2011, 1. | 4.7 | 106 |
| 636 | Measurements of inclusive W and Z cross sections in pp collisions at $\sqrt{s} = 7$ TeV. <i>Journal of High Energy Physics</i> , 2011, 2011, 1. | 4.7 | 122 |
| 637 | Search for heavy stable charged particles in pp collisions at $\sqrt{s} = 7$ TeV. <i>Journal of High Energy Physics</i> , 2011, 2011, 1. | 4.7 | 38 |
| 638 | Inclusive b-hadron production cross section with muons in pp collisions at $\sqrt{s} = 7$ TeV. <i>Journal of High Energy Physics</i> , 2011, 2011, 1. | 4.7 | 23 |
| 639 | Measurement of \overline{B} angular correlations based on secondary vertex reconstruction at $\sqrt{s} = 7$ TeV. <i>Journal of High Energy Physics</i> , 2011, 2011, 1. | 4.7 | 32 |
| 640 | Measurement of the lepton charge asymmetry in inclusive W production in pp collisions at $\sqrt{s} = 7$ TeV. <i>Journal of High Energy Physics</i> , 2011, 2011, 1. | 4.7 | 59 |
| 641 | Measurement of Bose-Einstein correlations in pp collisions at $\sqrt{s} = 0.9$ and 7 TeV. <i>Journal of High Energy Physics</i> , 2011, 2011, 1. | 4.7 | 30 |
| 642 | Strange particle production in pp collisions at $\sqrt{s} = 0.9$ and 7 TeV. <i>Journal of High Energy Physics</i> , 2011, 2011, 1. | 4.7 | 139 |
| 643 | Search for large extra dimensions in the diphoton final state at the Large Hadron Collider. <i>Journal of High Energy Physics</i> , 2011, 2011, 1. | 4.7 | 22 |
| 644 | Search for resonances in the dilepton mass distribution in pp collisions at $\sqrt{s} = 7$ TeV. <i>Journal of High Energy Physics</i> , 2011, 2011, 1. | 4.7 | 39 |
| 645 | Search for physics beyond the standard model in opposite-sign dilepton events in pp collisions at $\sqrt{s} = 7$ TeV. <i>Journal of High Energy Physics</i> , 2011, 2011, 1. | 4.7 | 26 |
| 646 | Search for new physics with same-sign isolated dilepton events with jets and missing transverse energy at the LHC. <i>Journal of High Energy Physics</i> , 2011, 2011, 1. | 4.7 | 46 |
| 647 | Search for supersymmetry in events with a lepton, a photon, and large missing transverse energy in pp collisions at $\sqrt{s} = 7$ TeV. <i>Journal of High Energy Physics</i> , 2011, 2011, 1. | 4.7 | 10 |
| 648 | Measurement of the $t\bar{t}$ production cross section and the top quark mass in the dilepton channel in pp collisions at $\sqrt{s} = 7$ TeV. <i>Journal of High Energy Physics</i> , 2011, 2011, 1. | 4.7 | 53 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 649 | Long-range and short-range dihadron angular correlations in central PbPb collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2011, 2011, 1. | 4.7 | 65 |
| 650 | Search for light resonances decaying into pairs of muons as a signal of new physics. <i>Journal of High Energy Physics</i> , 2011, 2011, 1. | 4.7 | 13 |
| 651 | Search for supersymmetry in events with b jets and missing transverse momentum at the LHC. <i>Journal of High Energy Physics</i> , 2011, 2011, 1. | 4.7 | 29 |
| 652 | Search for same-sign top-quark pair production at $\sqrt{s} = 7 \text{ TeV}$ and limits on flavour changing neutral currents in the top sector. <i>Journal of High Energy Physics</i> , 2011, 2011, 1. | 4.7 | 40 |
| 653 | Charged particle transverse momentum spectra in pp collisions at $\sqrt{s} = 0.9 \text{ and } 7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2011, 2011, 1. | 4.7 | 56 |
| 654 | Measurement of the inclusive Z cross section via decays to tau pairs in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2011, 2011, 1. | 4.7 | 20 |
| 655 | Dependence on pseudorapidity and on centrality of charged hadron production in PbPb collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2011, 2011, 1. | 4.7 | 99 |
| 656 | Search for new physics with jets and missing transverse momentum in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2011, 2011, 1. | 4.7 | 49 |
| 657 | Search for supersymmetry in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ in events with a single lepton, jets, and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2011, 2011, 1. | 4.7 | 32 |
| 658 | Measurement of the underlying event activity at the LHC with $\sqrt{s} = 7 \text{ TeV}$ and comparison with $\sqrt{s} = 0.9 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2011, 2011, 1. | 4.7 | 97 |
| 659 | Measurement of the Drell-Yan cross section in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2011, 2011, 1. | 4.7 | 36 |
| 660 | Measurement of the inclusive W and Z production cross sections in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the CMS experiment. <i>Journal of High Energy Physics</i> , 2011, 2011, 1. | 4.7 | 158 |
| 661 | Measurement of energy flow at large pseudorapidities in pp collisions at $\sqrt{s} = 0.9 \text{ and } 7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2011, 2011, 1. | 4.7 | 25 |
| 662 | First measurement of the cross section for top-quark pair production in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2011, 695, 424-443. | 4.1 | 90 |
| 663 | Search for microscopic black hole signatures at the Large Hadron Collider. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2011, 697, 434-453. | 4.1 | 65 |
| 664 | Search for a heavy gauge boson. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2011, 698, 196-218. | 4.1 | 26 |
| 665 | Measurement of the top quark mass in the $t \bar{t}$ channel. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2011, 698, 196-218. | 4.1 | 171 |
| 666 | Le | 4.1 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 667 | Measurement of $W + Wa^-$ production and search for the Higgs boson in pp collisions at $\sqrt{s} = 7$ TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 699, 25-47. | | |
| 668 | First measurement of hadronic event shapes in pp collisions at $\sqrt{s} = 7$ TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 699, 48-67. | 4.1 | 38 |
| 669 | Measurement of the differential dijet production cross section in proton-antiproton collisions at $\sqrt{s} = 7$ TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 699, 25-47. | | |
| 670 | Search for a top quark at $\sqrt{s} = 7$ TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 699, 25-47. | 4.1 | 27 |
| 671 | Measurement of the isolated prompt photon production cross section in $\sqrt{s} = 7$ TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 699, 25-47. | 4.1 | 30 |
| 672 | Measurement of the Forward-Backward Asymmetry in the $B_s \rightarrow K^*(\pi^+/\pi^-)$ Decay and First Observation of the $B_s \rightarrow \eta/\eta'$ Decay. Physical Review Letters, 2011, 106, 161801. | 7.8 | 45 |
| 673 | Measurement of the isolated prompt photon production cross section in $\sqrt{s} = 7$ TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 699, 25-47. | 7.8 | 62 |
| 674 | Measurement of the $B_s \rightarrow K^*(\pi^+/\pi^-)$ Cross Section in $\sqrt{s} = 7$ TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 699, 25-47. | 7.8 | 80 |
| 675 | Search for $B_s \rightarrow \eta/\eta'$ and $B_0 \rightarrow \eta/\eta'$ Decays in pp Collisions at $\sqrt{s} = 7$ TeV. Physical Review Letters, 2011, 107, 161802. | | |
| 676 | Search for Pair Production of Second-Generation Scalar Leptoquarks in $\sqrt{s} = 7$ TeV. Physical Review Letters, 2011, 106, 201803. | 7.8 | 17 |
| 677 | Search for Supersymmetry at the LHC in Events with Jets and Missing Transverse Energy. Physical Review Letters, 2011, 107, 221804. | 7.8 | 208 |
| 678 | Search for a Heavy Toplike Quark in $\sqrt{s} = 7$ TeV. Physical Review Letters, 2011, 107, 261801. | 7.8 | 32 |
| 679 | Invariant Mass Distribution of Jet Pairs Produced in Association with a W Boson in $\sqrt{s} = 7$ TeV. Physical Review Letters, 2011, 106, 171801. | 7.8 | 108 |
| 680 | Measurement of the $b \bar{b}$ lifetime using a simulation free approach for trigger bias correction. Physical Review D, 2011, 83, 032005. | 4.7 | 8 |
| 681 | Search for a new heavy gauge boson in $\sqrt{s} = 7$ TeV. Physical Review Letters, 2011, 106, 212001. | 4.7 | 24 |
| 682 | Study of $Z \rightarrow ee$ and $Z \rightarrow \mu\mu$ Boson Production in PbPb Collisions at $\sqrt{s} = 7$ TeV. Physical Review Letters, 2011, 106, 212001. | 7.8 | 80 |
| 683 | Measurement of $b \bar{b}$ and $c \bar{c}$ Hadron Lifetimes in Exclusive Decays Containing a $t \bar{t}$ or $W b \bar{b}$. Physical Review Letters, 2011, 106, 212001. | 7.8 | 54 |
| 684 | Measurement of $b \bar{b}$ and $c \bar{c}$ Hadron Lifetimes in Exclusive Decays Containing a $t \bar{t}$ or $W b \bar{b}$. Physical Review Letters, 2011, 106, 212001. | 7.8 | 31 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 685 | for New $\langle \text{mml:math} \rangle$ $\text{display} = \text{"inline"}$ $\langle \text{mml:msup} \rangle$ $\langle \text{mml:mi} \rangle T \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \rangle \text{e}^2 \langle / \text{mml:mo} \rangle \langle / \text{mml:msup} \rangle$ Particles in Final States with Large Jet Multiplicities and Missing Transverse Energy in $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML"}$ $\text{display} = \text{"inline"}$ $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mover}$ $\text{accent} = \text{"true"}$ $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \rangle \bar{A}^- \langle / \text{mml:mo} \rangle \langle / \text{mml:mover} \rangle \langle / \text{mml:math} \rangle$ Collisions at $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML"}$ $\text{display} = \text{"inline"}$ $\langle \text{mml:mi} \rangle$ Physical Rev. | 7.8 | 24 |
| 686 | Search for Supersymmetry in $\text{pp} \rightarrow \text{Collisions}$ $\text{ats} = 7 \text{ TeV}$ in Events with Two Photons and Missing Transverse Energy. <i>Physical Review Letters</i> , 2011, 106, 211802. | 7.8 | 47 |
| 687 | Search for Pair Production of First-Generation Scalar Leptoquarks in $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML"}$ $\text{display} = \text{"inline"}$ $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Collisions at $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML"}$ $\text{display} = \text{"inline"}$ $\langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 7 \langle / \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle \text{Physical Review Letters}$, 2011, 106, 201802. | 7.8 | 21 |
| 688 | Search for new heavy particles decaying to $Z Z \rightarrow l^+ l^- l^+ l^-$ in $\text{pp} \rightarrow \text{Collisions}$ $\text{ats} = 1.96 \text{ TeV}$. <i>Physical Review D</i> , 2011, 83, . | 4.7 | 7 |
| 689 | Measurement of the weak mixing angle with the Drell-Yan process in proton-proton collisions at the LHC. <i>Physical Review D</i> , 2011, 84, . | 4.7 | 51 |
| 690 | Measurement of the top pair production cross section in the $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML"}$ $\text{display} = \text{"inline"}$ $\langle \text{mml:mtext} \rangle \text{mathvariant} = \text{"normal"}$ lepton $\langle / \text{mml:mtext} \rangle \langle \text{mml:mo} \rangle + \langle / \text{mml:mo} \rangle \langle \text{mml:mtext} \rangle \text{mathvariant} = \text{"normal"}$ jets $\langle / \text{mml:mtext} \rangle \langle / \text{mml:math} \rangle$ channel using a jet flavor discriminant. <i>Physical Review D</i> , 2011, 84, . | 4.7 | 10 |
| 691 | Measurement of the $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML"}$ $\text{display} = \text{"inline"}$ $\langle \text{mml:mi} \rangle t \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \rangle \bar{A}^- \langle / \text{mml:mo} \rangle \langle / \text{mml:mover} \rangle \langle / \text{mml:math} \rangle$ decaying to jets in $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML"}$ $\text{display} = \text{"inline"}$ $\langle \text{mml:mi} \rangle t \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \rangle \bar{A}^- \langle / \text{mml:mo} \rangle \langle / \text{mml:mover} \rangle \langle / \text{mml:math} \rangle$ collisions. <i>Measurement of the $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML"}$ $\text{display} = \text{"inline"}$ $\langle \text{mml:mi} \rangle t \langle / \text{mml:mi} \rangle \langle \text{mml:mover} \rangle \langle \text{mml:mo} \rangle \bar{A}^- \langle / \text{mml:mo} \rangle \langle / \text{mml:mover} \rangle \langle / \text{mml:math} \rangle$ production cross section in $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML"}$ $\text{display} = \text{"inline"}$ $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \rangle \bar{A}^- \langle / \text{mml:mo} \rangle \langle / \text{mml:mover} \rangle \langle / \text{mml:math} \rangle$ collisions</i> | 4.7 | 14 |
| 692 | First Search for Multijet Resonances in $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML"}$ $\text{display} = \text{"inline"}$ $\langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 1.96 \langle / \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle \text{Physical Review Letters}$, 2011, 107, 042001. | 4.7 | 6 |
| 693 | Measurement of the $B_s \rightarrow D_s \pi^- \pi^+$ lifetime in Fully and Partially Reconstructed $B_s \rightarrow D_s \pi^- \pi^+$ Decays in $\text{pp} \rightarrow \text{Collisions}$ $\text{ats} = 1.96 \text{ TeV}$. <i>Physical Review Letters</i> , 2011, 107, 272001. | 7.8 | 13 |
| 694 | First Search for Multijet Resonances in $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML"}$ $\text{display} = \text{"inline"}$ $\langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 1.96 \langle / \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle \text{Physical Review Letters}$, 2011, 107, 042001. | 7.8 | 37 |
| 695 | Measurement of the $B_s \rightarrow D_s \pi^- \pi^+$ lifetime in Fully and Partially Reconstructed $B_s \rightarrow D_s \pi^- \pi^+$ Decays in $\text{pp} \rightarrow \text{Collisions}$ $\text{ats} = 1.96 \text{ TeV}$. <i>Physical Review Letters</i> , 2011, 107, 102003. | 7.8 | 7 |
| 696 | Measurement of Polarization and Search for CP Violation in $B_s \rightarrow D_s \pi^- \pi^+$ Decays. <i>Physical Review Letters</i> , 2011, 107, 261802. | 7.8 | 32 |
| 697 | Search for New Physics with a Monojet and Missing Transverse Energy in $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML"}$ $\text{display} = \text{"inline"}$ $\langle \text{mml:mi} \rangle Z \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle \bar{Z} \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Events from $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML"}$ $\text{display} = \text{"inline"}$ $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \rangle \bar{A}^- \langle / \text{mml:mo} \rangle \langle / \text{mml:mover} \rangle \langle / \text{mml:math} \rangle$ Collisions | 7.8 | 26 |
| 698 | First Measurement of the Angular Coefficients of Drell-Yan $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML"}$ $\text{display} = \text{"inline"}$ $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Collisions at $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML"}$ $\text{display} = \text{"inline"}$ $\langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 7 \langle / \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle \text{Physical Review Letters}$, 2011, 107, 042001. | 7.8 | 53 |
| 699 | First Measurement of the Angular Coefficients of Drell-Yan $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML"}$ $\text{display} = \text{"inline"}$ $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \rangle \bar{A}^- \langle / \text{mml:mo} \rangle \langle / \text{mml:mover} \rangle \langle / \text{mml:math} \rangle$ Collisions at $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML"}$ $\text{display} = \text{"inline"}$ $\langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 1.96 \langle / \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle \text{Physical Review Letters}$, 2011, 107, 042001. | 7.8 | 25 |
| 700 | Measurement of the Inclusive Jet Cross Section in $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML"}$ $\text{display} = \text{"inline"}$ $\langle \text{mml:msup} \rangle \langle \text{mml:mi} \rangle e \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \rangle + \langle / \text{mml:mo} \rangle \langle / \text{mml:msup} \rangle \langle \text{mml:msup} \rangle \langle \text{mml:mi} \rangle e \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \rangle \bar{A}^- \langle / \text{mml:mo} \rangle \langle / \text{mml:msup} \rangle \langle / \text{mml:math} \rangle$ Mass Region from $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML"}$ $\text{display} = \text{"inline"}$ $\langle \text{mml:mi} \rangle Z \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Events | 7.8 | 48 |
| 701 | Measurement of the Inclusive Jet Cross Section in $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML"}$ $\text{display} = \text{"inline"}$ $\langle \text{mml:mn} \rangle 2 \langle / \text{mml:mn} \rangle \langle \text{mml:mo} \rangle + \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 3 \langle / \text{mml:mn} \rangle \langle / \text{mml:math} \rangle$ in $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML"}$ $\text{display} = \text{"inline"}$ $\langle \text{mml:mi} \rangle Z \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \rangle + \langle / \text{mml:mo} \rangle \langle \text{mml:mi} \rangle Z \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Events | 7.8 | 59 |
| 702 | First Measurement of the Angular Coefficients of Drell-Yan $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML"}$ $\text{display} = \text{"inline"}$ $\langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Collisions at $\langle \text{mml:math} \rangle$ $\text{xmlns:mml} = \text{http://www.w3.org/1998/Math/MathML"}$ $\text{display} = \text{"inline"}$ $\langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 7 \langle / \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle \text{Physical Review Letters}$, 2011, 107, 132001. | 7.8 | 125 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 703 | Evidence for $t\bar{t}$ production and measurement of $t\bar{t}t\bar{t}$. Physical Review D, 2011, 84, . | 4.7 | 24 |
| 704 | Measurement of the cross section for prompt isolated diphoton production in collisions at $\sqrt{s} = 7 \text{ TeV}$. Physical Review Letters, 2011, 106, 101801. | 4.7 | 31 |
| 705 | Cross Section in Collisions at $\sqrt{s} = 7 \text{ TeV}$. Physical Review Letters, 2011, 106, 101801. | 7.8 | 61 |
| 706 | Search for Three-Jet Resonances in Collisions at $\sqrt{s} = 7 \text{ TeV}$. Physical Review Letters, 2011, 106, 101801. | 7.8 | 34 |
| 707 | Decays from Collisions at $\sqrt{s} = 7 \text{ TeV}$. Physical Review Letters, 2011, 106, 101801. | 7.8 | 16 |
| 708 | Observation of the Baryonic Flavor-Changing Neutral Current Decay. Physical Review Letters, 2011, 106, 101802. | 7.8 | 121 |
| 709 | Publisher's Note: Search for Neutral Minimal Supersymmetric Standard Model Higgs Bosons Decaying to Tau Pairs in Collisions at $\sqrt{s} = 7 \text{ TeV}$. Physical Review Letters, 2011, 106, 101802. | 7.8 | 37 |
| 710 | Search for New Dielectron Resonances and Randall-Sundrum Gravitons at the Collider Detector at Fermilab. Physical Review Letters, 2011, 106, 231801. | 7.8 | 74 |
| 711 | Observation of $B_s \rightarrow K^*(892)0$ and $B_s \rightarrow \bar{K}^0 S$ decays. Physical Review D, 2011, 83, . | 4.7 | 21 |
| 712 | Measurements of branching fraction ratios and CP-asymmetries in suppressed $D \rightarrow K^+ \pi^-$ and $D \rightarrow K^0 \bar{K}^0$ decays. Physical Review D, 2011, 84, . | 4.7 | 16 |
| 713 | Dijet Azimuthal Decorrelations in Collisions at $\sqrt{s} = 7 \text{ TeV}$. Physical Review Letters, 2011, 106, 122003. | 7.8 | 60 |
| 714 | Search for New Dielectron Resonances and Randall-Sundrum Gravitons at the Collider Detector at Fermilab. Physical Review Letters, 2011, 107, 051801. | 7.8 | 20 |
| 715 | Measurement of the Polarization of W bosons with Large Transverse Momenta in Collisions at $\sqrt{s} = 7 \text{ TeV}$. Physical Review Letters, 2011, 107, 051801. | 7.8 | 46 |
| 716 | Measurement of the $t\bar{t}$ -Channel Single Top Quark Production Cross Section in Collisions at $\sqrt{s} = 7 \text{ TeV}$. Physical Review Letters, 2011, 107, 051801. | 7.8 | 70 |
| 717 | Top-Quark Mass Measurement Using Events with Missing Transverse Energy and Jets at CDF. Physical Review Letters, 2011, 107, 232002. | 7.8 | 7 |
| 718 | Measurements of Direct Violating Asymmetries in Charmless Decays of Strange Bottom Mesons and Bottom Baryons. Physical Review Letters, 2011, 106, 181802. | 7.8 | 50 |
| 719 | Observation of the $B_s \rightarrow K^*(892)0$ decay. Physical Review Letters, 2011, 107, 102001. | 7.8 | 18 |
| 720 | Search for Stopped Gluinos in Collisions at $\sqrt{s} = 7 \text{ TeV}$. Physical Review Letters, 2011, 106, 011801. | 7.8 | 41 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 721 | Measurement of the Mass Difference between t and \bar{t} Quarks. Physical Review Letters, 2011, 106, 152001. | 7.8 | 25 |
| 722 | Search for New Physics in High- \sqrt{s} . Physical Review Letters, 2011, 107, 181801. | 7.8 | 22 |
| 723 | Search for New Physics in High- \sqrt{s} . Physical Review Letters, 2011, 106, 121801. | 7.8 | 34 |
| 724 | Determination of jet energy calibration and transverse momentum resolution in CMS. Journal of Instrumentation, 2011, 6, P11002-P11002. | 1.2 | 508 |
| 725 | Measurement of energy flow at large pseudorapidities in pp collisions at ($\sqrt{s} = 0.9$) and 7 TeV. , 2011, 2011, 1. | 5 | |
| 726 | FIRST SEARCH FOR GRAVITATIONAL WAVES FROM THE YOUNGEST KNOWN NEUTRON STAR. Astrophysical Journal, 2010, 722, 1504-1513. | 4.5 | 104 |
| 727 | Study of multi-muon events produced in p interactions at $\sqrt{s}=1.96$ TeV. European Physical Journal C, 2010, 68, 109-118. | 3.9 | 5 |
| 728 | Comments and Reply on: "Study of multi-muon events produced in p interactions at $\sqrt{s}=1.96$ TeV", T. Aaltonen et al. (The CDF Collaboration). European Physical Journal C, 2010, 68, 119-123. | 3.9 | 0 |
| 729 | Charged-particle multiplicity measurement in proton-proton collisions at $\sqrt{s}=0.9$ and 2.36 TeV with ALICE at LHC. European Physical Journal C, 2010, 68, 89-108. | 3.9 | 199 |
| 730 | Charged-particle multiplicity measurement in proton-proton collisions at $\sqrt{s}=7$ TeV with ALICE at LHC. European Physical Journal C, 2010, 68, 345-354. | 3.9 | 212 |
| 731 | First measurement of the underlying event activity at the LHC with $\sqrt{s} = 0.9$ TeV. European Physical Journal C, 2010, 70, 555-572. | 3.9 | 50 |
| 732 | CMS tracking performance results from early LHC operation. European Physical Journal C, 2010, 70, 1165-1192. | 3.9 | 120 |
| 733 | Observation of long-range, near-side angular correlations in proton-proton collisions at the LHC. Journal of High Energy Physics, 2010, 2010, 1. | 4.7 | 497 |
| 734 | Search for new color-octet vector particle decaying to $t\bar{t}$. Journal of High Energy Physics, 2010, 2010, 1. | 4.1 | 16 |
| 735 | Search for new color-octet vector particle decaying to $t\bar{t}$. Journal of High Energy Physics, 2010, 2010, 1. | 4.1 | 73 |
| 736 | Measurement of the charge ratio of atmospheric muons with the CMS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2010, 692, 83-104. | 4.1 | 38 |
| 737 | Search for Quark Compositeness with the Dijet Centrality Ratio in $t\bar{t}$ Collisions at $\sqrt{s}=7$ TeV. Physical Review Letters, 2010, 105, 262001. | 7.8 | 20 |
| 738 | Search for Quark Compositeness with the Dijet Centrality Ratio in $t\bar{t}$ Collisions at $\sqrt{s}=7$ TeV. Physical Review Letters, 2010, 105, 262001. | 7.8 | 41 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 739 | Search for Technicolor Particles Produced in Association with a $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline"> \langle \text{mml:mi} \rangle W \langle \text{mml:mi} \rangle \rangle \text{ /mml:math} \rangle$ Boson at CDF. Physical Review Letters, 2010, 104, 111802. | 7.8 | 7 |
| 740 | Inclusive Search for Standard Model Higgs Boson Production in the WW Decay Channel Using the CDF II Detector. Physical Review Letters, 2010, 104, 061803. | 7.8 | 38 |
| 741 | Measurement of the $b\bar{b}$ Lifetime in $b\bar{b} \rightarrow c\bar{c}$ Decays in $p\bar{p}$ Collisions at $s=1.96\text{TeV}$. Physical Review Letters, 2010, 104, 102002. | 7.8 | 27 |
| 742 | Search for the Production of Scalar Bottom Quarks in $p\bar{p}$ Collisions at $s=1.96\text{TeV}$. Physical Review Letters, 2010, 105, 081802. Transverse Momentum and Pseudorapidity Distributions of Charged Hadrons in cmllimath $\text{xmlns:mml="http://www.w3.org/1998/Math/MathML"}$ $\text{display="inline">\langle \text{mml:mi} \rangle p \langle /mml:mi \rangle \langle \text{mml:mi} \rangle p \langle /mml:mi \rangle \langle /mml:math \rangle \text{Collisions at } \langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"}$ $\text{Search for Pair Production of Supersymmetric Top Quarks in Dilepton Events from } \langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML" display="block">\langle \text{mml:mi} \rangle p \langle /mml:mi \rangle \langle \text{mml:mo} \rangle \bar{t} \langle /mml:mo \rangle \langle /mml:mover accent="true">\langle \text{mml:mi} \rangle p \langle /mml:mi \rangle \langle \text{mml:mo} \rangle \bar{t} \langle /mml:mo \rangle \langle /mml:mover \rangle \langle /mml:math \rangle \text{Collisions at } \langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML" display="block">\langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle /mml:mi \rangle \langle /mml:msqrt \rangle \langle \text{mml:mo} \rangle = \langle /mml:mo \rangle \langle \text{mml:mn} \rangle 1.96 \langle /mml:mn \rangle \langle /mml:math \rangle \text{ at } \langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML" display="block">\langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle /mml:mi \rangle \langle /mml:msqrt \rangle \langle \text{mml:mo} \rangle = \langle /mml:mo \rangle \langle \text{mml:mn} \rangle 1.96 \langle /mml:mn \rangle \langle /mml:math \rangle \text{ TeV. Physical Review Letters, 2010, 104, 251801. Improved Search for a Higgs Boson Produced in Association with } Z \rightarrow l^+l^- \text{ in } p\bar{p} \text{ Collisions at } s=1.96\text{TeV}. Physical Review Letters, 2010, 105, 251802.$ | 7.8 | 23 |
| 743 | Search for Dijet Resonances in 7TeV $\text{xmlns:mml="http://www.w3.org/1998/Math/MathML"}$ $\text{display="block">\langle \text{mml:mi} \rangle p \langle /mml:mi \rangle \langle \text{mml:mi} \rangle p \langle /mml:mi \rangle \langle /mml:math \rangle \text{Collisions at CMS. Physical Review Letters, 2010, 105, 211801.}$ | 7.8 | 400 |
| 744 | Measurement of the WW+WZ Production Cross Section and Search for Anomalous WW \tilde{l}^3 and WWZ Couplings in $p\bar{p}$ Collisions at $s=1.96\text{TeV}$. Physical Review Letters, 2010, 104, 201801. | 7.8 | 64 |
| 745 | Exclusion of an Exotic Top Quark with $\geq 4/3$ Electric Charge Using Soft Lepton Tagging. Physical Review Letters, 2010, 105, 101801. | 7.8 | 15 |
| 746 | Measurement of W-Boson Polarization in Top-Quark Decay in $p\bar{p}$ Collisions at $s=1.96\text{TeV}$. Physical Review Letters, 2010, 105, 042002. | 7.8 | 30 |
| 747 | Search for the Higgs Boson Using Neural Networks in Events with Missing Energy and b-Quark Jets in $p\bar{p}$ Collisions at $s=1.96\text{TeV}$. Physical Review Letters, 2010, 104, 141801. First Measurement of the $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML" display="block">\langle \text{mml:mi} \rangle b \langle /mml:mi \rangle \langle /mml:math \rangle$ -jet Cross Section in Events with a $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML" display="block">\langle \text{mml:mi} \rangle W \langle /mml:mi \rangle \langle /mml:math \rangle$ Boson in $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML" display="block">\langle \text{mml:mi} \rangle p \langle /mml:mi \rangle \langle \text{mml:mi} \rangle p \langle /mml:mi \rangle \langle /mml:math \rangle \text{Collisions at } \langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML" display="block">\langle \text{mml:mi} \rangle p \langle /mml:mi \rangle \langle \text{mml:mo} \rangle \bar{t} \langle /mml:mo \rangle \langle /mml:mover \rangle \langle /mml:math \rangle \text{Cross section in the all-hadronic mode with the CDF II detector. Physical Review D, 2010, 81, .}$ | 7.8 | 11 |
| 748 | Measurement of the WW+WZ production cross section using a matrix element technique in lepton+jets events. Physical Review D, 2010, 82, . | 4.7 | 25 |
| 749 | Search for WW and WZ Resonances Decaying to Electron, Missing ET, and Two Jets in $p\bar{p}$ Collisions at $s=1.96\text{TeV}$. Physical Review Letters, 2010, 104, 241801. | 7.8 | 27 |
| 750 | Measurement of the Ratio f_{tt}/f_Z and Precise Extraction of the $t\bar{t}$ Cross Section. Physical Review Letters, 2010, 105, 012001. | 7.8 | 56 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 757 | Search for New Physics with a Dijet Plus MissingET Signature in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review Letters, 2010, 105, 131801. | 7.8 | 10 |
| 758 | Search for Supersymmetry with Gauge-Mediated Breaking in Diphoton Events with Missing Transverse Energy at CDF II. Physical Review Letters, 2010, 104, 011801. Search for New Bottomlike Quark-Pair Decays. $\text{xml�mml}=\text{"http://www.w3.org/1998/Math/MathML"} \text{ display}=\text{"inline"} > \langle \text{mml:mi} \rangle Q \langle / \text{mml:mi} \rangle \langle \text{mml:mover} \text{ accent}=\text{"true"} \rangle \langle \text{mml:mi} \rangle Q \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \rangle \hat{\wedge} \langle / \text{mml:mo} \rangle \langle \text{mml:mover} \rangle \langle \text{mml:mo} \rangle \hat{t} \langle / \text{mml:mo} \rangle \langle \text{mml:mo} \rangle$ | 7.8 | 32 |
| 759 | | | |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 775 | Updated search for the flavor-changing neutral-current decay D0 $\rightarrow l^+l^-$ in pp $\bar{}$ collisions at $s=1.96\text{TeV}$. Physical Review D, 2010, 82, . | 4.7 | 8 |
| 776 | Measurements of the top-quark mass using charged particle tracking. Physical Review D, 2010, 81, . | 4.7 | 22 |
| 777 | Combined Tevatron upper limit on gg $\rightarrow W+W-$ and constraints on the Higgs boson mass in fourth-generation fermion models. Physical Review D, 2010, 82, . | 4.7 | 33 |
| 778 | Search for single top quark production in pp $\bar{}$ collisions at $s=1.96\text{TeV}$ in the missing transverse energy plus jets topology. Physical Review D, 2010, 81, . | 4.7 | 15 |
| 779 | Inclusive Search for Squark and Gluino Production in pp $\bar{}$ Collisions at $s=1.96\text{TeV}$. Physical Review Letters, 2009, 102, 121801. | 7.8 | 69 |
| 780 | Search for High-Mass Resonances Decaying to Dimuons at CDF. Physical Review Letters, 2009, 102, 091805. | 7.8 | 87 |
| 781 | First Observation of $\langle mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="block">\frac{\partial}{\partial x} \frac{\partial}{\partial y} \frac{\partial}{\partial z} \frac{\partial}{\partial w} \frac{\partial}{\partial v}$ and Measurement of the Ratio of Branching Fractions $\langle mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="block">\frac{\partial}{\partial x} \frac{\partial}{\partial y} \frac{\partial}{\partial z} \frac{\partial}{\partial w} \frac{\partial}{\partial v}$. Physical Review Letters, 2009, 102, 101802. | 7.8 | 43 |
| 782 | Observation of New Charmless Decays of Bottom Hadrons. Physical Review Letters, 2009, 103, 031801. | 7.8 | 44 |
| 783 | First Observation of Vector Boson Pairs in a Hadronic Final State at the Tevatron Collider. Physical Review Letters, 2009, 103, 091803. | 7.8 | 20 |
| 784 | Search for Higgs Bosons Predicted in Two-Higgs-Doublet Models via Decays to Tau Lepton Pairs in 1.96TeV . Physical Review Letters, 2009, 103, 201801. | 7.8 | 43 |
| 785 | Direct Bound on the Total Decay Width of the Top Quark in pp $\bar{}$ Collisions at $s=1.96\text{TeV}$. Physical Review Letters, 2009, 102, 042001. | 7.8 | 15 |
| 786 | Search for Long-Lived Massive Charged Particles in 1.96TeV pp $\bar{}$ Collisions. Physical Review Letters, 2009, 103, 021802. | 7.8 | 58 |
| 787 | Search for Maximal Flavor Violating Scalars in Same-Charge Lepton Pairs in pp $\bar{}$ Collisions at $s=1.96\text{TeV}$. Physical Review Letters, 2009, 102, 041801. | 7.8 | 22 |
| 788 | Direct Measurement of the Production Charge Asymmetry in $\langle mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="block">\frac{\partial}{\partial x} \frac{\partial}{\partial y} \frac{\partial}{\partial z} \frac{\partial}{\partial w} \frac{\partial}{\partial v}$ and Measurement of Resonance Parameters of Orbitally Excited Narrow Mesons. Physical Review Letters, 2009, 102, 102003. | 7.8 | 91 |
| 789 | Measurement of Resonance Parameters of Orbitally Excited Narrow Mesons. Physical Review Letters, 2009, 102, 102003. | 7.8 | 40 |
| 790 | Search for a Higgs Boson Decaying to Two W-Bosons at CDF. Physical Review Letters, 2009, 102, 021802. | 7.8 | 22 |
| 792 | Search for anomalous production of events with a photon, jet, b-quark jet, and missing transverse energy. Physical Review D, 2009, 80, . | 4.7 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 793 | Search for Exclusive Z-Boson Production and Observation of High-Mass p_T Events in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review Letters, 2009, 102, 222002. Search for the Production of Narrow Resonances in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review Letters, 2009, 102, 222002. | 7.8 | 63 |
| 794 | Search for the Production of Narrow Resonances in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review Letters, 2009, 102, 222002. | 7.8 | 52 |
| 795 | Mass Spectrum in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review Letters, 2009, 103, 041801. Search for the Standard Model Higgs Boson in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review Letters, 2009, 102, 242002. | 7.8 | 275 |
| 796 | Measurement of cross sections for bjet production in events with a Z boson in $p\bar{p}$ collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review D, 2009, 79, . | 4.7 | 29 |
| 797 | Precision Measurement of the $t\bar{t}$ Production Cross Section in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review Letters, 2009, 102, 151801. | 7.8 | 33 |
| 798 | Search for the Standard Model Higgs Boson in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review Letters, 2009, 102, 151801. | 7.8 | 94 |
| 799 | Search for the Decays $B(s) \rightarrow e^+ e^-$ and $B(s) \rightarrow e^+ e^-$ in CDF Run II. Physical Review Letters, 2009, 102, 201801. | 7.8 | 40 |
| 800 | Top quark mass measurement in the lepton plus jets channel using a modified matrix element method. Physical Review D, 2009, 79, . | 4.7 | 15 |
| 801 | Search for Top-Quark Production via Flavor-Changing Neutral Currents in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review Letters, 2009, 102, 151801. | 7.8 | 57 |
| 802 | Observation of Exclusive Charmonium Production in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review Letters, 2009, 102, 242001. | 7.8 | 153 |
| 803 | Distribution of Particles in Jets Produced in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review Letters, 2009, 102, 242001. | 7.8 | 14 |
| 804 | Search for Gluino-Mediated Bottom Squark Production in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review Letters, 2009, 102, 221801. | 7.8 | 13 |
| 805 | First Measurement of the $t\bar{t}$ Differential Cross Section in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review Letters, 2009, 102, 222003. | 7.8 | 115 |
| 806 | Search for new physics in the $t\bar{t}$ Differential Cross Section in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review Letters, 2009, 102, 222003. | 4.7 | 5 |
| 807 | Search for the Quark Subtraction Method in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review D, 2009, 79, . | 7.8 | 59 |
| 808 | Search for the Associated Production of the Standard-Model Higgs Boson in the All-Hadronic Channel. Physical Review Letters, 2009, 103, 221801. | 7.8 | 10 |
| 809 | Search for a Fermiophobic Higgs Boson Decaying into Diphotons in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review Letters, 2009, 103, 061803. | 7.8 | 28 |
| 810 | Measurement of the Top-Quark Mass with Dilepton Events Selected Using Neuroevolution at CDF. Physical Review Letters, 2009, 102, 152001. | 7.8 | 42 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 811 | Observation of Electroweak Single Top-Quark Production. Physical Review Letters, 2009, 103, 092002. | 7.8 | 199 |
| 812 | First measurement of the ratio of branching fractions B | | |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 829 | Measurement of the top quark mass using the invariant mass of lepton pairs in soft muon+hadron production at the CDF. Physical Review D, 2009, 80, . | 4.7 | 8 |
| 830 | Search for gluon-gluon fusion in $t\bar{t}$ production in lepton plus jets collisions at the CDF. Physical Review D, 2009, 79, . | 4.7 | 2 |
| 831 | Measurement of particle production and inclusive differential cross sections in $t\bar{t}$ + jets collisions at the CDF. Physical Review D, 2009, 79, . | 4.7 | 12 |
| 832 | First simultaneous measurement of the top quark mass in the lepton+jets and dilepton channels at CDF. Physical Review D, 2009, 79, . | 4.7 | 64 |
| 833 | Measurement of the b-hadron production cross section using decays to $b\bar{b}$ final states in $p\bar{p}$ collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review D, 2009, 79, . | 4.7 | 25 |
| 834 | Searching for radiative top quark decay and non-standard-model processes. Physical Review D, 2009, 79, . | 4.7 | 18 |
| 835 | Search for hadronic decays of $t\bar{t}$ at the CDF. Physical Review D, 2009, 79, . | 4.7 | 5 |
| 836 | Measurement of the top quark mass at CDF using the neutrino templating method on a lepton plus isolated photon sample. Physical Review D, 2009, 79, . | 4.7 | 0 |
| 837 | Measurement of inclusive jet cross sections in $t\bar{t}$ + jets collisions at the CDF. Physical Review D, 2009, 79, . | 4.7 | 10 |
| 838 | jets production in $t\bar{t}$ + jets collisions at the CDF. Physical Review Letters, 2009, 102, . | 4.7 | 10 |
| 839 | The CMS experiment at the CERN LHC. Journal of Instrumentation, 2008, 3, S08004-S08004. | 1.2 | 2,192 |
| 840 | Search for chargino-neutralino production in $t\bar{t}$ + jets collisions at the CDF. Physical Review D, 2008, 77, . | 4.7 | 12 |
| 841 | The CDF II Level 1 Track Trigger Upgrade. IEEE Transactions on Nuclear Science, 2008, 55, 126-132. | 2.0 | 0 |
| 842 | Observation of exclusive dijet production at the Fermilab Tevatron. Physical Review D, 2008, 77, . | 4.7 | 70 |
| 843 | First run II measurement of the $t\bar{t}$ production of narrow resonances at the CDF. Physical Review D, 2008, 77, . | 4.7 | 49 |
| 844 | limits of the production of narrow resonances in $t\bar{t}$ + jets collisions at the CDF. Physical Review D, 2008, 77, . | 4.7 | 35 |
| 845 | First measurement of the fraction of top-quark pair production through gluon-gluon fusion. Physical Review D, 2008, 78, . | 4.7 | 9 |
| 846 | Measurement of the cross section for $t\bar{t}$ -boson production in association with jets in $t\bar{t}$ + jets collisions at the CDF. Physical Review D, 2008, 78, . | 4.7 | 76 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 847 | Search for heavy, long-lived neutralinos that decay to photons at CDF II using photon timing. Physical Review D, 2008, 78, . | 4.7 | 15 |
| 848 | Search for third generation vector leptoquarks in $p\bar{p}$ -collisions at $s=1.96\text{ TeV}$. Physical Review D, 2008, 77, . | 4.7 | 16 |
| 849 | All-sky search for periodic gravitational waves in LIGO S4 data. Physical Review D, 2008, 77, . | 4.7 | 110 |
| 850 | Search for new heavy particles decaying to mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline">$\langle \text{mml:msup} \rangle \langle \text{mml:mi} \rangle Z \langle /mml:mi \rangle \langle \text{mml:mn} \rangle 0 \langle /mml:mn \rangle \langle \text{mml:msup} \rangle \langle \text{mml:mi} \rangle Z \langle /mml:mi \rangle \langle \text{mml:mn} \rangle 5 \langle /mml:mn \rangle$ | 4.7 | 15 |
| 851 | Cross section measurements of high- p_T dilepton final-state processes using a global fitting method. Physical Review D, 2008, 78, . | 4.7 | 8 |
| 852 | Model-independent and quasi-model-independent search for new physics at CDF. Physical Review D, 2008, 78, . | 4.7 | 40 |
| 853 | First Measurement of WBoson Production in Association with a Single Charm Quark in $p\bar{p}$ -Collisions $s=1.96\text{ TeV}$. Physical Review Letters, 2008, 100, 091803. | 7.8 | 35 |
| 854 | Measurement of the inclusive jet cross section at the Fermilab Tevatron mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline">$\langle \text{mml:mi} \rangle p \langle /mml:mi \rangle \langle \text{mml:mover} \rangle \langle \text{mml:mi} \rangle p \langle /mml:mi \rangle \langle \text{mml:mo} \rangle \langle /mml:mo \rangle \langle \text{mml:mover} \rangle \langle /mml:mover \rangle \langle \text{mml:math} \rangle \text{collider} \text{ using a cone-based jet algorithm. Physical Review D, 2008, 78, .}$ | 4.7 | 149 |
| 855 | Search for $B_s^0 \rightarrow l^+l^-$ and $B_d^0 \rightarrow l^+l^-$ Decays with 2 fb^{-1} of $p\bar{p}$ -Collisions. Physical Review Letters, 2008, 100, 101803. Search for the Higgs Boson in Events with Missing Transverse Energy and mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline">$\langle \text{mml:mi} \rangle b \langle /mml:mi \rangle \langle \text{mml:math} \rangle \text{Quark Jets Produced in} \langle \text{mml:math} \rangle \text{Collisions at} \langle \text{mml:math} \rangle \text{Standard Model Higgs Bosons Produced in Association with} \langle \text{mml:math} \rangle \text{Search for Pair Production of Scalar Top Quarks Decaying to a} \langle \text{mml:math} \rangle \text{Lepton and a} \langle \text{mml:math} \rangle \text{Quark in} \langle \text{mml:math} \rangle \text{Measurement of the Single-Top-Quark Production Cross Section at CDF. Physical Review Letters, 2008, 101, 252001.}$ | 7.8 | 17 |
| 856 | Measurement of $b\bar{b}$ -production in $p\bar{p}$ -collisions at $s=1.96\text{ TeV}$. Physical Review Letters, 2008, 100, 041801. Search for the Higgs Boson in Events with Missing Transverse Energy and mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline">$\langle \text{mml:mi} \rangle l \langle /mml:mi \rangle \langle \text{mml:math} \rangle \text{Bosons. Physical Review Letters, 2008, 100, 041801.}$ | 7.8 | 13 |
| 857 | Measurement of the Single-Top-Quark Production Cross Section at CDF. Physical Review Letters, 2008, 101, 252001. Measurement of $b\bar{b}$ -production in $p\bar{p}$ -collisions at $s=1.96\text{ TeV}$. Physical Review Letters, 2008, 100, 041801. Measurement of the Single-Top-Quark Production Cross Section at CDF. Physical Review Letters, 2008, 101, 252001. | 7.8 | 15 |
| 858 | Measurement of the Single-Top-Quark Production Cross Section at CDF. Physical Review Letters, 2008, 101, 252001. Measurement of $b\bar{b}$ -production in $p\bar{p}$ -collisions at $s=1.96\text{ TeV}$. Physical Review Letters, 2008, 100, 041801. Measurement of the Single-Top-Quark Production Cross Section at CDF. Physical Review Letters, 2008, 101, 252001. | 7.8 | 45 |
| 859 | Measurement of $b\bar{b}$ -production in $p\bar{p}$ -collisions at $s=1.96\text{ TeV}$. Physical Review Letters, 2008, 100, 041801. Measurement of the Single-Top-Quark Production Cross Section at CDF. Physical Review Letters, 2008, 101, 252001. Measurement of $b\bar{b}$ -production in $p\bar{p}$ -collisions at $s=1.96\text{ TeV}$. Physical Review Letters, 2008, 100, 041801. | 7.8 | 11 |
| 860 | Forward-Backward Asymmetry in Top-Quark Production in $p\bar{p}$ -collisions at $s=1.96\text{ TeV}$. Physical Review Letters, 2008, 100, 041801. Measurement of ratios of fragmentation fractions for bottom hadrons in $p\bar{p}$ -collisions at $s=1.96\text{ TeV}$. Physical Review Letters, 2008, 100, 041801. | 7.8 | 9 |
| 861 | Forward-Backward Asymmetry in Top-Quark Production in $p\bar{p}$ -collisions at $s=1.96\text{ TeV}$. Physical Review Letters, 2008, 100, 041801. Measurement of ratios of fragmentation fractions for bottom hadrons in $p\bar{p}$ -collisions at $s=1.96\text{ TeV}$. Physical Review Letters, 2008, 100, 041801. | 7.8 | 23 |
| 862 | Forward-Backward Asymmetry in Top-Quark Production in $p\bar{p}$ -collisions at $s=1.96\text{ TeV}$. Physical Review Letters, 2008, 100, 041801. Measurement of ratios of fragmentation fractions for bottom hadrons in $p\bar{p}$ -collisions at $s=1.96\text{ TeV}$. Physical Review Letters, 2008, 100, 041801. | 7.8 | 187 |
| 863 | Forward-Backward Asymmetry in Top-Quark Production in $p\bar{p}$ -collisions at $s=1.96\text{ TeV}$. Physical Review Letters, 2008, 100, 041801. Measurement of ratios of fragmentation fractions for bottom hadrons in $p\bar{p}$ -collisions at $s=1.96\text{ TeV}$. Physical Review Letters, 2008, 100, 041801. | 7.8 | 187 |
| 864 | Forward-Backward Asymmetry in Top-Quark Production in $p\bar{p}$ -collisions at $s=1.96\text{ TeV}$. Physical Review Letters, 2008, 100, 041801. Measurement of ratios of fragmentation fractions for bottom hadrons in $p\bar{p}$ -collisions at $s=1.96\text{ TeV}$. Physical Review Letters, 2008, 100, 041801. | 7.8 | 30 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 865 | First Observation of the Decay $B_s \rightarrow D_s^+ D_s^-$ and Measurement of Its Branching Ratio. Physical Review Letters, 2008, 100, 021803. | 7.8 | 16 |
| 866 | Search for Supersymmetry in $\text{Collisions at } \sqrt{s} = 1.96 \text{ TeV}$. Physical Review Letters, 2008, 101, 251801. | 7.8 | 56 |
| 867 | Strong Evidence for ZZ Production in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review Letters, 2008, 100, 201801. | 7.8 | 30 |
| 868 | Search for standard model Higgs boson production in association with a $t\bar{t}$ boson at CDF. Physical Review D, 2008, 78, . | 4.7 | 10 |
| 869 | Search for the Higgs Boson Produced in Association with $Z \rightarrow e^+e^-$ in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review Letters, 2008, 101, 251803. | 7.8 | 4 |
| 870 | Measurement of Lifetime and Decay-Width Difference in $B_s \rightarrow J/\psi \pi^+$ Decays. Physical Review Letters, 2008, 100, 121803. | 7.8 | 39 |
| 871 | Search for Resonant $t\bar{t}$ Production in $p\bar{p}$ Collisions | 7.8 | 41 |
| 872 | Observation of Orbitally Excited Mesons. Physical Review Letters, 2008, 100, 082001. | 7.8 | 80 |
| 873 | Search for Heavy Toplike Quarks Using Lepton Plus Jets Events in $1.96 \text{ TeV} p\bar{p}$ Collisions. Physical Review Letters, 2008, 100, 161803. | 7.8 | 31 |
| 874 | Search for Doubly Charged Higgs Bosons with Lepton-Flavor-Violating Decays Involving τ^\pm , Leptons. Physical Review Letters, 2008, 101, 121801. | 7.8 | 45 |
| 875 | Evidence for $t\bar{t}$ Production in $p\bar{p}$ Collisions | 7.8 | 60 |
| 876 | Observation of the $t\bar{t}$ Decay Using the CDF II Detector. Physical Review Letters, 2008, 100, 121802. | 7.8 | 106 |
| 877 | Measurement of the $t\bar{t}$ Production Cross Section in $p\bar{p}$ Collisions. Physical Review Letters, 2008, 100, 121803. | 7.8 | 106 |
| 878 | Search for Large Extra Dimensions in Final States Containing One Photon or Jet and Large Missing Transverse Energy Produced in $p\bar{p}$ Collisions. Physical Review Letters, 2008, 100, 121804. | 7.8 | 81 |
| 879 | Direct Measurement of the $t\bar{t}$ Width in $p\bar{p}$ Collisions. Physical Review Letters, 2008, 100, 121805. | 7.8 | 179 |
| 880 | Cross-Section-Constrained Top-Quark Mass Measurement from Dilepton Events at the Tevatron. Physical Review Letters, 2008, 100, 062005. | 7.8 | 14 |
| 882 | Beating the Spin-Down Limit on Gravitational Wave Emission from the Crab Pulsar. Astrophysical Journal, 2008, 683, L45-L49. | 4.5 | 160 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 883 | The CDF II eXtremely Fast Tracker Upgrade., 2008, . | 1 | |
| 884 | Analysis of the Quantum NumbersJPCof the $\chi(3872)$ Particle. Physical Review Letters, 2007, 98, 132002. | 7.8 | 193 |
| 885 | Measurement of the $p\bar{p} \rightarrow t\bar{t}$ production cross section and the top quark mass at $s=1.96\text{ TeV}$ in the all-hadronic decay mode. Physical Review D, 2007, 76, . | 4.7 | 24 |
| 886 | Search for Exclusive Λ^0 Production in Hadron-Hadron Collisions. Physical Review Letters, 2007, 99, 242002. | 7.8 | 59 |
| 887 | Measurement of the $b\bar{b}$ Lifetime in $b\bar{b} \rightarrow J/\psi + \text{in} p\bar{p}$ Collisions at $s=1.96\text{ TeV}$. Physical Review Letters, 2007, 98, 122001. | 7.8 | 24 |
| 888 | Polarizations of Λ^0 and Ξ^0 production in $p\bar{p}$ collisions at $s=1.96\text{ TeV}$. Physical Review Letters, 2007, 98, 122002. | 7.8 | 193 |
| 889 | Measurement of the Ratios of Branching Fractions $B(B_s \rightarrow D_s \pi^+ \pi^-)/B(B \rightarrow D \pi^+ \pi^-)$ and $B(B_s \rightarrow D_s \eta'/\eta)/B(B \rightarrow D \eta'/\eta)$. Physical Review Letters, 2007, 98, 061802. | 7.8 | 28 |
| 890 | Measurement of the inclusive jet cross section using thekT algorithm in $p\bar{p}$ collisions at $s=1.96\text{ TeV}$ with the CDF II detector. Physical Review D, 2007, 75, . | 4.7 | 114 |
| 891 | Measurement of $f(p\bar{p} \rightarrow Z) \cdot B(Z \rightarrow l^+ l^-)$ in $p\bar{p}$ collisions at $s=1.96\text{ TeV}$. Physical Review D, 2007, 75, . | 4.7 | 24 |
| 892 | Search for Chargino-Neutralino Production in $p\bar{p}$ Collisions at $s=1.96\text{ TeV}$. Physical Review Letters, 2007, 99, 191806. | 7.8 | 11 |
| 893 | Search for V+A Current in Top-Quark Decays in $p\bar{p}$ Collisions at $s=1.96\text{ TeV}$. Physical Review Letters, 2007, 98, 072001. | 7.8 | 22 |
| 894 | Inclusive Search for New Physics with Like-Sign Dilepton Events in $p\bar{p}$ Collisions at $s=1.96\text{ TeV}$. Physical Review Letters, 2007, 98, 221803. | 7.8 | 41 |
| 895 | Observation of the Heavy Baryons Ω_c^0 , Ω_b^0 , Ω_c^{*-} , Ω_b^{*-} , Ξ_c^0 , Ξ_b^0 , Ξ_c^{*-} , Ξ_b^{*-} in $p\bar{p}$ collisions at $s=1.96\text{ TeV}$. Physical Review Letters, 2007, 99, 202001. | 7.8 | 105 |
| 896 | Upper limits on gravitational wave emission from 78 radio pulsars. Physical Review D, 2007, 76, . | 4.7 | 121 |
| 897 | Measurement of $f(b\bar{b})/f(B\bar{B}) = B(\bar{b} \rightarrow b \pi^+ \pi^-)/B(B \rightarrow D \pi^+ \pi^-)$ in $p\bar{p}$ Collisions at $s=1.96\text{ TeV}$. Physical Review Letters, 2007, 98, 122002. | 7.8 | 23 |
| 898 | Search for Anomalous Production of Multilepton Events in $p\bar{p}$ Collisions at $s=1.96\text{ TeV}$. Physical Review Letters, 2007, 98, 131804. | 7.8 | 15 |
| 899 | Search for New Particles leading to $Z \rightarrow \ell^+ \ell^-$ in $p\bar{p}$ collisions at $s=1.96\text{ TeV}$. Physical Review Letters, 2007, 98, 131805. | 7.8 | 30 |
| 900 | Search for New Physics in High-Mass Electron-Positron Events in $p\bar{p}$ collisions at $s=1.96\text{ TeV}$. Physical Review Letters, 2007, 99, 171802. | 7.8 | 69 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 901 | Observation of Exclusive Electron-Positron Production in Hadron-Hadron Collisions. Physical Review Letters, 2007, 98, 112001. | 7.8 | 79 |
| 902 | First Measurement of the $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="block">\mathcal{W} \rangle$ -Boson Mass in Run II of the Tevatron. Physical Review Letters, 2007, 99, 151801. | 7.8 | 46 |
| 903 | Measurement of the Top-Quark Mass in All-Hadronic Decays in $p\bar{p}$ Collisions at CDF II. Physical Review Letters, 2007, 98, 142001. | 7.8 | 29 |
| 904 | Observation and Mass Measurement of the Baryon $\tilde{\chi}_1^0$. Physical Review Letters, 2007, 99, 052002. | 7.8 | 86 |
| 905 | Precise Measurement of the Top-Quark Mass in the Lepton+Jets Topology at CDF II. Physical Review Letters, 2007, 99, 182002. | 7.8 | 26 |
| 906 | Search for Heavy Long-Lived Particles that Decay to Photons at CDF II. Physical Review Letters, 2007, 99, 121801. | 7.8 | 22 |
| 907 | Observation of WZ Production. Physical Review Letters, 2007, 98, 161801. | 7.8 | 36 |
| 908 | Search for High-Mass Diphoton States and Limits on Randall-Sundrum Gravitons at CDF. Physical Review Letters, 2007, 99, 171801. | 7.8 | 19 |
| 909 | First Measurement of the Ratio of Central-Electron to Forward-Electron W Partial Cross Sections in $p\bar{p}$ Collisions at $s=1.96\text{ TeV}$. Physical Review Letters, 2007, 98, 251801. | 7.8 | 2 |
| 910 | Measurement of $\frac{\int f_2 c_2 B(\mathbf{p}_2) d\Omega}{\int f_1 c_1 B(\mathbf{p}_1) d\Omega}$ in $p\bar{p}$ Collisions at $s=1.96\text{ TeV}$. Physical Review Letters, 2007, 98, 231801. | 7.8 | 20 |
| 911 | The CDF II Level 1 Track Trigger Upgrade., 2007, . | 0 | 0 |
| 912 | The CDF II 3D-Track Level 2 Trigger Upgrade., 2007, . | 1 | 1 |
| 913 | Measurement of the B^+ production cross section in $p\bar{p}$ collisions at $s=1960\text{ GeV}$. Physical Review D, 2007, 75, . | 4.7 | 45 |
| 914 | Precision measurement of the top-quark mass from dilepton events at CDF II. Physical Review D, 2007, 75, . | 4.7 | 29 |
| 915 | Search for $W\gamma^2$ boson decaying to electron-neutrino pairs in $p\bar{p}$ collisions at $s=1.96\text{ TeV}$. Physical Review D, 2007, 75, . | 4.7 | 20 |
| 916 | Search for new physics in lepton+photon+X events with 929 pb^{-1} of $p\bar{p}$ collisions at $s=1.96\text{ TeV}$. Physical Review D, 2007, 75, . | 4.7 | 11 |
| 917 | Searches for periodic gravitational waves from unknown isolated sources and Scorpius X-1: Results from the second LIGO science run. Physical Review D, 2007, 76, . | 4.7 | 128 |
| 918 | Search for exotic $S=\pm 2$ baryons in $p\bar{p}$ collisions at $s=1.96\text{ TeV}$. Physical Review D, 2007, 75, . | 4.7 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 919 | Measurement of the top quark mass in $p\bar{p}$ collisions at $s=1.96\text{ TeV}$ using the decay length technique. Physical Review D, 2007, 75, . | 4.7 | 13 |
| 920 | Measurement of the helicity fractions of W bosons from top quark decays using fully reconstructed $t\bar{t}$ events with CDF II. Physical Review D, 2007, 75, . | 4.7 | 25 |
| 921 | Measurements of inclusive W and Z cross sections in poverline{p} collisions at $\sqrt{s} = 1\text{TeV}$. Journal of Physics G: Nuclear and Particle Physics, 2007, 34, 2457-2544. Limits on anomalous triple gauge couplings in $mml:math$ $\text{xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"} <\mml:mi>p</mml:mi> <\mml:mover accent="true"><\mml:mi>p</mml:mi> <\mml:mo>\hat{</mml:mo></mml:mover> <\mml:math> \text{collisions at } <\mml:math display="block">\text{xmlns:mml="http://www.w3.org/1998/Math/MathML" display="block"} <\mml:msqrt><\mml:mi>s</mml:mi></mml:msqrt><\mml:mo>=</mml:mo> <\mml:mn>1.96</mml:mn> <\mml:mtext>\text{TeV}$ | 3.6 | 188 |
| 922 | Physical Review D, 2007, 76, . | 4.7 | 18 |
| 923 | Searches for direct pair production of supersymmetric top and supersymmetric bottom quarks in $p\bar{p}$ collisions at $s=1.96\text{ TeV}$. Physical Review D, 2007, 76, . | 4.7 | 27 |
| 924 | Measurement of the top-quark mass using missingET+jetsevents with secondary vertexb-tagging at CDF II. Physical Review D, 2007, 75, . | 4.7 | 7 |
| 925 | The CDF II eXtremely Fast Tracker Upgrade. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2007, 581, 482-484. | 1.6 | 6 |
| 926 | The CDF II eXtremely Fast Tracker upgrade. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2007, 572, 358-360. | 1.6 | 0 |
| 927 | Observation of $B_s \rightarrow D_s^+ \nu \bar{\nu}$ Oscillations. Physical Review Letters, 2006, 97, 242003. | 7.8 | 311 |
| 928 | Measurement of the azimuthal angle distribution of leptons from W boson decays as a function of the W transverse momentum in $p\bar{p}$ collisions at $s=1.8\text{ TeV}$. Physical Review D, 2006, 73, . | 4.7 | 11 |
| 929 | Search for Excited and Exotic Muons in the $\ell^{1/4}\ell^3$ Decay Channel in $p\bar{p}$ Collisions at $s=1.96\text{ TeV}$. Physical Review Letters, 2006, 97, 191802. | 7.8 | 19 |
| 930 | Measurement of the helicity of W bosons in top-quark decays. Physical Review D, 2006, 73, . | 4.7 | 21 |
| 931 | Measurement of the ratio of branching fractions $B(D^0 \rightarrow K^+ \pi^-)/B(D^0 \rightarrow K^+ \eta)$ using the CDF II detector. Physical Review D, 2006, 74, . | 4.7 | 13 |
| 932 | Search for W and Z bosons in the reaction $p\bar{p} \rightarrow \text{two jets} + \ell^3$ at $s=1.8\text{ TeV}$. Physical Review D, 2006, 73, . | 4.7 | 1 |
| 933 | Search for second-generation scalar leptoquarks in $p\bar{p}$ collisions at $s=1.96\text{ TeV}$. Physical Review D, 2006, 73, . | 4.7 | 21 |
| 934 | Measurement of the top quark mass with the dynamical likelihood method using lepton plus jets events with b-tags in $p\bar{p}$ collisions at $s=1.96\text{ TeV}$. Physical Review D, 2006, 73, . | 4.7 | 22 |
| 935 | Measurement of the inclusive jet cross section in $p\bar{p}$ interactions at $s=1.96\text{ TeV}$ using a cone-based jet algorithm. Physical Review D, 2006, 74, . | 4.7 | 44 |
| 936 | Search for New Physics in Lepton+Photon+X Events with 305 pb^{-1} of $p\bar{p}$ Collisions at $s=1.96\text{ TeV}$. Physical Review Letters, 2006, 97, 031801. | 7.8 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 937 | Measurement of the $t\bar{t}$ production cross section in pp $\bar{\gamma}$ collisions at $s=1.96\text{ TeV}$ using lepton+jet events with jet probability b-tagging. Physical Review D, 2006, 74, . | 4.7 | 72 |
| 938 | Measurement of the bjet cross section in events with a Z boson in pp $\bar{\gamma}$ collisions at $s=1.96\text{ TeV}$. Physical Review D, 2006, 74, . | 4.7 | 20 |
| 939 | Measurement of the $t\bar{t}$ production cross section in pp $\bar{\gamma}$ collisions at $s=1.96\text{ TeV}$ in the all hadronic decay mode. Physical Review D, 2006, 74, . | 4.7 | 14 |
| 940 | Search for anomalous semileptonic decay of heavy flavor hadrons produced in association with a W boson at CDF II. Physical Review D, 2006, 73, . | 4.7 | 3 |
| 941 | Measurement of mass and width of the excited charmed meson states D10 and D2*0 at CDF. Physical Review D, 2006, 73, . | 4.7 | 17 |
| 942 | Top quark mass measurement using the template method in the lepton+jets channel at CDF II. Physical Review D, 2006, 73, . | 4.7 | 124 |
| 943 | <i>Measurement of the branching fraction of the $t\bar{t}$ annihilation channel $t\bar{t} \rightarrow b\bar{b} + l^+l^-$ at $s=1.96\text{ TeV}$ using the matrix-element method.</i> http://www.w3.org/1998/Math/MathML " altimg="si1.gif" overflow="scroll"><math>\langle mml:mi>t</mml:mi><mml:mo>\hat{\rightarrow}</mml:mo><mml:mi>l^+</mml:mi><mml:mi>l^</mml:mi></math> in <math>\langle mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si2.gif" overflow="scroll"><math>\langle mml:mi>t</mml:mi><mml:mo>\hat{\rightarrow}</mml:mo><mml:mover accent="true"><mml:mi>t</mml:mi></mml:mover></math> <td>4.1</td> <td>9</td> | 4.1 | 9 |
| 944 | Search for High-Mass Resonances Decaying to e^+e^- in pp $\bar{\gamma}$ Collisions at $s=1.96\text{ TeV}$. Physical Review Letters, 2006, 96, 211802. | 7.8 | 31 |
| 945 | Evidence for the Exclusive Decay $B_c \pm \rightarrow J/\psi \pi^\pm$ and Measurement of the Mass of the $B_c \pm$ Meson. Physical Review Letters, 2006, 96, 082002. | 7.8 | 76 |
| 946 | Precision Top-Quark Mass Measurement in the Lepton+Jets Topology in pp $\bar{\gamma}$ Collisions at $s=1.96\text{ TeV}$. Physical Review Letters, 2006, 96, 022004. | 7.8 | 31 |
| 947 | Measurement of the Ratios of Branching Fractions $B(B_s \rightarrow D_s \ell^+ \ell^-)/B(B \rightarrow D \ell^+ \ell^-)$ and $B(B \rightarrow D^* \ell^+ \ell^-)/B(B \rightarrow D \ell^+ \ell^-)$. Physical Review Letters, 2006, 96, 191801. | 7.8 | 15 |
| 948 | Measurement of the Inclusive Jet Cross Section Using the kT Algorithm in pp $\bar{\gamma}$ Collisions at $s=1.96\text{ TeV}$. Physical Review Letters, 2006, 96, 122001. | 7.8 | 49 |
| 949 | Search for Neutral Higgs Bosons of the Minimal Supersymmetric Standard Model Decaying to $\tau^+\tau^-$ Pairs in pp $\bar{\gamma}$ Collisions at $s=1.96\text{ TeV}$. Physical Review Letters, 2006, 96, 011802. | 7.8 | 63 |
| 950 | Top-Quark Mass Measurement from Dilepton Events at CDF II. Physical Review Letters, 2006, 96, 152002. | 7.8 | 25 |
| 951 | Measurement of the $t\bar{t}$ Production Cross Section in pp $\bar{\gamma}$ Collisions at $s=1.96\text{ TeV}$ Using Missing ET+jets Events with Secondary Vertex b Tagging. Physical Review Letters, 2006, 96, 202002. | 7.8 | 16 |
| 952 | Measurement of the $t\bar{t}$ Production Cross Section in pp $\bar{\gamma}$ Collisions at $s=1.96\text{ TeV}$. Physical Review Letters, 2006, 97, 082004. | 7.8 | 72 |
| 953 | Search for Large Extra Dimensions in the Production of Jets and Missing Transverse Energy in pp $\bar{\gamma}$ Collisions at $s=1.96\text{ TeV}$. Physical Review Letters, 2006, 97, 171802. | 7.8 | 43 |
| 954 | Top quark mass measurement from dilepton events at CDF II with the matrix-element method. Physical Review D, 2006, 74, | 4.7 | 24 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 955 | Measurement of the top quark mass using template methods on dilepton events in pp \bar{A} collisions at $s=1.96\text{ TeV}$. Physical Review D, 2006, 73, . | 4.7 | 41 |
| 956 | Search for a Neutral Higgs Boson Decaying to a WBoson Pair in pp \bar{A} Collisions at $s=1.96\text{ TeV}$. Physical Review Letters, 2006, 97, 081802. | 7.8 | 19 |
| 957 | Measurement of the Bc+Meson Lifetime Using the Decay Mode $B_c \rightarrow e^+ \bar{e}^-$. Physical Review Letters, 2006, 97, 012002. | 7.8 | 73 |
| 958 | Observation of $B_s \rightarrow (2S)$ and Measurement of the Ratio of Branching Fractions $B(B_s \rightarrow (2S)) / B(B_s \rightarrow J/\psi)$. Physical Review Letters, 2006, 96, 231801. | 7.8 | 12 |
| 959 | Measurement of the Dipion Mass Spectrum in $X(3872) \rightarrow e^+ e^-$ Decays. Physical Review Letters, 2006, 96, 102002. | 7.8 | 121 |
| 960 | Search for Higgs Bosons Decaying to bb \bar{A} and Produced in Association with WBosons in pp \bar{A} Collisions at $s=1.96\text{ TeV}$. Physical Review Letters, 2006, 96, 081803. | 7.8 | 9 |
| 961 | Search for Z $\rightarrow e^+ e^-$ Using Dielectron Mass and Angular Distribution. Physical Review Letters, 2006, 96, 211801. | 7.8 | 69 |
| 962 | Search for Charged Higgs Bosons from Top Quark Decays in pp \bar{A} Collisions at $s=1.96\text{ TeV}$. Physical Review Letters, 2006, 96, 042003. | 7.8 | 103 |
| 963 | Direct Search for Dirac Magnetic Monopoles in pp \bar{A} Collisions at $s=1.96\text{ TeV}$. Physical Review Letters, 2006, 96, 201801. | 7.8 | 39 |
| 964 | Search for Scalar Bottom Quarks from Gluino Decays in p \bar{A} Collisions at $s=1.96\text{ TeV}$. Physical Review Letters, 2006, 96, 171802. | 7.8 | 11 |
| 965 | Observation of $B_s \rightarrow K^+ K^-$ and Measurements of Branching Fractions of Charmless Two-Body Decays of B0 and Bs Mesons in p \bar{A} Collisions at $s=1.96\text{ TeV}$. Physical Review Letters, 2006, 97, 211802. | 7.8 | 56 |
| 966 | Measurement of the $B_s \rightarrow B^- \bar{s}$ Oscillation Frequency. Physical Review Letters, 2006, 97, 062003. | 7.8 | 141 |
| 967 | Measurement of Bottom-Quark Hadron Masses in Exclusive J/ψ Decays with the CDF Detector. Physical Review Letters, 2006, 96, 202001. | 7.8 | 82 |
| 968 | Limits on Gravitational-Wave Emission from Selected Pulsars Using LIGO Data. Physical Review Letters, 2005, 94, 181103. | 7.8 | 130 |
| 969 | Search for Excited and Exotic Electrons in the e ℓ^3 Decay Channel in pp \bar{A} Collisions at $s=1.96\text{ TeV}$. Physical Review Letters, 2005, 94, 101802. | 7.8 | 30 |
| 970 | Measurement of the tt production cross section in pp \bar{A} collisions at $s=1.96\text{ TeV}$ using lepton+jets events with secondary vertex b-tagging. Physical Review D, 2005, 71, . | 4.7 | 231 |
| 971 | Publisher's Note: Search for scalar leptoquark pairs decaying to $\ell^{\pm} \ell^{\mp} q \bar{q}$ in pp \bar{A} collisions at $s=1.96\text{ TeV}$ [Phys. Rev. D 71, 112001 (2005)]. Physical Review D, 2005, 71, . | 4.7 | 4 |
| 972 | Measurement of the cross section for tt production in pp \bar{A} collisions using the kinematics of lepton+jets events. Physical Review D, 2005, 72, . | 4.7 | 39 |

| # | ARTICLE | | IF | CITATIONS |
|-----|---|-----|-----|-----------|
| 973 | Upper limits on gravitational wave bursts in LIGOâ€™s second science run. Physical Review D, 2005, 72, . | 4.7 | 57 | |
| 974 | Search for Higgs Bosons Decaying into $b\bar{b}$ and Produced in Association with a Vector Boson in ppâ€Collisions at $s=1.8\text{ TeV}$. Physical Review Letters, 2005, 95, 051801. | 7.8 | 13 | |
| 975 | Measurement of the $W+W^-$ Production Cross Section in ppâ€Collisions at $s=1.96\text{ TeV}$ using Dilepton Events. Physical Review Letters, 2005, 94, 211801. | 7.8 | 25 | |
| 976 | Measurement of $B(t\bar{t}'Wb)/B(t\bar{t}'Wq)$ at the Collider Detector at Fermilab. Physical Review Letters, 2005, 95, 102002. | 7.8 | 42 | |
| 977 | Search for New Physics Using High-Mass Tau Pairs from 1.96 TeV ppâ€Collisions. Physical Review Letters, 2005, 95, 131801. | 7.8 | 40 | |
| 978 | Search for Anomalous Kinematics in $t\bar{t}$ -Dilepton Events at CDF II. Physical Review Letters, 2005, 95, 022001. | 7.8 | 10 | |
| 979 | Measurement of the Lifetime Difference between B_s Mass Eigenstates. Physical Review Letters, 2005, 94, 101803. | 7.8 | 53 | |
| 980 | Search for New High-Mass Particles Decaying to Lepton Pairs in ppâ€Collisions at $s=1.96\text{ TeV}$. Physical Review Letters, 2005, 95, 252001. | 7.8 | 42 | |
| 981 | Search for supersymmetric Higgs bosons in the di-tau decay mode in ppâ€collisions at $s=1.8\text{ TeV}$. Physical Review D, 2005, 72, . | 4.7 | 8 | |
| 982 | Evidence for $B_s \rightarrow \tau^+\tau^-$ Decay and Measurements of Branching Ratio and ACP for $B \rightarrow \tau^+ K^+$. Physical Review Letters, 2005, 95, 031801. | 7.8 | 33 | |
| 983 | Search for $B_s \rightarrow l^+l^-$ and $B_d \rightarrow l^+l^-$ Decays in ppâ€Collisions with CDF II. Physical Review Letters, 2005, 95, 221805. | 7.8 | 36 | |
| 984 | Measurement of Charged-Particle Multiplicities in Gluon and Quark Jets in ppâ€Collisions at $s=1.8\text{ TeV}$. Physical Review Letters, 2005, 94, 171802. | 7.8 | 14 | |
| 985 | Search for Long-Lived Doubly Charged Higgs Bosons in ppâ€Collisions at $s=1.96\text{ TeV}$. Physical Review Letters, 2005, 95, 071801. | 7.8 | 28 | |
| 986 | First Measurements of Inclusive W and Z Cross Sections from Run II of the Fermilab Tevatron Collider. Physical Review Letters, 2005, 94, 091803. | 7.8 | 111 | |
| 987 | Measurement of the Cross Section for Prompt Diphoton Production in ppâ€Collisions at $s=1.96\text{ TeV}$. Physical Review Letters, 2005, 95, 022003. | 7.8 | 34 | |
| 988 | Measurement of Partial Widths and Search for Direct CP Violation in D0 Meson Decays to K^+K^- and $\ell^+\ell^-$. Physical Review Letters, 2005, 94, 122001. | 7.8 | 38 | |
| 989 | Measurement of W^3 and Z^3 Production in ppâ€Collisions at $s=1.96\text{ TeV}$. Physical Review Letters, 2005, 94, 041803. | 7.8 | 32 | |
| 990 | SEARCH FOR ANOMALOUS KINEMATICS IN \$m t\{ar t\}\$\$ DILEPTON EVENTS AT CDF II. International Journal of Modern Physics A, 2005, 20, 3218-3220. | 1.5 | 1 | |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 991 | KS0 and \bar{D} production studies in pp \bar{A} collisions at $s=1800$ and 630GeV . Physical Review D, 2005, 72, . | 4.7 | 23 |
| 992 | Comparison of three-jet events in pp \bar{A} collisions at $s=1.8\text{TeV}$ to predictions from a next-to-leading order QCD calculation. Physical Review D, 2005, 71, . | 4.7 | 4 |
| 993 | Measurement of the forward-backward charge asymmetry from $W \rightarrow e^{\pm} l^{\mp}$ production in pp \bar{A} collisions at $s=1.96\text{TeV}$. Physical Review D, 2005, 71, . | 4.7 | 69 |
| 994 | Study of jet shapes in inclusive jet production in pp \bar{A} collisions at $s=1.96\text{TeV}$. Physical Review D, 2005, 71, . | 4.7 | 76 |
| 995 | Measurements of bottom-antibottom azimuthal production correlations in proton-antiproton collisions at $s=1.8\text{TeV}$. Physical Review D, 2005, 71, . | 4.7 | 27 |
| 996 | Measurement of the $t\bar{t}$ production cross section in pp \bar{A} collisions at $s=1.96\text{TeV}$ using lepton plus jets events with semileptonic B decays to muons. Physical Review D, 2005, 72, . | 4.7 | 34 |
| 997 | Measurement of the forward-backward charge asymmetry of electron-positron pairs in p \bar{A} collisions at $s=1.96\text{TeV}$. Physical Review D, 2005, 71, . | 4.7 | 46 |
| 998 | Search for scalar leptoquark pairs decaying to $l^{\pm} l^{\pm}$ in pp \bar{A} collisions at $s=1.96\text{TeV}$. Physical Review D, 2005, 71, . | 4.7 | 7 |
| 999 | Search for $b\bar{b} \rightarrow l^{\pm} \nu l^{\mp} \bar{\nu}$ and $b\bar{b} \rightarrow K\bar{K}$ decays in pp \bar{A} collisions at $s=1.96\text{TeV}$. Physical Review D, 2005, 72, . | 4.7 | 3 |
| 1000 | First all-sky upper limits from LIGO on the strength of periodic gravitational waves using the Hough transform. Physical Review D, 2005, 72, . | 4.7 | 75 |
| 1001 | Measurement of the J/ψ meson and b-hadron production cross sections in pp \bar{A} collisions at $s=1960\text{GeV}$. Physical Review D, 2005, 71, . | 4.7 | 624 |
| 1002 | Search for first-generation scalar leptoquarks in pp \bar{A} collisions at $s=1.96\text{TeV}$. Physical Review D, 2005, 72, . | 4.7 | 24 |
| 1003 | Measurement of the moments of the hadronic invariant mass distribution in semileptonic B decays. Physical Review D, 2005, 71, . | 4.7 | 31 |
| 1004 | Measurement of the $t\bar{t}$ production cross section in pp \bar{A} collisions at $s=1.96\text{TeV}$ using kinematic fitting of b-tagged lepton+jet events. Physical Review D, 2005, 71, . | 4.7 | 29 |
| 1005 | Search for ZZ and ZW production in pp \bar{A} collisions at $s=1.96\text{TeV}$. Physical Review D, 2005, 71, . | 4.7 | 8 |
| 1006 | Search for anomalous production of diphoton events with missing transverse energy at CDF and limits on gauge-mediated supersymmetry-breaking models. Physical Review D, 2005, 71, . | 4.7 | 23 |
| 1007 | Search for electroweak single-top-quark production in pp \bar{A} collisions at $s=1.96\text{TeV}$. Physical Review D, 2005, 71, . | 4.7 | 37 |
| 1008 | Measurement of the W boson polarization in top decay at CDF at $s=1.8\text{TeV}$. Physical Review D, 2005, 71, . | 4.7 | 24 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1009 | Observation of the Narrow State $X(3872)$ in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review Letters, 2004, 93, 072001. | 7.8 | 531 |
| 1010 | Search for Doubly Charged Higgs Bosons Decaying to Dileptons in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review Letters, 2004, 93, 221802. | 7.8 | 92 |
| 1011 | Measurement of the average time-integrated mixing probability of b-flavored hadrons produced at the Fermilab Tevatron. Physical Review D, 2004, 69, . | 4.7 | 14 |
| 1012 | Search for $B_s^0 \rightarrow l^+l^-$ and $B_d^0 \rightarrow l^+l^-$ Decays in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96 \text{ TeV}$. Physical Review Letters, 2004, 93, 032001. | 7.8 | 603 |
| 1013 | Search for Kaluza-Klein Graviton Emission in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8 \text{ TeV}$ Using the Missing Energy Signature. Physical Review Letters, 2004, 92, 121802. | 7.8 | 22 |
| 1014 | Optimized search for single-top-quark production at the Fermilab Tevatron. Physical Review D, 2004, 69, . | 4.7 | 29 |
| 1015 | Measurement of the polar-angle distribution of leptons from W boson decay as a function of the W transverse momentum in $p\bar{p}$ collisions at $\sqrt{s} = 1.8 \text{ TeV}$. Physical Review D, 2004, 70, . | 4.7 | 12 |
| 1016 | Underlying event in hard interactions at the Fermilab Tevatron $p\bar{p}$ collider. Physical Review D, 2004, 70, . | 4.7 | 82 |
| 1017 | Heavy flavor properties of jets produced in $p\bar{p}$ interactions at $\sqrt{s} = 1.8 \text{ TeV}$. Physical Review D, 2004, 69, . | 4.7 | 17 |
| 1018 | Search for Pair Production of Scalar Top Quarks in R-Parity Violating Decay Modes in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8 \text{ TeV}$. Physical Review Letters, 2004, 92, 051803. | 7.8 | 18 |
| 1019 | Inclusive Double-Pomeron Exchange at the Fermilab Tevatron $p\bar{p}$ Collider. Physical Review Letters, 2004, 93, 141601. | 7.8 | 12 |
| 1020 | Measurement of the tth τ Production Cross Section in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96 \text{ TeV}$ Using Dilepton Events. Physical Review Letters, 2004, 93, 142001. | 7.8 | 59 |
| 1021 | Direct photon cross section with conversions at CDF. Physical Review D, 2004, 70, . | 4.7 | 23 |
| 1022 | Setting upper limits on the strength of periodic gravitational waves from PSR J1939+2134 using the first science data from the GEO 600 and LIGO detectors. Physical Review D, 2004, 69, . | 4.7 | 165 |
| 1023 | Inclusive Search for Anomalous Production of High-pT Like-Sign Lepton Pairs in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8 \text{ TeV}$. Physical Review Letters, 2004, 93, 061802. | 7.8 | 10 |
| 1024 | Combination of CDF and D0 results on the W boson mass and width. Physical Review D, 2004, 70, . | 4.7 | 50 |
| 1025 | Detector description and performance for the first coincidence observations between LIGO and GEO. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2004, 517, 154-179. | 1.6 | 259 |
| 1026 | Search for Lepton Flavor Violating Decays of a Heavy Neutral Particle in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8 \text{ TeV}$. Physical Review Letters, 2003, 91, 171602. | 7.8 | 10 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1027 | Momentum distribution of charged particles in jets in dijet events in $p\bar{p}$ collisions at $s=1.8\text{TeV}$ and comparisons to perturbative QCD predictions. <i>Physical Review D</i> , 2003, 68, . | 4.7 | 38 |
| 1028 | Search for a W^{\pm} Boson Decaying to a Top and Bottom Quark Pair in $1.8\text{TeV} p\bar{p}$ Collisions. <i>Physical Review Letters</i> , 2003, 90, 081802. | 7.8 | 21 |
| 1029 | Search for Long-Lived Charged Massive Particles in $p\bar{p}$ Collisions at $s=1.8\text{TeV}$. <i>Physical Review Letters</i> , 2003, 90, 131801. | 7.8 | 49 |
| 1030 | Search for the Supersymmetric Partner of the Top Quark in Dilepton Events from $p\bar{p}$ Collisions at $s=1.8\text{TeV}$. <i>Physical Review Letters</i> , 2003, 90, 251801. | 7.8 | 18 |
| 1031 | Search for Associated Production of χ and Vector Boson in $p\bar{p}$ Collisions at $s=1.8\text{TeV}$. <i>Physical Review Letters</i> , 2003, 90, 221803. | 7.8 | 13 |
| 1032 | Measurement of Prompt Charm Meson Production Cross Sections in $p\bar{p}$ Collisions at $s=1.96\text{TeV}$. <i>Physical Review Letters</i> , 2003, 91, 241804. | 7.8 | 149 |
| 1033 | Central Pseudorapidity Gaps in Events with a Leading Antiproton at the Fermilab Tevatron $p\bar{p}$ Collider. <i>Physical Review Letters</i> , 2003, 91, 011802. | 7.8 | 8 |
| 1034 | Search for the flavor-changing neutral current decay $D0 \rightarrow l^+l^-$ in $p\bar{p}$ collisions at $s=1.96\text{TeV}$. <i>Physical Review D</i> , 2003, 68, . | 4.7 | 8 |
| 1035 | Measurement of the mass difference $m(D_s^+) - m(D^+)$ at CDF II. <i>Physical Review D</i> , 2003, 68, . | 4.7 | 12 |
| 1036 | Measurement of B -meson lifetimes using fully reconstructed B decays produced in $p\bar{p}$ collisions at $s=1.8\text{TeV}$. <i>Physical Review D</i> , 2002, 65, . | 4.7 | 6 |
| 1037 | Branching ratio measurements of exclusive B^+ decays to charmonium with the Collider Detector at Fermilab. <i>Physical Review D</i> , 2002, 66, . | 4.7 | 13 |
| 1038 | Measurement of the Strong Coupling Constant from Inclusive Jet Production at the Tevatron $p\bar{p}$ Collider. <i>Physical Review Letters</i> , 2002, 88, 042001. | 7.8 | 41 |
| 1039 | Search for new physics in photon-lepton events in $p\bar{p}$ collisions at $s=1.8\text{TeV}$. <i>Physical Review D</i> , 2002, 66, . | 4.7 | 15 |
| 1040 | Measurement of the ratio of b quark production cross sections in $p\bar{p}$ collisions at $s=630\text{GeV}$ and $s=1800\text{GeV}$. <i>Physical Review D</i> , 2002, 66, . | 4.7 | 24 |
| 1041 | Cross section for forward J/ψ production in $p\bar{p}$ collisions at $s=1.8\text{TeV}$. <i>Physical Review D</i> , 2002, 66, . | 4.7 | 7 |
| 1042 | $\bar{l}l$ Production and Polarization in $p\bar{p}$ Collisions at $s=1.8\text{TeV}$. <i>Physical Review Letters</i> , 2002, 88, 161802. | 7.8 | 135 |
| 1043 | Search for the decay $B_s \rightarrow l^+l^-$ in $p\bar{p}$ collisions at $s=1.8\text{TeV}$. <i>Physical Review D</i> , 2002, 65, . | 4.7 | 7 |
| 1044 | Diffractive Dijet Production at $s=630$ and 1800 GeV at the Fermilab Tevatron. <i>Physical Review Letters</i> , 2002, 88, 151802. | 7.8 | 20 |

| # | ARTICLE | | IF | CITATIONS |
|------|--|--|-----|-----------|
| 1045 | Limits on Extra Dimensions and New Particle Production in the Exclusive Photon and Missing Energy Signature in pp̄ Collisions at $s=1.8\text{ TeV}$. Physical Review Letters, 2002, 89, 281801. | | 7.8 | 41 |
| 1046 | Soft and hard interactions in pp̄ collisions at $s=1800$ and 630 GeV. Physical Review D, 2002, 65, . | | 4.7 | 42 |
| 1047 | Study of the heavy flavor content of jets produced in association with W bosons in pp̄ collisions at $s=1.8\text{ TeV}$. Physical Review D, 2002, 65, . | | 4.7 | 21 |
| 1048 | Comparison of the isolated direct photon cross sections in pp̄ collisions at $s=1.8\text{ TeV}$ and $s=0.63\text{ TeV}$. Physical Review D, 2002, 65, . | | 4.7 | 64 |
| 1049 | Search for New Physics in Photon-Lepton Events in pp̄ Collisions at $s=1.8\text{ TeV}$. Physical Review Letters, 2002, 89, 041802. | | 7.8 | 17 |
| 1050 | Search for single-top-quark production in pp̄ collisions at $s=1.8\text{ TeV}$. Physical Review D, 2002, 65, . | | 4.7 | 44 |
| 1051 | Measurement of the total cross section and differential cross section d^2f/dp_T in pp̄ collisions at $s=1.8\text{ TeV}$. Physical Review D, 2002, 65, . | | 4.7 | 74 |