
Cécile Couchoud

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6832859/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Preemptive Kidney Transplantation Is Associated With Transplantation Outcomes in Children: Results From the French Kidney Replacement Therapy Registry. Transplantation, 2022, 106, 401-411. | 1.0 | 9 |
| 2 | Effect of social deprivation on peritoneal dialysis uptake: A mediation analysis with the data of the REIN registry. Peritoneal Dialysis International, 2022, 42, 361-369. | 2.3 | 8 |
| 3 | A prospective observational study for justification, safety, and efficacy of a third dose of mRNA vaccine in patients receiving maintenance hemodialysis. Kidney International, 2022, 101, 390-402. | 5.2 | 72 |
| 4 | Effect of emergency start and central venous catheter on outcomes in incident hemodialysis patients: a prospective observational cohort. Journal of Nephrology, 2022, 35, 977-988. | 2.0 | 10 |
| 5 | Vaccination and COVID-19 Dynamics in Dialysis Patients. Clinical Journal of the American Society of Nephrology: CJASN, 2022, 17, 395-402. | 4.5 | 33 |
| 6 | Impact of nephrology care trajectories pre-CKD stage 5 on initiation of kidney replacement therapy in children. Pediatric Nephrology, 2022, 37, 2427-2436. | 1.7 | 2 |
| 7 | Dialysis-network variability in home dialysis use not explained by patient characteristics: a national registry-based cohort study in France. Nephrology Dialysis Transplantation, 2022, 37, 1962-1973. | 0.7 | 3 |
| 8 | Longâ€lasting clinical symptoms 6Âmonths after COVID-19 infection in the French national cohort of patients on dialysis. Journal of Nephrology, 2022, 35, 787-793. | 2.0 | 5 |
| 9 | Social Deprivation Is Associated With Lower Access to Pre-emptive Kidney Transplantation and More Urgent-Start Dialysis in the Pediatric Population. Kidney International Reports, 2022, 7, 741-751. | 0.8 | 15 |
| 10 | Diabetic kidney disease versus nonâ€diabetic kidney disease in type 2 diabetic patients on dialysis: An observational cohort. Endocrinology, Diabetes and Metabolism, 2022, , e00281. | 2.4 | 1 |
| 11 | Association between kidney retransplantation and survival according to age in the French national cohort of dialysis patients. American Journal of Transplantation, 2022, 22, 2028-2040. | 4.7 | 3 |
| 12 | Switch from Hemodialysis to Peritoneal Dialysis: Does the Time Spent on Hemodialysis Impact Outcomes in Peritoneal Dialysis?. American Journal of Nephrology, 2022, 53, 542-551. | 3.1 | 2 |
| 13 | An algorithm for identifying chronic kidney disease in the French national health insurance claims database. Nephrologie Et Therapeutique, 2022, , . | 0.5 | 4 |
| 14 | Which data in the French registry for advanced chronic kidney disease for public health and patient care?. Nephrologie Et Therapeutique, 2022, 18, 228-236. | 0.5 | 8 |
| 15 | From tuberous sclerosis complex to end stage renal disease: who are these patients?. Journal of Nephrology, 2021, 34, 607-615. | 2.0 | 9 |
| 16 | Systemic sclerosis and end-stage renal disease: study of patient characteristics, follow-up and outcomes in France. Journal of Nephrology, 2021, 34, 617-625. | 2.0 | 2 |
| 17 | Prescription patterns of dialysate potassium and potassium binders and survival on haemodialysis—the French Renal Epidemiology and Information Network registry. Nephrology Dialysis Transplantation, 2021, 36, 151-159. | 0.7 | 7 |
| 18 | Spatiotemporal trends and prognosis of end-stage renal disease patients with biopsy-proven immunoglobulin AÂnephropathy in France from 2010 to 2014. CKJ: Clinical Kidney Journal, 2021, 14, 898-908. | 2.9 | 1 |

CéCILE COUCHOUD

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Dynamic prediction models for graft failure in paediatric kidney transplantation. Nephrology Dialysis Transplantation, 2021, 36, 927-935. | 0.7 | 8 |
| 20 | Adverse gastrointestinal events with sodium polystyrene sulphonate and calcium polystyrene sulphonate use in dialysis patients: a nationwide registry study. Nephrology Dialysis Transplantation, 2021, 36, 339-345. | 0.7 | 8 |
| 21 | Predialysis Care Trajectories of Patients With ESKD Starting Dialysis in Emergency in France. Kidney International Reports, 2021, 6, 156-167. | 0.8 | 27 |
| 22 | Analysis of the association between emergency dialysis start in patients with end-stage kidney disease and non-steroidal anti-inflammatory drugs, proton-pump inhibitors, and iodinated contrast agents. Journal of Nephrology, 2021, 34, 1711-1723. | 2.0 | 3 |
| 23 | Additional cost of end-stage kidney disease in diabetic patients according to renal replacement therapy modality: a systematic review. Renal Replacement Therapy, 2021, 7, . | 0.7 | 1 |
| 24 | Effect of age and care organization on sources of variation in kidney transplant waiting list registration. American Journal of Transplantation, 2021, 21, 3608-3617. | 4.7 | 13 |
| 25 | Dialysis dose and mortality in haemodialysis: is higher better?. Nephrology Dialysis Transplantation, 2021, 36, 2300-2307. | 0.7 | 6 |
| 26 | Low performance of prognostic tools for predicting dialysis in elderly people with advanced CKD. Journal of Nephrology, 2021, 34, 1201-1213. | 2.0 | 6 |
| 27 | Clinical Trial Emulation by Matching Time-dependent Propensity Scores. Epidemiology, 2021, 32, 220-229. | 2.7 | 21 |
| 28 | Disease Activity and Adverse Events in Patients with ANCA-Associated Vasculitides Undergoing Long-Term Dialysis. Clinical Journal of the American Society of Nephrology: CJASN, 2021, 16, 1665-1675. | 4.5 | 8 |
| 29 | Is self-care dialysis associated with social deprivation in a universal health care system? A cohort study with data from the Renal Epidemiology and Information Network Registry. Nephrology Dialysis Transplantation, 2020, 35, 861-869. | 0.7 | 11 |
| 30 | Results from the ERA-EDTA Registry indicate a high mortality due to COVID-19 in dialysis patients and kidney transplant recipients across Europe. Kidney International, 2020, 98, 1540-1548. | 5.2 | 380 |
| 31 | Home hemodialysis during the COVID-19 epidemic: comment on the French experience from the viewpoint of a French home hemodialysis care network. Journal of Nephrology, 2020, 33, 1125-1127. | 2.0 | 5 |
| 32 | Impact of the dialysate acid component on haemodialysis mortality rates. Nephrology Dialysis Transplantation, 2020, 35, 1244-1249. | 0.7 | 7 |
| 33 | Low incidence of SARS-CoV-2, risk factors of mortality and the course of illness in the French national cohort of dialysis patients. Kidney International, 2020, 98, 1519-1529. | 5.2 | 103 |
| 34 | Sex and Glomerular Filtration Rate Trajectories in Children. Clinical Journal of the American Society of Nephrology: CJASN, 2020, 15, 320-329. | 4.5 | 12 |
| 35 | Contribution of medico-administrative data to the development of a comorbidity score to predict mortality in End-Stage Renal Disease patients. Scientific Reports, 2020, 10, 8582. | 3.3 | 1 |
| 36 | Effects of the dialysate calcium concentrations and mineral bone disease treatments on mortality in The French Renal Epidemiology and Information Network (REIN) registry. PLoS ONE, 2020, 15, e0235135. | 2.5 | 1 |

CéCILE COUCHOUD

| # | Article | IF | CITATIONS |
|----|---|-----------------|----------------|
| 37 | Setting reasonable objectives for improving preemptive kidney transplantation rates in children. Pediatric Nephrology, 2020, 35, 2353-2360. | 1.7 | 4 |
| 38 | Linking disease registries and nationwide healthcare administrative databases: the French renal epidemiology and information network (REIN) insight. BMC Nephrology, 2020, 21, 25. | 1.8 | 36 |
| 39 | Symptomatic SARS-CoV2 infections in patients treated in France by hemodialysis in an establishment, or at home or by peritoneal dialysis: Data from the REIN and RDPLF registry. Bulletin De La Dialyse À Domicile, 2020, 3, 213-226. | 0.2 | 1 |
| 40 | Access to the waiting list and to kidney transplantation for people living with HIV: A national registry study. American Journal of Transplantation, 2019, 19, 3345-3355. | 4.7 | 17 |
| 41 | Daily hemodialysis practices in Australia/New Zealand and in France: a comparative cohort study. BMC Nephrology, 2019, 20, 156. | 1.8 | 4 |
| 42 | Social deprivation is associated with poor kidney transplantation outcome in children. Kidney International, 2019, 96, 769-776. | 5.2 | 25 |
| 43 | 2017 Annual Report Digest of the Renal Epidemiology Information Network (REIN) registry. Transplant International, 2019, 32, 892-902. | 1.6 | 33 |
| 44 | Angiotensin-converting enzyme inhibitors/angiotensin receptor blockers, β-blockers or both in incident end-stage renal disease patients without cardiovascular disease: a propensity-matched longitudinal cohort study. Nephrology Dialysis Transplantation, 2019, 34, 1216-1222. | 0.7 | 4 |
| 45 | Outcomeâ€dependent geographic and individual variations in the access to renal transplantation in incident dialysed patients: a French nationwide cohort study. Transplant International, 2019, 32, 369-386. | 1.6 | 14 |
| 46 | Changes in co-morbidity pattern in patients starting renal replacement therapy in Europe—data from the ERA-EDTA Registry. Nephrology Dialysis Transplantation, 2018, 33, 1794-1804. | 0.7 | 28 |
| 47 | Factors associating with differences in the incidence of renal replacement therapy among elderly: data from the ERA-EDTA Registry. Nephrology Dialysis Transplantation, 2018, 33, 1428-1435. | 0.7 | 7 |
| 48 | Survival advantage of planned haemodialysis over peritoneal dialysis: a cohort study. Nephrology Dialysis Transplantation, 2018, 33, 1411-1419. | 0.7 | 14 |
| 49 | Outcome of autosomal dominant polycystic kidney disease patients on peritoneal dialysis: a national retrospective study based on two French registries (the French Language Peritoneal Dialysis Registry) Tj ETQq1 1 2018. 33. 2020-2026. | 0.784314 0.7 | l rgBT /Overld |
| 50 | Treatment plans and outcomes in elderly patients reaching advanced chronic kidney disease. Nephrology Dialysis Transplantation, 2018, 33, 2182-2191. | 0.7 | 14 |
| 51 | Association between daily haemodialysis, access to renal transplantation and patients' survival in France. Nephrology, 2018, 23, 269-278. | 1.6 | 4 |
| 52 | Deleterious effects of dialysis emergency start, insights from the French REIN registry. BMC Nephrology, 2018, 19, 233. | 1.8 | 25 |
| 53 | Benefits of kidney transplantation for a national cohort of patients aged 70 years and older starting renal replacement therapy. American Journal of Transplantation, 2018, 18, 2695-2707. | 4.7 | 46 |
| 54 | End stage renal disease as aÂsymptom of health inequalities in French Guiana. Journal of Health Inequalities, 2018, 4, 31-35. | 0.1 | 4 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Outcomes of acute kidney injury depend on initial clinical features: a national French cohort study. Nephrology Dialysis Transplantation, 2018, 33, 2218-2227. | 0.7 | 13 |
| 56 | A comprehensive approach to assess the costs of renal replacement therapy for end-stage renal disease in France: the importance of age, diabetes status, and clinical events. European Journal of Health Economics, 2017, 18, 459-469. | 2.8 | 26 |
| 57 | Access to and characteristics of palliative care-related hospitalization in the management of end-stage renal disease patients on renal replacement therapy in France. Nephrology, 2017, 22, 598-608. | 1.6 | 16 |
| 58 | Restricted mean survival time over 15 years for patients starting renal replacement therapy. Nephrology Dialysis Transplantation, 2017, 32, gfw386. | 0.7 | 4 |
| 59 | Epidemiology update for hepatitis C virus and hepatitis B virus in endâ€stage renal disease in France. Liver International, 2017, 37, 820-826. | 3.9 | 23 |
| 60 | Ten-years trends in renal replacement therapy for end-stage renal disease in mainland France: Lessons from the French Renal Epidemiology and Information Network (REIN) registry. Nephrologie Et Therapeutique, 2017, 13, 228-235. | 0.5 | 37 |
| 61 | Chronic respiratory disease: an unrecognized risk factor in dialysis. Nephrology Dialysis Transplantation, 2017, 32, 2118-2125. | 0.7 | 6 |
| 62 | Age-Dependent Risk of Graft Failure in Young Kidney Transplant Recipients. Transplantation, 2017, 101, 1327-1335. | 1.0 | 43 |
| 63 | Effect of center practices on the choice of the first dialysis modality for children and young adults. Pediatric Nephrology, 2017, 32, 659-667. | 1.7 | 10 |
| 64 | Obesity and access to kidney transplantation in patients starting dialysis: A prospective cohort study. PLoS ONE, 2017, 12, e0176616. | 2.5 | 36 |
| 65 | Influence of Socio-Economic Inequalities on Access to Renal Transplantation and Survival of Patients with End-Stage Renal Disease. PLoS ONE, 2016, 11, e0153431. | 2.5 | 21 |
| 66 | Spatial Analysis of Case-Mix and Dialysis Modality Associations. Peritoneal Dialysis International, 2016, 36, 326-333. | 2.3 | 17 |
| 67 | Supportive Care: Time to Change Our Prognostic Tools and Their Use in CKD. Clinical Journal of the American Society of Nephrology: CJASN, 2016, 11, 1892-1901. | 4.5 | 37 |
| 68 | French patients on daily hemodialysis: clinical characteristics and treatment trajectories. BMC Nephrology, 2016, 17, 107. | 1.8 | 5 |
| 69 | Trends in Survival and Renal Recovery in Patients with Multiple Myeloma or Light-Chain Amyloidosis on Chronic Dialysis. Clinical Journal of the American Society of Nephrology: CJASN, 2016, 11, 431-441. | 4.5 | 54 |
| 70 | The changing trends and outcomes in renal replacement therapy: data from the ERA-EDTA Registry. Nephrology Dialysis Transplantation, 2016, 31, 831-841. | 0.7 | 125 |
| 71 | Opinion of French nephrologists on renal replacement therapy: survey on their personal choice. CKJ: Clinical Kidney Journal, 2015, 8, 785-788. | 2.9 | 2 |
| 72 | Economic impact of a modification of the treatment trajectories of patients with end-stage renal disease. Nephrology Dialysis Transplantation, 2015, 30, 2054-2068. | 0.7 | 32 |

CéCILE COUCHOUD

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | The essential of 2012 results from the French Renal Epidemiology and Information Network (REIN) ESRD registry. Nephrologie Et Therapeutique, 2015, 11, 78-87. | 0.5 | 36 |
| 74 | Are there good reasons for inequalities in access to renal transplantation in children?. Nephrology Dialysis Transplantation, 2015, 30, 2080-2087. | 0.7 | 13 |
| 75 | A simple clinical tool to inform the decision-making process to refer elderly incident dialysis patients for kidney transplant evaluation. Kidney International, 2015, 88, 121-129. | 5.2 | 57 |
| 76 | Dialysis modality choice in diabetic patients with end-stage kidney disease: a systematic review of the available evidence. Nephrology Dialysis Transplantation, 2015, 30, 310-320. | 0.7 | 47 |
| 77 | Using repeated-prevalence data in multi-state modeling of renal replacement therapy. Journal of Applied Statistics, 2015, 42, 1278-1290. | 1.3 | 1 |
| 78 | Spatial distribution of end-stage renal disease (ESRD) and social inequalities in mixed urban and rural areas: a study in the Bretagne administrative region of France. CKJ: Clinical Kidney Journal, 2015, 8, 7-13. | 2.9 | 13 |
| 79 | Type 1 and Type 2 Diabetes and Cancer Mortality in the 2002-2009 Cohort of 39 811 French Dialyzed Patients. PLoS ONE, 2015, 10, e0125089. | 2.5 | 7 |
| 80 | Trends in the epidemiology and care of diabetes mellitus-related end-stage renal disease in France, 2007–2011. Diabetologia, 2014, 57, 718-728. | 6.3 | 47 |
| 81 | Rapid access to renal transplant waiting list in children: impact of patient and centre characteristics in France. Nephrology Dialysis Transplantation, 2014, 29, 1973-1979. | 0.7 | 18 |
| 82 | Similar patient survival following kidney allograft failure compared with non-transplanted patients. Kidney International, 2014, 86, 191-198. | 5.2 | 32 |
| 83 | The clinical status and survival in elderly dialysis: example of the oldest region of France. BMC Nephrology, 2013, 14, 131. | 1.8 | 19 |
| 84 | End-stage renal disease epidemic in diabetics: is there light at the end of the tunnel?. Nephrology Dialysis Transplantation, 2013, 28, 1073-1076. | 0.7 | 15 |
| 85 | Modelling treatment trajectories to optimize the organization of renal replacement therapy and public health decision-making. Nephrology Dialysis Transplantation, 2013, 28, 2372-2382. | 0.7 | 24 |
| 86 | Conservative care in Europe—nephrologists' experience with the decision not to start renal replacement therapy. Nephrology Dialysis Transplantation, 2013, 28, 2604-2612. | 0.7 | 54 |
| 87 | Excess Risk of Death Increases with Time from First Dialysis for Patients on the Waiting List: Implications for Renal Allograft Allocation Policy. Nephron Clinical Practice, 2013, 124, 99-105. | 2.3 | 14 |
| 88 | Renal replacement therapy registriestime for a structured data quality evaluation programme. Nephrology Dialysis Transplantation, 2013, 28, 2215-2220. | 0.7 | 17 |
| 89 | Medical practice patterns and socio-economic factors may explain geographical variation of end-stage renal disease incidence. Nephrology Dialysis Transplantation, 2012, 27, 2312-2322. | 0.7 | 42 |
| 90 | Intensive Hemodialysis Associates with Improved Survival Compared with Conventional Hemodialysis. Journal of the American Society of Nephrology: JASN, 2012, 23, 696-705. | 6.1 | 184 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Characteristics and Treatment Course of Patients Older Than 75 Years, Reaching End-Stage Renal Failure in France. The PSPA Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2012, 67, 1394-1399. | 3.6 | 30 |
| 92 | A New Approach for Measuring Gender Disparity in Access to Renal Transplantation Waiting Lists. Transplantation, 2012, 94, 513-519. | 1.0 | 81 |
| 93 | Factors Influencing the Decision to Start Renal Replacement Therapy: Results of a Survey Among European Nephrologists. American Journal of Kidney Diseases, 2012, 60, 940-948. | 1.9 | 58 |
| 94 | The timing of dialysis initiation affects the incidence of renal replacement therapy. Nephrology Dialysis Transplantation, 2010, 25, 1576-1578. | 0.7 | 28 |
| 95 | Can we predict death in patients on dialysis?. Nature Reviews Nephrology, 2010, 6, 388-389. | 9.6 | 10 |
| 96 | Incidence of Treatment for End-Stage Renal Disease Among Individuals With Diabetes in the U.S. Continues to Decline. Diabetes Care, 2010, 33, e69-e69. | 8.6 | 12 |
| 97 | Age and comorbidity may explain the paradoxical association of an early dialysis start with poor survival. Kidney International, 2010, 77, 700-707. | 5.2 | 140 |
| 98 | A clinical score to predict 6-month prognosis in elderly patients starting dialysis for end-stage renal disease. Nephrology Dialysis Transplantation, 2009, 24, 1553-1561. | 0.7 | 268 |
| 99 | International quotidian dialysis registry: Annual report 2009. Hemodialysis International, 2009, 13, 240-249. | 0.9 | 19 |
| 100 | From registry data collection to international comparisons: examples of haemodialysis duration and frequency. Nephrology Dialysis Transplantation, 2008, 24, 217-224. | 0.7 | 56 |
| 101 | Evaluation and Determinants of Underprescription of Erythropoiesis Stimulating Agents in Pre-Dialysis Patients with Anaemia. Nephron Clinical Practice, 2008, 108, c67-c74. | 2.3 | 8 |
| 102 | Assessment of urea removal in haemodialysis and the impact of the European Best Practice Guidelines. Nephrology Dialysis Transplantation, 2008, 24, 1267-1274. | 0.7 | 19 |
| 103 | Variability in Case Mix and Peritoneal Dialysis Selection in Fifty-Nine French Districts. Peritoneal Dialysis International, 2008, 28, 509-517. | 2.3 | 43 |
| 104 | Variability in case mix and peritoneal dialysis selection in fifty-nine French districts. Peritoneal Dialysis International, 2008, 28, 509-17. | 2.3 | 13 |
| 105 | Associations between comorbidities, treatment choice and outcome in the elderly with end-stage renal disease. Nephrology Dialysis Transplantation, 2007, 22, 3246-3254. | 0.7 | 118 |
| 106 | The renal epidemiology and information network (REIN): a new registry for end-stage renal disease in France. Nephrology Dialysis Transplantation, 2006, 21, 411-418. | 0.7 | 224 |