

Allan Matthews

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6836926/publications.pdf>

Version: 2024-02-01

349
papers

23,419
citations

11651
70
h-index

9861
141
g-index

363
all docs

363
docs citations

363
times ranked

10339
citing authors

#	ARTICLE	IF	CITATIONS
1	Plasma electrolytic oxidation of magnesium by sawtooth pulse current. <i>Surface and Coatings Technology</i> , 2022, 429, 127938.	4.8	12
2	Analysis of electrical response, gas evolution and coating morphology during transition to soft sparking PEO of Al. <i>Surface and Coatings Technology</i> , 2022, 442, 128142.	4.8	13
3	An investigation of precipitation strengthened Inconel 718 superalloy after triode plasma nitriding. <i>Surface and Coatings Technology</i> , 2022, 442, 128401.	4.8	8
4	Surface characteristics underpinning fretting wear performance of heavily loaded duplex chameleon/PEO coatings on Al. <i>Tribology International</i> , 2021, 154, 106723.	5.9	14
5	Effect of Pt nanoparticle decoration on the H ₂ storage performance of plasma-derived nanoporous graphene. <i>Carbon</i> , 2021, 171, 294-305.	10.3	27
6	Evaluation of the sliding wear and corrosion performance of triode-plasma nitrided Fe-17Cr-20Mn-0.5N high-manganese and Fe-19Cr-35Ni-1.2Si high-nickel austenitic stainless steels. <i>Surface and Coatings Technology</i> , 2021, 409, 126890.	4.8	23
7	Toward rational design of ceramic coatings generated on valve metals by plasma electrolytic oxidation: The role of cathodic polarisation. <i>Ceramics International</i> , 2021, 47, 34137-34158.	4.8	30
8	Dry sliding wear behaviour of additive manufactured CrC-rich WC-Co cemented carbides. <i>Wear</i> , 2021, 486-487, 204127.	3.1	11
9	Flexible nanoporous activated carbon for adsorption of organics from industrial effluents. <i>Nanoscale</i> , 2021, 13, 15311-15323.	5.6	26
10	Adhesive bond strength of PEO coated AA6060-T6. <i>Surface and Coatings Technology</i> , 2021, 428, 127898.	4.8	12
11	On the Nitrogen-Induced Lattice Expansion of a Non-stainless Austenitic Steel, Invar 36 [®] , Under Triode Plasma Nitriding. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2020, 51, 436-447.	2.2	17
12	Relaxation Kinetics of Plasma Electrolytic Oxidation Coated Al Electrode: Insight into the Role of Negative Current. <i>Journal of Physical Chemistry C</i> , 2020, 124, 23784-23797.	3.1	13
13	Investigation of the nanostructure of as-deposited and post-coat annealed CrCuAgN PVD nanocomposite coatings. <i>Materials Chemistry and Physics</i> , 2020, 255, 123499.	4.0	1
14	Nanostructural Characterisation and Optical Properties of Sputter-Deposited Thick Indium Tin Oxide (ITO) Coatings. <i>Coatings</i> , 2020, 10, 1127.	2.6	7
15	Evaluation of wear mechanisms in additive manufactured carbide-rich tool steels. <i>Wear</i> , 2020, 462-463, 203449.	3.1	7
16	On the interstitial induced lattice inhomogeneities in nitrogen-expanded austenite. <i>Scripta Materialia</i> , 2020, 185, 146-151.	5.2	16
17	Smart Functionalization of Ceramic-Coated AZ31 Magnesium Alloy. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 30833-30846.	8.0	38
18	Surface Engineering of Ceramic Nanomaterials for Separation of Oil/Water Mixtures. <i>Frontiers in Chemistry</i> , 2020, 8, 578.	3.6	14

#	ARTICLE	IF	CITATIONS
19	AC plasma electrolytic oxidation of additively manufactured and cast AlSi12 alloys. <i>Surface and Coatings Technology</i> , 2020, 399, 126116.	4.8	29
20	Plasma additive layer manufacture smoothing (PALMS) technology – An industrial prototype machine development and a comparative study on both additive manufactured and conventional machined AISI 316 stainless steel. <i>Additive Manufacturing</i> , 2020, 34, 101204.	3.0	5
21	Industrial Gear Oils: Influence of Bulk Oil Temperature and Contact Pressure on Tribological Performance and Subsurface Changes. <i>Tribology Letters</i> , 2020, 68, 1.	2.6	7
22	Phase Change with Density Variation and Cylindrical Symmetry: Application to Selective Laser Melting. <i>Journal of Manufacturing and Materials Processing</i> , 2019, 3, 62.	2.2	1
23	Renewable Adsorbent for the Separation of Surfactant-Stabilized Oil in Water Emulsions Based on Nanostructured Sawdust. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 18935-18942.	6.7	28
24	Role of cathodic current in plasma electrolytic oxidation of Al: A quantitative approach to in-situ evaluation of cathodically induced effects. <i>Electrochimica Acta</i> , 2019, 317, 221-231.	5.2	38
25	Charge transfer mechanisms underlying Contact Glow Discharge Electrolysis. <i>Electrochimica Acta</i> , 2019, 312, 441-456.	5.2	41
26	Incorporation of halloysite nanotubes into forsterite surface layer during plasma electrolytic oxidation of AM50 Mg alloy. <i>Electrochimica Acta</i> , 2019, 299, 772-788.	5.2	45
27	The influence of stacking fault energy on plasticity mechanisms in triode-plasma nitrided austenitic stainless steels: Implications for the structure and stability of nitrogen-expanded austenite. <i>Acta Materialia</i> , 2019, 164, 60-75.	7.9	38
28	Plasma electrolytic oxidation coatings on cp-Mg with cerium nitrate and benzotriazole immersion post-treatments. <i>Surface and Coatings Technology</i> , 2018, 344, 330-341.	4.8	40
29	Industrial Gear Oils: Tribological Performance and Subsurface Changes. <i>Tribology Letters</i> , 2018, 66, 65.	2.6	8
30	Improving the surface characteristics of Ti-6Al-4V and Timetal 834 using PIRAC nitriding treatments. <i>Surface and Coatings Technology</i> , 2018, 339, 208-223.	4.8	23
31	Novel combustion synthesis of carbon foam–aluminum fluoride nanocomposite materials. <i>Materials and Design</i> , 2018, 144, 222-228.	7.0	14
32	Deposition of a stable and high concentration of carboxylic acid functional groups onto a silicon surface via a tailored remote atmospheric pressure plasma process. <i>Surface and Coatings Technology</i> , 2018, 336, 67-71.	4.8	17
33	The role of cathodic current in plasma electrolytic oxidation of aluminium: current density – scanning waves™ on complex-shape substrates. <i>Journal Physics D: Applied Physics</i> , 2018, 51, 405303.	2.8	14
34	Fretting wear behavior of duplex PEO/chameleon coating on Al alloy. <i>Surface and Coatings Technology</i> , 2018, 352, 238-246.	4.8	36
35	Immobilization of carboxylic acid groups on polymeric substrates by plasma-enhanced chemical vapor or atmospheric pressure plasma deposition of acetic acid. <i>Thin Solid Films</i> , 2018, 666, 54-60.	1.8	7
36	Advances in piezoelectric thin films for acoustic biosensors, acoustofluidics and lab-on-chip applications. <i>Progress in Materials Science</i> , 2017, 89, 31-91.	32.8	467

#	ARTICLE	IF	CITATIONS
37	Mechanical properties and abrasive wear behaviour of Al-based PVD amorphous/nanostructured coatings. <i>Surface and Coatings Technology</i> , 2017, 310, 59-69.	4.8	32
38	The Role of Cathodic Current in Plasma Electrolytic Oxidation of Aluminum: Phenomenological Concepts of the "Soft Sparking" Mode. <i>Langmuir</i> , 2017, 33, 11059-11069.	3.5	85
39	CrCuAgN PVD nanocomposite coatings: Effects of annealing on coating morphology and nanostructure. <i>Applied Surface Science</i> , 2017, 392, 732-746.	6.1	15
40	Crystal size induced reduction in thermal hysteresis of Ni-Ti-Nb shape memory thin films. <i>Applied Physics Letters</i> , 2016, 108, .	3.3	5
41	Self-healing plasma electrolytic oxidation coatings doped with benzotriazole loaded halloysite nanotubes on AM50 magnesium alloy. <i>Corrosion Science</i> , 2016, 111, 753-769.	6.6	172
42	Characteristics and in vitro response of thin hydroxyapatite/titania films produced by plasma electrolytic oxidation of Ti alloys in electrolytes with particle additions. <i>RSC Advances</i> , 2016, 6, 12688-12698.	3.6	32
43	In situ impedance spectroscopy of the plasma electrolytic oxidation process for deposition of Ca- and P-containing coatings on Ti. <i>Surface and Coatings Technology</i> , 2016, 301, 54-62.	4.8	83
44	Characterisation and Electrochemical Evaluation of Plasma Electrolytic Oxidation Coatings on Magnesium with Plasma Enhanced Chemical Vapour Deposition Post-Treatments. <i>Plasma Processes and Polymers</i> , 2016, 13, 266-278.	3.0	15
45	Mechanical behaviour of cp-magnesium with duplex hydroxyapatite and PEO coatings. <i>Materials Science and Engineering C</i> , 2015, 49, 190-200.	7.3	28
46	Deposition and evaluation of duplex hydroxyapatite and plasma electrolytic oxidation coatings on magnesium. <i>Surface and Coatings Technology</i> , 2015, 269, 170-182.	4.8	64
47	Towards smart electrolytic plasma technologies: An overview of methodological approaches to process modelling. <i>Surface and Coatings Technology</i> , 2015, 269, 2-22.	4.8	146
48	Characterization and corrosion evaluation of TiO ₂ :n-HA coatings on titanium alloy formed by plasma electrolytic oxidation. <i>Surface and Coatings Technology</i> , 2015, 269, 258-265.	4.8	82
49	Tribological behaviour of thermochemically surface engineered steels. , 2015, , 241-266.		9
50	Fabrication of Nb ₂ O ₅ /SiO ₂ mixed oxides by reactive magnetron co-sputtering. <i>Thin Solid Films</i> , 2015, 589, 95-104.	1.8	16
51	Effect of positive and negative pulse voltages on surface properties and equivalent circuit of the plasma electrolytic oxidation process. <i>Surface and Coatings Technology</i> , 2015, 284, 427-437.	4.8	45
52	Corrosion behaviour of triode plasma diffusion treated and PVD TiN-coated Ti-6Al-4V in acidified aqueous chloride environments. <i>Surface and Coatings Technology</i> , 2015, 280, 185-193.	4.8	15
53	The combined effects of Cu and Ag on the nanostructure and mechanical properties of CrCuAgN PVD coatings. <i>Surface and Coatings Technology</i> , 2015, 284, 101-111.	4.8	16
54	Small grain size zirconium-based coatings deposited by magnetron sputtering at low temperatures. <i>Thin Solid Films</i> , 2015, 591, 149-155.	1.8	6

#	ARTICLE	IF	CITATIONS
55	Effect of current mode on PEO treatment of magnesium in Ca- and P-containing electrolyte and resulting coatings. Applied Surface Science, 2014, 316, 558-567.	6.1	93
56	Laser Texturing of Plasma Electrolytically Oxidized Aluminum 6061 Surfaces for Improved Hydrophobicity. Journal of Manufacturing Science and Engineering, Transactions of the ASME, 2014, 136, .	2.2	23
57	Influence of current density and electrolyte concentration on DC PEO titania coatings. Surface Engineering, 2014, 30, 102-108.	2.2	35
58	High-rate reactive magnetron sputtering of zirconia films for laser optics applications. Applied Physics A: Materials Science and Processing, 2014, 116, 1229-1240.	2.3	16
59	Composite hydroxyapatiteâ€“PTFE coatings on Mgâ€“Mnâ€“Ce alloy for resorbable implant applications via a plasma electrolytic oxidation-based route. Journal of the Taiwan Institute of Chemical Engineers, 2014, 45, 3104-3109.	5.3	56
60	Unlocking the potential of voltage control for high rate zirconium and hafnium oxide deposition by reactive magnetron sputtering. Vacuum, 2014, 107, 159-163.	3.5	11
61	Enhanced surface performance of Ti-6Al-4V alloy using a novel duplex process combining PVD-Al coating and triode plasma oxidation. Surface and Coatings Technology, 2014, 257, 154-164.	4.8	15
62	Application of Voltage Pulse Transient Analysis during Plasma Electrolytic Oxidation for Assessment of Characteristics and Corrosion Behaviour of Ca- and P-containing Coatings on Magnesium. Electrochimica Acta, 2014, 149, 218-230.	5.2	83
63	Evaluating the effects of PIRAC nitrogen-diffusion treatments on the mechanical performance of Tiâ€“6Alâ€“4V alloy. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2014, 619, 300-311.	5.6	24
64	Evaluation of Residual Stress Development at the Interface of Plasma Electrolytically Oxidized and Cold-Worked Aluminum. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 2013, 44, 4461-4465.	2.2	9
65	Substrate and bonding layer effects on performance of DLC and TiN biomedical coatings in Hank's solution under cyclic impactâ€“sliding loads. Surface and Coatings Technology, 2013, 237, 219-229.	4.8	31
66	DC plasma electrolytic oxidation of biodegradable cp-Mg: In-vitro corrosion studies. Surface and Coatings Technology, 2013, 234, 132-142.	4.8	43
67	Impact wear and abrasion resistance of CrN, AlCrN and AlTiN PVD coatings. Surface and Coatings Technology, 2013, 215, 170-177.	4.8	122
68	System linearity quantification for in-situ impedance spectroscopy of plasma electrolytic oxidation. Electrochemistry Communications, 2013, 27, 137-140.	4.7	18
69	Corrosion behaviour and galvanic coupling with steel of Al-based coating alternatives to electroplated cadmium. Materials Chemistry and Physics, 2013, 141, 128-137.	4.0	11
70	<i>In vitro</i> biological response of plasma electrolytically oxidized and plasmaâ€“sprayed hydroxyapatite coatings on Tiâ€“6Alâ€“4V alloy. Journal of Biomedical Materials Research - Part B Applied Biomaterials, 2013, 101B, 939-949.	3.4	53
71	Laser treatment of carbon film coated steel surface. Surface Engineering, 2012, 28, 57-67.	2.2	2
72	Surface modification of Tiâ€“6Alâ€“4V alloys using triode plasma oxidation treatments. Surface and Coatings Technology, 2012, 206, 4553-4561.	4.8	23

#	ARTICLE	IF	CITATIONS
73	Laser surface modification treatment of aluminum bronze with B4C. Applied Surface Science, 2012, 263, 804-809.	6.1	34
74	Triode plasma diffusion treatment of titanium alloys. Surface and Coatings Technology, 2012, 212, 20-31.	4.8	20
75	Impact wear resistance of plasma diffusion treated and duplex treated/PVD-coated Ti-6Al-4V alloy. Surface and Coatings Technology, 2012, 206, 2645-2654.	4.8	33
76	An investigation into the tribological performance of Physical Vapour Deposition (PVD) coatings on high thermal conductivity Cu-alloy substrates and the effect of an intermediate electroless Ni-P layer prior to PVD treatment. Thin Solid Films, 2012, 520, 2922-2931.	1.8	19
77	Micro-abrasion wear testing of triode plasma diffusion and duplex treated Ti-6Al-4V alloy. Wear, 2012, 274-275, 377-387.	3.1	22
78	Laser Remelting of Zirconia Surface: Investigation into Stress Field and Microstructures. Materials and Manufacturing Processes, 2011, 26, 1277-1287.	4.7	14
79	The UK surface engineering market. Transactions of the Institute of Metal Finishing, 2011, 89, 69-70.	1.3	2
80	Tribological properties of duplex plasma oxidised, nitrided and PVD coated Ti-6Al-4V. Surface and Coatings Technology, 2011, 206, 395-404.	4.8	38
81	An investigation into the effect of Triode Plasma Oxidation (TPO) on the tribological properties of Ti6Al4V. Surface and Coatings Technology, 2011, 206, 1955-1962.	4.8	17
82	A comparison of reactive plasma pre-treatments on PET substrates by Cu and Ti pulsed-DC and HIPIMS discharges. Thin Solid Films, 2011, 520, 1564-1570.	1.8	17
83	Plasma-based processes and thin film equipment for nano-scale device fabrication. Journal of Materials Science, 2011, 46, 1-37.	3.7	15
84	Evaluating the effects of plasma diffusion processing and duplex diffusion/PVD-coating on the fatigue performance of Ti-6Al-4V alloy. International Journal of Fatigue, 2011, 33, 1313-1323.	5.7	38
85	Microstructure and Thermal Stress Distributions in Laser Carbonitriding Treatment of Ti-6Al-4V Alloy. Journal of Manufacturing Science and Engineering, Transactions of the ASME, 2011, 133, .	2.2	11
86	Influence of Surface Hardening Depth on the Cavitation Erosion Resistance of a Low Alloy Steel. Journal of ASTM International, 2011, 8, 1-12.	0.2	0
87	Spectroscopic study of electrolytic plasma and discharging behaviour during the plasma electrolytic oxidation (PEO) process. Journal Physics D: Applied Physics, 2010, 43, 105203.	2.8	475
88	Substitution of hexavalent chromate conversion treatment with a plasma electrolytic oxidation process to improve the corrosion properties of ion vapour deposited AlMg coatings. Surface and Coatings Technology, 2010, 205, 1750-1756.	4.8	17
89	Corrosion properties and contact resistance of TiN, TiAlN and CrN coatings in simulated proton exchange membrane fuel cell environments. Journal of Power Sources, 2010, 195, 3814-3821.	7.8	127
90	Pulse current plasma assisted electrolytic cleaning of AISI 4340 steel. Journal of Materials Processing Technology, 2010, 210, 54-63.	6.3	40

#	ARTICLE	IF	CITATIONS
91	A study of the nanostructure and hardness of electron beam evaporated TiAlBN Coatings. <i>Thin Solid Films</i> , 2010, 518, 4273-4280.	1.8	15
92	Nano-structured TiO ₂ films by plasma electrolytic oxidation combined with chemical and thermal post-treatments of titanium, for dye-sensitised solar cell applications. <i>Thin Solid Films</i> , 2010, 519, 1723-1728.	1.8	29
93	PEO coatings obtained on an Mg-Mn type alloy under unipolar and bipolar modes in silicate-containing electrolytes. <i>Surface and Coatings Technology</i> , 2010, 204, 2316-2322.	4.8	145
94	Surface characterisation of DC plasma electrolytic oxidation treated 6082 aluminium alloy: Effect of current density and electrolyte concentration. <i>Surface and Coatings Technology</i> , 2010, 205, 1679-1688.	4.8	156
95	Voltastatic studies of magnesium anodising in alkaline solutions. <i>Surface and Coatings Technology</i> , 2010, 205, 1527-1531.	4.8	22
96	A study of the reciprocating-sliding wear performance of plasma surface treated titanium alloy. <i>Wear</i> , 2010, 269, 60-70.	3.1	69
97	The nanostructure, wear and corrosion performance of arc-evaporated CrB _x Ny nanocomposite coatings. <i>Surface and Coatings Technology</i> , 2009, 204, 246-255.	4.8	33
98	Positive Ion Mass Spectrometry during an Atmospheric Pressure Plasma Treatment of Polymers. <i>Plasma Processes and Polymers</i> , 2009, 6, 521-529.	3.0	14
99	Multifunctional arc ion plated TiO ₂ photocatalytic coatings with improved wear and corrosion protection. <i>Surface and Coatings Technology</i> , 2009, 203, 1689-1693.	4.8	16
100	Small signal frequency response studies for plasma electrolytic oxidation. <i>Surface and Coatings Technology</i> , 2009, 203, 2896-2904.	4.8	30
101	Growth behavior and microstructure of arc ion plated titanium dioxide. <i>Surface and Coatings Technology</i> , 2009, 204, 915-922.	4.8	21
102	Evaluation of abradable seal coating mechanical properties. <i>Wear</i> , 2009, 267, 1501-1510.	3.1	49
103	The morphology and structure of PVD Zr-Cu thin films. <i>Journal Physics D: Applied Physics</i> , 2009, 42, 085308.	2.8	15
104	Material transfer phenomena and failure mechanisms of a nanostructured Cr-Al-N coating in laboratory wear tests and an industrial punch tool application. <i>Surface and Coatings Technology</i> , 2008, 203, 816-821.	4.8	47
105	Composition and structure-property relationships of chromium-diboride/molybdenum-disulphide PVD nanocomposite hard coatings deposited by pulsed magnetron sputtering. <i>Applied Physics A: Materials Science and Processing</i> , 2008, 91, 77-86.	2.3	24
106	Characterization studies of pulse magnetron sputtered hard ceramic titanium diboride coatings alloyed with silicon. <i>Acta Materialia</i> , 2008, 56, 4172-4182.	7.9	17
107	Tribological behaviour of pulsed magnetron sputtered CrB ₂ coatings examined by reciprocating sliding wear testing against aluminium alloy and steel. <i>Surface and Coatings Technology</i> , 2008, 202, 1470-1478.	4.8	30
108	Deposition of functional coatings from acrylic acid and octamethylcyclotetrasiloxane onto steel using an atmospheric pressure dielectric barrier discharge. <i>Surface and Coatings Technology</i> , 2008, 203, 822-825.	4.8	37

#	ARTICLE	IF	CITATIONS
109	Pulsed-bias magnetron sputtering of non-conductive crystalline chromia films at low substrate temperature. <i>Journal Physics D: Applied Physics</i> , 2008, 41, 035309.	2.8	17
110	Structure and mechanical properties of nitrogen-containing Zr-Cu based thin films deposited by pulsed magnetron sputtering. <i>Journal Physics D: Applied Physics</i> , 2008, 41, 155301.	2.8	13
111	Structural characteristics and residual stresses in oxide films produced on Ti by pulsed unipolar plasma electrolytic oxidation. <i>Philosophical Magazine</i> , 2008, 88, 795-807.	1.6	59
112	Tribological coatings: contact mechanisms and selection. <i>Journal Physics D: Applied Physics</i> , 2007, 40, 5463-5475.	2.8	123
113	Hard and superhard TiAlBN coatings deposited by twin electron-beam evaporation. <i>Surface and Coatings Technology</i> , 2007, 201, 6078-6083.	4.8	36
114	Frequency response studies for the plasma electrolytic oxidation process. <i>Surface and Coatings Technology</i> , 2007, 201, 8661-8670.	4.8	61
115	Investigation of abradable seal coating performance using scratch testing. <i>Surface and Coatings Technology</i> , 2007, 202, 1214-1220.	4.8	57
116	Structure and electronic properties calculation of ultrathin Al_2O_3 films on (0001) Cr_2O_3 templates. <i>Surface Science</i> , 2007, 601, 5050-5056.	1.9	10
117	A perspective on the optimisation of hard carbon and related coatings for engineering applications. <i>Thin Solid Films</i> , 2007, 515, 6619-6653.	1.8	293
118	Impedance spectroscopy characterisation of PEO process and coatings on aluminium. <i>Thin Solid Films</i> , 2007, 516, 428-432.	1.8	50
119	A New Approach to the Deposition of Elemental Boron and Boron-Based Coatings by Pulsed Magnetron Sputtering of Loosely Packed Boron Powder Targets. <i>Plasma Processes and Polymers</i> , 2007, 4, S160-S165.	3.0	9
120	The Structure and Mechanical Properties of Ti-Si-B Coatings Deposited by DC and Pulsed-DC Unbalanced Magnetron Sputtering. <i>Plasma Processes and Polymers</i> , 2007, 4, S687-S692.	3.0	23
121	The influence of coatings on the oil-out performance of rolling bearings. <i>Surface and Coatings Technology</i> , 2007, 202, 1073-1077.	4.8	17
122	Molecular dynamics simulation of the (0001) Al_2O_3 and Cr_2O_3 surfaces. <i>Surface Science</i> , 2007, 601, 1358-1364.	1.9	15
123	Excessive oxygen evolution during plasma electrolytic oxidation of aluminium. <i>Thin Solid Films</i> , 2007, 516, 460-464.	1.8	79
124	The effect of combined shot-peening and PEO treatment on the corrosion performance of 2024 Al alloy. <i>Thin Solid Films</i> , 2007, 516, 417-421.	1.8	46
125	A TEM study of the structure of magnetron sputtered chromium diboride coatings. <i>Journal of Physics: Conference Series</i> , 2006, 26, 355-358.	0.4	12
126	Optimization of Nanostructured Tribological Coatings. <i>Nanostructure Science and Technology</i> , 2006, , 511-538.	0.1	17

#	ARTICLE	IF	CITATIONS
127	Nanostructural studies of PVD TiAlB coatings. Surface and Interface Analysis, 2006, 38, 731-735.	1.8	9
128	A simple transferable interatomic potential model for binary oxides applied to bulk and the (0001) surface. Journal of Crystal Growth, 2006, 290, 235-240.	1.5	33
129	Mechanical and tribological properties of CrTiCu(B,N) glassy-metal coatings deposited by reactive magnetron sputtering. Surface and Coatings Technology, 2006, 200, 4601-4611.	4.8	10
130	Deposition of NiAl-Y alloy films using a hybrid arc ion plating and magnetron sputtering system. Surface and Coatings Technology, 2006, 200, 5877-5883.	4.8	19
131	Studies on a combined reactive plasma sprayed/arc deposited duplex coating for titanium alloys. Surface and Coatings Technology, 2006, 201, 1200-1206.	4.8	21
132	Thermal cyclic performance of NiAl/alumina-stabilized zirconia thermal barrier coatings deposited using a hybrid arc and magnetron sputtering system. Surface and Coatings Technology, 2006, 201, 3901-3905.	4.8	5
133	The effect of pulsed magnetron sputtering on the structure and mechanical properties of CrB ₂ coatings. Surface and Coatings Technology, 2006, 201, 3970-3976.	4.8	41
134	Structure and surface energy of low-index surfaces of stoichiometric Al_2O_3 and Cr_2O_3 . Surface and Coatings Technology, 2006, 201, 4205-4208.	4.8	107
135	Calculation of native defect energies in Al_2O_3 and Cr_2O_3 using a modified Matsui potential. Surface and Coatings Technology, 2006, 201, 4201-4204.	4.8	11
136	Correlation of elastic modulus, hardness and density for sputtered TiAlBN thin films. Thin Solid Films, 2006, 514, 81-86.	1.8	23
137	Microstructure of direct current and pulse magnetron sputtered CrB coatings. Thin Solid Films, 2006, 515, 1511-1516.	1.8	43
138	Effect of combined shot-peening and PEO treatment on fatigue life of 2024Al alloy. Thin Solid Films, 2006, 515, 1187-1191.	1.8	85
139	Coatings and Surface Engineering: Physical Vapor Deposition. , 2006, , 396-413.		2
140	A model for galvanostatic anodising of Al in alkaline solutions. Electrochimica Acta, 2005, 50, 5458-5464.	5.2	32
141	Characterisation and tribological evaluation of nitrogen-containing molybdenum-copper PVD metallic nanocomposite films. Surface and Coatings Technology, 2005, 190, 345-356.	4.8	39
142	Oxide ceramic coatings on aluminium alloys produced by a pulsed bipolar plasma electrolytic oxidation process. Surface and Coatings Technology, 2005, 199, 150-157.	4.8	244
143	Investigation of the nanostructure and post-coat thermal treatment of wear-resistant PVD CrTiCuBN coatings. Surface and Coatings Technology, 2005, 200, 310-314.	4.8	10
144	Hard tribological TiB _n , TiCrB _n , TiSiB _n and TiAlSiB _n coatings. Surface and Coatings Technology, 2005, 200, 208-212.	4.8	86

#	ARTICLE	IF	CITATIONS
145	The structure and properties of chromium diboride coatings deposited by pulsed magnetron sputtering of powder targets. <i>Surface and Coatings Technology</i> , 2005, 200, 1366-1371.	4.8	39
146	Plasma nitriding of Ti6Al4V alloy and AISI M2 steel substrates using D.C. glow discharges under a triode configuration. <i>Surface and Coatings Technology</i> , 2005, 200, 1954-1961.	4.8	41
147	Deposition of multicomponent chromium boride based coatings by pulsed magnetron sputtering of powder targets. <i>Surface and Coatings Technology</i> , 2005, 200, 1616-1623.	4.8	31
148	Deposition of yttria-stabilized zirconia films using arc ion plating. <i>Surface and Coatings Technology</i> , 2005, 200, 1401-1406.	4.8	15
149	Residual stresses in plasma electrolytic oxidation coatings on Al alloy produced by pulsed unipolar current. <i>Surface and Coatings Technology</i> , 2005, 200, 1580-1586.	4.8	115
150	Editorial: Welcoming 3rd Editor. <i>Surface and Coatings Technology</i> , 2005, 197, vii.	4.8	0
151	Investigation of the nanostructure and wear properties of physical vapor deposited CrCuN nanocomposite coatings. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2005, 23, 423-433.	2.1	38
152	Fatigue properties of Keronite® coatings on a magnesium alloy. <i>Surface and Coatings Technology</i> , 2004, 182, 78-84.	4.8	171
153	Coating fracture toughness determined by Vickers indentation: an important parameter in cavitation erosion resistance of WC-Co thermally sprayed coatings. <i>Surface and Coatings Technology</i> , 2004, 177-178, 489-496.	4.8	119
154	Anodic processes in plasma electrolytic oxidation of aluminium in alkaline solutions. <i>Electrochimica Acta</i> , 2004, 49, 2085-2095.	5.2	363
155	Spatial characteristics of discharge phenomena in plasma electrolytic oxidation of aluminium alloy. <i>Surface and Coatings Technology</i> , 2004, 177-178, 779-783.	4.8	117
156	Comparison of a simulated "in-service"™ rig test with a standardised laboratory abrasion test. <i>Surface and Coatings Technology</i> , 2004, 177-178, 603-610.	4.8	3
157	Design criteria for wear-resistant nanostructured and glassy-metal coatings. <i>Surface and Coatings Technology</i> , 2004, 177-178, 317-324.	4.8	386
158	Determination of the electron temperature profile above the evaporative source in an ion plating discharge by spatially resolved optical emission spectroscopy. <i>Thin Solid Films</i> , 2003, 434, 157-161.	1.8	1
159	Gas scattering effects and microstructural evaluation of electron beam evaporated titanium coatings in neon and argon at different gas pressures. <i>Vacuum</i> , 2003, 72, 225-232.	3.5	5
160	Tribological and electrochemical performance of PVD TiN coatings on the femoral head of Ti-6Al-4V artificial hip joints. <i>Surface and Coatings Technology</i> , 2003, 163-164, 597-604.	4.8	101
161	Impact testing of duplex and non-duplex (Ti,Al)N and Cr-N PVD coatings. <i>Surface and Coatings Technology</i> , 2003, 163-164, 353-361.	4.8	74
162	An approach to elucidate the different response of PVD coatings in different tribological tests. <i>Surface and Coatings Technology</i> , 2003, 174-175, 891-898.	4.8	63

#	ARTICLE	IF	CITATIONS
163	The nanostructure and mechanical properties of PVD CrCu (N) coatings. Surface and Coatings Technology, 2003, 162, 222-227.	4.8	49
164	Discharge characterization in plasma electrolytic oxidation of aluminium. Journal Physics D: Applied Physics, 2003, 36, 2110-2120.	2.8	404
165	An electrochemical impedance spectroscopy study of the corrosion behaviour of PVD coated steels in 0.5 N NaCl aqueous solution: Part I. Establishment of equivalent circuits for EIS data modelling. Corrosion Science, 2003, 45, 1243-1256.	6.6	323
166	An electrochemical impedance spectroscopy study of the corrosion behaviour of PVD coated steels in 0.5 N NaCl aqueous solution: Part II.. Corrosion Science, 2003, 45, 1257-1273.	6.6	446
167	Investigation of interactions between inert gases and nitrogen in direct current triode discharges. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 2003, 21, 1683-1687.	2.1	3
168	Plasma-based physical vapor deposition surface engineering processes. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 2003, 21, S224-S231.	2.1	34
169	X-ray diffraction analyses of titanium coatings produced by electron beam evaporation in neon and argon inert gases. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 2003, 21, 1702-1707.	2.1	5
170	Process Developments Towards Producing Well Adherent Duplex PAPVD Coatings. Surface Engineering, 2003, 19, 37-44.	2.2	12
171	Developments in Vapour Deposited Ceramic Coatings for Tribological Applications. Key Engineering Materials, 2002, 206-213, 459-466.	0.4	22
172	Structure and corrosion properties of PVD Crâ€“N coatings. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 2002, 20, 772-780.	2.1	44
173	Properties and Performance Crtialn of Multilayer Hard Coatings Deposited Using Magnetron Sputter Ion Plating. Surface Engineering, 2002, 18, 391-396.	2.2	35
174	Evidence of ionized metal clusters in ion plating discharges. Applied Physics Letters, 2002, 81, 1405-1407.	3.3	0
175	Characterisation of duplex and non-duplex (Ti,Al)N and Crâ€“N PVD coatings. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2002, 336, 39-51.	5.6	28
176	Kinetic aspects of aluminium titanate layer formation on titanium alloys by plasma electrolytic oxidation. Applied Surface Science, 2002, 200, 172-184.	6.1	238
177	Micro-scale abrasive wear testing of duplex and non-duplex (single-layered) PVD (Ti,Al)N, TiN and Crâ€“N coatings. Tribology International, 2002, 35, 363-372.	5.9	69
178	Abrasive wear/corrosion properties and TEM analysis of Al ₂ O ₃ coatings fabricated using plasma electrolysis. Surface and Coatings Technology, 2002, 149, 245-251.	4.8	387
179	Evaluating the microstructure and performance of nanocomposite PVD TiAlBN coatings. Surface and Coatings Technology, 2002, 151-152, 338-343.	4.8	80
180	A comparative study of the cyclic thermal oxidation of PVD nickel aluminide coatings. Surface and Coatings Technology, 2002, 155, 67-79.	4.8	45

#	ARTICLE	IF	CITATIONS
181	Developments in PVD tribological coatings (IUVSTA highlights seminar-vacuum metallurgy division). Vacuum, 2002, 65, 237-238.	3.5	14
182	Electron spectroscopic studies of nanocomposite PVD TiAlBN coatings. Vacuum, 2002, 67, 471-476.	3.5	23
183	Plasma immersion ion implantation as a technique in duplex and hybrid processing. Vacuum, 2002, 68, 57-64.	3.5	5
184	Tribological evaluation of AISI 304 stainless steel duplex treated by plasma electrolytic nitrocarburising and diamond-like carbon coating. Wear, 2002, 253, 986-993.	3.1	57
185	Ion plating discharges: evidence of cluster formation during metal evaporation. Thin Solid Films, 2002, 414, 7-12.	1.8	5
186	EIS comparison on corrosion performance of PVD TiN and CrN coated mild steel in 0.5 N NaCl aqueous solution. Corrosion Science, 2001, 43, 1953-1961.	6.6	302
187	A study of neon-nitrogen interactions in d.c. glow discharges by optical emission spectroscopy. Thin Solid Films, 2001, 398-399, 507-512.	1.8	12
188	Cyclic oxidation resistance of Ni-Al alloy coatings deposited on steel by a cathodic arc plasma process. Surface and Coatings Technology, 2001, 135, 158-165.	4.8	42
189	Micro-abrasive wear of PVD duplex and single-layered coatings. Surface and Coatings Technology, 2001, 142-144, 1137-1143.	4.8	40
190	Corrosion resistance of multi-layered plasma-assisted physical vapour deposition TiN and CrN coatings. Surface and Coatings Technology, 2001, 141, 164-173.	4.8	205
191	Micro-abrasion wear testing of PVD TiN coatings on untreated and plasma nitrided AISI H13 steel. Wear, 2001, 249, 971-979.	3.1	63
192	Effects of solution pH and electrical parameters on hydroxyapatite coatings deposited by a plasma-assisted electrophoresis technique. Journal of Biomedical Materials Research Part B, 2001, 57, 612-618.	3.1	84
193	Modelling the Deformation Behaviour of Multilayer Coatings. Tribology Letters, 2001, 11, 103-106.	2.6	33
194	Characteristics of a plasma electrolytic nitrocarburising treatment for stainless steels. Surface and Coatings Technology, 2001, 139, 135-142.	4.8	123
195	Duplex surface treatments combining plasma electrolytic nitrocarburising and plasma-immersion ion-assisted deposition. Surface and Coatings Technology, 2001, 142-144, 1129-1136.	4.8	72
196	Investigation into nitrogen-inert gas interactions in d.c. diode glow discharges. Surface and Coatings Technology, 2001, 142-144, 540-545.	4.8	8
197	Characterisation of oxide films produced by plasma electrolytic oxidation of a Ti-6Al-4V alloy. Surface and Coatings Technology, 2000, 130, 195-206.	4.8	589
198	Deposition of duplex Al ₂ O ₃ /DLC coatings on Al alloys for tribological applications using a combined micro-arc oxidation and plasma-immersion ion implantation technique. Surface and Coatings Technology, 2000, 131, 506-513.	4.8	66

#	ARTICLE	IF	CITATIONS
199	Low temperature deposition of Cr(N)/TiO ₂ coatings using a duplex process of unbalanced magnetron sputtering and micro-arc oxidation. <i>Surface and Coatings Technology</i> , 2000, 133-134, 331-337.	4.8	39
200	Deposition of layered bioceramic hydroxyapatite/TiO ₂ coatings on titanium alloys using a hybrid technique of micro-arc oxidation and electrophoresis. <i>Surface and Coatings Technology</i> , 2000, 125, 407-414.	4.8	370
201	Tribology of thin coatings. <i>Ceramics International</i> , 2000, 26, 787-795.	4.8	225
202	On the significance of the H/E ratio in wear control: a nanocomposite coating approach to optimised tribological behaviour. <i>Wear</i> , 2000, 246, 1-11.	3.1	2,330
203	Recent developments in plasma assisted physical vapour deposition. <i>Journal Physics D: Applied Physics</i> , 2000, 33, R173-R186.	2.8	96
204	Tribological Properties of Metallic and Ceramic Coatings. <i>Mechanics & Materials Science</i> , 2000, , .	0.1	5
205	The influence of neon in the deposition of titanium nitride by plasma-assisted physical vapour deposition. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1999, 262, 227-231.	5.6	5
206	Wear behaviour of carbon-containing tungsten coatings prepared by reactive magnetron sputtering. <i>Surface and Coatings Technology</i> , 1999, 112, 85-90.	4.8	36
207	Structure, mechanical and tribological properties of sputtered TiAlBN thin films. <i>Surface and Coatings Technology</i> , 1999, 113, 126-133.	4.8	69
208	A comparative study of the influence of plasma treatments, PVD coatings and ion implantation on the tribological performance of Ti-6Al-4V. <i>Surface and Coatings Technology</i> , 1999, 114, 70-80.	4.8	104
209	Life analysis of coated tools using statistical methods. <i>Surface and Coatings Technology</i> , 1999, 116-119, 654-661.	4.8	3
210	Thickness effects on the mechanical properties of micro-arc discharge oxide coatings on aluminium alloys. <i>Surface and Coatings Technology</i> , 1999, 116-119, 1055-1060.	4.8	258
211	Experimental and theoretical studies of the low-temperature growth of chromia and alumina. <i>Surface and Coatings Technology</i> , 1999, 116-119, 699-704.	4.8	45
212	Structure, mechanical and tribological properties of nitrogen-containing chromium coatings prepared by reactive magnetron sputtering. <i>Surface and Coatings Technology</i> , 1999, 115, 222-229.	4.8	177
213	The effect of boron additions on the tribological behaviour of TiN coatings produced by electron-beam evaporative PVD. <i>Surface and Coatings Technology</i> , 1999, 116-119, 648-653.	4.8	37
214	Vacuum arc deposition of conductive wear resistant coatings on polymer substrates. <i>Surface and Coatings Technology</i> , 1999, 120-121, 373-377.	4.8	13
215	Plasma electrolysis for surface engineering. <i>Surface and Coatings Technology</i> , 1999, 122, 73-93.	4.8	2,548
216	Structure, hardness and mechanical properties of magnetron-sputtered titanium-aluminium boride films. <i>Surface and Coatings Technology</i> , 1999, 120-121, 412-417.	4.8	84

#	ARTICLE	IF	CITATIONS
217	Deposition and characterisation of TiAlBN coatings produced by direct electron-beam evaporation of Ti and Ti-Al-B-N material from a twin crucible source. <i>Thin Solid Films</i> , 1999, 343-344, 242-245.	1.8	31
218	The Effect of Substrate Pretreatment on PVD TiN Hard Coating Performance. <i>Materials and Manufacturing Processes</i> , 1999, 14, 257-269.	4.7	0
219	Analysis of a Segmented Die Design Approach to Improving the Performance of Coated Metal Forming Tools. <i>Materials and Manufacturing Processes</i> , 1999, 14, 271-284.	4.7	0
220	The Effect of Hard Coating Properties on Substrate Stresses Under Tribological Loads. <i>Materials and Manufacturing Processes</i> , 1999, 14, 243-255.	4.7	4
221	Hard coatings on light-metal components under mechanical surface loading. <i>Materialwissenschaft Und Werkstofftechnik</i> , 1998, 29, 141-152.	0.9	9
222	Deposition and characterisation of carbon-containing tungsten coatings prepared by reactive magnetron sputtering. <i>Vacuum</i> , 1998, 49, 265-272.	3.5	22
223	Coatings tribology—contact mechanisms and surface design. <i>Tribology International</i> , 1998, 31, 107-120.	5.9	348
224	Reactive ionized magnetron sputtering of crystalline alumina coatings. <i>Surface and Coatings Technology</i> , 1998, 98, 1473-1476.	4.8	45
225	Performance analysis of coated tools in real-life industrial experiments using statistical techniques. <i>Surface and Coatings Technology</i> , 1998, 99, 213-221.	4.8	7
226	Design aspects for advanced tribological surface coatings. <i>Surface and Coatings Technology</i> , 1998, 100-101, 1-6.	4.8	73
227	Mechanical and tribological properties of hard aluminium—carbon multilayer films prepared by the Laser-Arc technique. <i>Surface and Coatings Technology</i> , 1998, 107, 159-167.	4.8	6
228	Vacuum arc deposition of metal/ceramic coatings on polymer substrates. <i>Surface and Coatings Technology</i> , 1998, 108-109, 160-165.	4.8	26
229	Taguchi and TQM. <i>Surface and Coatings Technology</i> , 1998, 110, 86-93.	4.8	16
230	Structure, mechanical and tribological properties of Ti—N and Ti—Al—N multiphase thin films produced by electron-beam evaporation. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 1998, 16, 2851-2857.	2.1	71
231	Crystalline alumina deposited at low temperatures by ionized magnetron sputtering. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 1997, 15, 1084-1088.	2.1	113
232	Hard Carbon Coatings: The Way Forward. <i>MRS Bulletin</i> , 1997, 22, 22-26.	3.5	53
233	Economics and design aspects for continuous PVD coating systems which provide high throughput. <i>Surface and Coatings Technology</i> , 1997, 93, 142-149.	4.8	7
234	Very-high-rate reactive sputtering of alumina hard coatings. <i>Surface and Coatings Technology</i> , 1997, 96, 262-266.	4.8	50

#	ARTICLE	IF	CITATIONS
235	Structure and tribological properties of thin vacuum arc coatings on polysulfone. Surface and Coatings Technology, 1997, 94-95, 213-219.	4.8	6
236	Partially yttria-stabilized zirconia coatings produced under plasma-assisted EBPVD with bipolar pulsed bias and under electron bombardment-assisted positive bias conditions. Surface and Coatings Technology, 1997, 94-95, 123-130.	4.8	10
237	Studies of the tribological and mechanical properties of laminated CrCâ€“SiC coatings produced by r.f. and d.c. sputtering. Tribology International, 1997, 30, 845-856.	5.9	21
238	Two-step diamond growth for reduced surface roughness. Diamond and Related Materials, 1996, 5, 332-337.	3.9	10
239	Plasma Surface Engineering of Metals. MRS Bulletin, 1996, 21, 46-51.	3.5	27
240	Widening the market for advanced PVD coatings. Journal of Materials Processing Technology, 1996, 56, 757-764.	6.3	12
241	Use of PVD deposited TiN coating in retarding high temperature sulphidation. Surface and Coatings Technology, 1996, 81, 151-158.	4.8	12
242	Deposition and characterization of nitrogen containing stainless steel coatings prepared by reactive magnetron sputtering. Vacuum, 1996, 47, 1077-1080.	3.5	8
243	Multilayer composite ceramicmetal-DLC coatings for sliding wear applications. Tribology International, 1996, 29, 559-570.	5.9	126
244	Substrate surface finish effects in duplex coatings of PAPVD TiN and CrN with electroless nickel-phosphorus interlayers. Surface and Coatings Technology, 1996, 81, 215-224.	4.8	48
245	Characterisation of a saddle field source for deposition of diamond-like carbon films. Ceramics International, 1996, 22, 1-5.	4.8	6
246	A study of the corrosion properties of PVD Zn-Ni coatings. Surface and Coatings Technology, 1995, 76-77, 508-515.	4.8	7
247	The influence of oriented growth on the surface roughness of CVD diamond films. Surface and Coatings Technology, 1995, 74-75, 358-361.	4.8	13
248	The penetration into blind holes of diamond-like carbon films produced by r.f. plasma-assisted CVD. Surface and Coatings Technology, 1995, 74-75, 710-716.	4.8	6
249	Evaluation of PVD nitride coatings, using impact, scratch and Rockwell-C adhesion tests. Thin Solid Films, 1995, 270, 431-438.	1.8	299
250	Hybrid techniques in surface engineering. Surface and Coatings Technology, 1995, 71, 88-92.	4.8	96
251	Wear resistant composite coatings deposited by electron enhanced closed field unbalanced magnetron sputtering. Surface and Coatings Technology, 1995, 73, 185-197.	4.8	89
252	An a.c. impedance study on PVD CrN-coated mild steel with different surface roughnesses. Surface and Coatings Technology, 1995, 76-77, 623-631.	4.8	20

#	ARTICLE	IF	CITATIONS
253	Electrochemical impedance spectroscopy of PVD-TiN coatings on mild steel and AISI316 substrates. <i>Surface and Coatings Technology</i> , 1995, 76-77, 615-622.	4.8	5
254	Investigation on the sputtering effects on r.f. plasma processing. <i>Surface and Coatings Technology</i> , 1995, 74-75, 206-211.	4.8	0
255	An investigation into the use of a simple model for thickness uniformity on horizontal surfaces to describe thickness variations on vertical substrates. <i>Surface and Coatings Technology</i> , 1995, 74-75, 306-311.	4.8	7
256	X-Ray diffraction investigations of magnetron sputtered TiCN coatings. <i>Surface and Coatings Technology</i> , 1995, 74-75, 312-319.	4.8	50
257	PVD equipment design: concepts for increased production throughput. <i>Surface and Coatings Technology</i> , 1995, 74-75, 770-780.	4.8	11
258	Multi-function scratch tester. <i>Surface and Coatings Technology</i> , 1995, 74-75, 869-876.	4.8	7
259	An investigation into the thickness and coating structure uniformity of zirconia films on flat surfaces. <i>Surface and Coatings Technology</i> , 1995, 74-75, 147-154.	4.8	0
260	Investigation into the impact wear behaviour of ceramic coatings. <i>Surface and Coatings Technology</i> , 1995, 74-75, 857-868.	4.8	80
261	The influence of process gas characteristics on the properties of plasma nitrided steel. <i>Surface and Coatings Technology</i> , 1995, 76-77, 694-699.	4.8	20
262	Studies of atom beams produced by a saddle field source used for depositing diamond-like carbon films on glass. <i>Vacuum</i> , 1995, 46, 299-303.	3.5	19
263	Active process control of reactive sputter deposition. <i>Vacuum</i> , 1995, 46, 723-729.	3.5	33
264	Diamond-like carbon films grown in a new configuration for filament enhanced plasma assisted CVD. <i>Vacuum</i> , 1995, 46, 1305-1309.	3.5	3
265	Dynamic impact wear of TiC _x N _y and Ti-DLC composite coatings. <i>Wear</i> , 1995, 185, 151-157.	3.1	89
266	Adhesion assessment of DLC films on PET using a simple tensile tester: Comparison of different theories. <i>Journal of Adhesion Science and Technology</i> , 1995, 9, 769-784.	2.6	32
267	Microstructural and morphological effects on the tribological properties of electron enhanced magnetron sputtered hard coatings. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 1995, 13, 2189-2193.	2.1	19
268	Influence of annealing on the hydrogen bonding and the microstructure of diamondlike and polymerlike hydrogenated amorphous carbon films. <i>Physical Review B</i> , 1995, 51, 9597-9605.	3.2	96
269	Plasma-based surface engineering processes for wear and corrosion protection. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 1995, 13, 1202-1207.	2.1	41
270	Relationship between interlayer hardness and adhesion and pin-on-disc behaviour for fast atom beam source diamond-like-carbon films. <i>Journal of Adhesion Science and Technology</i> , 1995, 9, 725-735.	2.6	9

#	ARTICLE	IF	CITATIONS
271	Comparative Tribology Studies of Hard Ceramic and Composite Metal-DLC Coatings in Sliding Friction Conditions. Tribology Transactions, 1995, 38, 829-836.	2.0	57
272	Relative importance of bombardment energy and intensity in ion plating. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 1995, 13, 428-435.	2.1	18
273	Adhesion of diamond-like carbon films on polymers: an assessment of the validity of the scratch test technique applied to flexible substrates. Journal of Adhesion Science and Technology, 1994, 8, 651-662.	2.6	34
274	The effect of TiN interlayers on the indentation behavior of diamond-like carbon films on alloy and compound substrates. Surface and Coatings Technology, 1994, 63, 129-134.	4.8	18
275	Thick Ti/TiN multilayered coatings for abrasive and erosive wear resistance. Surface and Coatings Technology, 1994, 70, 19-25.	4.8	92
276	The effect of process parameters on the plasma carbon diffusion treatment of stainless steels at low pressure. Surface and Coatings Technology, 1994, 63, 135-143.	4.8	15
277	Engineering applications for diamond-like carbon. Diamond and Related Materials, 1994, 3, 902-911.	3.9	235
278	Calculation of ion energy distributions in low frequency r.f. glow discharges. Surface and Coatings Technology, 1993, 59, 86-90.	4.8	2
279	Ionization in plasma-assisted physical vapour deposition systems. Surface and Coatings Technology, 1993, 61, 121-126.	4.8	22
280	A simple model for the prediction of coating thickness uniformity from limited measured data. Surface and Coatings Technology, 1993, 61, 282-286.	4.8	5
281	A comparison of the wear and fatigue properties of plasma-assisted physical vapour deposition TiN, CrN and duplex coatings on Ti-6Al-4V. Surface and Coatings Technology, 1993, 62, 600-607.	4.8	76
282	Low temperature plasma diffusion treatment of stainless steels for improved wear resistance. Surface and Coatings Technology, 1993, 62, 608-617.	4.8	158
283	The microstructural and thickness uniformity of zirconia coatings produced by r.f. ion plating. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 1993, 163, 171-175.	5.6	3
284	A practical model to enable the prediction of coating thickness variations across a flat surface. Surface and Coatings Technology, 1993, 59, 48-53.	4.8	2
285	Coating thickness fall-off with source to substrate distance in PVD processes. Surface and Coatings Technology, 1993, 59, 113-116.	4.8	19
286	Metallurgical study of low-temperature plasma carbon diffusion treatments for stainless steels. Surface and Coatings Technology, 1993, 60, 416-423.	4.8	58
287	TiN and CrN PVD coatings on electroless nickel-coated steel substrates. Surface and Coatings Technology, 1993, 60, 474-479.	4.8	54
288	The deposition of yttria partially stabilised zirconia (PYSZ) onto aluminum alloy substrates using PVD techniques. Surface and Coatings Technology, 1993, 60, 536-540.	4.8	0

#	ARTICLE	IF	CITATIONS
289	A computer knowledge-based system for surface coating and material selection. Surface and Coatings Technology, 1993, 62, 662-668.	4.8	12
290	Wear Mechanisms of Coated Sliding Surfaces. Tribology Series, 1993, 25, 399-407.	0.1	20
291	Influence of I^+ -bonded clusters on the electronic properties of diamond-like carbon films. Diamond and Related Materials, 1993, 2, 259-265.	3.9	19
292	A Methodology for Coating Selection. Tribology Series, 1993, , 429-439.	0.1	11
293	Characterization of diamond-like carbon films by fine scale indentation measurements. Diamond and Related Materials, 1992, 1, 355-359.	3.9	7
294	Process parameters and directional effects on the optical properties of carbon films grown by plasma assisted PVD. Diamond and Related Materials, 1992, 1, 445-449.	3.9	1
295	Diamond for wear and corrosion applications. Diamond and Related Materials, 1992, 1, 1049-1064.	3.9	60
296	Preface to the proceedings of the 2nd European conference on diamond, diamond-like and related coatings, Nice, France, September 2 nd -6, 1991. Diamond and Related Materials, 1992, 1, xv.	3.9	0
297	The influence of process system characteristics on the uniformity of ion plated titanium nitride coatings. Vacuum, 1992, 43, 235-240.	3.5	10
298	Preface to the proceedings of the 1st European conference on diamond and diamond-like carbon coatings, Crans-Montana, September 17 th -19, 1990. Diamond and Related Materials, 1991, 1, ix.	3.9	0
299	European Joint Committee on Plasma and Ion Surface Engineering: UK group launched. Surface Engineering, 1991, 7, 171-171.	2.2	0
300	Determination of electron temperature in ion plating discharges by optical emission spectroscopy. Vacuum, 1991, 42, 1013-1015.	3.5	11
301	An investigation into the effects of plasma bombardment anisotropy in low frequency r.f. glow discharges. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 1991, 140, 517-522.	5.6	7
302	A coating thickness uniformity model for physical vapour deposition systems ² further validity tests. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 1991, 140, 576-582.	5.6	17
303	Evaluation of some new titanium-based ceramic coatings in tribological model wear and metal-cutting tests. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 1991, 140, 602-608.	5.6	14
304	A comparative study of the corrosion performance of TiN, Ti(B,N) and (Ti,Al)N coatings produced by physical vapour deposition methods. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 1991, 140, 722-726.	5.6	64
305	Evaluation of some titanium-based ceramic coatings on high speed steel cutting tools. Surface and Coatings Technology, 1991, 49, 468-473.	4.8	34
306	Physical properties of carbon films produced using a hybrid physical vapour deposition technique. Surface and Coatings Technology, 1991, 47, 315-326.	4.8	4

#	ARTICLE	IF	CITATIONS
307	The optical and mechanical properties of carbon films grown using a fast atom beam source. Surface and Coatings Technology, 1991, 47, 722-729.	4.8	15
308	Raman spectra of hard carbon films and hard carbon films containing secondary elements. Carbon, 1991, 29, 225-231.	10.3	32
309	Corrosion performance of some titanium-based hard coatings. Surface and Coatings Technology, 1991, 49, 489-495.	4.8	164
310	Optical properties of carbon films deposited using a hybrid physical vapour deposition technique. Surface and Coatings Technology, 1991, 47, 327-335.	4.8	1
311	Plasma Nitriding in a Low Pressure Triode Discharge to Provide Improvements in Adhesion and Load Support for Wear Resistant Coatings. Surface Engineering, 1991, 7, 207-215.	2.2	102
312	Paper XX (i) Coating evaluation methods: a round robin study. Tribology Series, 1990, , 453-463.	0.1	5
313	An investigation into the variation in bombardment intensity from ion plating discharges by sputter weight loss experiments. Thin Solid Films, 1990, 193-194, 171-180.	1.8	11
314	The characterization of ultra-hard carbon films produced from pre-processed carbon powder in a hybrid physical vapor deposition system. Carbon, 1990, 28, 641-655.	10.3	6
315	Comparative tribological and adhesion studies of some titanium-based ceramic coatings. Surface and Coatings Technology, 1990, 43-44, 888-897.	4.8	36
316	A comparison of the properties of hard carbon films produced by direct gas deposition and plasma-assisted evaporation. Surface and Coatings Technology, 1990, 43-44, 88-98.	4.8	9
317	Characteristics of a dual purpose cathodic arc/magnetron sputtering system. Surface and Coatings Technology, 1990, 43-44, 288-298.	4.8	22
318	Developments in r.f. plasma-assisted physical vapour deposition partially yttria-stabilized zirconia thermal barrier coatings. Surface and Coatings Technology, 1990, 43-44, 436-445.	4.8	9
319	Corrosion performance of layered coatings produced by physical vapour deposition. Surface and Coatings Technology, 1990, 43-44, 481-492.	4.8	84
320	Enhanced plasma nitriding at low pressures: A comparative study of d.c. and r.f. techniques. Surface and Coatings Technology, 1990, 41, 295-304.	4.8	75
321	Thermal stability of partially-yttria-stabilized zirconia thermal barrier coatings deposited by r.f. plasma-assisted physical vapour deposition. Surface and Coatings Technology, 1990, 41, 305-313.	4.8	23
322	Process effects in ion plating. Vacuum, 1990, 41, 2196-2200.	3.5	27
323	Evaporative ion plating: process mechanisms and optimization. IEEE Transactions on Plasma Science, 1990, 18, 869-877.	1.3	33
324	Metal clusters in ion plating. Applied Physics Letters, 1989, 55, 834-836.	3.3	24

#	ARTICLE	IF	CITATIONS
325	Characterisation of carbon films containing boron and nitrogen. Carbon, 1989, 27, 899-907.	10.3	7
326	A perspective on Japanese patents on hard carbon/ diamond films and related subjects 1967-1987. Surface and Coatings Technology, 1989, 38, 251-266.	4.8	4
327	Triode technology in the sputter deposition of carbon films. Carbon, 1988, 26, 229-234.	10.3	10
328	Ion plating processes: Design criteria and system optimization. Surface and Coatings Technology, 1988, 36, 233-242.	4.8	30
329	The use of scratch adhesion testing for the determination of interfacial adhesion: The importance of frictional drag. Surface and Coatings Technology, 1988, 36, 503-517.	4.8	251
330	Some fundamental aspects of glow discharges in plasma-assisted processes. Surface and Coatings Technology, 1987, 33, 17-29.	4.8	40
331	Thermionically assisted r.f. plasma assisted physical vapour deposition of stabilized zirconia thermal barrier coatings. Surface and Coatings Technology, 1987, 32, 377-387.	4.8	20
332	Knowledge-based expert systems in surface coating and treatment selection for wear reduction. Surface and Coatings Technology, 1987, 33, 105-115.	4.8	12
333	Assessment of Coating Adhesion. Surface Engineering, 1986, 2, 49-54.	2.2	68
334	Coating and Treatment Selection. Surface Engineering, 1986, 2, 249-256.	2.2	6
335	Substrate temperature monitoring in plasma assisted processes. Vacuum, 1986, 36, 61-65.	3.5	4
336	Ionization assisted physical vapor deposition of zirconia thermal barrier coatings. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 1986, 4, 2656-2660.	2.1	34
337	Problems in the physical vapour deposition of titanium nitride. Thin Solid Films, 1985, 126, 283-291.	1.8	53
338	Titanium Nitride PVD Coating Technology. Surface Engineering, 1985, 1, 93-104.	2.2	110
339	Developments in ionization assisted processes. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 1985, 3, 2354-2363.	2.1	67
340	TiN coating adhesion studies using the scratch test method. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 1985, 3, 2411-2414.	2.1	124
341	A pellet feeder for pulsed evaporation. Vacuum, 1984, 34, 805-806.	3.5	2
342	Heating effects in ionization-assisted processes. Thin Solid Films, 1984, 117, 261-267.	1.8	24

#	ARTICLE	IF	CITATIONS
343	Intelligent knowledge-based systems for tribological coating selection. Thin Solid Films, 1983, 109, 305-311.	1.8	7
344	A predictive model for specimen heating during ion plating. Vacuum, 1982, 32, 311-317.	3.5	13
345	Characteristics of a thermionically assisted triode ion-plating system. Thin Solid Films, 1981, 80, 41-48.	1.8	49
346	Ion-plated aluminium bronze coatings for sheet metal forming dies. Thin Solid Films, 1980, 73, 309-314.	1.8	9
347	Evaluation of coating wear resistance for bulk metal forming. Thin Solid Films, 1980, 73, 315-321.	1.8	21
348	Deposition of Ti-N compounds by thermionically assisted triode reactive ion plating. Thin Solid Films, 1980, 72, 541-549.	1.8	83
349	Optimization of Nanostructured Tribological Coatings. , 0, , 511-538.		0