

# Shinichi Oka

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6837424/publications.pdf>

Version: 2024-02-01

281  
papers

7,096  
citations

81434

41  
h-index

104191

69  
g-index

284  
all docs

284  
docs citations

284  
times ranked

8252  
citing authors

#	ARTICLE	IF	CITATIONS
1	AIDS at 40<sup>th</sup>: The progress of HIV treatment in Japan. <i>Global Health &amp; Medicine</i> , 2022, 4, 1-8.	0.6	1
2	A four-year observation of HIV and sexually transmitted infections among men who have sex with men before and during pre-exposure prophylaxis in Tokyo. <i>Journal of Infection and Chemotherapy</i> , 2022, 28, 762-766.	0.8	8
3	Identification of asymptomatic <i>Entamoeba histolytica</i> infection by a serological screening test: A cross-sectional study of an HIV-negative men who have sex with men cohort in Japan. <i>PLoS Neglected Tropical Diseases</i> , 2022, 16, e0009793.	1.3	4
4	Impact of Micropolymorphism Outside the Peptide Binding Groove in the Clinically Relevant Allele HLA-C*14 on T Cell Responses in HIV-1 Infection. <i>Journal of Virology</i> , 2022, 96, e0043222.	1.5	2
5	Characteristics of 2-drug regimen users living with HIV-1 in a real-world setting: A large-scale medical claim database analysis in Japan. <i>PLoS ONE</i> , 2022, 17, e0269779.	1.1	0
6	Clinical Features and Gut Microbiome of Asymptomatic <i>Entamoeba histolytica</i> Infection. <i>Clinical Infectious Diseases</i> , 2021, 73, e3163-e3171.	2.9	12
7	Effect of Difference in Consensus Sequence between HIV-1 Subtype A/E and Subtype B Viruses on Elicitation of Gag-Specific CD8<sup>+</sup> T Cells and Accumulation of HLA-Associated Escape Mutations. <i>Journal of Virology</i> , 2021, 95, .	1.5	4
8	Impact of Human Leukocyte Antigen-Associated Polymorphisms on Variability of HIV-1 Accessory and Regulatory Proteins. <i>AIDS Research and Human Retroviruses</i> , 2021, 37, 962-966.	0.5	1
9	Influence of maternal use of tenofovir disoproxil fumarate or zidovudine in Vietnamese pregnant women with HIV on infant growth, renal function, and bone health. <i>PLoS ONE</i> , 2021, 16, e0250828.	1.1	3
10	Performance of an enzyme-linked immunosorbent-based serological assay for <i>Entamoeba histolytica</i> : Comparison with an indirect immunofluorescence assay using stored frozen samples. <i>Journal of Infection and Chemotherapy</i> , 2021, 27, 736-739.	0.8	3
11	Anal human papillomavirus infection and its relationship with abnormal anal cytology among MSM with or without HIV infection in Japan. <i>Scientific Reports</i> , 2021, 11, 19257.	1.6	5
12	Evaluation of SARS-CoV-2 Antibodies and the Impact of COVID-19 on the HIV Care Continuum, Economic Security, Risky Health Behaviors, and Mental Health Among HIV-Infected Individuals in Vietnam. <i>AIDS and Behavior</i> , 2021, , 1.	1.4	5
13	Long-term weight gain after initiating combination antiretroviral therapy in treatment-naïve Asian people living with human immunodeficiency virus. <i>International Journal of Infectious Diseases</i> , 2021, 110, 21-28.	1.5	19
14	Collaboration of a detrimental HLA-B*35:01 allele with HLA-A*24:02 in co-evolution of HIV-1 with T-cells leading to poorer clinical outcomes. <i>Journal of Virology</i> , 2021, 95, e0125921.	1.5	2
15	The patient voice: a survey of worries and anxieties during health system transition in HIV services in Vietnam. <i>BMC International Health and Human Rights</i> , 2020, 20, 1.	2.5	23
16	Role of Escape Mutant-Specific T Cells in Suppression of HIV-1 Replication and Coevolution with HIV-1. <i>Journal of Virology</i> , 2020, 94, .	1.5	5
17	Safety and efficacy of reduced-dose pentamidine as second-line treatment for HIV-related pneumocystis pneumonia. <i>Journal of Infection and Chemotherapy</i> , 2020, 26, 1192-1197.	0.8	2
18	Seroprevalence of <i>Entamoeba histolytica</i> at a voluntary counselling and testing centre in Tokyo: a cross-sectional study. <i>BMJ Open</i> , 2020, 10, e031605.	0.8	10

#	ARTICLE	IF	CITATIONS
19	Review on the molecular epidemiology of sexually acquired hepatitis C virus infection in the Asia-Pacific region. <i>Journal of the International AIDS Society</i> , 2020, 23, e25618.	1.2	4
20	Utility of the Rapid Antigen Detection Test E. histolytica Quik Chek for the Diagnosis of Entamoeba histolytica Infection in Nonendemic Situations. <i>Journal of Clinical Microbiology</i> , 2020, 58, .	1.8	5
21	Impaired ability of Nef to counteract SERINC5 is associated with reduced plasma viremia in HIV-infected individuals. <i>Scientific Reports</i> , 2020, 10, 19416.	1.6	8
22	Full-genome analysis of hepatitis C virus in HIV-coinfected hemophiliac Japanese patients. <i>Hepatology Research</i> , 2020, 50, 763-769.	1.8	1
23	Two cases of endoscopically diagnosed amebic colitis treated with paromomycin monotherapy. <i>PLoS Neglected Tropical Diseases</i> , 2020, 14, e0008013.	1.3	4
24	Dyslipidemia and cardiovascular disease in Vietnamese people with HIV on antiretroviral therapy. <i>Global Health &amp; Medicine</i> , 2020, 2, 39-43.	0.6	6
25	Mortality and causes of death in people living with HIV in the era of combination antiretroviral therapy compared with the general population in Japan. <i>Aids</i> , 2020, 34, 913-921.	1.0	33
26	T-cell responses to sequentially emerging viral escape mutants shape long-term HIV-1 population dynamics. <i>PLoS Pathogens</i> , 2020, 16, e1009177.	2.1	4
27	Pathogenesis, clinical course, and recent issues in HIV-1-infected Japanese hemophiliacs: a three-decade follow-up. <i>Global Health &amp; Medicine</i> , 2020, 2, 9-17.	0.6	6
28	Nucleos(t)ide reverse transcriptase inhibitor-sparing regimens in the era of standard 3-drug combination therapies for HIV-1 infection. <i>Global Health &amp; Medicine</i> , 2020, 2, 384-387.	0.6	1
29	The Role of Neurosurgeons for the Diagnostics of Central Nervous System Lesions in HIV-positive Patients. <i>Japanese Journal of Neurosurgery</i> , 2020, 29, 291-296.	0.0	0
30	Prevalence and incidence of HIV-1 infection in a community-based men who have sex with men (MSM) cohort in Ulaanbaatar, Mongolia. <i>Global Health &amp; Medicine</i> , 2020, 2, 33-38.	0.6	1
31	Title is missing!. , 2020, 16, e1009177.		0
32	Title is missing!. , 2020, 16, e1009177.		0
33	Title is missing!. , 2020, 16, e1009177.		0
34	Title is missing!. , 2020, 16, e1009177.		0
35	Comment on: Tenofovir DF/emtricitabine/rilpivirine as HIV post-exposure prophylaxis: results from a multicentre prospective study. <i>Journal of Antimicrobial Chemotherapy</i> , 2019, 74, 3402-3403.	1.3	1
36	Efficacy and safety of elvitegravir/cobicistat/emtricitabine/tenofovir alafenamide in Asian participants with human immunodeficiency virus 1 infection: A sub-analysis of phase 3 clinical trials. <i>HIV Research and Clinical Practice</i> , 2019, 20, 73-81.	1.1	7

#	ARTICLE	IF	CITATIONS
37	Effective Suppression of HIV-1 Replication by Cytotoxic T Lymphocytes Specific for Pol Epitopes in Conserved Mosaic Vaccine Immunogens. <i>Journal of Virology</i> , 2019, 93, .	1.5	26
38	CCR5AS lncRNA variation differentially regulates CCR5, influencing HIV disease outcome. <i>Nature Immunology</i> , 2019, 20, 824-834.	7.0	87
39	Identification of Immunodominant HIV-1 Epitopes Presented by HLA-C*12:02, a Protective Allele, Using an Immunopeptidomics Approach. <i>Journal of Virology</i> , 2019, 93, .	1.5	11
40	Combination of Clindamycin and Azithromycin as Alternative Treatment for <i>Toxoplasma gondii</i> Encephalitis. <i>Emerging Infectious Diseases</i> , 2019, 25, 841-843.	2.0	22
41	Short Communication: A Quantitative System for Monitoring Blood-Circulating Viral Protein R of Human Immunodeficiency Virus-1 Detected a Possible Link with Pathogenic Indices. <i>AIDS Research and Human Retroviruses</i> , 2019, 35, 660-663.	0.5	8
42	Molecular epidemiology of acute HCV infection in HIV-1 positive patients from Hong Kong, Taipei, Tokyo. <i>Liver International</i> , 2019, 39, 1044-1051.	1.9	13
43	High prevalence and incidence of rectal Chlamydia infection among men who have sex with men in Japan. <i>PLoS ONE</i> , 2019, 14, e0220072.	1.1	11
44	Full-Genome Analysis of Hepatitis C Virus in Japanese and Non-Japanese Patients Coinfected With HIV-1 in Tokyo. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2019, 80, 350-357.	0.9	8
45	Broad Recognition of Circulating HIV-1 by HIV-1-Specific Cytotoxic T-Lymphocytes with Strong Ability to Suppress HIV-1 Replication. <i>Journal of Virology</i> , 2019, 93, .	1.5	15
46	Tenofovir nephrotoxicity among Asians living with HIV: review of the literature. <i>Global Health &amp; Medicine</i> , 2019, 1, 88-94.	0.6	6
47	Case Report: Acute Amebic Colitis Triggered by Colonoscopy: Exacerbation of Asymptomatic Chronic Infection with <i>Entamoeba histolytica</i> Accompanied by Dysbiosis. <i>American Journal of Tropical Medicine and Hygiene</i> , 2019, 101, 1384-1387.	0.6	3
48	Incomplete Recovery of CD4 Cell Count, CD4 Percentage, and CD4/CD8 Ratio in Patients With Human Immunodeficiency Virus Infection and Suppressed Viremia During Long-term Antiretroviral Therapy. <i>Clinical Infectious Diseases</i> , 2018, 67, 927-933.	2.9	34
49	Tenofovir disoproxil fumarate co-administered with lopinavir/ritonavir is strongly associated with tubular damage and chronic kidney disease. <i>Journal of Infection and Chemotherapy</i> , 2018, 24, 549-554.	0.8	12
50	Spectral domain optical coherence tomography and fundus autofluorescence findings in cytomegalovirus retinitis in HIV-infected patients. <i>Japanese Journal of Ophthalmology</i> , 2018, 62, 373-389.	0.9	9
51	Induction of IFN- $\gamma$ as an additional effect of nucleotide, not nucleoside, analogues: a new potential target for HBV infection. <i>Gut</i> , 2018, 67, 362-371.	6.1	144
52	Time to development of ocular syphilis after syphilis infection. <i>Journal of Infection and Chemotherapy</i> , 2018, 24, 75-77.	0.8	14
53	Cumulative exposure of TDF is associated with kidney tubulopathy whether it is currently used or discontinued. <i>Aids</i> , 2018, 32, 179-188.	1.0	12
54	HLA Class I-Mediated HIV-1 Control in Vietnamese Infected with HIV-1 Subtype A/E. <i>Journal of Virology</i> , 2018, 92, .	1.5	16

#	ARTICLE	IF	CITATIONS
55	Increased risk of non-AIDS-defining cancers in Asian HIV-infected patients: a long-term cohort study. <i>BMC Cancer</i> , 2018, 18, 1066.	1.1	27
56	Impact of a single HLA-A*24:02-associated escape mutation on the detrimental effect of HLA-B*35:01 in HIV-1 control. <i>EBioMedicine</i> , 2018, 36, 103-112.	2.7	10
57	CD8+ T cells specific for conserved, cross-reactive Gag epitopes with strong ability to suppress HIV-1 replication. <i>Retrovirology</i> , 2018, 15, 46.	0.9	37
58	Usefulness of Automated Latex Turbidimetric Rapid Plasma Reagin Test for Diagnosis and Evaluation of Treatment Response in Syphilis in Comparison with Manual Card Test: a Prospective Cohort Study. <i>Journal of Clinical Microbiology</i> , 2018, 56, .	1.8	11
59	Identification of two unique naturally occurring Vpr sequence polymorphisms associated with clinical parameters in HIV-1 chronic infection. <i>Journal of Medical Virology</i> , 2017, 89, 123-129.	2.5	5
60	Protease inhibitor-associated bone mineral density loss is related to hypothyroidism and related bone turnover acceleration. <i>Journal of Infection and Chemotherapy</i> , 2017, 23, 259-264.	0.8	1
61	Effect of Tenofovir Disoproxil Fumarate on Incidence of Chronic Kidney Disease and Rate of Estimated Glomerular Filtration Rate Decrement in HIV-1-infected Treatment-Naïve Asian Patients: Results from 12-Year Observational Cohort. <i>AIDS Patient Care and STDs</i> , 2017, 31, 105-112.	1.1	42
62	Lifelong Prophylaxis With Trimethoprim-Sulfamethoxazole for Prevention of Outbreak of <i>Pneumocystis jirovecii</i> Pneumonia in Kidney Transplant Recipients. <i>Transplantation Direct</i> , 2017, 3, e151.	0.8	21
63	Accumulation of Pol Mutations Selected by HLA-B*52:01-C*12:02 Protective Haplotype-Restricted Cytotoxic T Lymphocytes Causes Low Plasma Viral Load Due to Low Viral Fitness of Mutant Viruses. <i>Journal of Virology</i> , 2017, 91, .	1.5	17
64	Prevalence and factors associated with chronic kidney disease and end-stage renal disease in HIV-1-infected Asian patients in Tokyo. <i>Scientific Reports</i> , 2017, 7, 14565.	1.6	16
65	Potential for immune-driven viral polymorphisms to compromise antiretroviral-based preexposure prophylaxis for prevention of HIV-1 infection. <i>Aids</i> , 2017, 31, 1935-1943.	1.0	7
66	Factors associated with pre-treatment HIV RNA: application for the use of abacavir and rilpivirine as the first-line regimen for HIV-infected patients in resource-limited settings. <i>AIDS Research and Therapy</i> , 2017, 14, 27.	0.7	0
67	Underestimated Amoebic Appendicitis among HIV-1-Infected Individuals in Japan. <i>Journal of Clinical Microbiology</i> , 2017, 55, 313-320.	1.8	11
68	Long-term viral suppression and immune recovery during first-line antiretroviral therapy: a study of an HIV-1-infected adult cohort in Hanoi, Vietnam. <i>Journal of the International AIDS Society</i> , 2017, 20, e25030.	1.2	21
69	Control of HIV-1 by an HLA-B*52:01-C*12:02 Protective Haplotype. <i>Journal of Infectious Diseases</i> , 2017, 216, 1415-1424.	1.9	21
70	Emergence of CXCR4-tropic HIV-1 variants followed by rapid disease progression in hemophiliac slow progressors. <i>PLoS ONE</i> , 2017, 12, e0177033.	1.1	10
71	Colonic cytomegalovirus detection by mucosal PCR and antiviral therapy in ulcerative colitis. <i>PLoS ONE</i> , 2017, 12, e0183951.	1.1	20
72	The second molecular epidemiological study of HIV infection in Mongolia between 2010 and 2016. <i>PLoS ONE</i> , 2017, 12, e0189605.	1.1	7

#	ARTICLE	IF	CITATIONS
73	Incidence of syphilis seroconversion among HIV-infected persons in Asia: results from the TREAT Asia HIV Observational Database. <i>Journal of the International AIDS Society</i> , 2016, 19, 20965.	1.2	15
74	Incidence of AIDS-Defining Opportunistic Infections and Mortality during Antiretroviral Therapy in a Cohort of Adult HIV-Infected Individuals in Hanoi, 2007-2014. <i>PLoS ONE</i> , 2016, 11, e0150781.	1.1	15
75	High Mortality of Disseminated Non-Tuberculous Mycobacterial Infection in HIV-Infected Patients in the Antiretroviral Therapy Era. <i>PLoS ONE</i> , 2016, 11, e0151682.	1.1	24
76	A strong association of human leukocyte antigen-associated Pol and Gag mutations with clinical parameters in HIV-1 subtype A/E infection. <i>Aids</i> , 2016, 30, 681-689.	1.0	18
77	Urinary $\hat{I}^{22}$ microglobulin can predict tenofovir disoproxil fumarate-related renal dysfunction in HIV-1-infected patients who initiate tenofovir disoproxil fumarate-containing antiretroviral therapy. <i>Aids</i> , 2016, 30, 1563-1571.	1.0	19
78	High Plasma Concentrations of Zidovudine (AZT) Do Not Parallel Intracellular Concentrations of AZT-Triphosphates in Infants During Prevention of Mother-to-Child HIV-1 Transmission. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2016, 72, 246-253.	0.9	4
79	HIV-1 Control by NK Cells via Reduced Interaction between KIR2DL2 and HLA-C $\hat{a}^{\ast}12:02/C\hat{a}^{\ast}14:03$ . <i>Cell Reports</i> , 2016, 17, 2210-2220.	2.9	27
80	Prognosis of ocular syphilis in patients infected with HIV in the antiretroviral therapy era. <i>Sexually Transmitted Infections</i> , 2016, 92, 605-610.	0.8	41
81	Brief Report. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2016, 72, 58-64.	0.9	128
82	Increases in <i>Entamoeba histolytica</i> Antibody-Positive Rates in Human Immunodeficiency Virus-Infected and Noninfected Patients in Japan: A 10-Year Hospital-Based Study of 3,514 Patients. <i>American Journal of Tropical Medicine and Hygiene</i> , 2016, 95, 604-609.	0.6	12
83	Effects of a Single Escape Mutation on T Cell and HIV-1 Co-adaptation. <i>Cell Reports</i> , 2016, 15, 2279-2291.	2.9	19
84	Brief Report. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2016, 72, 11-14.	0.9	14
85	Brief Report: Efficacy and Safety of Switching to a Single-Tablet Regimen of Elvitegravir/Cobicistat/Emtricitabine/Tenofovir Alafenamide in HIV-1/Hepatitis B-Coinfected Adults. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2016, 73, 294-298.	0.9	55
86	Rilpivirine resistance mutation E138K in HIV-1 reverse transcriptase predisposed by prevalent polymorphic mutations. <i>Journal of Antimicrobial Chemotherapy</i> , 2016, 71, 2760-2766.	1.3	6
87	Novel Conserved-region T-cell Mosaic Vaccine With High Global HIV-1 Coverage Is Recognized by Protective Responses in Untreated Infection. <i>Molecular Therapy</i> , 2016, 24, 832-842.	3.7	107
88	Incidence and Risk Factors for Incident Syphilis among HIV-1-Infected Men Who Have Sex with Men in a Large Urban HIV Clinic in Tokyo, 2008-2015. <i>PLoS ONE</i> , 2016, 11, e0168642.	1.1	20
89	Upper Gastrointestinal Symptoms Predictive of <i>Candida</i> Esophagitis and Erosive Esophagitis in HIV and Non-HIV Patients. <i>Medicine (United States)</i> , 2015, 94, e2138.	0.4	14
90	Lack of a significant impact of Gag-Protease-mediated HIV-1 replication capacity on clinical parameters in treatment-naive Japanese individuals. <i>Retrovirology</i> , 2015, 12, 98.	0.9	4

#	ARTICLE	IF	CITATIONS
91	Ultrasensitive method to quantify intracellular zidovudine mono- and triphosphate concentrations in peripheral blood mononuclear cells by liquid chromatography-tandem mass spectrometry. <i>Journal of Mass Spectrometry</i> , 2015, 50, 783-791.	0.7	6
92	Implementation and Operational Research. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2015, 69, e85-e92.	0.9	15
93	Long-Term Trends in Esophageal Candidiasis Prevalence and Associated Risk Factors with or without HIV Infection: Lessons from an Endoscopic Study of 80,219 Patients. <i>PLoS ONE</i> , 2015, 10, e0133589.	1.1	55
94	Routine Eye Screening by an Ophthalmologist Is Clinically Useful for HIV-1-Infected Patients with CD4 Count Less than 200 $\mu$ L. <i>PLoS ONE</i> , 2015, 10, e0136747.	1.1	27
95	Prevalence of Anal Human Papillomavirus Infection and Risk Factors among HIV-positive Patients in Tokyo, Japan. <i>PLoS ONE</i> , 2015, 10, e0137434.	1.1	27
96	A 21-Day of Adjunctive Corticosteroid Use May Not Be Necessary for HIV-1-Infected Pneumocystis Pneumonia with Moderate and Severe Disease. <i>PLoS ONE</i> , 2015, 10, e0138926.	1.1	5
97	High Treatment Retention Rate in HIV-Infected Patients Receiving Antiretroviral Therapy at Two Large HIV Clinics in Hanoi, Vietnam. <i>PLoS ONE</i> , 2015, 10, e0139594.	1.1	12
98	What Triggers a Diagnosis of HIV Infection in the Tokyo Metropolitan Area? Implications for Preventing the Spread of HIV Infection in Japan. <i>PLoS ONE</i> , 2015, 10, e0143874.	1.1	9
99	HIV-1 infection, but not syphilis or HBV infection, is a strong risk factor for anorectal condyloma in Asian population: A prospective colonoscopy screening study. <i>International Journal of Infectious Diseases</i> , 2015, 37, 70-76.	1.5	4
100	Deconvoluting the Composition of Low-Frequency Hepatitis C Viral Quasispecies: Comparison of Genotypes and NS3 Resistance-Associated Variants between HCV/HIV Coinfected Hemophiliacs and HCV Monoinfected Patients in Japan. <i>PLoS ONE</i> , 2015, 10, e0119145.	1.1	12
101	Different Effects of Nonnucleoside Reverse Transcriptase Inhibitor Resistance Mutations on Cytotoxic T Lymphocyte Recognition between HIV-1 Subtype B and Subtype A/E Infections. <i>Journal of Virology</i> , 2015, 89, 7363-7372.	1.5	5
102	Tenofovir alafenamide versus tenofovir disoproxil fumarate, coformulated with elvitegravir, cobicistat, and emtricitabine, for initial treatment of HIV-1 infection: two randomised, double-blind, phase 3, non-inferiority trials. <i>Lancet</i> , The, 2015, 385, 2606-2615.	6.3	521
103	Reply to "How does weight influence tenofovir disoproxil-fumarate induced renal function decline?". <i>Aids</i> , 2015, 29, 645-647.	1.0	0
104	Diagnostic Utility of Quantitative Plasma Cytomegalovirus DNA PCR for Cytomegalovirus End-Organ Diseases in Patients With HIV-1 Infection. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2015, 68, 140-146.	0.9	18
105	High-Dose Oral Amoxicillin Plus Probenecid Is Highly Effective for Syphilis in Patients With HIV Infection. <i>Clinical Infectious Diseases</i> , 2015, 61, 177-183.	2.9	49
106	Association between a naturally arising polymorphism within a functional region of HIV-1 Nef and disease progression in chronic HIV-1 infection. <i>Archives of Virology</i> , 2015, 160, 2033-2041.	0.9	4
107	Clinical Control of HIV-1 by Cytotoxic T Cells Specific for Multiple Conserved Epitopes. <i>Journal of Virology</i> , 2015, 89, 5330-5339.	1.5	56
108	Fibrocytes Differ from Macrophages but Can Be Infected with HIV-1. <i>Journal of Immunology</i> , 2015, 195, 4341-4350.	0.4	12

#	ARTICLE	IF	CITATIONS
109	Long-Term Functional Prognosis of Patients with HIV-Associated Progressive Multifocal Leukoencephalopathy in the Era of Combination ART. <i>AIDS Patient Care and STDs</i> , 2015, 29, 1-3.	1.1	16
110	Drug Transporter Genetic Variants Are Not Associated with TDF-Related Renal Dysfunction in Patients with HIV-1 Infection: A Pharmacogenetic Study. <i>PLoS ONE</i> , 2015, 10, e0141931.	1.1	6
111	Traditional but Not HIV-Related Factors Are Associated with Nonalcoholic Fatty Liver Disease in Asian Patients with HIV-1 Infection. <i>PLoS ONE</i> , 2014, 9, e87596.	1.1	42
112	V3-Independent Competitive Resistance of a Dual-X4 HIV-1 to the CXCR4 Inhibitor AMD3100. <i>PLoS ONE</i> , 2014, 9, e89515.	1.1	2
113	Acute Hepatitis C in HIV-1 Infected Japanese Cohort: Single Center Retrospective Cohort Study. <i>PLoS ONE</i> , 2014, 9, e100517.	1.1	18
114	Trends in First-Line Antiretroviral Therapy in Asia: Results from the TREAT Asia HIV Observational Database. <i>PLoS ONE</i> , 2014, 9, e106525.	1.1	18
115	Single-nucleotide polymorphisms in the UDP-glucuronosyltransferase 1A-3' untranslated region are associated with atazanavir-induced nephrolithiasis in patients with HIV-1 infection: a pharmacogenetic study. <i>Journal of Antimicrobial Chemotherapy</i> , 2014, 69, 3320-3328.	1.3	15
116	Clinical Significance of High Anti-Entamoeba histolytica Antibody Titer in Asymptomatic HIV-1-infected Individuals. <i>Journal of Infectious Diseases</i> , 2014, 209, 1801-1807.	1.9	24
117	Clinical Importance of Hyper-Beta-2-Microglobulinuria in Patients With HIV-1 Infection on Tenofovir-Containing Antiretroviral Therapy. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2014, 65, e155-e157.	0.9	3
118	Cumulative exposure to ritonavir-boosted atazanavir is associated with cholelithiasis in patients with HIV-1 infection. <i>Journal of Antimicrobial Chemotherapy</i> , 2014, 69, 1385-1389.	1.3	13
119	Classification of AIDS-related lymphoma cases between 1987 and 2012 in Japan based on the WHO classification of lymphomas, fourth edition. <i>Cancer Medicine</i> , 2014, 3, 143-153.	1.3	31
120	Low Prevalence of Transmitted Drug Resistance of HIV-1 During 2008-2012 Antiretroviral Therapy Scaling up in Southern Vietnam. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2014, 66, 358-364.	0.9	14
121	Low Raltegravir Concentration in Cerebrospinal Fluid in Patients With ABCG2 Genetic Variants. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2014, 66, 484-486.	0.9	14
122	Long-term exposure to tenofovir continuously decrease renal function in HIV-1-infected patients with low body weight. <i>Aids</i> , 2014, 28, 1903-1910.	1.0	62
123	Selection of T18-8V Mutant Associated with Long-Term Control of HIV-1 by Cross-Reactive HLA-B*51:01-Restricted Cytotoxic T Cells. <i>Journal of Immunology</i> , 2014, 193, 4814-4822.	0.4	11
124	Raltegravir and elvitegravir-resistance mutation E92Q affects HLA-B*40:02-restricted HIV-1-specific CTL recognition. <i>Microbes and Infection</i> , 2014, 16, 434-438.	1.0	1
125	Asymptomatic Intestinal Amebiasis in Japanese HIV-1-Infected Individuals. <i>American Journal of Tropical Medicine and Hygiene</i> , 2014, 91, 816-820.	0.6	10
126	Low body weight and tenofovir use are risk factors for renal dysfunction in Vietnamese HIV-infected patients. A prospective 18-month observation study. <i>Journal of Infection and Chemotherapy</i> , 2014, 20, 784-788.	0.8	13



#	ARTICLE	IF	CITATIONS
127	Superimposed Epitopes Restricted by the Same HLA Molecule Drive Distinct HIV-Specific CD8+ T Cell Repertoires. <i>Journal of Immunology</i> , 2014, 193, 77-84.	0.4	15
128	Host-Specific Adaptation of HIV-1 Subtype B in the Japanese Population. <i>Journal of Virology</i> , 2014, 88, 4764-4775.	1.5	47
129	The prevalence of opportunistic infections and malignancies in autopsied patients with human immunodeficiency virus infection in Japan. <i>BMC Infectious Diseases</i> , 2014, 14, 229.	1.3	22
130	Brain Magnetic Resonance Imaging Screening Is Not Useful for HIV-1-Infected Patients Without Neurological Symptoms. <i>AIDS Research and Human Retroviruses</i> , 2014, 30, 970-974.	0.5	7
131	Molecular Basis of a Dominant T Cell Response to an HIV Reverse Transcriptase 8-mer Epitope Presented by the Protective Allele HLA-B*51:01. <i>Journal of Immunology</i> , 2014, 192, 3428-3434.	0.4	25
132	Skin rash induced by ritonavir-boosted darunavir is common, but generally tolerable in an observational setting. <i>Journal of Infection and Chemotherapy</i> , 2014, 20, 285-287.	0.8	8
133	Long-Term Use of Protease Inhibitors Is Associated with Bone Mineral Density Loss. <i>AIDS Research and Human Retroviruses</i> , 2014, 30, 553-559.	0.5	24
134	Impact of HIV Infection on Colorectal Tumors. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2014, 65, 312-317.	0.9	16
135	Incidence and Risk Factors for Incident Hepatitis C Infection Among Men Who Have Sex With Men With HIV-1 Infection in a Large Urban HIV Clinic in Tokyo. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2014, 65, 213-217.	0.9	58
136	DNA methylation profiling can classify HIV-associated lymphomas. <i>Aids</i> , 2014, 28, 503-510.	1.0	11
137	Slow Turnover of HIV-1 Receptors on Quiescent CD4+ T Cells Causes Prolonged Surface Retention of gp120 Immune Complexes In Vivo. <i>PLoS ONE</i> , 2014, 9, e86479.	1.1	4
138	A possible origin of emerged HIV-1 after interrupting anti-retroviral therapy. <i>Biomedical Research</i> , 2014, 35, 1-8.	0.3	2
139	Efforts Against Drug-Resistant Bacteria and Bacteremia in Vietnam. <i>Journal of Disaster Research</i> , 2014, 9, 836-838.	0.4	0
140	Assessment of Antigenemia Assay for the Diagnosis of Cytomegalovirus Gastrointestinal Diseases in HIV-Infected Patients. <i>AIDS Patient Care and STDs</i> , 2013, 27, 387-391.	1.1	6
141	Long-term control of CMV retinitis in a patient with idiopathic CD4+ T lymphocytopenia. <i>Journal of Infection and Chemotherapy</i> , 2013, 19, 316-320.	0.8	4
142	Urinary beta-2 microglobulin and alpha-1 microglobulin are useful screening markers for tenofovir-induced kidney tubulopathy in patients with HIV-1 infection: a diagnostic accuracy study. <i>Journal of Infection and Chemotherapy</i> , 2013, 19, 850-857.	0.8	26
143	Combination of high-dose dexamethasone and antiretroviral therapy rapidly improved and induced long-term remission of HIV-related thrombocytopenic purpura. <i>Journal of Infection and Chemotherapy</i> , 2013, 19, 1170-1172.	0.8	3
144	Enteral entrance of <i>Mycobacterium avium</i> in patients with disseminated mycobacterial disease. <i>International Journal of Mycobacteriology</i> , 2013, 2, 121-122.	0.3	2

#	ARTICLE	IF	CITATIONS
145	Identification of cross-clade CTL epitopes in HIV-1 clade A/E-infected individuals by using the clade B overlapping peptides. <i>Microbes and Infection</i> , 2013, 15, 874-886.	1.0	15
146	Combined Endoscopy, Aspiration, and Biopsy Analysis for Identifying Infectious Colitis in Patients With Ileocecal Ulcers. <i>Clinical Gastroenterology and Hepatology</i> , 2013, 11, 673-680.e2.	2.4	21
147	Naturally Selected Rilpivirine-Resistant HIV-1 Variants by Host Cellular Immunity. <i>Clinical Infectious Diseases</i> , 2013, 57, 1051-1055.	2.9	22
148	Reply to Tattevin et al. <i>Clinical Infectious Diseases</i> , 2013, 56, 1186-1187.	2.9	1
149	Reply to Hauser et al. <i>Clinical Infectious Diseases</i> , 2013, 56, 166-167.	2.9	1
150	A genome-wide association study of resistance to HIV infection in highly exposed uninfected individuals with hemophilia A. <i>Human Molecular Genetics</i> , 2013, 22, 1903-1910.	1.4	38
151	Evaluation of Combinations of 4'-Ethynyl-2-Fluoro-2-Deoxyadenosine with Clinically Used Antiretroviral Drugs. <i>Antimicrobial Agents and Chemotherapy</i> , 2013, 57, 4554-4558.	1.4	21
152	WHO Antiretroviral Therapy Guidelines 2010 and Impact of Tenofovir on Chronic Kidney Disease in Vietnamese HIV-Infected Patients. <i>PLoS ONE</i> , 2013, 8, e79885.	1.1	17
153	Prophylactic Effect of Antiretroviral Therapy on Hepatitis B Virus Infection. <i>Clinical Infectious Diseases</i> , 2013, 56, 1812-1819.	2.9	61
154	Distinct HIV-1 Escape Patterns Selected by Cytotoxic T Cells with Identical Epitope Specificity. <i>Journal of Virology</i> , 2013, 87, 2253-2263.	1.5	30
155	Idiopathic Oropharyngeal and Esophageal Ulcers Related to HIV Infection Successfully Treated with Antiretroviral Therapy Alone. <i>Internal Medicine</i> , 2013, 52, 393-395.	0.3	8
156	Epstein-Barr Viral Load in Cerebrospinal Fluid as a Diagnostic Marker of Central Nervous System Involvement of AIDS-related Lymphoma. <i>Internal Medicine</i> , 2013, 52, 955-959.	0.3	21
157	Abacavir/Lamivudine versus Tenofovir/Emtricitabine with Atazanavir/Ritonavir for Treatment-naïve Japanese Patients with HIV-1 Infection: A Randomized Multicenter Trial. <i>Internal Medicine</i> , 2013, 52, 735-744.	0.3	14
158	Viral protein R of human immunodeficiency virus type-1 induces retrotransposition of long interspersed element-1. <i>Retrovirology</i> , 2013, 10, 83.	0.9	25
159	Arginine insertion and loss of N-linked glycosylation site in HIV-1 envelope V3 region confer CXCR4-tropism. <i>Scientific Reports</i> , 2013, 3, 2389.	1.6	18
160	Once-daily darunavir/ritonavir and abacavir/lamivudine versus tenofovir/emtricitabine for treatment-naïve patients with a baseline viral load of more than 100,000 copies/ml. <i>Aids</i> , 2013, 27, 839-842.	1.0	7
161	Reply to Sheng et al. <i>Clinical Infectious Diseases</i> , 2013, 57, 1506-1506.	2.9	10
162	Evaluating Immunologic Response and Clinical Deterioration in Treatment-Naïve Patients Initiating First-Line Therapies Infected With HIV-1 CRF01_AE and Subtype B. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2013, 62, 293-300.	0.9	16

#	ARTICLE	IF	CITATIONS
163	Depression of Local Cell-mediated Immunity and Histological Characteristics of Disseminated AIDS-related &Mycobacterium avium</i> Infection after the Initiation of Antiretroviral Therapy. <i>Internal Medicine</i> , 2013, 52, 1793-1803.	0.3	3
164	Potential Function of Granulysin, Other Related Effector Molecules and Lymphocyte Subsets in Patients with TB and HIV/TB Coinfection. <i>International Journal of Medical Sciences</i> , 2013, 10, 1003-1014.	1.1	19
165	Preemptive Therapy Prevents Cytomegalovirus End-Organ Disease in Treatment-Naïve Patients with Advanced HIV-1 Infection in the HAART Era. <i>PLoS ONE</i> , 2013, 8, e65348.	1.1	15
166	Illicit Drug Use Is a Significant Risk Factor for Loss to Follow Up in Patients with HIV-1 Infection at a Large Urban HIV Clinic in Tokyo. <i>PLoS ONE</i> , 2013, 8, e72310.	1.1	13
167	Ritonavir-Boosted Darunavir Is Rarely Associated with Nephrolithiasis Compared with Ritonavir-Boosted Atazanavir in HIV-Infected Patients. <i>PLoS ONE</i> , 2013, 8, e77268.	1.1	17
168	Pharmacokinetics of Rifabutin in Japanese HIV-Infected Patients with or without Antiretroviral Therapy. <i>PLoS ONE</i> , 2013, 8, e70611.	1.1	10
169	Factors Associated with Esophageal Candidiasis and Its Endoscopic Severity in the Era of Antiretroviral Therapy. <i>PLoS ONE</i> , 2013, 8, e58217.	1.1	25
170	CD8+ T Cell Cross-Reactivity Profiles and HIV-1 Immune Escape towards an HLA-B35-Restricted Immunodominant Nef Epitope. <i>PLoS ONE</i> , 2013, 8, e66152.	1.1	6
171	Is Ritonavir-Boosted Atazanavir a Risk for Cholelithiasis Compared to Other Protease Inhibitors?. <i>PLoS ONE</i> , 2013, 8, e69845.	1.1	10
172	Switching Tenofovir/Emtricitabine plus Lopinavir/r to Raltegravir plus Darunavir/r in Patients with Suppressed Viral Load Did Not Result in Improvement of Renal Function but Could Sustain Viral Suppression: A Randomized Multicenter Trial. <i>PLoS ONE</i> , 2013, 8, e73639.	1.1	34
173	High Prevalence of Illicit Drug Use in Men Who Have Sex with Men with HIV-1 Infection in Japan. <i>PLoS ONE</i> , 2013, 8, e81960.	1.1	17
174	Diagnostic value of endothelial markers and HHV-8 staining in gastrointestinal Kaposi sarcoma and its difference in endoscopic tumor staging. <i>World Journal of Gastroenterology</i> , 2013, 19, 3608.	1.4	6
175	Endoscopic appearance of AIDS-related gastrointestinal lymphoma with c-MYC rearrangements: Case report and literature review. <i>World Journal of Gastroenterology</i> , 2013, 19, 4827.	1.4	9
176	Side Effect of Efavirenz and CYP2B6*6/*6. <i>Japanese Journal of Clinical Pharmacology and Therapeutics</i> , 2013, 44, 233-233.	0.1	0
177	False-Negative Results of Endoscopic Biopsy in the Diagnosis of Gastrointestinal Kaposi's Sarcoma in HIV-Infected Patients. <i>Pathology Research International</i> , 2012, 2012, 1-6.	1.4	6
178	Single Nucleotide Polymorphisms in ABCC2 Associate With Tenofovir-Induced Kidney Tubular Dysfunction in Japanese Patients With HIV-1 Infection: A Pharmacogenetic Study. <i>Clinical Infectious Diseases</i> , 2012, 55, 1558-1567.	2.9	72
179	HLA Class I-Mediated Control of HIV-1 in the Japanese Population, in Which the Protective HLA-B*57 and HLA-B*27 Alleles Are Absent. <i>Journal of Virology</i> , 2012, 86, 10870-10872.	1.5	40
180	Selection and Accumulation of an HIV-1 Escape Mutant by Three Types of HIV-1-Specific Cytotoxic T Lymphocytes Recognizing Wild-Type and/or Escape Mutant Epitopes. <i>Journal of Virology</i> , 2012, 86, 1971-1981.	1.5	15

#	ARTICLE	IF	CITATIONS
181	HIV-1 Reverse Transcriptase (RT) Polymorphism 172K Suppresses the Effect of Clinically Relevant Drug Resistance Mutations to Both Nucleoside and Non-nucleoside RT Inhibitors. <i>Journal of Biological Chemistry</i> , 2012, 287, 29988-29999.	1.6	9
182	High Incidence of Renal Stones Among HIV-Infected Patients on Ritonavir-Boosted Atazanavir Than in Those Receiving Other Protease Inhibitor-Containing Antiretroviral Therapy. <i>Clinical Infectious Diseases</i> , 2012, 55, 1262-1269.	2.9	80
183	Outbreaks of Pneumocystis Pneumonia in 2 Renal Transplant Centers Linked to a Single Strain of Pneumocystis: Implications for Transmission and Virulence. <i>Clinical Infectious Diseases</i> , 2012, 54, 1437-1444.	2.9	67
184	Differential Clade-Specific HLA-B*3501 Association with HIV-1 Disease Outcome Is Linked to Immunogenicity of a Single Gag Epitope. <i>Journal of Virology</i> , 2012, 86, 12643-12654.	1.5	49
185	Epstein-Barr virus associated colitis in an HIV-infected patient. <i>Aids</i> , 2012, 26, 400-402.	1.0	5
186	Blunted fetal growth by tenofovir in late pregnancy. <i>Aids</i> , 2012, 26, 2119-2120.	1.0	10
187	Efficacy and safety of once-daily ritonavir-boosted darunavir and abacavir/lamivudine for treatment-naïve patients. <i>Aids</i> , 2012, 26, 649-651.	1.0	7
188	FDG Uptake by a Condylomata Acuminata in an HIV-Infected Patient Mimicked Urine Contamination. <i>Clinical Nuclear Medicine</i> , 2012, 37, 420-421.	0.7	6
189	Infectious Endocarditis Caused by <i>Lactobacillus acidophilus</i> in a Patient with Mistreated Dental Caries. <i>Internal Medicine</i> , 2012, 51, 1619-1621.	0.3	12
190	Drug-Induced Acute Interstitial Nephritis Mimicking Acute Tubular Necrosis after Initiation of Tenofovir-Containing Antiretroviral Therapy in Patient with HIV-1 Infection. <i>Internal Medicine</i> , 2012, 51, 2469-2471.	0.3	6
191	Trends in early and late diagnosis of HIV-1 infections in Tokyoites from 2002 to 2010. <i>International Journal of Infectious Diseases</i> , 2012, 16, e172-e177.	1.5	4
192	Minor contribution of HLA class I-associated selective pressure to the variability of HIV-1 accessory protein Vpu. <i>Biochemical and Biophysical Research Communications</i> , 2012, 421, 291-295.	1.0	9
193	CTL recognition of HIV-1-infected cells via cross-recognition of multiple overlapping peptides from a single 11-mer P <sub>ol</sub> sequence. <i>European Journal of Immunology</i> , 2012, 42, 2621-2631.	1.6	5
194	Diagnostic accuracy of indirect immunofluorescence assay for intestinal invasive amebiasis and impact of HIV infection in a non-endemic country. <i>Diagnostic Microbiology and Infectious Disease</i> , 2012, 74, 374-378.	0.8	5
195	Renal Function Declines More in Tenofovir- than Abacavir-Based Antiretroviral Therapy in Low-Body Weight Treatment-Naïve Patients with HIV Infection. <i>PLoS ONE</i> , 2012, 7, e29977.	1.1	54
196	Predictive Clinical Factors in the Diagnosis of Gastrointestinal Kaposi's Sarcoma and Its Endoscopic Severity. <i>PLoS ONE</i> , 2012, 7, e46967.	1.1	36
197	Risk Factors for Intestinal Invasive Amebiasis in Japan, 2003-2009. <i>Emerging Infectious Diseases</i> , 2012, 18, 717-724.	2.0	51
198	Failure to prescribe pneumocystis prophylaxis is associated with increased mortality, even in the cART era: results from the Treat Asia HIV observational database. <i>Journal of the International AIDS Society</i> , 2012, 15, 1-1.	1.2	92

#	ARTICLE	IF	CITATIONS
199	Kaposi's Sarcoma Presenting as a Bulky Tumor Mass of the Colon. <i>Clinical Gastroenterology and Hepatology</i> , 2011, 9, A22.	2.4	4
200	The high mannose-type glycan binding lectin actinohivin: dimerization greatly improves anti-HIV activity. <i>Journal of Antibiotics</i> , 2011, 64, 551-557.	1.0	12
201	Identification of a Current Hot Spot of HIV Type 1 Transmission in Mongolia by Molecular Epidemiological Analysis. <i>AIDS Research and Human Retroviruses</i> , 2011, 27, 1073-1080.	0.5	11
202	Diagnostic value of antigenemia assay for cytomegalovirus gastrointestinal disease in immunocompromised patients. <i>World Journal of Gastroenterology</i> , 2011, 17, 1185.	1.4	30
203	K70Q Adds High-Level Tenofovir Resistance to $\epsilon$ Q151M Complex HIV Reverse Transcriptase through the Enhanced Discrimination Mechanism. <i>PLoS ONE</i> , 2011, 6, e16242.	1.1	29
204	Antiretroviral therapy alone resulted in successful resolution of large idiopathic esophageal ulcers in a patient with acute retroviral syndrome. <i>Aids</i> , 2011, 25, 1677-1679.	1.0	9
205	Living Donor Liver Transplantations in HIV- and Hepatitis C Virus-Coinfected Hemophiliacs: Experience in a Single Center. <i>Transplantation</i> , 2011, 91, 1261-1264.	0.5	24
206	Clinical Symptoms and Courses of Primary HIV-1 Infection in Recent Years in Japan. <i>Internal Medicine</i> , 2011, 50, 95-101.	0.3	9
207	Open-Label Randomized Multicenter Selection Study of Once Daily Antiretroviral Treatment Regimen Comparing Ritonavir-Boosted Atazanavir to Efavirenz with Fixed-Dose Abacavir and Lamivudine. <i>Internal Medicine</i> , 2011, 50, 699-705.	0.3	10
208	Prevalence of and risk factors for lipodystrophy among HIV-infected patients receiving combined antiretroviral treatment in the Asia-Pacific region: results from the TREAT Asia HIV Observational Database (TAHOD). <i>Endocrine Journal</i> , 2011, 58, 475-484.	0.7	19
209	Primary HIV Infection with Acute Transverse Myelitis. <i>Internal Medicine</i> , 2011, 50, 1615-1617.	0.3	20
210	Antiretroviral Therapy for Treatment-naïve Chronic HIV-1 Infection with an Axonal Variant of Guillain-Barre Syndrome Positive for Anti-ganglioside Antibody: A Case Report. <i>Internal Medicine</i> , 2011, 50, 2427-2429.	0.3	9
211	<i>MYCOBACTERIUM LENTIFLAVUM</i> ILEITIS USING ASPIRATED INTESTINAL FLUID DURING ENDOSCOPY IN HIV-INFECTED PATIENT. <i>Digestive Endoscopy</i> , 2011, 23, 271-272.	1.3	6
212	Selection of escape mutant by HLA-C $\alpha$ -restricted HIV-1 Pol-specific cytotoxic T lymphocytes carrying strong ability to suppress HIV-1 replication. <i>European Journal of Immunology</i> , 2011, 41, 97-106.	1.6	26
213	Effective recognition of HIV-1-infected cells by HIV-1 integrase-specific HLA-B $\alpha$ -4002-restricted T cells. <i>Microbes and Infection</i> , 2011, 13, 160-166.	1.0	10
214	Selection of HLA-B57-associated Gag A146P mutant by HLA-B $\alpha$ -48:01-restricted Gag140-147-specific CTLs in chronically HIV-1-infected Japanese. <i>Microbes and Infection</i> , 2011, 13, 766-770.	1.0	3
215	Case of relapsed AIDS-related plasmablastic lymphoma treated with autologous stem cell transplantation and highly active antiretroviral therapy. <i>Rare Tumors</i> , 2011, 3, 33-35.	0.3	9
216	Paediatric HIV and elimination of mother-to-child transmission of HIV in the ASEAN region: a call to action. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2011, 23, 413-416.	0.6	3

#	ARTICLE	IF	CITATIONS
217	Amebiasis in HIV-1-Infected Japanese Men: Clinical Features and Response to Therapy. <i>PLoS Neglected Tropical Diseases</i> , 2011, 5, e1318.	1.3	56
218	Impact of Small Body Weight on Tenofovir-Associated Renal Dysfunction in HIV-Infected Patients: A Retrospective Cohort Study of Japanese Patients. <i>PLoS ONE</i> , 2011, 6, e22661.	1.1	92
219	Raltegravir-associated perihepatitis and peritonitis: a single case report. <i>Aids</i> , 2010, 24, 160-161.	1.0	7
220	Impact of human leukocyte antigen-B*51-restricted cytotoxic T-lymphocyte pressure on mutation patterns of nonnucleoside reverse transcriptase inhibitor resistance. <i>Aids</i> , 2010, 24, F15-F22.	1.0	13
221	Trends in transmitted drug-resistant HIV-1 and demographic characteristics of newly diagnosed patients: Nationwide surveillance from 2003 to 2008 in Japan. <i>Antiviral Research</i> , 2010, 88, 72-79.	1.9	50
222	Multiple routes of hepatitis C virus transmission among injection drug users in Hai Phong, Northern Vietnam. <i>Journal of Medical Virology</i> , 2010, 82, 1355-1363.	2.5	26
223	Comparison of CD4+ T-cell subset distribution in chronically infected HIV+ patients with various CD4 nadir counts. <i>Microbes and Infection</i> , 2010, 12, 374-381.	1.0	12
224	Impact of CRF01_AE-specific polymorphic mutations G335D and A371V in the connection subdomain of human immunodeficiency virus type 1 (HIV-1) reverse transcriptase (RT) on susceptibility to nucleoside RT inhibitors. <i>Microbes and Infection</i> , 2010, 12, 1170-1177.	1.0	18
225	Trends in CD4 counts in HIV-infected patients with HIV viral load monitoring while on combination antiretroviral treatment: results from The TREAT Asia HIV Observational Database. <i>BMC Infectious Diseases</i> , 2010, 10, 361.	1.3	22
226	Reply to del Palacio et al. <i>Clinical Infectious Diseases</i> , 2010, 50, 452-453.	2.9	1
227	Combination of V106I and V179D Polymorphic Mutations in Human Immunodeficiency Virus Type 1 Reverse Transcriptase Confers Resistance to Efavirenz and Nevirapine but Not Etravirine. <i>Antimicrobial Agents and Chemotherapy</i> , 2010, 54, 1596-1602.	1.4	31
228	Different <i>In Vivo</i> Effects of HIV-1 Immunodominant Epitope-Specific Cytotoxic T Lymphocytes on Selection of Escape Mutant Viruses. <i>Journal of Virology</i> , 2010, 84, 5508-5519.	1.5	12
229	Characterization of HIV Type 1 Genotypes and Drug Resistance Mutations Among Drug-Naive HIV Type 1-Infected Patients in Northern Vietnam. <i>AIDS Research and Human Retroviruses</i> , 2010, 26, 233-235.	0.5	15
230	Long-Term Control of HIV-1 in Hemophiliacs Carrying Slow-Progressing Allele HLA-B*5101. <i>Journal of Virology</i> , 2010, 84, 7151-7160.	1.5	42
231	Autoimmune Diabetes in HIV-Infected Patients on Highly Active Antiretroviral Therapy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 4056-4060.	1.8	32
232	Selection of escape mutation by Pol154-162-specific cytotoxic T cells among chronically HIV-1-infected HLA-B*5401-positive individuals. <i>Human Immunology</i> , 2010, 71, 123-127.	1.2	2
233	Naturally arising HIV-1 Nef variants conferring escape from cytotoxic T lymphocytes influence viral entry co-receptor expression and susceptibility to superinfection. <i>Biochemical and Biophysical Research Communications</i> , 2010, 403, 422-427.	1.0	9
234	Introduction of TaqMan HIV-1 Assay Increased Unnecessary Drug Resistance Testing. <i>AIDS Patient Care and STDs</i> , 2010, 24, 203-204.	1.1	1

#	ARTICLE	IF	CITATIONS
235	Allele and Genotype Frequencies of <i>Cytochrome P450 2B6</i> Gene in a Mongolian Population. <i>Drug Metabolism and Disposition</i> , 2009, 37, 1991-1993.	1.7	17
236	Detection of HIV Type 1 Load by the Roche Cobas TaqMan Assay in Patients with Viral Loads Previously Undetectable by the Roche Cobas Amplicor Monitor. <i>Clinical Infectious Diseases</i> , 2009, 48, 260-262.	2.9	42
237	Strong Ability of Nef-Specific CD4 <sup>+</sup> Cytotoxic T Cells To Suppress Human Immunodeficiency Virus Type 1 (HIV-1) Replication in HIV-1-Infected CD4 <sup>+</sup> T Cells and Macrophages. <i>Journal of Virology</i> , 2009, 83, 7668-7677.	1.5	40
238	Serum (1 $\alpha$ '3) $\beta$ -Glucan as a Noninvasive Adjunct Marker for the Diagnosis of <i>Pneumocystis</i> Pneumonia in Patients with AIDS. <i>Clinical Infectious Diseases</i> , 2009, 49, 1128-1131.	2.9	86
239	Short-Term Clinical Disease Progression in HIV-Infected Patients Receiving Combination Antiretroviral Therapy: Results from the TREAT Asia HIV Observational Database. <i>Clinical Infectious Diseases</i> , 2009, 48, 940-950.	2.9	25
240	TREAT Asia Quality Assessment Scheme (TAQAS) to standardize the outcome of HIV genotypic resistance testing in a group of Asian laboratories. <i>Journal of Virological Methods</i> , 2009, 159, 185-193.	1.0	35
241	Clinical relevance of substitutions in the connection subdomain and RNase H domain of HIV-1 reverse transcriptase from a cohort of antiretroviral treatment-naïve patients. <i>Antiviral Research</i> , 2009, 82, 115-121.	1.9	38
242	High frequency and proliferation of CD4 <sup>+</sup> FOXP3 <sup>+</sup> Treg in HIV-1-infected patients with low CD4 counts. <i>European Journal of Immunology</i> , 2009, 39, 301-309.	1.6	63
243	Risk and prognostic significance of tuberculosis in patients from The TREAT Asia HIV Observational Database. <i>BMC Infectious Diseases</i> , 2009, 9, 46.	1.3	27
244	Adaptation of HIV-1 to human leukocyte antigen class I. <i>Nature</i> , 2009, 458, 641-645.	13.7	408
245	Escape mutation selected by Gag28-36-specific cytotoxic T cells in HLA-A*2402-positive HIV-1-infected donors. <i>Microbes and Infection</i> , 2009, 11, 198-204.	1.0	7
246	Profile of HIV Type 1 Infection and Genotypic Resistance Mutations to Antiretroviral Drugs in Treatment-Naïve HIV Type 1-Infected Individuals in Hai Phong, Viet Nam. <i>AIDS Research and Human Retroviruses</i> , 2009, 25, 175-182.	0.5	30
247	Identification and characterization of 2 HIV-1 Gag immunodominant epitopes restricted by Asian HLA allele HLA-B*4801. <i>Human Immunology</i> , 2009, 70, 170-174.	1.2	5
248	Outbreak of <i>Pneumocystis jiroveci</i> Pneumonia in Renal Transplant Recipients: <i>P. jiroveci</i> Is Contagious to the Susceptible Host. <i>Transplantation</i> , 2009, 88, 380-385.	0.5	101
249	Successful genotype-tailored treatment with small-dose efavirenz. <i>Aids</i> , 2009, 23, 433-434.	1.0	16
250	Autologous Stem Cell Transplantation using MEAM Regimen for Relapsed AIDS-Related Lymphoma Patients Who Received Highly Active Anti-Retroviral Therapy: A Report of Three Cases. <i>Internal Medicine</i> , 2009, 48, 111-114.	0.3	9
251	Successful Absorption of Antiretroviral Drugs after Gastrojejunal Bypass Surgery following Failure of Therapy through a Jejunal Tube. <i>Internal Medicine</i> , 2009, 48, 1103-1104.	0.3	23
252	Successful Treatment of Ulcerous Skin Lesion Caused by Mistaken Intradermal Injection of BCG (Bacille de Calmette et Guerin) Vaccine with Anti-tuberculous Drugs and Systemic Administration of Corticosteroid. <i>Internal Medicine</i> , 2009, 48, 1323-1325.	0.3	2

#	ARTICLE	IF	CITATIONS
253	HLA-A*2402-restricted HIV-1-specific cytotoxic T lymphocytes and escape mutation after ART with structured treatment interruptions. <i>Microbes and Infection</i> , 2008, 10, 689-698.	1.0	8
254	Identification and characterization of HLA-B*5401-restricted HIV-1-Nef and Pol-specific CTL epitopes. <i>Microbes and Infection</i> , 2008, 10, 764-772.	1.0	11
255	Different Abilities of Escape Mutant-Specific Cytotoxic T Cells To Suppress Replication of Escape Mutant and Wild-Type Human Immunodeficiency Virus Type 1 in New Hosts. <i>Journal of Virology</i> , 2008, 82, 138-147.	1.5	32
256	CTL-Mediated Selective Pressure Influences Dynamic Evolution and Pathogenic Functions of HIV-1 Nef. <i>Journal of Immunology</i> , 2008, 180, 1107-1116.	0.4	57
257	Amino Acid Mutation N348I in the Connection Subdomain of Human Immunodeficiency Virus Type 1 Reverse Transcriptase Confers Multiclass Resistance to Nucleoside and Nonnucleoside Reverse Transcriptase Inhibitors. <i>Journal of Virology</i> , 2008, 82, 3261-3270.	1.5	88
258	Pharmacogenetic information derived from analysis of HLA alleles. <i>Pharmacogenomics</i> , 2008, 9, 207-214.	0.6	33
259	Altering Effects of Antigenic Variations in HIV-1 on Antiviral Effectiveness of HIV-Specific CTLs. <i>Journal of Immunology</i> , 2007, 178, 5513-5523.	0.4	33
260	Successful Efavirenz Dose Reduction in HIV Type 1-Infected Individuals with Cytochrome P450 2B6 *6 and *26. <i>Clinical Infectious Diseases</i> , 2007, 45, 1230-1237.	2.9	210
261	Prevalence of coinfection with human immunodeficiency virus and hepatitis C virus in Japan. <i>Hepatology Research</i> , 2007, 37, 2-5.	1.8	22
262	Drug-resistant HIV-1 prevalence in patients newly diagnosed with HIV/AIDS in Japan. <i>Antiviral Research</i> , 2007, 75, 75-82.	1.9	46
263	Performance and quality assurance of genotypic drug-resistance testing for human immunodeficiency virus type 1 in Japan. <i>Japanese Journal of Infectious Diseases</i> , 2007, 60, 113-7.	0.5	13
264	Decrease in Epstein-Barr virus-positive AIDS-related lymphoma in the era of highly active antiretroviral therapy. <i>Microbes and Infection</i> , 2006, 8, 1301-1307.	1.0	18
265	Mutations other than 103N in human immunodeficiency virus type 1 reverse transcriptase (RT) emerge from K103R polymorphism under non-nucleoside RT inhibitor pressure. <i>Virology</i> , 2006, 344, 354-362.	1.1	23
266	Urinary $\beta$ 2-Microglobulin as a Possible Sensitive Marker for Renal Injury Caused by Tenofovir Disoproxil Fumarate. <i>AIDS Research and Human Retroviruses</i> , 2006, 22, 744-748.	0.5	93
267	Patterns of Cytokine Production in Human Immunodeficiency Virus Type 1 (HIV-1)-Specific Human CD8 + T Cells after Stimulation with HIV-1-Infected CD4 + T Cells. <i>Journal of Virology</i> , 2005, 79, 12536-12543.	1.5	10
268	Cutting Edge: Epitope-Dependent Effect of Nef-Mediated HLA Class I Down-Regulation on Ability of HIV-1-Specific CTLs to Suppress HIV-1 Replication. <i>Journal of Immunology</i> , 2005, 174, 36-40.	0.4	51
269	Identification and Characterization of HIV-1 Epitopes Presented by HLA-A*2603: Comparison Between HIV-1 Epitopes Presented by A*2601 and A*2603. <i>Human Immunology</i> , 2005, 66, 1155-1166.	1.2	5
270	Functionally Impaired HIV-Specific CD8 T Cells Show High Affinity TCR-Ligand Interactions. <i>Journal of Immunology</i> , 2004, 173, 5451-5457.	0.4	51



#	ARTICLE	IF	CITATIONS
271	Novel patterns of nevirapine resistance-associated mutations of human immunodeficiency virus type 1 in treatment-naïve patients. <i>Virology</i> , 2004, 327, 215-224.	1.1	16
272	Homozygous CYP2B6 *6 (Q172H and K262R) correlates with high plasma efavirenz concentrations in HIV-1 patients treated with standard efavirenz-containing regimens. <i>Biochemical and Biophysical Research Communications</i> , 2004, 319, 1322-1326.	1.0	257
273	“All-in-One Assay”, a direct phenotypic anti-human immunodeficiency virus type 1 drug resistance assay for three-drug combination therapies that takes into consideration in vivo drug concentrations. <i>Journal of Virological Methods</i> , 2003, 111, 43-53.	1.0	6
274	Identification and Characterization of HLA-A*3303-Restricted, HIV Type 1 Pol- and Gag-Derived Cytotoxic T Cell Epitopes. <i>AIDS Research and Human Retroviruses</i> , 2003, 19, 503-510.	0.5	14
275	Dilated Cardiomyopathy in an Adult Human Immunodeficiency Virus Type 1-Positive Patient Treated with a Zidovudine-Containing Antiretroviral Regime. <i>Clinical Infectious Diseases</i> , 2003, 37, e109-e111.	2.9	27
276	Cytotoxic T-cell recognition of HIV-1 cross-clade and clade-specific epitopes in HIV-1-infected Thai and Japanese patients. <i>Aids</i> , 2002, 16, 701-711.	1.0	26
277	Rapid and Simple Phenotypic Assay for Drug Susceptibility of Human Immunodeficiency Virus Type 1 Using CCR5-Expressing HeLa/CD4 + Cell Clone 1-10 (MAGIC-5). <i>Antimicrobial Agents and Chemotherapy</i> , 2001, 45, 495-501.	1.4	86
278	Diagnosis and Monitoring of Human Cytomegalovirus Diseases in Patients with Human Immunodeficiency Virus Infection by Use of a Real-time PCR Assay. <i>Clinical Infectious Diseases</i> , 2001, 33, 1756-1761.	2.9	19
279	Augmentation of Human Immunodeficiency Virus Type 1 Subtype E (CRF01_AE) Multiple-Drug Resistance by Insertion of a Foreign 11-Amino-Acid Fragment into the Reverse Transcriptase. <i>Journal of Virology</i> , 2001, 75, 5604-5613.	1.5	30
280	Identification of multiple HIV-1 CTL epitopes presented by HLA-B*5101 molecules. <i>Human Immunology</i> , 1999, 60, 177-186.	1.2	45
281	Detection of <i>Toxoplasma gondii</i> , Epstein-Barr Virus, and JC Virus DNAs in the Cerebrospinal Fluid in Acquired Immunodeficiency Syndrome Patients with Focal Central Nervous System Complications. <i>Internal Medicine</i> , 1999, 38, 556-562.	0.3	40