Elisabetta Affabris

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/68384/publications.pdf

Version: 2024-02-01

430874 377865 1,246 37 18 34 citations h-index g-index papers 37 37 37 1832 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	Exosomes from Human Immunodeficiency Virus Type 1 (HIV-1)-Infected Cells License Quiescent CD4 «sup>+«/sup> T Lymphocytes To Replicate HIV-1 through a Nef- and ADAM17-Dependent Mechanism. Journal of Virology, 2014, 88, 11529-11539.	3.4	140
2	HIV-1 Nef Induces the Release of Inflammatory Factors from Human Monocyte/Macrophages: Involvement of Nef Endocytotic Signals and NF-ήB Activation. Journal of Immunology, 2003, 170, 1716-1727.	0.8	124
3	Review: IRF-1 as a Negative Regulator of Cell Proliferation. Journal of Interferon and Cytokine Research, 2002, 22, 39-47.	1.2	106
4	A full-length murine 2-5A synthetase cDNA transfected in NIH-3T3 cells impairs EMCV but not VSV replication. Virology, 1990, 179, 228-233.	2.4	103
5	HIV-1 Nef activates STAT1 in human monocytes/macrophages through the release of soluble factors. Blood, 2001, 98, 2752-2761.	1.4	92
6	Nongenomic effects of thyroid hormones on the immune system cells: New targets, old players. Steroids, 2012, 77, 988-995.	1.8	90
7	Thyroid Hormones Interaction With Immune Response, Inflammation and Non-thyroidal Illness Syndrome. Frontiers in Cell and Developmental Biology, 2020, 8, 614030.	3.7	62
8	In Vitro Treatment of Human Monocytes/Macrophages with Myristoylated Recombinant Nef of Human Immunodeficiency Virus Type 1 Leads to the Activation of Mitogen-Activated Protein Kinases, Il® Kinases, and Interferon Regulatory Factor 3 and to the Release of Beta Interferon. Journal of Virology, 2007, 81, 2777-2791.	3.4	51
9	Human immunodeficiency virus type 1 (HIV-1) Nef activates STAT3 in primary human monocyte/macrophages through the release of soluble factors: involvement of Nef domains interacting with the cell endocytotic machinery. Journal of Leukocyte Biology, 2003, 74, 821-832.	3.3	47
10	Interferon-β Induces Cellular Senescence in Cutaneous Human Papilloma Virus-Transformed Human Keratinocytes by Affecting p53 Transactivating Activity. PLoS ONE, 2012, 7, e36909.	2.5	36
11	HIV-1 Nef Induces Proinflammatory State in Macrophages through Its Acidic Cluster Domain: Involvement of TNF Alpha Receptor Associated Factor 2. PLoS ONE, 2011, 6, e22982.	2.5	36
12	The Role of Extracellular Vesicles as Allies of HIV, HCV and SARS Viruses. Viruses, 2020, 12, 571.	3.3	35
13	INTERACTIONS OF INTERFERON WITH IN VITRO MODEL SYSTEMS INVOLVED IN HEMATOPOIETIC CELL DIFFERENTIATION. Annals of the New York Academy of Sciences, 1980, 350, 279-293.	3.8	32
14	Astrocytes contacting HIVâ€1â€infected macrophages increase the release of CCL2 in response to the HIVâ€1â€dependent enhancement of membraneâ€associated TNFα in macrophages. Glia, 2010, 58, 1893-1904.	4.9	29
15	HMGB1 and Cord Blood: Its Role as Immuno-Adjuvant Factor in Innate Immunity. PLoS ONE, 2011, 6, e23766.	2.5	28
16	<i>In vivo</i> antitumor effect of an intracellular singleâ€chain antibody fragment against the E7 oncoprotein of human papillomavirus 16. International Journal of Cancer, 2014, 134, 2742-2747.	5.1	27
17	Interferon- \hat{I}^2 induces S phase slowing via up-regulated expression of PML in squamous carcinoma cells. Oncogene, 2000, 19, 5041-5053.	5.9	24
18	A novel intracellular antibody against the E6 oncoprotein impairs growth of human papillomavirus 16-positive tumor cells in mouse models. Oncotarget, 2016, 7, 15539-15553.	1.8	23

#	Article	IF	Citations
19	Staphylococcus aureus Esx Factors Control Human Dendritic Cell Functions Conditioning Th1/Th17 Response. Frontiers in Cellular and Infection Microbiology, 2017, 7, 330.	3.9	21
20	Antiproliferative activity of interferon \hat{l}_{\pm} and retinoic acid in SiHa carcinoma cells: The role of cell adhesion., 1998, 76, 531-540.		19
21	TRAIL is a key target in S-phase slowing-dependent apoptosis induced by interferon- \hat{l}^2 in cervical carcinoma cells. Oncogene, 2005, 24, 2536-2546.	5.9	17
22	Nef, the shuttling molecular adaptor of HIV, influences the cytokine network. Cytokine and Growth Factor Reviews, 2015, 26, 159-173.	7.2	16
23	Role of the Microenvironment in Tumourigenesis: Focus on Virus-Induced Tumors. Current Medicinal Chemistry, 2015, 22, 958-974.	2.4	15
24	HIV-1 Myristoylated Nef Treatment of Murine Microglial Cells Activates Inducible Nitric Oxide Synthase, NO2 Production and Neurotoxic Activity. PLoS ONE, 2015, 10, e0130189.	2.5	14
25	The involvement of plasmacytoid cells in HIV infection and pathogenesis. Cytokine and Growth Factor Reviews, 2018, 40, 77-89.	7.2	14
26	Interferons- $\hat{l}\pm/\hat{l}^2$ - and - \hat{l}^3 -Resistant Friend Cell Variants Exhibiting Receptor Sites for Interferons but No Induction of 2-5A Synthetase and 67K Protein Kinase. Journal of Interferon Research, 1988, 8, 113-127.	1.2	13
27	2′,5′-Oligoadenylate Synthetase-Uninducible Alpha/Beta-Interferon-Resistant Friend Cells Develop an Antiviral State when Permeabilized with Lysolecithin and Treated with 2′,5′-Oligoadenylate Oligomers. Journal of Interferon Research, 1986, 6, 233-240.	1.2	6
28	Effect of atrial natriuretic peptide on reactive oxygen species-induced by hydrogen peroxide in THP-1 monocytes: Role in cell growth, migration and cytokine release. Peptides, 2013, 50, 100-108.	2.4	6
29	Exogenous Nef Induces Proinflammatory Signaling Events in Murine Macrophages. Viral Immunology, 2012, 25, 117-130.	1.3	5
30	Virus-Induced Tumorigenesis and IFN System. Biology, 2021, 10, 994.	2.8	4
31	Opposite effects of murine interferons on erythroid differentiation of friend cells. Virology, 1988, 167, 185-193.	2.4	3
32	Poly(ADP-ribose) polymerase activity is inhibited by 2',5'-oligoadenylates in mouse L-cells. FEBS Letters, 1989, 258, 163-165.	2.8	3
33	Inhibition by Thyroid Hormones of Cell Migration Activated by IGF-1 and MCP-1 in THP-1 Monocytes: Focus on Signal Transduction Events Proximal to Integrin $\hat{I}\pm v\hat{I}^23$. Frontiers in Cell and Developmental Biology, 2021, 9, 651492.	3.7	3
34	Subcellular distribution of 2′,5′-oligoadenylate synthetase in differentiating Friend leukemia cells. Differentiation, 1985, 29, 136-139.	1.9	1
35	Hemin Inhibits the Interferon- \hat{l}^3 -Induced Antiviral State in Established Cell Lines. Journal of Interferon and Cytokine Research, 1995, 15, 395-402.	1.2	1
36	HIV-1 Nef Transfer and Intracellular Signalling in Uninfected Cells. , 0, , .		0

#	Article	lF	CITATIONS
37	HIV-1 Nef Protein Affects Cytokine and Extracellular Vesicles Production in the GEN2.2 Plasmacytoid Dendritic Cell Line. Viruses, 2022, 14, 74.	3.3	O