

Elisabetta Affabris

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/68384/publications.pdf>

Version: 2024-02-01

37
papers

1,246
citations

430874

18
h-index

377865

34
g-index

37
all docs

37
docs citations

37
times ranked

1832
citing authors

#	ARTICLE	IF	CITATIONS
1	HIV-1 Nef Protein Affects Cytokine and Extracellular Vesicles Production in the GEN2.2 Plasmacytoid Dendritic Cell Line. <i>Viruses</i> , 2022, 14, 74.	3.3	0
2	Inhibition by Thyroid Hormones of Cell Migration Activated by IGF-1 and MCP-1 in THP-1 Monocytes: Focus on Signal Transduction Events Proximal to Integrin α 2 β 3. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 651492.	3.7	3
3	Virus-Induced Tumorigenesis and IFN System. <i>Biology</i> , 2021, 10, 994.	2.8	4
4	Thyroid Hormones Interaction With Immune Response, Inflammation and Non-thyroidal Illness Syndrome. <i>Frontiers in Cell and Developmental Biology</i> , 2020, 8, 614030.	3.7	62
5	The Role of Extracellular Vesicles as Allies of HIV, HCV and SARS Viruses. <i>Viruses</i> , 2020, 12, 571.	3.3	35
6	The involvement of plasmacytoid cells in HIV infection and pathogenesis. <i>Cytokine and Growth Factor Reviews</i> , 2018, 40, 77-89.	7.2	14
7	Staphylococcus aureus Esx Factors Control Human Dendritic Cell Functions Conditioning Th1/Th17 Response. <i>Frontiers in Cellular and Infection Microbiology</i> , 2017, 7, 330.	3.9	21
8	A novel intracellular antibody against the E6 oncoprotein impairs growth of human papillomavirus 16-positive tumor cells in mouse models. <i>Oncotarget</i> , 2016, 7, 15539-15553.	1.8	23
9	HIV-1 Myristoylated Nef Treatment of Murine Microglial Cells Activates Inducible Nitric Oxide Synthase, NO ₂ Production and Neurotoxic Activity. <i>PLoS ONE</i> , 2015, 10, e0130189.	2.5	14
10	Nef, the shuttling molecular adaptor of HIV, influences the cytokine network. <i>Cytokine and Growth Factor Reviews</i> , 2015, 26, 159-173.	7.2	16
11	Role of the Microenvironment in Tumorigenesis: Focus on Virus-Induced Tumors. <i>Current Medicinal Chemistry</i> , 2015, 22, 958-974.	2.4	15
12	<i>In vivo</i> antitumor effect of an intracellular single-chain antibody fragment against the E7 oncoprotein of human papillomavirus 16. <i>International Journal of Cancer</i> , 2014, 134, 2742-2747.	5.1	27
13	Exosomes from Human Immunodeficiency Virus Type 1 (HIV-1)-Infected Cells License Quiescent CD4 ⁺ T Lymphocytes To Replicate HIV-1 through a Nef- and ADAM17-Dependent Mechanism. <i>Journal of Virology</i> , 2014, 88, 11529-11539.	3.4	140
14	Effect of atrial natriuretic peptide on reactive oxygen species-induced by hydrogen peroxide in THP-1 monocytes: Role in cell growth, migration and cytokine release. <i>Peptides</i> , 2013, 50, 100-108.	2.4	6
15	Exogenous Nef Induces Proinflammatory Signaling Events in Murine Macrophages. <i>Viral Immunology</i> , 2012, 25, 117-130.	1.3	5
16	Nongenomic effects of thyroid hormones on the immune system cells: New targets, old players. <i>Steroids</i> , 2012, 77, 988-995.	1.8	90
17	Interferon- β Induces Cellular Senescence in Cutaneous Human Papilloma Virus-Transformed Human Keratinocytes by Affecting p53 Transactivating Activity. <i>PLoS ONE</i> , 2012, 7, e36909.	2.5	36
18	HIV-1 Nef Induces Proinflammatory State in Macrophages through Its Acidic Cluster Domain: Involvement of TNF Alpha Receptor Associated Factor 2. <i>PLoS ONE</i> , 2011, 6, e22982.	2.5	36

#	ARTICLE	IF	CITATIONS
19	HMGB1 and Cord Blood: Its Role as Immuno-Adjuvant Factor in Innate Immunity. PLoS ONE, 2011, 6, e23766.	2.5	28
20	Astrocytes contacting HIV-1-infected macrophages increase the release of CCL2 in response to the HIV-1-dependent enhancement of membrane-associated TNF α in macrophages. Glia, 2010, 58, 1893-1904.	4.9	29
21	In Vitro Treatment of Human Monocytes/Macrophages with Myristoylated Recombinant Nef of Human Immunodeficiency Virus Type 1 Leads to the Activation of Mitogen-Activated Protein Kinases, I κ B Kinases, and Interferon Regulatory Factor 3 and to the Release of Beta Interferon. Journal of Virology, 2007, 81, 2777-2791.	3.4	51
22	TRAIL is a key target in S-phase slowing-dependent apoptosis induced by interferon- β in cervical carcinoma cells. Oncogene, 2005, 24, 2536-2546.	5.9	17
23	Human immunodeficiency virus type 1 (HIV-1) Nef activates STAT3 in primary human monocyte/macrophages through the release of soluble factors: involvement of Nef domains interacting with the cell endocytotic machinery. Journal of Leukocyte Biology, 2003, 74, 821-832.	3.3	47
24	HIV-1 Nef Induces the Release of Inflammatory Factors from Human Monocyte/Macrophages: Involvement of Nef Endocytotic Signals and NF- κ B Activation. Journal of Immunology, 2003, 170, 1716-1727.	0.8	124
25	Review: IRF-1 as a Negative Regulator of Cell Proliferation. Journal of Interferon and Cytokine Research, 2002, 22, 39-47.	1.2	106
26	HIV-1 Nef activates STAT1 in human monocytes/macrophages through the release of soluble factors. Blood, 2001, 98, 2752-2761.	1.4	92
27	Interferon- β induces S phase slowing via up-regulated expression of PML in squamous carcinoma cells. Oncogene, 2000, 19, 5041-5053.	5.9	24
28	Antiproliferative activity of interferon α and retinoic acid in SiHa carcinoma cells: The role of cell adhesion. , 1998, 76, 531-540.		19
29	Hemin Inhibits the Interferon- β -Induced Antiviral State in Established Cell Lines. Journal of Interferon and Cytokine Research, 1995, 15, 395-402.	1.2	1
30	A full-length murine 2-5A synthetase cDNA transfected in NIH-3T3 cells impairs EMCV but not VSV replication. Virology, 1990, 179, 228-233.	2.4	103
31	Poly(ADP-ribose) polymerase activity is inhibited by 2',5'-oligoadenylates in mouse L-cells. FEBS Letters, 1989, 258, 163-165.	2.8	3
32	Opposite effects of murine interferons on erythroid differentiation of friend cells. Virology, 1988, 167, 185-193.	2.4	3
33	Interferons- α / β - and - γ -Resistant Friend Cell Variants Exhibiting Receptor Sites for Interferons but No Induction of 2-5A Synthetase and 67K Protein Kinase. Journal of Interferon Research, 1988, 8, 113-127.	1.2	13
34	2 α ,5 α -Oligoadenylate Synthetase-Uninducible Alpha/Beta-Interferon-Resistant Friend Cells Develop an Antiviral State when Permeabilized with Lysolecithin and Treated with 2 α ,5 α -Oligoadenylate Oligomers. Journal of Interferon Research, 1986, 6, 233-240.	1.2	6
35	Subcellular distribution of 2 α ,5 α -oligoadenylate synthetase in differentiating Friend leukemia cells. Differentiation, 1985, 29, 136-139.	1.9	1
36	INTERACTIONS OF INTERFERON WITH IN VITRO MODEL SYSTEMS INVOLVED IN HEMATOPOIETIC CELL DIFFERENTIATION. Annals of the New York Academy of Sciences, 1980, 350, 279-293.	3.8	32

#	ARTICLE	IF	CITATIONS
37	HIV-1 Nef Transfer and Intracellular Signalling in Uninfected Cells. , 0, , .		0