
Anthony J Richardson

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6840504/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Regional variation in anthropogenic threats to Indian Ocean whale sharks. Global Ecology and Conservation, 2022, 33, e01961. | 2.1 | 5 |
| 2 | Uses of molecular taxonomy in identifying phytoplankton communities from the Continuous Plankton Recorder Survey. , 2022, , 47-79. | | 2 |
| 3 | Flexibility for fuelling reproduction in a pelagic ray (Mobula eregoodoo) suggested by bioenergetic modelling. Journal of Fish Biology, 2022, , . | 1.6 | 1 |
| 4 | Towards climate-smart, three-dimensional protected areas for biodiversity conservation in the high seas. Nature Climate Change, 2022, 12, 402-407. | 18.8 | 20 |
| 5 | The Mortality/Growth ratio of larval fish and the slope of the zooplankton sizeâ€ s pectrum. Fish and Fisheries, 2022, 23, 750-757. | 5.3 | 5 |
| 6 | Global collision-risk hotspots of marine traffic and the world's largest fish, the whale shark. Proceedings of the National Academy of Sciences of the United States of America, 2022, 119, e2117440119. | 7.1 | 26 |
| 7 | Cleaner Fish Labroides dimidiatus Presence Does Not Indirectly Affect Demersal Zooplankton. Frontiers in Marine Science, 2022, 9, . | 2.5 | 2 |
| 8 | Copepods and mixotrophic Rhizaria dominate zooplankton abundances in the oligotrophic Indian Ocean. Deep-Sea Research Part II: Topical Studies in Oceanography, 2022, 202, 105136. | 1.4 | 3 |
| 9 | A global horizon scan of issues impacting marine and coastal biodiversity conservation. Nature Ecology and Evolution, 2022, 6, 1262-1270. | 7.8 | 27 |
| 10 | Modelling the distribution of larval fish in a western boundary current using a multi-voyage database. Reviews in Fish Biology and Fisheries, 2021, 31, 399-415. | 4.9 | 7 |
| 11 | Mutualism promotes site selection in a large marine planktivore. Ecology and Evolution, 2021, 11, 5606-5623. | 1.9 | 11 |
| 12 | New observations on the large hemidiscoid diatom <i>Palmerina ostenfeldii</i> and its symbiotic ciliate <i>Vaginicola collariforma</i> sp. nov <i>.</i> from subtropical Australian waters. Diatom Research, 2021, 36, 75-91. | 1.2 | 1 |
| 13 | Global warming is causing a more pronounced dip in marine species richness around the equator. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, . | 7.1 | 125 |
| 14 | Potential future climate-induced shifts in marine fish larvae and harvested fish communities in the subtropical southwestern Atlantic Ocean. Climatic Change, 2021, 165, 1. | 3.6 | 3 |
| 15 | Perceived global increase in algal blooms is attributable to intensified monitoring and emerging bloom impacts. Communications Earth & Environment, 2021, 2, . | 6.8 | 185 |
| 16 | Movement ecology of black marlin <scp> <i>Istiompax indica</i> </scp> in the Western Indian Ocean. Journal of Fish Biology, 2021, 99, 1044-1059. | 1.6 | 5 |
| 17 | Testing Bergmann's rule in marine copepods. Ecography, 2021, 44, 1283-1295. | 4.5 | 28 |
| 18 | Reef manta rays forage on tidally driven, high density zooplankton patches in Hanifaru Bay, Maldives. Peerl. 2021. 9. e11992. | 2.0 | 13 |

| # | Article | IF | CITATIONS |
|----|--|-------------------|-----------------------|
| 19 | Incorporating climate velocity into the design of climateâ€smart networks of marine protected areas. Methods in Ecology and Evolution, 2021, 12, 1969-1983. | 5.2 | 22 |
| 20 | Disentangling diverse responses to climate change among global marine ecosystem models. Progress in Oceanography, 2021, 198, 102659. | 3.2 | 42 |
| 21 | Next-generation ensemble projections reveal higher climate risks for marine ecosystems. Nature Climate Change, 2021, 11, 973-981. | 18.8 | 96 |
| 22 | A functional size-spectrum model of the global marine ecosystem that resolves zooplankton composition. Ecological Modelling, 2020, 435, 109265. | 2.5 | 44 |
| 23 | A database of zooplankton biomass in Australian marine waters. Scientific Data, 2020, 7, 297. | 5.3 | 1 |
| 24 | Satellite Tagging and Photographic Identification Reveal Connectivity Between Two UNESCO World Heritage Areas for Reef Manta Rays. Frontiers in Marine Science, 2020, 7, . | 2.5 | 11 |
| 25 | The marine planktonic dinoflagellate Tripos: 60 years of species-level distributions in Australian waters. Australian Systematic Botany, 2020, , . | 0.9 | 2 |
| 26 | The geographic distribution of reef and oceanic manta rays (<scp><i>Mobula alfredi</i></scp> and) Tj ETQq0 0 835-840. | 0 rgBT /Ov 1.6 | verlock 10 Tf 5 16 |
| 27 | Climate velocity reveals increasing exposure of deep-ocean biodiversity to future warming. Nature Climate Change, 2020, 10, 576-581. | 18.8 | 99 |
| 28 | Global Warming Impacts Micro-Phytoplankton at a Long-Term Pacific Ocean Coastal Station. Frontiers in Marine Science, 2020, 7, . | 2.5 | 17 |
| 29 | Enhanced assessment of the eReefs biogeochemical model for the Great Barrier Reef using the Concept/State/Process/System model evaluation framework. Environmental Modelling and Software, 2020, 129, 104707. | 4.5 | 8 |
| 30 | A Global Plankton Diversity Monitoring Program. Frontiers in Marine Science, 2019, 6, . | 2.5 | 57 |
| 31 | Severe Continental-Scale Impacts of Climate Change Are Happening Now: Extreme Climate Events Impact Marine Habitat Forming Communities Along 45% of Australia's Coast. Frontiers in Marine Science, 2019, 6, . | 2.5 | 106 |
| 32 | Powering Ocean Giants: The Energetics of Shark and Ray Megafauna. Trends in Ecology and Evolution, 2019, 34, 1009-1021. | 8.7 | 31 |
| 33 | Photographic identification and citizen science combine to reveal long distance movements of individual reef manta rays Mobula alfredi along Australia's east coast. Marine Biodiversity Records, 2019, 12, . | 1.2 | 35 |
| 34 | Sea animals are more vulnerable to warming than are land ones. Nature, 2019, 569, 50-51. | 27.8 | 6 |
| 35 | Future recovery of baleen whales is imperiled by climate change. Global Change Biology, 2019, 25, 1263-1281. | 9.5 | 101 |
| 36 | DNA metabarcoding assays reveal a diverse prey assemblage for <i>Mobula</i> rays in the Bohol Sea, Philippines. Ecology and Evolution, 2019, 9, 2459-2474. | 1.9 | 20 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Marine environmental DNA biomonitoring reveals seasonal patterns in biodiversity and identifies ecosystem responses to anomalous climatic events. PLoS Genetics, 2019, 15, e1007943. | 3.5 | 112 |
| 38 | Australia's Long-Term Plankton Observations: The Integrated Marine Observing System National Reference Station Network. Frontiers in Marine Science, 2019, 6, . | 2.5 | 33 |
| 39 | Rapid wound healing in a reef manta ray masks the extent of vessel strike. PLoS ONE, 2019, 14, e0225681. | 2.5 | 28 |
| 40 | Simulated nutrient and plankton dynamics in the Great Barrier Reef (2011–2016). Journal of Marine Systems, 2019, 192, 51-74. | 2.1 | 31 |
| 41 | Siphonophores from surface waters of the Colombian Pacific Ocean. Journal of the Marine Biological Association of the United Kingdom, 2019, 99, 67-80. | 0.8 | 5 |
| 42 | A database of chlorophyll a in Australian waters. Scientific Data, 2018, 5, 180018. | 5.3 | 14 |
| 43 | Climate Velocity Can Inform Conservation in a Warming World. Trends in Ecology and Evolution, 2018, 33, 441-457. | 8.7 | 124 |
| 44 | Ecosystem modelling to quantify the impact of historical whaling on Southern Hemisphere baleen whales. Fish and Fisheries, 2018, 19, 117-137. | 5.3 | 45 |
| 45 | A database of marine larval fish assemblages in Australian temperate and subtropical waters. Scientific Data, 2018, 5, 180207. | 5.3 | 14 |
| 46 | Small copepods could channel missing carbon through metazoan predation. Ecology and Evolution, 2018, 8, 10868-10878. | 1.9 | 9 |
| 47 | Research Priorities to Support Effective Manta and Devil Ray Conservation. Frontiers in Marine Science, 2018, 5, . | 2.5 | 116 |
| 48 | Beyond Chlorophyll Fluorescence: The Time is Right to Expand Biological Measurements in Ocean Observing Programs. Limnology and Oceanography Bulletin, 2018, 27, 89-90. | 0.4 | 25 |
| 49 | Efficiently enforcing artisanal fisheries to protect estuarine biodiversity. Ecological Applications, 2018, 28, 1450-1458. | 3.8 | 5 |
| 50 | BioTIME: A database of biodiversity time series for the Anthropocene. Global Ecology and Biogeography, 2018, 27, 760-786. | 5.8 | 289 |
| 51 | Use of epidermal mucus in elasmobranch stable isotope studies: a pilot study using the giant manta ray (Manta birostris). Marine and Freshwater Research, 2018, 69, 336. | 1.3 | 10 |
| 52 | Systematic, continental scale temporal monitoring of marine pelagic microbiota by the Australian Marine Microbial Biodiversity Initiative. Scientific Data, 2018, 5, 180130. | 5.3 | 41 |
| 53 | Novel signature fatty acid profile of the giant manta ray suggests reliance on an uncharacterised mesopelagic food source low in polyunsaturated fatty acids. PLoS ONE, 2018, 13, e0186464. | 2.5 | 7 |
| 54 | Variation in occupancy and habitat use of Mobula alfredi at a major aggregation site. Marine Ecology - Progress Series, 2018, 599, 125-145. | 1.9 | 60 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Satellite tagging highlights the importance of productive Mozambican coastal waters to the ecology and conservation of whale sharks. PeerJ, 2018, 6, e4161. | 2.0 | 41 |
| 56 | From Bacteria to Whales: Using Functional Size Spectra to Model Marine Ecosystems. Trends in Ecology and Evolution, 2017, 32, 174-186. | 8.7 | 170 |
| 57 | Mobulid rays feed on euphausiids in the Bohol Sea. Royal Society Open Science, 2017, 4, 161060. | 2.4 | 58 |
| 58 | A historical and contemporary consideration of the diet of the reef manta ray (Manta alfredi) from the Great Barrier Reef, Australia. Marine and Freshwater Research, 2017, 68, 993. | 1.3 | 8 |
| 59 | <scp>DNA</scp> metabarcoding for diet analysis and biodiversity: A case study using the endangered Australian sea lion (<i>Neophoca cinerea</i>). Ecology and Evolution, 2017, 7, 5435-5453. | 1.9 | 120 |
| 60 | World Scientists' Warning to Humanity: A Second Notice. BioScience, 2017, 67, 1026-1028. | 4.9 | 817 |
| 61 | Modeling What We Sample and Sampling What We Model: Challenges for Zooplankton Model Assessment. Frontiers in Marine Science, 2017, 4, . | 2.5 | 46 |
| 62 | Aspergillus Sydowii Marine Fungal Bloom in Australian Coastal Waters, Its Metabolites and Potential Impact on Symbiodinium Dinoflagellates. Marine Drugs, 2016, 14, 59. | 4.6 | 27 |
| 63 | Responses of Marine Organisms to Climate Change across Oceans. Frontiers in Marine Science, 2016, 3, | 2.5 | 624 |
| 64 | Zooplankton Are Not Fish: Improving Zooplankton Realism in Size-Spectrum Models Mediates Energy Transfer in Food Webs. Frontiers in Marine Science, 2016, 3, . | 2.5 | 39 |
| 65 | Ecological and methodological drivers of species' distribution and phenology responses to climate change. Global Change Biology, 2016, 22, 1548-1560. | 9.5 | 162 |
| 66 | <i>Manta birostris</i> , predator of the deep? Insight into the diet of the giant manta ray through stable isotope analysis. Royal Society Open Science, 2016, 3, 160717. | 2.4 | 46 |
| 67 | Anticyclonic eddies are more productive than cyclonic eddies in subtropical gyres because of winter mixing. Science Advances, 2016, 2, e1600282. | 10.3 | 136 |
| 68 | Integrating modelling of biodiversity composition and ecosystem function. Oikos, 2016, 125, 10-19. | 2.7 | 32 |
| 69 | Rethinking the Role of Salps in the Ocean. Trends in Ecology and Evolution, 2016, 31, 720-733. | 8.7 | 150 |
| 70 | A database of marine phytoplankton abundance, biomass and species composition in Australian waters. Scientific Data, 2016, 3, 160043. | 5.3 | 22 |
| 71 | Climate velocity and the future global redistribution of marine biodiversity. Nature Climate Change, 2016, 6, 83-88. | 18.8 | 405 |
| 72 | The Contrasting Ecology of Temperate Macrotidal and Microtidal Estuaries. Oceanography and Marine Biology, 2016, , 387-412. | 1.0 | 17 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 73 | Prey Density Threshold and Tidal Influence on Reef Manta Ray Foraging at an Aggregation Site on the Great Barrier Reef. PLoS ONE, 2016, 11, e0153393. | 2.5 | 73 |
| 74 | Unique Sequence of Events Triggers Manta Ray Feeding Frenzy in the Southern Great Barrier Reef, Australia. Remote Sensing, 2015, 7, 3138-3152. | 4.0 | 27 |
| 75 | Whale sharks target dense prey patches of sergestid shrimp off Tanzania. Journal of Plankton Research, 2015, 37, 352-362. | 1.8 | 82 |
| 76 | Relationships among fisheries exploitation, environmental conditions, and ecological indicators across a series of marine ecosystems. Journal of Marine Systems, 2015, 148, 101-111. | 2.1 | 42 |
| 77 | Levels of arsenic, cadmium, lead and mercury in the branchial plate and muscle tissue of mobulid rays. Marine Pollution Bulletin, 2015, 94, 251-259. | 5.0 | 24 |
| 78 | Strengthening confidence in climate change impact science. Global Ecology and Biogeography, 2015, 24, 64-76. | 5.8 | 45 |
| 79 | Climate variability drives plankton community composition changes: the 2010–2011 El Niño to La Niña transition around Australia. Journal of Plankton Research, 2015, 37, 966-984. | 1.8 | 20 |
| 80 | Trailing edges projected to move faster than leading edges for large pelagic fish habitats under climate change. Deep-Sea Research Part II: Topical Studies in Oceanography, 2015, 113, 225-234. | 1.4 | 49 |
| 81 | Laser photogrammetry improves size and demographic estimates for whale sharks. PeerJ, 2015, 3, e886. | 2.0 | 40 |
| 82 | Australian Dust Storm Associated with Extensive Aspergillus sydowii Fungal "Bloom―in Coastal Waters. Applied and Environmental Microbiology, 2014, 80, 3315-3320. | 3.1 | 31 |
| 83 | Dangerous jellyfish blooms are predictable. Journal of the Royal Society Interface, 2014, 11, 20131168. | 3.4 | 21 |
| 84 | Over 75 years of zooplankton data from Australia. Ecology, 2014, 95, 3229-3229. | 3.2 | 11 |
| 85 | Demography and interannual variability of salp swarms (Thalia democratica). Marine Biology, 2014, 161, 149-163. | 1.5 | 20 |
| 86 | Geographical limits to species-range shifts are suggested by climate velocity. Nature, 2014, 507, 492-495. | 27.8 | 436 |
| 87 | Population dynamics of the reef manta ray Manta alfredi in eastern Australia. Coral Reefs, 2014, 33, 329-342. | 2.2 | 70 |
| 88 | Tropical Marginal Seas: Priority Regions for Managing Marine Biodiversity and Ecosystem Function. Annual Review of Marine Science, 2014, 6, 415-437. | 11.6 | 14 |
| 89 | Re-assessing copepod growth using the Moult Rate method. Journal of Plankton Research, 2014, 36, 1224-1232. | 1.8 | 9 |
| 90 | From silk to satellite: half a century of ocean colour anomalies in the Northeast Atlantic. Global Change Biology, 2014, 20, 2117-2123. | 9.5 | 29 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 91 | Interactions between global and local stressors of ecosystems determine management effectiveness in cumulative impact mapping. Diversity and Distributions, 2014, 20, 538-546. | 4.1 | 111 |
| 92 | Impact of eddies on surface chlorophyll in the South Indian Ocean. Journal of Geophysical Research: Oceans, 2014, 119, 8061-8077. | 2.6 | 79 |
| 93 | IMOS National Reference Stations: A Continental-Wide Physical, Chemical and Biological Coastal Observing System. PLoS ONE, 2014, 9, e113652. | 2.5 | 81 |
| 94 | Movements and habitat use of reef manta rays off eastern Australia: offshore excursions, deep diving and eddy affinity revealed by satellite telemetry. Marine Ecology - Progress Series, 2014, 510, 73-86. | 1.9 | 126 |
| 95 | Four degrees of global warming: Australia in a hot world. Choice Reviews, 2014, 51, 51-6767-51-6767. | 0.2 | 0 |
| 96 | Global imprint of climate change on marine life. Nature Climate Change, 2013, 3, 919-925. | 18.8 | 1,602 |
| 97 | Biology and Ecology of Irukandji Jellyfish (Cnidaria: Cubozoa). Advances in Marine Biology, 2013, 66, 1-85. | 1.4 | 27 |
| 98 | Unusually High Levels of nâ€6 Polyunsaturated Fatty Acids in Whale Sharks and Reef Manta Rays. Lipids, 2013, 48, 1029-1034. | 1.7 | 31 |
| 99 | Trends in sightings and environmental influences on a coastal aggregation of manta rays and whaleÂsharks. Marine Ecology - Progress Series, 2013, 482, 153-168. | 1.9 | 114 |
| 100 | Beyond climate change attribution in conservation and ecological research. Ecology Letters, 2013, 16, 58-71. | 6.4 | 167 |
| 101 | Can satellite-based night lights be used for conservation? The case of nesting sea turtles in the Mediterranean. Biological Conservation, 2013, 159, 63-72. | 4.1 | 86 |
| 102 | Beyond the jellyfish joyride and global oscillations: advancing jellyfish research. Journal of Plankton Research, 2013, 35, 929-938. | 1.8 | 76 |
| 103 | The Coral Sea. Advances in Marine Biology, 2013, 66, 213-290. | 1.4 | 51 |
| 104 | Mystery of giant rays off the Gaza strip solved. Oryx, 2013, 47, 480-480. | 1.0 | 5 |
| 105 | Diet of whale sharks Rhincodon typus inferred from stomach content and signature fatty acid analyses. Marine Ecology - Progress Series, 2013, 493, 219-235. | 1.9 | 75 |
| 106 | Managing for Interactions between Local and Global Stressors of Ecosystems. PLoS ONE, 2013, 8, e65765. | 2.5 | 217 |
| 107 | Stable Isotope and Signature Fatty Acid Analyses Suggest Reef Manta Rays Feed on Demersal Zooplankton. PLoS ONE, 2013, 8, e77152. | 2.5 | 99 |
| 108 | No evidence of predation causing female-biased sex ratios in marine pelagic copepods. Marine Ecology - Progress Series, 2013, 482, 279-298. | 1.9 | 28 |

| # | Article | IF | CITATIONS |
|-----|---|------------------|-------------------|
| 109 | Female-biased sex ratios in marine pelagic copepods: Response to Hirst et al. (2013). Marine Ecology - Progress Series, 2013, 489, 299-301. | 1.9 | 0 |
| 110 | Climate-driven range expansion of the red-tide dinoflagellate Noctiluca scintillans into the Southern Ocean. Journal of Plankton Research, 2012, 34, 332-337. | 1.8 | 69 |
| 111 | Climate change and marine life. Biology Letters, 2012, 8, 907-909. | 2.3 | 60 |
| 112 | Invasive Species Unchecked by Climate—Response. Science, 2012, 335, 538-539. | 12.6 | 3 |
| 113 | Comparison of the shell structure of two tropical Thecosomata (Creseis acicula and Diacavolinia) Tj ETQq1 1 0.78 of Marine Science, 2012, 69, 465-474. | 4314 rgB1 2.5 | ۲ /Overlock 24 |
| 114 | Workshop on the ecosystem and fisheries of the Coral Sea: an Australian perspective on research and management. Reviews in Fish Biology and Fisheries, 2012, 22, 827-834. | 4.9 | 8 |
| 115 | Global in scope and regionally rich: an IndiSeas workshop helps shape the future of marine ecosystem indicators. Reviews in Fish Biology and Fisheries, 2012, 22, 835-845. | 4.9 | 55 |
| 116 | Temporal and spatial patterns in the abundance of jellyfish in the northern Benguela upwelling ecosystem and their link to thwarted pelagic fishery recovery. African Journal of Marine Science, 2012, 34, 131-146. | 1.1 | 33 |
| 117 | Predicting Interactions among Fishing, Ocean Warming, and Ocean Acidification in a Marine System with Wholeâ€Ecosystem Models. Conservation Biology, 2012, 26, 1145-1152. | 4.7 | 85 |
| 118 | Impacts of gold mine waste disposal on a tropical pelagic ecosystem. Marine Pollution Bulletin, 2012, 64, 2790-2806. | 5.0 | 14 |
| 119 | How long can fisheries management delay action in response to ecosystem and climate change?. Ecological Applications, 2012, 22, 298-310. | 3.8 | 46 |
| 120 | Keep jellyfish numbers in check. Nature, 2012, 483, 158-158. | 27.8 | 7 |
| 121 | When Giants Turn Up: Sighting Trends, Environmental Influences and Habitat Use of the Manta Ray Manta alfredi at a Coral Reef. PLoS ONE, 2012, 7, e46170. | 2.5 | 89 |
| 122 | Changing zooplankton seasonality in a changing ocean: Comparing time series of zooplankton phenology. Progress in Oceanography, 2012, 97-100, 31-62. | 3.2 | 175 |
| 123 | Biology, ecology and conservation of the Mobulidae. Journal of Fish Biology, 2012, 80, 1075-1119. | 1.6 | 213 |
| 124 | Distribution, site affinity and regional movements of the manta ray, Manta alfredi (Krefft, 1868), along the east coast of Australia. Marine and Freshwater Research, 2011, 62, 628. | 1.3 | 117 |
| 125 | The Pace of Shifting Climate in Marine and Terrestrial Ecosystems. Science, 2011, 334, 652-655. | 12.6 | 1,062 |
| 126 | Accommodating Dynamic Oceanographic Processes and Pelagic Biodiversity in Marine Conservation Planning. PLoS ONE, 2011, 6, e16552. | 2.5 | 61 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 127 | Ecosystem-based adaptation in marine ecosystems of tropical Oceania in response to climate change Pacific Conservation Biology, 2011, 17, 241. | 1.0 | 43 |
| 128 | Pushing the limits in marine species distribution modelling: lessons from the land present challenges and opportunities. Global Ecology and Biogeography, 2011, 20, 789-802. | 5.8 | 355 |
| 129 | Effects of fishing and acidificationâ€related benthic mortality on the southeast Australian marine ecosystem. Global Change Biology, 2011, 17, 3058-3074. | 9.5 | 56 |
| 130 | Quantitative approaches in climate change ecology. Global Change Biology, 2011, 17, 3697-3713. | 9.5 | 121 |
| 131 | How large is the world's largest fish? Measuring whale sharks Rhincodon typus with laser photogrammetry. Journal of Fish Biology, 2011, 78, 378-385. | 1.6 | 79 |
| 132 | Little change in the distribution of rocky shore faunal communities on the Australian east coast after 50 years of rapid warming. Journal of Experimental Marine Biology and Ecology, 2011, 400, 145-154. | 1.5 | 45 |
| 133 | Climate change cascades: Shifts in oceanography, species' ranges and subtidal marine community dynamics in eastern Tasmania. Journal of Experimental Marine Biology and Ecology, 2011, 400, 17-32. | 1.5 | 525 |
| 134 | Overstretching attribution. Nature Climate Change, 2011, 1, 2-4. | 18.8 | 137 |
| 135 | Effects of climateâ€driven primary production change on marine food webs: implications for fisheries and conservation. Global Change Biology, 2010, 16, 1194-1212. | 9.5 | 181 |
| 136 | Adaptive strategy recommended for US ocean planning. Nature, 2010, 465, 685-685. | 27.8 | 0 |
| 137 | Ecosystem-based fisheries management requires a change to the selective fishing philosophy. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 9485-9489. | 7.1 | 280 |
| 138 | Pelagic MPAs: The devil you know. Trends in Ecology and Evolution, 2010, 25, 63-64. | 8.7 | 20 |
| 139 | Uniting marine and terrestrial modelling of biodiversity under climate change. Trends in Ecology and Evolution, 2010, 25, 550-551. | 8.7 | 11 |
| 140 | Multi-decadal oceanic ecological datasets and their application in marine policy and management. Trends in Ecology and Evolution, 2010, 25, 602-610. | 8.7 | 134 |
| 141 | Plankton and Climate. , 2009, , 464-472. | | 1 |
| 142 | Patterns of jellyfish abundance in the North Atlantic. Hydrobiologia, 2009, 616, 51-65. | 2.0 | 56 |
| 143 | Allometry and stoichiometry of unicellular, colonial and multicellular phytoplankton. New Phytologist, 2009, 181, 295-309. | 7.3 | 138 |
| 144 | The jellyfish joyride: causes, consequences and management responses to a more gelatinous future. Trends in Ecology and Evolution, 2009, 24, 312-322. | 8.7 | 676 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 145 | Pelagic protected areas: the missing dimension in ocean conservation. Trends in Ecology and Evolution, 2009, 24, 360-369. | 8.7 | 357 |
| 146 | Variability of biological production in low windâ€forced regional upwelling systems: A case study off southeastern Australia. Limnology and Oceanography, 2009, 54, 1548-1558. | 3.1 | 61 |
| 147 | Global database is needed to support adaptation science. Nature, 2008, 453, 720-720. | 27.8 | 4 |
| 148 | In hot water: zooplankton and climate change. ICES Journal of Marine Science, 2008, 65, 279-295. | 2.5 | 647 |
| 149 | Patterns of jellyfish abundance in the North Atlantic. , 2008, , 51-65. | | 4 |
| 150 | Ocean surface warming: The North Atlantic remains within the envelope of previous recorded conditions. Deep-Sea Research Part I: Oceanographic Research Papers, 2008, 55, 155-162. | 1.4 | 18 |
| 151 | A National Reference Station infrastructure for Australia - Using telemetry and central processing to report multi-disciplinary data streams for monitoring marine ecosystem response to climate change. , 2008, , . | | 6 |
| 152 | Listening to the Ocean's Heartbeat. Science, 2008, 322, 1188-1188. | 12.6 | 1 |
| 153 | Under-Resourced, Under Threat. Science, 2008, 320, 1294-1295. | 12.6 | 194 |
| 154 | Identifying four phytoplankton functional types from space: An ecological approach. Limnology and Oceanography, 2008, 53, 605-613. | 3.1 | 103 |
| 155 | Are jellyfish increasing in response to ocean acidification?. Limnology and Oceanography, 2008, 53, 2040-2045. | 3.1 | 33 |
| 156 | Generalised model of primary production in the southern Benguela upwelling system. Marine Ecology - Progress Series, 2008, 354, 59-74. | 1.9 | 20 |
| 157 | Comparative ecology of the copepods <i>Calanoides carinatus</i> and <i>Calanus agulhensis</i> — the influence of temperature and food. African Journal of Marine Science, 2007, 29, 473-490. | 1.1 | 5 |
| 158 | Climate Change and Australian Marine Life. Oceanography and Marine Biology, 2007, , 407-478. | 1.0 | 30 |
| 159 | Climate effects and benthic–pelagic coupling in the North Sea. Marine Ecology - Progress Series, 2007, 330, 31-38. | 1.9 | 112 |
| 160 | Regional climate change and harmful algal blooms in the northeast Atlantic. Limnology and Oceanography, 2006, 51, 820-829. | 3.1 | 190 |
| 161 | From plankton to top predators: bottom-up control of a marine food web across four trophic levels. Journal of Animal Ecology, 2006, 75, 1259-1268. | 2.8 | 444 |
| 162 | Error quantification of a high resolution coupled hydrodynamic-ecosystem coastal-ocean model: Part3, validation with Continuous Plankton Recorder data. Journal of Marine Systems, 2006, 63, 209-224. | 2.1 | 31 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 163 | Using continuous plankton recorder data. Progress in Oceanography, 2006, 68, 27-74. | 3.2 | 309 |
| 164 | Encounter success of free-ranging marine predator movements across a dynamic prey landscape. Proceedings of the Royal Society B: Biological Sciences, 2006, 273, 1195-1201. | 2.6 | 172 |
| 165 | Continuous Plankton Recorder database: evolution, current uses and future directions. Marine Ecology - Progress Series, 2006, 316, 247-255. | 1.9 | 8 |
| 166 | A GENETIC MARKER TO SEPARATE EMILIANIA HUXLEYI (PRYMNESIOPHYCEAE) MORPHOTYPES1. Journal of Phycology, 2005, 41, 874-879. | 2.3 | 67 |
| 167 | What determines the likelihood of species discovery in marine holozooplankton: is size, range or depth important?. Oikos, 2005, 109, 567-576. | 2.7 | 27 |
| 168 | An overview of Calanus helgolandicus ecology in European waters. Progress in Oceanography, 2005, 65, 1-53. | 3.2 | 136 |
| 169 | Climate change and marine plankton. Trends in Ecology and Evolution, 2005, 20, 337-344. | 8.7 | 928 |
| 170 | Extending the SeaWiFS chlorophyll data set back 50 years in the northeast Atlantic. Geophysical Research Letters, 2005, 32, . | 4.0 | 73 |
| 171 | Impact of climate change on marine pelagic phenology and trophic mismatch. Nature, 2004, 430, 881-884. | 27.8 | 1,740 |
| 172 | Climate Impact on Plankton Ecosystems in the Northeast Atlantic. Science, 2004, 305, 1609-1612. | 12.6 | 622 |
| 173 | Long-Term Oceanographic and Ecological Research in the Western English Channel. Advances in Marine Biology, 2004, 47, 1-105. | 1.4 | 251 |
| 174 | How well does the Continuous Plankton Recorder (CPR) sample zooplankton? A comparison with the Longhurst Hardy Plankton Recorder (LHPR) in the northeast Atlantic. Deep-Sea Research Part I: Oceanographic Research Papers, 2004, 51, 1283-1294. | 1.4 | 27 |
| 175 | Ocean climate of the South East Atlantic observed from satellite data and wind models. Progress in Oceanography, 2003, 59, 181-221. | 3.2 | 120 |
| 176 | A dynamic quantitative approach for predicting the shape of phytoplankton profiles in the ocean. Progress in Oceanography, 2003, 59, 301-319. | 3.2 | 17 |
| 177 | Estimating environmental preferences of South African pelagic fish species using catch size- and remote sensing data. Progress in Oceanography, 2003, 59, 275-300. | 3.2 | 75 |
| 178 | Relating sardine recruitment in the Northern Benguela to satellite-derived sea surface height using a neural network pattern recognition approach. Progress in Oceanography, 2003, 59, 241-255. | 3.2 | 43 |
| 179 | Using self-organizing maps to identify patterns in satellite imagery. Progress in Oceanography, 2003, 59, 223-239. | 3.2 | 185 |
| 180 | The Continuous Plankton Recorder: concepts and history, from Plankton Indicator to undulating recorders. Progress in Oceanography, 2003, 58, 117-173. | 3.2 | 241 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 181 | Seasonal movements and behaviour of basking sharks from archival tagging: no evidence of winter hibernation. Marine Ecology - Progress Series, 2003, 248, 187-196. | 1.9 | 193 |
| 182 | Seasonal and event-scale variation in growth of Calanus agulhensis (Copepoda) in the Benguela upwelling system and implications for spawning of sardine Sardinops sagax. Marine Ecology - Progress Series, 2003, 254, 239-251. | 1.9 | 13 |
| 183 | Increased blooms of a dinoflagellate in the NW Atlantic. Marine Ecology - Progress Series, 2003, 265, 283-287. | 1.9 | 28 |
| 184 | Identifying characteristic chlorophyll a profiles in the coastal domain using an artificial neural network. Journal of Plankton Research, 2002, 24, 1289-1303. | 1.8 | 36 |
| 185 | Investigating biotic and abiotic factors affecting the recruitment of an intertidal clam on an exposed sandy beach using a generalized additive model. Journal of Experimental Marine Biology and Ecology, 2002, 276, 67-81. | 1.5 | 62 |
| 186 | Identification and classification of vertical chlorophyll patterns in the Benguela upwelling system and Angola-Benguela front using an artificial neural network. African Journal of Marine Science, 2001, 23, 37-51. | 0.6 | 35 |
| 187 | A review of the biology and ecology of Calanus agulhensis off South Africa. ICES Journal of Marine Science, 2000, 57, 1834-1849. | 2.5 | 30 |
| 188 | Abundance, distribution, morphometrics, reproduction and diet of the Izak catshark. Journal of Fish Biology, 2000, 56, 552-576. | 1.6 | 0 |
| 189 | Growth rates of copepods in the southern Benguela upwelling system: The interplay between body size and food. Limnology and Oceanography, 1999, 44, 382-392. | 3.1 | 49 |
| 190 | Seasonal changes in phytoplankton biomass on the western Agulhas Bank, South Africa. African Journal of Marine Science, 1999, 21, 217-233. | 0.6 | 11 |
| 191 | Environmental and biological monitoring for forecasting anchovy recruitment in the southern Benguela upwelling region. Fisheries Oceanography, 1998, 7, 364-374. | 1.7 | 23 |
| 192 | Multiple factors affecting South African anchovy recruitment in the spawning, transport and nursery areas. African Journal of Marine Science, 1998, 19, 211-225. | 0.6 | 60 |
| 193 | The relative importance of food and temperature to copepod egg production and somatic growth in the southern Benguela upwelling system. Journal of Plankton Research, 1998, 20, 2379-2399. | 1.8 | 54 |
| 194 | Long-term increase in crustacean zooplankton abundance in the southern Benguela upwelling region (1951–1996): bottom-up or top-down control?. ICES Journal of Marine Science, 1998, 55, 803-807. | 2.5 | 50 |
| 195 | Assessment of the food available to Cape anchovy during their spawning season. African Journal of Marine Science, 1997, 18, 113-117. | 0.6 | 3 |
| 196 | The use of sea temperature in characterizing the mesoscale heterogeneity of phytoplankton in an embayment of the southern Benguela upwelling system. Journal of Plankton Research, 1996, 18, 643-657. | 1.8 | 18 |
| 197 | MISSING DIMENSION – Conserving the largest habitat on Earth: protected areas in the pelagic ocean. , 0, , 347-372. | | 5 |
| 198 | The Marine Biodiversity Observation Network Plankton Workshops: Plankton Ecosystem Function, Biodiversity, and Forecasting—Research Requirements and Applications. Limnology and Oceanography Bulletin, 0, , . | 0.4 | 1 |