

Igor Tiago

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6846024/publications.pdf>

Version: 2024-02-01

56
papers

1,830
citations

257450
24
h-index

276875
41
g-index

59
all docs

59
docs citations

59
times ranked

2114
citing authors

#	ARTICLE	IF	CITATIONS
1	Footprints of a microbial toxin from the gut microbiome to mesencephalic mitochondria. Gut, 2023, 72, 73-89.	12.1	22
2	Introducing Petachlorosaceae fam. nov., Petachloros gen. nov. and Petachloros mirabilis sp. nov. (Synechococcales, Cyanobacteria) isolated from a Portuguese UNESCO monument. Journal of Phycology, 2022, , .	2.3	0
3	<i>Parakomarekiella sesnandensis</i> gen. et sp. nov. (Nostocales, Cyanobacteria) isolated from the Old Cathedral of Coimbra, Portugal (UNESCO World Heritage Site). European Journal of Phycology, 2021, 56, 301-315.	2.0	19
4	Bacterial and Archaeal Structural Diversity in Several Biodeterioration Patterns on the Limestone Walls of the Old Cathedral of Coimbra. Microorganisms, 2021, 9, 709.	3.6	20
5	A contribution to understand the Portuguese emblematic Ançã limestone bioreceptivity to fungal colonization and biodeterioration. Journal of Cultural Heritage, 2021, 49, 305-312.	3.3	9
6	The Leaf Bacterial Microbiota of Female and Male Kiwifruit Plants in Distinct Seasons: Assessing the Impact of <i>Pseudomonas syringae</i> pv. <i>actinidiae</i>. Phytobiomes Journal, 2021, 5, 275-287.	2.7	11
7	Potential Use of Carrageenans against the Limestone Proliferation of the Cyanobacterium <i>Parakomarekiella sesnandensis</i>. Applied Sciences (Switzerland), 2021, 11, 10589.	2.5	2
8	Talaromyces saxoxalicus sp. nov., isolated from the limestone walls of the Old Cathedral of Coimbra, Portugal. International Journal of Systematic and Evolutionary Microbiology, 2021, 71, .	1.7	1
9	In vitro analyses of fungi and dolomitic limestone interactions: Bioreceptivity and biodeterioration assessment. International Biodeterioration and Biodegradation, 2020, 155, 105107.	3.9	16
10	High-Quality Draft Genome Sequences of Three Cyanobacteria Isolated from the Limestone Walls of the Old Cathedral of Coimbra, Portugal. Microbiology Resource Announcements, 2020, 9, .	0.6	1
11	Genetic Diversity of <i>Pseudomonas syringae</i> pv. <i>actinidiae</i>: Seasonal and Spatial Population Dynamics. Microorganisms, 2020, 8, 931.	3.6	8
12	Analysis of fungal deterioration phenomena in the first Portuguese King tomb using a multi-analytical approach. International Biodeterioration and Biodegradation, 2020, 149, 104933.	3.9	28
13	Comparative genome sequence analysis of several species in the genus Tepidimonas and the description of a novel species <i>Tepidimonas charontis</i> sp. nov.. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 1596-1604.	1.7	8
14	Limestone biodeterioration: A review on the Portuguese cultural heritage scenario. Journal of Cultural Heritage, 2019, 36, 275-285.	3.3	70
15	<p>Description of Myxacorys almedinensis sp. nov. (Synechococcales,) Tj ETQql 1 0.784314 rgBT /Ov</p>	0.3	13
16	High-Quality Draft Genome Sequences of Rare Nontuberculous Mycobacteria Isolated from Surfaces of a Hospital. Microbiology Resource Announcements, 2019, 8, .	0.6	12
17	Studies of antimicrobial resistance in rare mycobacteria from a nosocomial environment. BMC Microbiology, 2019, 19, 62.	3.3	12
18	Fungal diversity and distribution across distinct biodeterioration phenomena in limestone walls of the old cathedral of Coimbra, UNESCO World Heritage Site. International Biodeterioration and Biodegradation, 2019, 142, 91-102.	3.9	51

#	ARTICLE	IF	CITATIONS
19	High-Quality Draft Genome Sequences of <i>Crenobacter cavernae</i> Strain CAVE-375 and <i>Oxalobacteriaceae</i> sp. Strain CAVE-383, Two Bacteria Isolated from Dripping Water in a Karstic Cave in Portugal. <i>Microbiology Resource Announcements</i> , 2019, 8, .	0.6	0
20	Structural diversity of photoautotrophic populations within the UNESCO site “Old Cathedral of Coimbra” (Portugal), using a combined approach. <i>International Biodeterioration and Biodegradation</i> , 2019, 140, 9-20.	3.9	25
21	High-Quality Draft Genome Sequence of the Microcolonial Black Fungus <i>Aeminium ludgeri</i> DSM 106916. <i>Microbiology Resource Announcements</i> , 2019, 8, .	0.6	6
22	Description of <i>Aeminiaceae</i> fam. nov., <i>Aeminium</i> gen. nov. and <i>Aeminium ludgeri</i> sp. nov. (Capnodiales), isolated from a biodeteriorated art-piece in the Old Cathedral of Coimbra, Portugal. <i>MycoKeys</i> , 2019, 45, 57-73.	1.9	20
23	<i>Soil Microorganisms.</i> , 2018, , 457-482.		2
24	Molecular characterization of putative parasitism genes in the plant-parasitic nematode <i>Meloidogyne hispanica</i>. <i>Journal of Helminthology</i> , 2016, 90, 28-38.	1.0	6
25	Abiotic methane seepage in the Ronda peridotite massif, southern Spain. <i>Applied Geochemistry</i> , 2016, 66, 101-113.	3.0	45
26	Characterization of the venom allergen-like protein (vap-1) and the fatty acid and retinol binding protein (far-1) genes in <i>Meloidogyne hispanica</i> . <i>European Journal of Plant Pathology</i> , 2014, 139, 825-836.	1.7	14
27	Microbial and functional diversity of a subterrestrial high <scp>pH</scp> groundwater associated to serpentinzation. <i>Environmental Microbiology</i> , 2013, 15, 1687-1706.	3.8	136
28	<i>Cecembia calidifontis</i> sp. nov., isolated from a hot spring runoff, and emended description of the genus <i>Cecembia</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 1431-1436.	1.7	14
29	<i>Pullulanibacillus uraniitolerans</i> sp. nov., an acidophilic, U(VI)-resistant species isolated from an acid uranium mill tailing effluent and emended description of the genus <i>Pullulanibacillus</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 158-162.	1.7	15
30	<i>Glaciimonas singularis</i> sp. nov., isolated from a uranium mine wastewater treatment plant. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 2344-2350.	1.7	15
31	Bacterial Diversity in a Nonsaline Alkaline Environment. , 2013, , 1-5.		0
32	Genome Sequence of <i>Mycobacterium hassiacum</i> DSM 44199, a Rare Source of Heat-Stable Mycobacterial Proteins. <i>Journal of Bacteriology</i> , 2012, 194, 7010-7011.	2.2	17
33	<i>Jeotgalibacillus soli</i> sp. nov., a Gram-stain-positive bacterium isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 608-612.	1.7	15
34	Amplified ribosomal DNA restriction analysis as a routine tool to assess toxicant driven changes in hindgut bacterial populations of <i>Porcellio dilatatus</i> (Crustacea: Isopoda). <i>Journal of Environmental Monitoring</i> , 2011, 13, 2102.	2.1	1
35	<i>Tepidamorphus gemmatus</i> gen. nov., sp. nov., a slightly thermophilic member of the Alphaproteobacteria. <i>Systematic and Applied Microbiology</i> , 2010, 33, 60-66.	2.8	27
36	Molecular evolution of <i>Legionella pneumophila</i> dotA gene, the contribution of natural environmental strains. <i>Environmental Microbiology</i> , 2010, 12, 2711-2729.	3.8	22

#	ARTICLE	IF	CITATIONS
37	Meiothermus rufus sp. nov., a new slightly thermophilic red-pigmented species and emended description of the genus Meiothermus. <i>Systematic and Applied Microbiology</i> , 2009, 32, 306-313.	2.8	40
38	Description of <i>Idiomarina insulisalsae</i> sp. nov., isolated from the soil of a sea salt evaporation pond, proposal to transfer the species of the genus <i>Pseudidiomarina</i> to the genus <i>Idiomarina</i> and emended description of the genus <i>Idiomarina</i> . <i>Systematic and Applied Microbiology</i> , 2009, 32, 371-378.	2.8	77
39	<i>Bacillus isabeliae</i> sp. nov., a halophilic bacterium isolated from a sea salt evaporation pond. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 226-230.	1.7	27
40	Description of <i>Azospira restricta</i> sp. nov., a nitrogen-fixing bacterium isolated from groundwater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 1521-1526.	1.7	69
41	<i>Salirhabdus euzebyi</i> gen. nov., sp. nov., a Gram-positive, halotolerant bacterium isolated from a sea salt evaporation pond. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 1566-1571.	1.7	34
42	Antibiotic resistance of enterococci and related bacteria in an urban wastewater treatment plant. <i>FEMS Microbiology Ecology</i> , 2006, 55, 322-329.	2.7	188
43	<i>Chimaereicella alkaliphila</i> gen. nov., sp. nov., a Gram-negative alkaliphilic bacterium isolated from a nonsaline alkaline groundwater. <i>Systematic and Applied Microbiology</i> , 2006, 29, 100-108.	2.8	40
44	<i>Dokdonella fugitiva</i> sp. nov., a Gammaproteobacterium isolated from potting soil. <i>Systematic and Applied Microbiology</i> , 2006, 29, 191-196.	2.8	24
45	<i>Propionicicella superfundia</i> gen. nov., sp. nov., a chlorosolvent-tolerant propionate-forming, facultative anaerobic bacterium isolated from contaminated groundwater. <i>Systematic and Applied Microbiology</i> , 2006, 29, 404-413.	2.8	52
46	<i>Tepidimonas thermarum</i> sp. nov., a new slightly thermophilic betaproteobacterium isolated from the Elisenquelle in Aachen and emended description of the genus <i>Tepidimonas</i> . <i>Systematic and Applied Microbiology</i> , 2006, 29, 450-456.	2.8	27
47	<i>Microcella alkaliphila</i> sp. nov., a novel member of the family <i>Microbacteriaceae</i> isolated from a non-saline alkaline groundwater, and emended description of the genus <i>Microcella</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 2313-2316.	1.7	34
48	<i>Paucisalibacillus globulus</i> gen. nov., sp. nov., a Gram-positive bacterium isolated from potting soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 1841-1845.	1.7	40
49	<i>Brooklawnia cerclae</i> gen. nov., sp. nov., a propionate-forming bacterium isolated from chlorosolvent-contaminated groundwater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 1977-1983.	1.7	62
50	<i>Bacillus foraminis</i> sp. nov., isolated from a non-saline alkaline groundwater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 2571-2574.	1.7	55
51	Meiothermus timidus sp. nov., a new slightly thermophilic yellow-pigmented species. <i>FEMS Microbiology Letters</i> , 2005, 245, 39-45.	1.8	42
52	<i>Phenylbacterium falsum</i> sp. nov., an Alphaproteobacterium isolated from a nonsaline alkaline groundwater, and emended description of the genus <i>Phenylbacterium</i> . <i>Systematic and Applied Microbiology</i> , 2005, 28, 295-302.	2.8	32
53	<i>Microcella putealis</i> gen. nov., sp. nov., a Gram-positive alkaliphilic bacterium isolated from a nonsaline alkaline groundwater. <i>Systematic and Applied Microbiology</i> , 2005, 28, 479-487.	2.8	52
54	Presence and Persistence of <i>Legionella</i> spp. in Groundwater. <i>Applied and Environmental Microbiology</i> , 2005, 71, 663-671.	3.1	64

#	ARTICLE	IF	CITATIONS
55	Bacterial Diversity in a Nonsaline Alkaline Environment: Heterotrophic Aerobic Populations. <i>Applied and Environmental Microbiology</i> , 2004, 70, 7378-7387.	3.1	136
56	Metabolic and Genetic Diversity of Mesophilic and Thermophilic Bacteria Isolated from Composted Municipal Sludge on Poly- μ -caprolactones. <i>Current Microbiology</i> , 2004, 49, 407-414.	2.2	51