

John F Tooker

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6847147/publications.pdf>

Version: 2024-02-01

120
papers

5,915
citations

116194

36
h-index

97045

71
g-index

124
all docs

124
docs citations

124
times ranked

6213
citing authors

#	ARTICLE	IF	CITATIONS
1	Insecticide-contaminated honeydew: risks for beneficial insects. <i>Biological Reviews</i> , 2022, 97, 664-678.	4.7	17
2	Early-season plant cover supports more effective pest control than insecticide applications. <i>Ecological Applications</i> , 2022, 32, e2598.	1.8	12
3	Planted-green cover crops in maize/soybean rotations confer stronger bottom-up than top-down control of slugs. <i>Agriculture, Ecosystems and Environment</i> , 2022, 334, 107980.	2.5	1
4	Sensory co-evolution: The sex attractant of a gall-making fly primes plant defences, but female flies recognize resulting changes in host-plant quality. <i>Journal of Ecology</i> , 2021, 109, 99-108.	1.9	1
5	Preventive insecticide use affects arthropod decomposers and decomposition in field crops. <i>Applied Soil Ecology</i> , 2021, 157, 103757.	2.1	11
6	Ground Predator Activity-Density and Predation Rates Are Weakly Supported by Dry-Stack Cow Manure and Wheat Cover Crops in No-Till Maize. <i>Environmental Entomology</i> , 2021, 50, 46-57.	0.7	5
7	Small-Grain Cover Crops Have Limited Effect on Neonicotinoid Contamination from Seed Coatings. <i>Environmental Science & Technology</i> , 2021, 55, 4679-4687.	4.6	11
8	Are polycultures for silage pragmatic medleys or gallimaufries?. <i>Agronomy Journal</i> , 2021, 113, 1205-1221.	0.9	2
9	Assessing surface and subsurface transport of neonicotinoid insecticides from no-till crop fields. <i>Journal of Environmental Quality</i> , 2021, 50, 476-484.	1.0	9
10	Giant polyploid epidermal cells and male pheromone production in the tephritid fruit fly <i>Eurosta solidaginis</i> (Diptera: Tephritidae). <i>Journal of Insect Physiology</i> , 2021, 130, 104210.	0.9	2
11	Newer characters, same story: neonicotinoid insecticides disrupt food webs through direct and indirect effects. <i>Current Opinion in Insect Science</i> , 2021, 46, 50-56.	2.2	36
12	Wheat intraspecific diversity suppressed diseases with subdued yield, economic return and arthropod predation services. <i>Agriculture, Ecosystems and Environment</i> , 2021, 315, 107438.	2.5	5
13	Life History, Biology, and Distribution of <i>Pterostichus melanarius</i> (Coleoptera: Carabidae) in North America. <i>Environmental Entomology</i> , 2021, , .	0.7	5
14	Preventative pest management in field crops influences the biological control potential of epigeal arthropods and soil-borne entomopathogenic fungi. <i>Field Crops Research</i> , 2021, 272, 108265.	2.3	1
15	Are bacterial symbionts associated with gall induction in insects?. <i>Arthropod-Plant Interactions</i> , 2021, 15, 1-12.	0.5	12
16	Wild bees as winners and losers: Relative impacts of landscape composition, quality, and climate. <i>Global Change Biology</i> , 2021, 27, 1250-1265.	4.2	48
17	Toxicity of clothianidin to common Eastern North American fireflies. <i>PeerJ</i> , 2021, 9, e12495.	0.9	6
18	A high-diversity/IPM cropping system fosters beneficial arthropod populations, limits invertebrate pests, and produces competitive maize yields. <i>Agriculture, Ecosystems and Environment</i> , 2020, 292, 106812.	2.5	20

#	ARTICLE	IF	CITATIONS
19	Balancing Disturbance and Conservation in Agroecosystems to Improve Biological Control. Annual Review of Entomology, 2020, 65, 81-100.	5.7	52
20	Fertilizing Corn With Manure Decreases Caterpillar Performance but Increases Slug Damage. Environmental Entomology, 2020, 49, 141-150.	0.7	6
21	Potential Impacts of Translocation of Neonicotinoid Insecticides to Cotton (<i>Gossypium hirsutum</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 159-168.	0.7	8
22	Weather and regional crop composition variation drive spatial synchrony of lepidopteran agricultural pests. Ecological Entomology, 2020, 45, 573-582.	1.1	17
23	The Influence of Marking Methods on Mobility, Survivorship, and Field Recovery of <i>Halyomorpha halys</i> (Hemiptera: Pentatomidae) Adults and Nymphs. Environmental Entomology, 2020, 49, 1026-1031.	0.7	4
24	The Evolution of Endophagy in Herbivorous Insects. Frontiers in Plant Science, 2020, 11, 581816.	1.7	24
25	A long-term dataset on wild bee abundance in Mid-Atlantic United States. Scientific Data, 2020, 7, 240.	2.4	8
26	Beyond the Headlines: The Influence of Insurance Pest Management on an Unseen, Silent Entomological Majority. Frontiers in Sustainable Food Systems, 2020, 4, .	1.8	15
27	Parasitoids, Nematodes, and Protists in Populations of Striped Cucumber Beetle (Coleoptera:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 10	0.7	4
28	Pollen Protein: Lipid Macronutrient Ratios May Guide Broad Patterns of Bee Species Floral Preferences. Insects, 2020, 11, 132.	1.0	128
29	Soybean aphid biotype 1 genome: Insights into the invasive biology and adaptive evolution of a major agricultural pest. Insect Biochemistry and Molecular Biology, 2020, 120, 103334.	1.2	15
30	Is tillage beneficial or detrimental for insect and slug management? A meta-analysis. Agriculture, Ecosystems and Environment, 2020, 294, 106849.	2.5	41
31	Cytokinins Are Abundant and Widespread among Insect Species. Plants, 2020, 9, 208.	1.6	31
32	Cultivar mixtures of soybeans have inconsistent effects on herbivore and natural-enemy populations. Agriculture, Ecosystems and Environment, 2020, 292, 106835.	2.5	11
33	Planting Green Effects on Corn and Soybean Production. Agronomy Journal, 2019, 111, 2314-2325.	0.9	42
34	Phytohormones in Fall Armyworm Saliva Modulate Defense Responses in Plants. Journal of Chemical Ecology, 2019, 45, 598-609.	0.9	40
35	Costs of plant defense priming: exposure to volatile cues from a specialist herbivore increases short-term growth but reduces rhizome production in tall goldenrod (<i>Solidago altissima</i>). BMC Plant Biology, 2019, 19, 209.	1.6	17
36	Managing fertility with animal waste to promote arthropod pest suppression. Biological Control, 2019, 134, 130-140.	1.4	35

#	ARTICLE	IF	CITATIONS
37	Trade-offs between defenses against herbivores in goldenrod (<i>Solidago altissima</i>). <i>Arthropod-Plant Interactions</i> , 2019, 13, 279-287.	0.5	7
38	Chemical cues linked to risk: Cues from belowground natural enemies enhance plant defences and influence herbivore behaviour and performance. <i>Functional Ecology</i> , 2019, 33, 798-808.	1.7	35
39	A network approach reveals parasitoid wasps to be generalized nectar foragers. <i>Arthropod-Plant Interactions</i> , 2019, 13, 239-251.	0.5	15
40	Chemical Ecology and Sociality in Aphids: Opportunities and Directions. <i>Journal of Chemical Ecology</i> , 2018, 44, 770-784.	0.9	10
41	Quantitative evolutionary patterns in bipartite networks: Vicariance, phylogenetic tracking or diffuse coevolution?. <i>Methods in Ecology and Evolution</i> , 2018, 9, 761-772.	2.2	31
42	Evaluation of biorational insecticides and DNA barcoding as tools to improve insect pest management in lablab bean (<i>Lablab purpureus</i>) in Bangladesh. <i>Journal of Asia-Pacific Entomology</i> , 2018, 21, 1326-1336.	0.4	5
43	Life history and habitat explain variation among insect pest populations subject to global change. <i>Ecosphere</i> , 2018, 9, e02274.	1.0	18
44	Zucchini Yellow Mosaic Virus Infection Limits Establishment and Severity of Powdery Mildew in Wild Populations of <i>Cucurbita pepo</i> . <i>Frontiers in Plant Science</i> , 2018, 9, 792.	1.7	19
45	Consistent pollen nutritional intake drives bumble bee (<i>Bombus impatiens</i>) colony growth and reproduction across different habitats. <i>Ecology and Evolution</i> , 2018, 8, 5765-5776.	0.8	63
46	Landscape Factors Influencing Stink Bug Injury in Mid-Atlantic Tomato Fields. <i>Journal of Economic Entomology</i> , 2017, 110, tow252.	0.8	14
47	The volatile emission of a specialist herbivore alters patterns of plant defence, growth and flower production in a field population of goldenrod. <i>Functional Ecology</i> , 2017, 31, 1062-1070.	1.7	13
48	Developing ecologically based pest management programs for terrestrial molluscs in field and forage crops. <i>Journal of Pest Science</i> , 2017, 90, 825-838.	1.9	30
49	Variety mixtures of wheat influence aphid populations and attract an aphid predator. <i>Arthropod-Plant Interactions</i> , 2017, 11, 133-146.	0.5	22
50	Identification of an insect-produced olfactory cue that primes plant defenses. <i>Nature Communications</i> , 2017, 8, 337.	5.8	60
51	Neonicotinoid Seed Treatments: Limitations and Compatibility with Integrated Pest Management. <i>Agricultural and Environmental Letters</i> , 2017, 2, ael2017.08.0026.	0.8	49
52	A Maize Inbred Exhibits Resistance Against Western Corn Rootworm, <i>Diabrotica virgifera virgifera</i> . <i>Journal of Chemical Ecology</i> , 2017, 43, 1109-1123.	0.9	16
53	In-Field Habitat Management to Optimize Pest Control of Novel Soil Communities in Agroecosystems. <i>Insects</i> , 2017, 8, 82.	1.0	26
54	Silent Sparks: The Wondrous World of Fireflies Sara Lewis. <i>American Entomologist</i> , 2017, 63, 133-134.	0.1	0

#	ARTICLE	IF	CITATIONS
55	Biology and Economics of Recommendations for Insecticide-Based Management of Soybean Aphid. <i>Plant Health Progress</i> , 2016, 17, 265-269.	0.8	31
56	Effects of the herbicide dicamba on nontarget plants and pollinator visitation. <i>Environmental Toxicology and Chemistry</i> , 2016, 35, 144-151.	2.2	73
57	Modeling the decision process for barley yellow dwarf management. <i>Computers and Electronics in Agriculture</i> , 2016, 127, 775-786.	3.7	9
58	Top-down network analysis characterizes hidden termite-termite interactions. <i>Ecology and Evolution</i> , 2016, 6, 6178-6188.	0.8	7
59	Inter-varietal interactions among plants in genotypically diverse mixtures tend to decrease herbivore performance. <i>Oecologia</i> , 2016, 182, 189-202.	0.9	21
60	Macronutrient ratios in pollen shape bumble bee (<i>Bombus impatiens</i>) foraging strategies and floral preferences. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E4035-42.	3.3	262
61	Meta-analysis reveals that seed-applied neonicotinoids and pyrethroids have similar negative effects on abundance of arthropod natural enemies. <i>PeerJ</i> , 2016, 4, e2776.	0.9	70
62	Handheld Lasers Allow Efficient Detection of Fluorescent Marked Organisms in the Field. <i>PLoS ONE</i> , 2015, 10, e0129175.	1.1	22
63	Intellectual Property, Scientific Independence, and the Efficacy and Environmental Impacts of Genetically Engineered Crops. <i>Rural Sociology</i> , 2015, 80, 147-172.	1.1	18
64	Bee nutrition and floral resource restoration. <i>Current Opinion in Insect Science</i> , 2015, 10, 133-141.	2.2	318
65	Moving beyond resistance management toward an expanded role for seed mixtures in agriculture. <i>Agriculture, Ecosystems and Environment</i> , 2015, 208, 29-36.	2.5	26
66	Large-Scale Deployment of Seed Treatments Has Driven Rapid Increase in Use of Neonicotinoid Insecticides and Preemptive Pest Management in U.S. Field Crops. <i>Environmental Science & Technology</i> , 2015, 49, 5088-5097.	4.6	382
67	Maize Plants Recognize Herbivore-Associated Cues from Caterpillar Frass. <i>Journal of Chemical Ecology</i> , 2015, 41, 781-792.	0.9	61
68	Neotropical Insect Galls. Edited by Geraldo Wilson Fernandes and Jean Carlos Santos. New York: Springer. \$189.00. ix + 550 p.; ill.; no index. ISBN: 978-94-017-8782-6 (hc); 978-94-017-8783-3 (eb). 2014.. <i>Quarterly Review of Biology</i> , 2015, 90, 210-211.	0.0	0
69	EDITOR'S CHOICE: Neonicotinoid insecticide travels through a soil food chain, disrupting biological control of non-target pests and decreasing soya bean yield. <i>Journal of Applied Ecology</i> , 2015, 52, 250-260.	1.9	149
70	Current European corn borer, <i>Ostrinia nubilalis</i> , injury levels in the northeastern United States and the value of Bt field corn. <i>Pest Management Science</i> , 2014, 70, 1711-1719.	1.7	21
71	One Gene Versus Two: A Regional Study on the Efficacy of Single Gene Versus Pyramided Resistance for Soybean Aphid Management. <i>Journal of Economic Entomology</i> , 2014, 107, 1680-1687.	0.8	52
72	Shared genes related to aggression, rather than chemical communication, are associated with reproductive dominance in paper wasps (<i>Polistes metricus</i>). <i>BMC Genomics</i> , 2014, 15, 75.	1.2	82

#	ARTICLE	IF	CITATIONS
73	Herbicide drift can affect plant and arthropod communities. <i>Agriculture, Ecosystems and Environment</i> , 2014, 185, 77-87.	2.5	104
74	A framework for evaluating ecosystem services provided by cover crops in agroecosystems. <i>Agricultural Systems</i> , 2014, 125, 12-22.	3.2	420
75	The volatile emission of <i>Eurosta solidaginis</i> primes herbivore-induced volatile production in <i>Solidago altissima</i> and does not directly deter insect feeding. <i>BMC Plant Biology</i> , 2014, 14, 173.	1.6	35
76	Phytohormone Dynamics Associated with Gall Insects, and their Potential Role in the Evolution of the Gall-Inducing Habit. <i>Journal of Chemical Ecology</i> , 2014, 40, 742-753.	0.9	108
77	Bumble bees exhibit daily behavioral patterns in pollen foraging. <i>Arthropod-Plant Interactions</i> , 2014, 8, 273.	0.5	20
78	Corn Earworm (Lepidoptera: Noctuidae) in Northeastern Field Corn: Infestation Levels and the Value of Transgenic Hybrids. <i>Journal of Economic Entomology</i> , 2013, 106, 1250-1259.	0.8	15
79	Exposure of <i>Solidago altissima</i> plants to volatile emissions of an insect antagonist (<i>Tj ETQq1</i>) in the Sciences of the United States of America, 2013, 110, 199-204.	3.3	77
80	The potential of genotypically diverse cultivar mixtures to moderate aphid populations in wheat (<i>Triticum aestivum</i> L.). <i>Arthropod-Plant Interactions</i> , 2013, 7, 33-43.	0.5	40
81	Direct and Indirect Effects of the Synthetic-Auxin Herbicide Dicamba on Two Lepidopteran Species. <i>Environmental Entomology</i> , 2013, 42, 586-594.	0.7	24
82	Corn pith weevil, <i>Geraeus penicillus</i> (Coleoptera: Curculionidae) in the United States of America. <i>Journal of Applied Entomology</i> , 2013, 137, 668-672.	0.8	1
83	Herbivore exploits orally secreted bacteria to suppress plant defenses. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 15728-15733.	3.3	386
84	Floral Host Plants of Adult Beetles in Central Illinois: An Historical Perspective. <i>Annals of the Entomological Society of America</i> , 2012, 105, 287-297.	1.3	11
85	Slug (Mollusca: Agriolimacidae, Arionidae) Ecology and Management in No-Till Field Crops, With an Emphasis on the mid-Atlantic Region. <i>Journal of Integrated Pest Management</i> , 2012, 3, C1-C9.	0.9	68
86	Role of trichomes in defense against herbivores: comparison of herbivore response to woolly and hairless trichome mutants in tomato (<i>Solanum lycopersicum</i>). <i>Planta</i> , 2012, 236, 1053-1066.	1.6	200
87	Salivary Glucose Oxidase from Caterpillars Mediates the Induction of Rapid and Delayed-Induced Defenses in the Tomato Plant. <i>PLoS ONE</i> , 2012, 7, e36168.	1.1	107
88	E- β -farnesene synergizes the influence of an insecticide to improve control of cabbage aphids in China. <i>Crop Protection</i> , 2012, 35, 91-96.	1.0	21
89	A petiole-galling insect herbivore decelerates leaf lamina litter decomposition rates. <i>Functional Ecology</i> , 2012, 26, 628-636.	1.7	14
90	Genotypically diverse cultivar mixtures for insect pest management and increased crop yields. <i>Journal of Applied Ecology</i> , 2012, 49, 974-985.	1.9	206

#	ARTICLE	IF	CITATIONS
91	Insect Eggs Can Enhance Wound Response in Plants: A Study System of Tomato <i>Solanum lycopersicum</i> L. and <i>Helicoverpa zea</i> Boddie. <i>PLoS ONE</i> , 2012, 7, e37420.	1.1	62
92	Consequences of Habitat Fragmentation for the Prairie-Endemic Weevil <i>Haplorhynchites aeneus</i> . <i>Environmental Entomology</i> , 2011, 40, 1388-1396.	0.7	3
93	Combining intercropping with semiochemical releases: optimization of alternative control of <i>Sitobion avenae</i> in wheat crops in China. <i>Entomologia Experimentalis Et Applicata</i> , 2011, 140, 189-195.	0.7	29
94	Feeding by Hessian Fly (<i>Mayetiola destructor</i> [Say]) Larvae on Wheat Increases Levels of Fatty Acids and Indole-3-Acetic Acid but not Hormones Involved in Plant-Defense Signaling. <i>Journal of Plant Growth Regulation</i> , 2011, 30, 158-165.	2.8	31
95	Feeding by a gall-inducing caterpillar species alters levels of indole-3-acetic and abscisic acid in <i>Solidago altissima</i> (Asteraceae) stems. <i>Arthropod-Plant Interactions</i> , 2011, 5, 115-124.	0.5	59
96	Seeds of Change: Corn Seed Mixtures for Resistance Management and Integrated Pest Management. <i>Journal of Economic Entomology</i> , 2011, 104, 343-352.	0.8	112
97	First Report of Western Bean Cutworm (<i>Striacosta albicosta</i>) in Pennsylvania. <i>Crop Management</i> , 2010, 9, 1-4.	0.3	19
98	Trichomes as sensors. <i>Plant Signaling and Behavior</i> , 2010, 5, 73-75.	1.2	22
99	Plants on early alert: glandular trichomes as sensors for insect herbivores. <i>New Phytologist</i> , 2009, 184, 644-656.	3.5	181
100	A Gall-Inducing Caterpillar Species Increases Essential Fatty Acid Content of Its Host Plant Without Concomitant Increases in Phytohormone Levels. <i>Molecular Plant-Microbe Interactions</i> , 2009, 22, 551-559.	1.4	33
101	Parasitic Plants in Agriculture: Chemical Ecology of Germination and Host-Plant Location as Targets for Sustainable Control: A Review. <i>Sustainable Agriculture Reviews</i> , 2009, , 123-136.	0.6	9
102	Gall insects can avoid and alter indirect plant defenses. <i>New Phytologist</i> , 2008, 178, 657-671.	3.5	125
103	Gall insects and indirect plant defenses. <i>Plant Signaling and Behavior</i> , 2008, 3, 503-504.	1.2	29
104	Feeding by Hessian fly [<i>Mayetiola destructor</i> (Say)] larvae does not induce plant indirect defences. <i>Ecological Entomology</i> , 2007, 32, 153-161.	1.1	39
105	Jasmonate, Salicylate, and Benzoate in Insect Eggs. <i>Journal of Chemical Ecology</i> , 2007, 33, 331-343.	0.9	17
106	Tritrophic Interactions and Reproductive Fitness of the Prairie Perennial <i>Silphium laciniatum</i> Gillette (Asteraceae). <i>Environmental Entomology</i> , 2006, 35, 537-545.	0.7	46
107	Jasmonate in Lepidopteran Larvae. <i>Journal of Chemical Ecology</i> , 2006, 32, 2321-2326.	0.9	10
108	Floral Host Plants of Syrphidae and Tachinidae (Diptera) of Central Illinois. <i>Annals of the Entomological Society of America</i> , 2006, 99, 96-112.	1.3	67

#	ARTICLE	IF	CITATIONS
109	Plant-Provided Food for Carnivorous Insects: A Protective Mutualism and its Applications F. L. Wäckers, P. C. J. van Rijn, J. Bruin . 2005. Plant-Provided Food for Carnivorous Insects: A Protective Mutualism and its Applications. Cambridge University Press.xii+. 356 17.5 Å– 25 cm, hardcover, US\$130.00. ISBN: 0-521-81941-5.. <i>Ecoscience</i> , 2006, 13, 428-429.	0.6	0
110	Plant volatiles are behavioral cues for adult females of the gall wasp <i>Antistrophus rufus</i> . <i>Chemoecology</i> , 2005, 15, 85-88.	0.6	35
111	Jasmonate in Lepidopteran Eggs and Neonates. <i>Journal of Chemical Ecology</i> , 2005, 31, 2753-2759.	0.9	26
112	Conservation biological control in urban landscapes: Manipulating parasitoids of bagworm (Lepidoptera: Psychidae) with flowering forbs. <i>Biological Control</i> , 2005, 34, 99-107.	1.4	61
113	Trophic Position of the Endophytic Beetle, <i>Mordellistena aethiops</i> ; Smith (Coleoptera:) <i>Tj ETQq1 1.0,784314,rgBT /Over</i>	0.7	26
114	Impact of prescribed burning on endophytic insect communities of prairie perennials (Asteraceae:) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50</i>	1.2	22
115	Endophytic insect communities of two prairie perennials (Asteraceae: <i>Silphium</i> spp.). <i>Biodiversity and Conservation</i> , 2004, 13, 2551-2566.	1.2	9
116	Stereochemistry of Host Plant Monoterpenes as Mate Location Cues for the Gall Wasp <i>Antistrophus rufus</i> . <i>Journal of Chemical Ecology</i> , 2004, 30, 473-477.	0.9	28
117	Nonlinear partial differential equations and applications: Altered host plant volatiles are proxies for sex pheromones in the gall wasp <i>Antistrophus rufus</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 15486-15491.	3.3	49
118	Nectar Sources of Day-Flying Lepidoptera of Central Illinois. <i>Annals of the Entomological Society of America</i> , 2002, 95, 84-96.	1.3	29
119	Flowering Plant Hosts of Adult Hymenopteran Parasitoids of Central Illinois. <i>Annals of the Entomological Society of America</i> , 2000, 93, 580-588.	1.3	56
120	Influence of Plant Community Structure on Natural Enemies of Pine Needle Scale (Homoptera:) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50</i>	0.7	80